BYTE®

the small systems journal

FEBRUARY 1982 Vol. 7, No. 2
$2.95 in USA/$3.50 in Canada
A McGraw-Hill Publication


Robert Tinney

WINTER COMPUTING

A new small computer that won't limit you tomorrow



New Cromemco System One shown with our high-capability terminal and printer.



Expandability

Here's a low-priced computer that won't run out of memory capacity or expandability halfway through your project.

Typically, computer usage tends to grow, requiring more capability, more memory, more storage. Without a lot of capability and expandability, your computer can be obsolete from the start.

The new System One is a real building-block machine. It has capability and expandability by the carload.

Look at these features:

- **Z80-A processor**
- **64K of RAM**
- **780K of disk storage**
- **CRT and printer interfaces**
- **Eight S-100 card slots, allowing expansion with**
  - **— color graphics**
  - **— additional memory**
  - **— additional interfaces for telecommunications, data acquisition, etc.**
- **Small size**

GENEROUS DISK STORAGE

The 780K of disk storage in the System One Model CS-1 is much greater than what is typically available in small computers. But here, too, you have a choice since a second version, Model CS-1H, has a 5″ Winchester drive that gives you **5 megabytes** of disk storage.

MULTI-USER, MULTI-TASKING CAPABILITY

Believe it or not, this new computer even offers multi-user capability when used with our advanced CROMIX* operating system option. Not only does this outstanding O/S support multiple users on this computer but does so with powerful features like multiple directories, file protection and record level lock. CROMIX lets you run multiple jobs as well.

In addition to our highly-acclaimed CROMIX, there is our CDOS*. This is an enhanced CP/M† type system designed for single-user applications. CP/M and a wealth of CP/M-compatible software are also available for the new System One through third-party vendors.

COLOR GRAPHICS/WORD PROCESSING

This small computer even gives you the option of outstanding high-resolution color graphics with our Model SDI interface and two-port RAM cards.

Then there's our tremendously wide range of Cromemco software including packages for word processing, business, and much more, all usable with the new System One.

ANTI-OBSOLESCENCE/LOW-PRICED

As you can see, the new One offers you a lot of performance. It's obviously designed with anti-obsolescence in mind.

What's more, it's priced at only $3,995. That's considerably less than many machines with much less capability. And it's not that much more than many machines that have little or nothing in the way of expandability.

Physically, the One is small — 7″ high. And it's all-metal in construction. It's only 14⅛″ wide, ideal for desk top use. A rack mount option is also available.

CONTACT YOUR REP NOW

Get all the details on this important building-block computer. Get in touch with your Cromemco rep now. He'll show you how the new System One can grow with your task.

*CROMIX and CDOS are trademarks of Cromemco Inc.
†CP/M is a trademark of Digital Research



Circle 96 on inquiry card.



CROMIX*— Cromemco's outstanding UNIX†—like operating system

CROMIX is just the kind of major development you've come to expect from Cromemco. After all, we're already well-known for the most respected software in the microcomputer field.

And now we've come up with the industry's first UNIX-lookalike for microcomputers. It's a tried and proven operating system. It's available on both 5" and 8" diskettes for Cromemco systems with 128K or more of memory.

Here are just some of the features you get in this powerful Cromemco system:

- Multi-user and multi-tasking capability
- Hierarchical directories
- Completely compatible file, device, and interprocess I/O
- Extensive subsystem support

FILE SYSTEM

One of the important features of our CROMIX is its file system comprised of hierarchical directories. It's a tree structure of three types of files: data files, directories, and device files. File, device, and interprocess I/O are compatible among these file types (input and output may be redirected interchangeably from and to any source or destination).

The tree structure allows different directories to be maintained for different users or functions with no chance of conflict.

PROTECTED FILES

Because of the hierarchical structure of the file system, CROMIX maintains separate ownership of every file and directory. All files can thus be protected from access by other users of the system. In fact, each file is protected by **four separate access privileges** in each of the three user categories.

TREMENDOUS ADDRESS SPACE, FAST ACCESS

The flexible file system and generalized disk structure of CROMIX give a disk address space in excess of one gigabyte per volume — file size is limited only by available disk capacity.

Speed of access to disk files has also been optimized. Average access speeds far surpass any yet implemented on microcomputers.

'C' COMPILER AVAILABLE, TOO

Cromemco offers a wide range of languages that operate under CROMIX. These include a high-level command process language and extensive subsystem support such as COBOL, FORTRAN IV, RATFOR, LISP, and 32K and 16K BASICs.

There is even our highly-acclaimed 'C' compiler which allows a programmer fingertip access to CROMIX system calls.


THE STANDARD O-S FOR THE FUTURE

The power and breadth of its features make CROMIX the standard for the next generation of microcomputer operating systems.

And yet it is available for a surprisingly low $595.

The thing to do is to get all this capability working for you now. Get in touch with your Cromemco rep today.

*CROMIX is a trademark of Cromemco, Inc.
†UNIX is a trademark of Bell Telephone Laboratories



280 BERNARDO AVE., MOUNTAIN VIEW, CA 94040 • (415) 964-7400
Tomorrow's computers today

Circle 97 on inquiry card.

In The Queue

Volume 7, Number 2 February 1982


Features

Reviews


Nucleus

BYTE



Page 6


Page 38


Page 72


Page 219





In This Issue

It's time again to start worrying about your annual accounting to Uncle Sam. April 15 is only two months away. And it's probably time you sat down to crunch out those numbers. As Robert Tinney's cover suggests, staying warm by your computer is an attractive alternative to braving the cold winter winds. To help ease the pain, we review two software packages designed specifically for computing taxes. If you have access to UCSD Pascal, Edward Heyman's federal income tax program can help you avoid overpayments and lost interest. In "Tax Tips for Computer Owners" Melvyn Feuerman and Melvyn Moller discuss tax breaks for computer owners.

This month we begin another new series: The Input/Output Primer by Steve Leibson. The six-part tutorial will take you through computer interfacing from simple serial and parallel ports to IEEE-STD-488. The Atari Tutorial continues with a look at Atari BASIC. William Barden details an easy way to provide voice synthesis for the Color Computer. And Steve Ciarcia shows you how to build a computerized weather station that will talk to you.


BYTE is published monthly by BYTE Publications Inc, 70 Main St, Peterborough NH 03458, phone (603) 924-9281, a wholly-owned subsidiary of McGraw-Hill, Inc. Address subscriptions, change of address, USPS Form 3579, and fulfillment questions to BYTE Subscriptions, POB 590, Martinsville NJ 08836. Second class postage paid at Waseca, Minnesota 56093 - USPS Publication No. 528890 (ISSN 0360-5280). Canadian second class registration number 9321. Subscriptions are $19 for one year, $34 for two years, and $49 for three years in the USA and its possessions. In Canada and Mexico, $21 for one year, $38 for two years, $55 for three years. $43 for one year air delivery to Europe. $35 surface delivery elsewhere. Air delivery to selected areas at additional rates upon request. Single copy price is $2.95 in the USA and its possessions, $3.50 in Canada and Mexico, $4.50 in Europe, and $5.00 elsewhere. Foreign subscriptions and sales should be remitted in United States funds drawn on a US bank. Printed in United States of America.


Address all editorial correspondence to the editor at BYTE, POB 372, Hancock NH 03449. Unacceptable manuscripts will be returned if accompanied by sufficient first class postage. Not responsible for lost manuscripts or photos. Opinions expressed by the authors are not necessarily those of BYTE.

BYTE® is available in microform from University Microfilms International, 300 N Zeeb Rd, Dept PR, Ann Arbor MI 48106 USA or 18 Bedford Row, Dept PR, London WC1R 4EJ England. (ABC)


Subscription WATS Line: (800) 258-5485
Office hours: Mon-Thur 8:30 AM - 4:30 PM, Friday 8:30 AM - Noon, Eastern Time







"...stands well above other S-100 graphics displays in its price and performance range."
BYTE, Product Review




"...better monochromatic ...display...."
ELECTRONIC DESIGN, 1981 Technology Forecast

MICROANGELO

HIGH RESOLUTION GRAPHICS SINGLE BOARD COMPUTER

512 x 480 resolution black and white **and** vivid color displays

- RS-170 composite or direct drive output
- Local or external sync generation
- 4 Mhz Z80 microprocessor
- 60 hertz real-time clock
- 8 level interrupt tie-in
- IEEE S100 bus compatible



- Light pen interface
- Time multiplexed refresh
- 4K resident Screenware™ Pak I operating system
- 32K RAM isolated from host address space
- High speed communications over parallel bus ports

Screenware™ Pak I

A 4K byte operating system resident in PROM on MicroAngelo™. Pak I emulates an 85 character by 40 line graphics terminal and provides over 40 graphics commands. Provisions exist for user defined character sets and directly callable user extensions to Screenware™ Pak I.

Screenware™ Pak II

An optional software superset of Pak I which adds circle generation, polygon flood, programmable split screen for separate graphics and terminal I/O, relative coordinates, faster vector and character plotting, a macro facility, full UCSD Pascal compatibility, and more.

And now...COLOR!!

The new MicroAngelo™ Palette board treats from 2 to 8 MicroAngelos as "bit planes" at a full 512 x 480 resolution. Up to 256 colors may be chosen from 16.8 million through the programmable color lookup table. Overlays, bit plane precedence, fade-in, fade-out, gray levels, blinking bit plane, and a highly visual color editor are standard.

Ask about our multibus and RS-232 versions.



12310 Pinecrest Road • Reston, VA 22091 • (703) 476-6100 • TWX: 710-833-0684

Editorial

Report from COMDEX

by Chris Morgan, Editor in Chief

Software is growing up—fast. And hardware isn't far behind.

That was the double-barreled message from the COMDEX show, an exhibition designed to pair up small-systems vendors with their independent sales organizations. Held in Las Vegas last November, COMDEX has become a major event in the personal computing world. A record 631 exhibitors displayed their wares. With a nonstop flurry of press conferences and receptions, the atmosphere was more reminiscent of the NCC than of a small-systems show. What follows are some of the highlights.

The Fortune 32:16 Computer

A big hit was the Fortune 32:16 desktop microcomputer. Within the unit's elegant exterior are a Motorola 68000 processor, 32-bit data and address registers, a 24-bit memory address bus, and a 16-bit data bus. The basic model, which sells for $5000, features 128K bytes of memory; a 720K-byte (formatted) 5¼-inch floppy-disk drive; keyboard; and a 12-inch, 80-column black-and-white video display. A 5¼-inch Winchester disk drive with optional 5, 10, or 20 megabytes of storage is also available. The machine supports BASIC, COBOL, FORTRAN, Pascal, and C, and I found the Fortune's menu-driven business software packages to be promising. (Fortune Systems Corporation was launched with $8.5 million of venture capital, which the company claims is the largest amount of money ever raised to start a microcomputer company.) The Fortune 32:16 computer will be sold in Computerland stores and other outlets. We plan to review it in detail soon.



Photo 1: *The Fortune 32:16 microcomputer with Motorola 68000 processor.*



Photo 2: *Microsoft's new Multiplan, a Visicalc-like spreadsheet program.*

The "Visiclones" Are Coming

In our business, imitation is the sincerest form of survival. Personal Software's Visicalc has the nearest thing to software sex appeal and the sales figures to prove it. Consequently, a plethora of Visicalc-like electronic spreadsheets is upon us. First it was Supercalc from Sorcim; now the second generation has arrived. It's too early to tell how good they are, but we'll be reviewing them soon. At the forefront is Microsoft's Multiplan, a financial spreadsheet program that sports such interesting features as text windows à la Smalltalk. Win-

PERCOM


YOU GET MORE OUT OF PERCOM DISK SYSTEMS.

EXPECT IT!

At Percom, our business is making disk storage systems for microcomputers — something we've been doing right, since 1977.

From the design of rock-solid drive controller circuitry to quality controls that include 100% life testing of every drive shipped, you can expect to get more out of Percom Disk Systems.

And Percom provides you with comprehensive after-sales service from our wholly owned, fully independent customer service center.



WINCHESTER 10-MEGABYTE DISK STORAGE SYSTEMS

Enormous storage capacity plus high speed. Percom 5¼ inch hard disk systems are 40 times faster than single-density floppy mini-disks, 20 times faster than double-density units. Systems include a smart, four-drive controller featuring state-of-the-art data encoding and separation, adaptable industry-standard disk interfacing. Plug-in-compatible version for TRS-80* Model III computer, available now. Watch for IBM PC, Apple II, Atari, and H/Z-89 versions. Prices start at under $3000, including software. Also available with 5 or 15-Mbyte drives.

Coming soon! Ten megabyte removable-disk cartridge drive.

FLOPPY MINI-DISK STORAGE SYSTEMS

40 or 80-track drives, single or dual-head, flippy or non-flippy — all double-density rated. Available in 1, 2 and 3-drive add-on units, 1 and 2-drive internal units, with full documentation and software support. Add-on drives from $399, complete systems from $459.95.

To learn more about quality Percom disk storage systems, mail the coupon today. Or, call toll-free 1-800-527-1222. Ask for booklet "D".



YES ... I'd like to know more about Percom disk systems. Please rush me booklet "D".

Send to: PERCOM DATA COMPANY, INC. Dept BD1
11220 Pagemill Road, Dallas TX 75243

name ______________________

street ______________________


city ____________ state ______ zip ______

phone number ______________________

I'm interested in floppy disk storage for my...
TRS-80 ☐ Mdl III ☐ Mdl I ☐ IBM PC
☐ H/Z-89 ☐ H-8 ☐ AIM/KIM/SYM ☐ System-50

I'm interested in hard disk storage for my...
☐ IBM PC ☐ TRS-80 Mdl III ☐ Apple II ☐ Atari ☐ H/Z-89

Other computer? ______________________
(☐ floppy disk or ☐ hard disk?)





THE DRIVE PEOPLE

11220 Pagemill Road • Dallas TX • 75243 • (214) 340-7081

PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

*TRS-80 is a trademark of Tandy Radio Shack Corporation which has no relationship to Percom Data Company, Inc.

dows can be "closed" or "opened" so you can see the effect of what you're doing in an area off the screen. Available commands are displayed at the bottom of the screen. A lot of attention has been given to the documentation. Incidentally, Microsoft has announced a series of executive program aids called the "Manager Series." It will include Time Manager (currently available) and Project Manager and Personnel Manager (now being completed).



Photo 3: *Commodore's new, under-$100 modem for the VIC-20 color computer. The VIC-12 plugs directly into the VIC-20 and features a modular jack.*

I was given a demonstration of Time Manager. It's definitely a useful tool.

From Target Software Inc. of Atlanta comes a series of business-planning programs, including Plannercalc and Masterplanner. Plannercalc is a financial-planning tool that has a couple of interesting features: the program lets you enter procedures in English using conventional mathematical logic, and it can be integrated with the Masterplanner program. The latter has a more extended spreadsheet and "gridsheet" program.

Context Management Systems Inc. of Torrance, California, has announced its MBA program for the IBM Personal Computer. It's a combination database, electronic spreadsheet, word-processing, graphics, and communications package. It's also available in a version for the Apple III.

NEC Home Electronics USA announced "Report Generator," a CP/M-based program being marketed with NEC's PC-8000 series microcomputer system. It is designed to generate income statements, balance sheets, sales forecasts, and other business reports.

Other Software Developments

Intel has signed agreements with both Microsoft and Digital Research to distribute both companies' operating systems for a wide variety of Intel microcomputer systems and boards. This is a continuation of an interesting phenomenon that began when IBM announced it was go-

RUN CP/M 2 to 4 TIMES FASTER!

The ultimate single user machine

The PDS-80™ with Cache BIOS™ is a professional system designed for the most rigorous single user CP/M* environments... in business, software development, scientific, educational and industrial research... where speed and program space are critical factors.

SymBIOSis quadruples speed

No matter what high-level language you use... Cobol, Basic, Fortran, PL/1, or Pascal... PDS-80 offers more speed, power and reliability than any other floppy based CP/M system currently on the market. The InterSystems Cache BIOS fully exploits the advanced DMA and interrupt features of our reliable Series II hardware to buffer whole tracks in extended memory so most operations run two to four times faster than on other floppy based systems... actually equals the speed of many small hard disk systems. And Cache BIOS also provides many sophisticated system test and protection features to assure reliable operation.


An advanced CP/M application system

PDS-80 has all you need for commercial systems integration and applications software development... including a choice of the industry's only integral 8 bit front panel. Best of all, PDS-80 allows the systems integrator or applications developer addressing a vertical market to develop on the same components he configures for resale. The highly expandable modular design with 20slot S-100 mainframe allows almost unlimited options to suit any end use environment... including a choice of tabletop or rackmount design.

InterSystems will work with you at whatever level is appropriate to configure the target system you need ...right up to fully assembled and tested systems with floppy and Winchester disk drives.

Full software support

In addition to InterSystems' Cache BIOS and the CP/M operating system, models of PDS-80 can include Pascal/Z,



our highly acclaimed Z-80® native code Pascal compiler, and InterPak 80™, a special set of utilities including a powerful screen editor and versatile spelling editor to assist in the rapid editing, proofing and documentation of your code. These powerful programming aids are also available as standalone products.

It's upgradeable!


Both hardware and software are designed to provide for upgrade to 16 bit operation. Programs written for Pascal/Z are fully compatible with I•Pas 8000™, our Z-8000® native code compiler, and all PDS-80 systems are upgradeable to our 16 bit multi-user DPS-8000.

We build micros for bigger ideas.

Your big ideas. We're dedicated to providing the computer professional ... Systems Integrators, commercial program developers, scientific and industrial programmers... with professional hardware and software tools. And we support our customers to the fullest, with complete, professional documentation, application engineering consultation, and prompt, responsive service both from the factory and through factory-authorized service centers.

Call us toll free: 800-847-2088

for complete information on any of our 8 or 16 bit systems and software products.



Distributor Inquiries Invited



Micros for bigger ideas.

Ithaca Intersystems Inc. • 1650 Hanshaw Road • Ithaca, NY 14850 • Phone (607) 257-0190 • TWX: 510 255 4346

U.K. Distributor **Ithaca Intersystems (U.K.)Ltd.** Coleridge Road London N8 8ED Phone: 01-341 2447 Telex: 299568

Editorial



Photo 4: *Techmar's new expansion chassis for the IBM personal computer shown directly beneath the IBM main chassis.*

ing to make available both Microsoft's DOS operating system and CP/M-86 for the IBM Personal Computer. With corporate giants like Intel giving Microsoft and Digital Research a boost, it appears that both families of operating systems will coexist for quite some time.

Systems Group of Orange, California, demonstrated some of the practical advantages of the CP/M system on its System 2800 microcomputer line. Its CP/M error-recovery routines are more sophisticated than others we have seen. We plan to analyze this system in greater detail later this year. CP/M users should also check out Epic Software's Supervyz, an application software control program for CP/M. Supervyz does a nice job of cleaning up some of CP/M's rough edges.

Hardware News

First Metamorphics announced one; now Caltech Computer Services in San Diego is offering an 8088 plug-in card for the Apple II. Called Macrosystem-88, it contains an 8088 microprocessor, 64K bytes of RAM (expandable to 128K bytes) and 4K bytes of PROM all on a single board, and its power supply is contained in a case designed to sit on top of the Apple. A DMA (direct-memory access) control card enables the communication between the Macrosystem-88 and the Apple. This card may be installed in any slot (except 0) within the Apple. The Macrosystem-88 can run CP/M-86 as well as UCSD

Editorial continued on page 14

COMMODORE
SUPERPET
4032
8032
VIC 20

ROCKWELL
RM 65
AIM 65

DEC
PERSONAL COMPUTER

WANG
WANGWRITER

ACCESSORIES

MOTOROLA 4116-2—MEMORY—200 nano-second chips.

GILTRONIX RS-232 SWITCH—Up to 3 peripherals to one computer or vice versa. We have all other models.

MOUNTAIN COMPUTER
Total product family in stock! CPS Multifunction Board—clock, calendar, serial and parallel interface on one card/Super Talker/ The Music System/ ROM plus board with Keyboard filter/ ROM Writer/ Clock Calendar/ A to D and D to A Converter Clock/, and more.

CALCULATORS

HP-41C AND HP-41CV CALCULATORS—And we have all the accessories!
Memory Modules
Magnetic Card Reader
Printer—Upper and lower case, high resolution plotting.
Applications Pacs

DISKETTES

DYSAN DISKETTES—5¼", 8", soft or hard sector, single or double density.

MEMOREX DISKETTES—All types including some with hub ring for Apple Drives.

CORVUS DISKS

Winchester Disk in 5, 10, and 20 megabyte.

APPLE INTERFACE—With disc operating system.

CONSTELLATION DISK NETWORK—Up to 64 computers connect to a 5, 10, or 20 megabyte Winchester.

OMNINET—Unlimited number of computers and peripherals connected by a two wire twisted pair.

MIRROR—Video backup interface system.

MODEMS

NOVATION CAT
NOVATION D-CAT
HAYES SMARTMODEM

MONITORS

SANYO MONITORS
9" Sanyo w/green screen
12" Sanyo B/W
12" Sanyo w/green screen
13" Sanyo Color

NEW

NEC COLOR MONITOR/ RECEIVER—Composite video, VCR/VTR video loop in/out and television reception.

PRINTERS

NEC SPINWRITERS—We have all models RO thru KSR.

NEW

NEC 3500 Spinwriters—33 cps, hardware word processing package, bi-directional 370,000 character ribbon and much more.

NEC 7700 Spinwriter—55 CPS, printer; pitch is 10, 12, and also new 15 and proportional spacing. Twin sheet feeder and word processing package.

NEW

INTEGRAL DATA—
IDS PRISM PRINTER—Affordable COLOR copy. True four color technology. Ship from stock!
IDS 560 Matrix Printer—14½ paper, 132 col. graphics.
IDS 445—Available with or without graphics.
IDS 460

CENTRONICS 739—The latest innovations from the industry leader and quiet too!

SOFTWARE

PERSONAL SOFTWARE
Visi-Pack—Includes Visi-Calc, Visiplot/Visitend, Visifile.
Visicalc—For HP, APPLE, COMMODORE and ATARI.

Compumart has sold thousands of Commodores—we were their first dealer!

Serious Apple Software—Dow Jones, Apple Fortran, Apple Plot, Apple Writer, Apple Pilot, Data-Plot, Datamover/Telepong, Apple Post Mailing System, DOS Tool Kit Utilities, DB Master Data Base Manager, and much more.

Apple PASCAL

Games—Zork I, Zork II, Apple Adventure, Microchess 2.0, Flight Simulator, Apple Bowl, Stellar Invaders, Gammon Gambler, Star-Raiders, ABM, Pool 1.5, call for more.

Word Processing—Magic Wand, Easy Writer, Apple Writer, Wordstar, Word Pro 4, Wordcraft, Super Text II.

VIDEO CONTROLLERS

VIDEX—VIDEO TERM

M & R SUPER TERMINAL

MATROX—Complete product family including up to 24 x 80 character video display controllers.

MICRO TECHNOLOGY UNLIMITED GRAPHICS BOARD—For Commodore 16 and 32K Pets, 320 x 200 dot resolution and 64 shapes or characters.
$175 SPECIAL

Compumart is one of Apples largest dealers!



HEWLETT-PACKARD
HP-125
HP-85 CAPRICORN
HP-83 VIRGO

APPLE
APPLE III
APPLE II PLUS

XEROX
820

ATARI
800

WRITE: YOUR CHOICE OF FREE CATALOGS WITH LETTERHEAD OR BUSINESS CARD

MICRO CATALOG
The most complete catalog of micro computers, peripherals and accessories.

DEC LSI/11 CATALOG
Includes compatibles from Control Data, C-ITOH and others.


HEWLETT PACKARD
Authorized Dealer
Accept No Less


Rockwell International
Authorized Dealer
Accept No Less



Authorized Dealer
Accept No Less

- 10 Day Free Return—No Questions Asked
- Largest Product Line In Industry
- Immediate Shipment From $ Multimillion Stock
- Expert Service
- Technically Knowledgable Sales Staff
- Serving Industry And Education Since 1971

NO ONE ELSE HAS IT ALL—
Call Our Experts For Immediate Configuration Service









COMPUMART/Systems Customized

65 Bent Street, Dept. 102
PO Box 568, Cambridge, MA 02139
TELEX: 921401 COMPUMART CAM
800-343-5504
In Mass call 617-491-2700
if you prefer, call our Ann Arbor Michigan store
(313) 994-6344

COMPUMART GIVES YOU A CHOICE AMONG THE LEADING PRODUCTS!



IMPORTANT ORDERING INFORMATION
PHONES: open EST Mon.-Thurs. 8:30-7:00, Fri. 8:30-6:00, Sat. 11:00-4:00;
PURCHASE ORDERS: Accepted from Dun and Bradstreet rated companies—shipment contingent upon receipt of signed purchase order.

SALE PRICES: Valid for month of magazine date only—all prices subject to change without notice. **ANN ARBOR RETAIL STORE HOURS:** Tues.-Fri., 11:00-7:00, Sat. 10:00-5:00, closed Mondays.

Editorial




Photo 5: *Epson's HX-20 prototype computer. This new brief-case-sized computer, which looks like the Sony Typecorder, will be formally introduced this summer.*

Pascal-77 and BASIC. To switch between Apple DOS and CP/M-86, you simply boot up with the appropriate disk. The price of the system is $995.

Speaking of 16-bit capability, Techmar exhibited an impressive array of IBM plug-in boards and an expansion chassis for the IBM Personal Computer. Included in this new product line are a speech masterboard with a built-in standard vocabulary of 143 words; a Winchester disk and controller; a video digitizer board to convert images from any standard video camera for use with the computer; a board that allows up to four IBM computers to share the same printer; a stepper motor controller; and a series of memory-expansion boards.

Digital Equipment Corporation unveiled its new Letterprinter 100. This machine offers near-letter-quality printing for less than $3000.

Epson displayed an intriguing prototype of the Epson HX-20 personal computer. Looking a lot like the Sony Typecorder, the HX-20 has the advantage of a four-line liquid-crystal display. The HX-20 and the Typecorder signal the beginning of a new trend to what I call "brief-case" computers: battery-operated machines that combine portability with powerful computer features. It's the sort of design that will appeal to people on the move.

Also on display at the Epson suite was a newly designed 5¼-inch floppy-disk drive that stands 1 inch high. It will be formally announced later this year, along with the HX-20. Epson is definitely a company to watch in the personal computing field.

For further information on some of the new products I have described in this editorial, see this month's New Products section.

* * *


Postscript

This past November, I was honored to give the keynote address at the Symposium on Small Computers in the Arts held in Philadelphia. It was sponsored by the

Your computer.

Your printer.

Compute.
Compute.
Compute.
Compute.
Compute.
Dump...
Compute.
Compute.
Compute.
Compute.
Compute.



...Print.
Print.
Print.
Print.
Print.
Print.

New Microbuffer II lets you use your printer without tying up your computer.

Time. As an important resource it shouldn't be wasted. One such waste is in printing, where your computer must wait for your printer. Now there's a way to eliminate this waste.

Introducing the Microbuffer Ⅱ™, a buffered parallel printer interface for the Apple Ⅱ® computer with 16K characters of memory (user expandable to 32K). It accepts data as fast as your computer can send it, allowing you to use your computer while the Microbuffer Ⅱ is in control of your printing.

The Microbuffer Ⅱ, compatible with Applesoft, CP/M® and Pascal, comes with complete print formatting features as well as advanced graphics dump routines for most popular graphics printers.

The Snapshot™ option permits you to dump the text screen or graphics picture to the printer while any program is running — without interuption.

The 16K Microbuffer Ⅱ is available for $259. And the 32K version, for $299. The Snapshot option is $69.

So why waste time while your computer waits for your printer? Ask your computer dealer for the Microbuffer Ⅱ or call us for the name of a dealer near you.

MICROBUFFER Ⅱ

MⅡ

Microbuffer Ⅱ and Snapshot are trademarks of Practical Peripherals, Inc.
CP/M is a registered trademark of Digital Research, Inc.
Apple Ⅱ is a registered trademark of Apple Computer, Inc.

PRACTICAL PERIPHERALS, Inc.
31245 La Baya Drive
Westlake Village, California 91362
(213) 706-0339


Circle 288 on inquiry card.

IEEE Computer Society and the IEEE Philadelphia section and organized by the Personal Computer Arts Group of Philadelphia. Dick Moberg's organizing committee brought together artists, musicians, and computer scientists from around the country to discuss microcomputer music and art. I urge all BYTE readers interested in the use of small computers in the arts to contact the Personal Computer Arts Group. Write to: Personal Computer Arts Group, POB 1954, Philadelphia, PA 19105.■

Articles Policy

BYTE is continually seeking quality manuscripts written by individuals who are applying personal computer systems, designing such systems, or who have knowledge which will prove useful to our readers. For a more formal description of procedures and requirements, potential authors should send a large (9 by 12 inch, 30.5 by 22.8 cm), self-addressed envelope, with 28 cents US postage affixed, to BYTE Author's Guide, POB 372, Hancock NH 03449.

Articles which are accepted are purchased with a rate of up to $50 per magazine page, based on technical quality and suitability for BYTE's readership. Each month, the authors of the two leading articles in the reader poll (BYTE's Ongoing Monitor Box or "BOMB") are presented with bonus checks of $100 and $50. Unsolicited materials should be accompanied by full name and address, as well as return postage.





QUME
SPRINT 9
Qume
Switch selection of interface parameters and forms handling allows simple OEM system intregration.
Automatic proportional spacing, without decreasing system throughput, sets the new standard for print quality.
To cut service costs and reduce adjustments, the exclusive Kevlar® belt is stronger and lighter than steel, with virtually no stretch.
For the highest accuracy in the history of daisywheel printing, our Microdrive™ carriage drive mechanism has no cables or pulleys.
STANDARD OPERATOR CONTROL PANEL.
LIMITED OEM CONTROL PANEL.
Test drive our hot new daisywheelers.
If you've always wanted letter-quality printing from your DP system but the cost has put you off, then a SPRINT 9 is for you. Now you can have the same high quality print—usually only available on word processing systems—at prices that will let you forget all about dot-matrix terminals. With speeds of 45 and 55 cps (average English text, not burst rate), the reliable high performance of SPRINT 9 terminals leaves the crowd behind. Prove it to yourself with a test drive. Call or write Qume at (408) 942-4000. 2350 Qume Drive, San Jose, California 95131.
Qume®
A Subsidiary of ITT
Circle 301 on inquiry card.

Canon Dealer Organization

Sol Libes has been misinformed as to Canon policy regarding marketing of the CX-1 computer. Canon markets all system products through a dealer organization and is dedicated to supporting its dealers in marketing all Canon software products, including the seven accounting packages (order entry, accounts receivable, accounts payable, inventory control, general ledger, job costs, payroll) which were mentioned in his November column (BYTELINES, November 1981 BYTE, page 302).

Irwin Danowitz
National Software Manager
Systems Division
Canon U.S.A., Inc.
One Canon Plaza
Lake Success, NY 11042

An Untapped Work Force

Perhaps BYTE readers can help handicapped persons overcome some frustrating barriers. Most handicaps result in a mobility problem that effectively leaves the person house-bound (or, if lucky, car-bound). Many handicapped persons are in minimum-income situations that barely allow them to meet the expenses of survival. It is ironic that handicapped individuals may be highly trained, but without the ability to relocate or commute to a workplace daily, they cannot increase their income.

The personal computer could go a long way to solving this problem. For example, a house-bound worker with a computer and a modem could use off-the-shelf software to perform functions from accounting and data processing to engineering analysis and even managerial assistance. A printer with a Braille printhead would allow a blind person to communicate via electronic mail, to use databases, and to perform electronic-banking services being considered by many banks. The problem seems to be finding a "conduit" to companies willing to take on such employees.

I have approached about five hundred companies nationwide (IBM, ITT, GTE, and Boeing, among them). Their personnel departments treat me as a disabled person seeking employment at their plant location. Their management and data-processing systems, it seems, cannot accommodate an off-site employee who works at home in a service-type capacity. (Even more frustration is felt when a handicapped person tries to use employment agencies—this usually involves long delays, and only about a third of the agencies even bother to acknowledge receipt of your resume.)

Perhaps BYTE readers could help the handicapped (who represent an untapped work force of 10 million) on a level that could be mutually beneficial.

Kenneth Willoughby
Box 317
Fairacres, NM 88033

Faster Algorithms

From time to time I'm sure most readers have run across benchmarking articles comparing various pieces of hardware or software and found these articles followed up by letters to the editor critical of a particular algorithm which was used incidental to the test. In general, it seems, such criticisms are unfair, bearing little relation to the purpose for which the original article was written.

I introduce my comments this way for fear that I might otherwise be accused of a similar unfairness. I am speaking of the article "BASIC, Pascal, or Tiny-c? A Simple Benchmarking Comparison" by Phil Hughes (October 1981 BYTE, page 372) in which he uses a card-shuffling program to benchmark three languages with regard to speed of execution. In this he does a fine job. My only reason for commenting about his choice of algorithms is that this seems to be a routine that many readers will have some use for and be inclined to copy directly into some application program. For such readers I would like to offer an alternative program, which runs considerably faster.

First, however, let me make some observations about the routine used by Mr. Hughes and some of the characteristics leading to its slowness. The strategy used in this program (a modified version of which appears as listing 1 below) is to generate a random number and check to see if this number has been generated earlier in the sequence. If not, it is added; if so, the duplicate is ignored and another random number is generated and tested. This is continued until 52 distinct random numbers have been created. For the first several passes this causes no problem since the chance of duplication is small and only a few elements need to be tested. After 10 or 20 random numbers have been generated, however, the chance of duplication increases significantly, and the time needed to search for duplicates also increases. By the time the last 10 or 15 numbers are to be generated, the combined effect of duplication and search length has slowed this algorithm considerably.

Listing 1


```
100 DEFINT A-Z
110 DIMC(51)
120 RANDOM
130 A$ = TIME$
140 J = 0
150 T = RND(52)
160 IF J = 0 THEN 200
170 FOR I = 0 TO J-1
180      IF C(I) = T THEN 150
190 NEXT I
200 C(J) = T
210 J = J+1
220 IF J < 52 THEN 150
230 FOR I = 0 TO 51
240      PRINT C(I);
250 NEXT I
260 B$=TIME$
270 PRINT
280 PRINTA$,B$
```


The program shown in listing 2 is a variation of one I have used several times both for card-shuffling routines and for programs to generate nonduplicated random numbers for programming bond retirement. The strategy here is to start with a sorted sequence and literally shuffle it. This is done by generating a random number between 1 and the total number of objects to be shuffled. Then comes the key step in this algorithm: the object in the position given by that random number is exchanged with the object in the last position.

Next, the maximum number of objects is decremented by 1 and the process is re-

Has your microprocessor become a major problem?

Mountain Computer introduces—rapid, low cost data entry.





Mountain™ Computer
INCORPORATED

300 El Pueblo, Scotts Valley, CA 95066
TWX: 910 598-4504 (408)438-6650

Model 1100A Intelligent Card Reader

Ideal applications include time reporting, job costing, inventory control, market surveys etc. . . .

Contact us or see your computer dealer today!

peated until this maximum equals 1.

Stepping through an example may be useful. Suppose we wish to shuffle 10 elements. We start out by arranging them in order as:

1 2 3 4 5 6 7 8 9 10

Next we generate a random number between 1 and 10, say 6. Now we exchange the objects in position 6 (the number generated) and 10 (the top of the range for the random-number generation). This leaves:

1 2 3 4 5 10 7 8 9 6

For the next step we generate a random number between 1 and 9 (10 −1). Suppose this time we get 4. Then we exchange the objects in positions four and nine and decrement the maximum element count to 8. We now have

1 2 3 9 5 10 7 8 4 6

The entire set will be sorted after 10 random numbers have been generated. (By the way, this does bring up one criticism of the algorithm used by Mr. Hughes for benchmarking. Because of the nature of his algorithm it is likely that every time the program is run a different number of random numbers will have to be generated due to the chance occurrence of duplication. While this should work out to a predictable average, the possibility of variation makes its usefulness as a benchmark somewhat doubtful.)

I ran both versions of the shuffling program which appear here on my TRS-80 Model I. As mentioned above, the timing on listing 1 was quite variable, ranging from 40 to 66 seconds. For listing 2 the time was consistent at 3.5 to 4 seconds. (And no, I didn't compile the second version. I did subsequently compress it, deleting spaces and packing the entire program on a single line and got average speeds of about 2.25 seconds.)

Listing 2

```
100 DEFINT A-Z
110 RANDOM
120 N =52
130 DIM A(N)
140 A$=TIME$
150 FOR I = 1 TO N
160        A(I) = I
170 NEXT I
180 FOR I =N TO 2 STEP -1
190        R = RND(I)
200        T=A(I)
210        A(I) = A(R)
220        A(R) = T
230 NEXT I
240 FOR I =1 TO N
250        PRINT A(I);
260 NEXT I
270 PRINT
280 B$=TIME$
290 PRINTA$,B$
```

Finally, I'm not sure of the origin of this second algorithm. I don't remember inventing it, but then I don't recall reading or hearing about it elsewhere. I do know that it has been very useful to me. I hope BYTE readers will find it equally valuable.

David R. Borger
16835 Westmoreland
Detroit, MI 48219

Mr. Hughes's article comparing BASIC, Pascal, and Tiny-c for writing a card-shuffling program is useful for comparing the ease of programming in those languages. Some caution must be exercised in using the timing results, however. The algorithm he uses is very sensitive to the order of the random numbers. The algorithm is as follows:

A. Get a number from 1 to 52 from the random-number generator. If the number has already been used, repeat this step.
B. Put this number in the array (deck) at the next location. If we have 52 numbers, we are done. Otherwise go back to step A.

As we get toward the end of the deck, there are fewer acceptable numbers. One number generator may require many more calls than another. To get a "good" sequence of random numbers, the range of the random-number generator should be much larger than the range required by the program. In order to compare Mr. Hughes's algorithm in the three languages, we should assure ourselves that the number of calls to the random-number generator is at least on the same order.

It's possible to generate a random list of numbers *n* long with only *n* calls to the random-number generator. The idea is to generate *n* random numbers and then sort them. The random numbers are distributed across the range of the number generator, not the range of the program. If the random-number generator is good, this means that any number generated will not be repeated until all other numbers in the range of the number generator have been generated.

Here is one possible algorithm for get-

ting a shuffled deck of cards. Use two arrays, KEY and CARD:

A. Initialize CARD by letting CARD(I) = I for elements in CARD.
B. Put a random number in each element of KEY.
C. Find the smallest element of KEY that has not been used. This is the next card. Save it in array CARD. Repeat this step until all the elements of KEY have been used.

A BASIC program that performs this algorithm follows. Note that the sort used is a bubble sort and is not as efficient as some others.

```
10 DIM C(51), K(51)
20 GOSUB 1000
30 FOR I = 0 TO 51
40 PRINT C(I);
50 IF INT ((I + 1) / 10) = (I + 1) /
    10 THEN PRINT
60 NEXT I
70 PRINT
80 PRINT "ALL DONE!"
90 END
1000 FOR I = 0 TO 51
1010 K(I) = RND (0)
1020 C(I) = I
1030 NEXT I
1040 FOR I = 0 TO 50
1050 S = I
1060 FOR J = I + 1 TO 51
1070 IF K(J) © K(S) THEN S = J
1080 NEXT J
1090 K(S) = K(I)
1100 T = C(I)
1110 C(I) = C(S)
1120 C(K) = T
1130 NEXT I
1140 RETURN
```

I hope this will be of some use to those who shuffle cards. The inside loop is performed approximately 1352 times, so if you require fewer calls than this to your random-number generator to get 52 numbers, Mr. Hughes's algorithm may be better.

Emmet R. Beeker III
1123 Maple Dr.
Mountain Home, ID 83647

Single-Drive Success Story

The review "The Radio Shack FORTRAN Package" by Tim Daneliuk (October 1981 BYTE, page 385) is a good overview of an excellent software package. However, I must take exception to the statement "In single drive systems, the relocatable object file must always be on the disk containing the linker and FORTRAN library." This is not true. In fact, the source, relocatable, listing, and object codes may reside on a disk separate from both supplied FORTRAN disks.

First I'll name the three disks that I'll be using and then I'll lead you through the steps necessary to compile and link a FORTRAN source program using one disk drive. It did take some time to figure this out because Radio Shack forgot to document the procedure. The disk containing the editor and the FORTRAN compiler will be called FOR/EDIT, the disk containing the linker and the FORTRAN library will be called FOR/LINK, and the disk containing the source, relocatable, and object codes will be called PROGRAM.

1. Insert the FOR/EDIT disk and boot the system. Load and execute the editor by entering EDIT.
2. After the editor has loaded and you receive the prompt, remove the FOR/EDIT disk and insert the PROGRAM disk that contains, or will contain, the source program.
3. Create or change the source code, as necessary. When finished, write the source code to the PROGRAM disk.
4. Remove the PROGRAM disk and insert the FOR/EDIT disk. Load and execute the FORTRAN compiler by entering F80.
5. After the compiler has loaded and you receive the prompt, remove the FOR/EDIT disk and insert the PROGRAM disk that contains the program to be compiled, and where the relocatable code is to reside.
6. Enter TEMP,TEMP=TEMP, or whatever program name you are working with. This will compile the source code and write out the relocatable code along with a print file.
7. Remove the PROGRAM disk and insert the FOR/LINK disk. Load and execute the linker by entering L80.
8. After the linker has loaded and you receive the prompt, remove the FOR/LINK disk and insert the PROGRAM disk that contains the relocatable code to be linked.
9. Enter TEMP, or whatever program name you are working with. This will load the relocatable code and display all the undefined globals.
10. Remove the PROGRAM disk and insert the FOR/LINK disk. Enter FORLIB/REL-S to search the FORTRAN Library to resolve all undefined globals. If you need to search other files to satisfy undefined globals, enter FILENAME-S.
11. Remove the FOR/LINK disk and insert the PROGRAM disk that will contain the executable object code.
12. Enter TEMP-N to name the output object code. Then enter -E to write out the object file and exit the linker.
13. You are now ready to execute the command (object) file TEMP/CMD.

Note that no data was written to the two FORTRAN disks. In fact, I keep write-protect tabs on these disks just to avoid disasters. This procedure seems to be a lot of work, but those of us with single-drive systems are used to the inconvenience. If we couldn't hack it, we'd have two disks!

Spencer R. Lepley
1655 Capital Circle SE, Lot #12
Tallahassee, FL 32301


Tim Daneliuk replies:

Mr. Lepley seems to be absolutely correct! I entered a short FORTRAN program and linked it as he suggested: it works just fine. As he points out, the documentation does not discuss single-drive use in any real depth. Personally, I think a book is needed that would document these kinds of procedures as well as the many advanced features of both the Radio Shack/Microsoft FORTRAN and the M-80 Macro Assembler. How about it Radio Shack?

One other point has come to my attention since I first did the FORTRAN review: as of this writing, the package has not been implemented on the TRS-80 Model III. However, Model III systems that use the LDOS disk operating system can use not only FORTRAN, but M-80 Macro Assembler, BASCOM compiler, RS COBOL compiler, and RS BASIC compiler. This is accomplished by "patching" the Model I versions of these languages. Complete instructions for these procedures are found in the latest issue of the LDOS Quarterly *(Vol. 1, No. 2).*

More on VOS

Since Sol Libes's mention of the Software Tools Virtual Operating System in BYTELINES (October 1981 BYTE, page 306) our research group at the Lawrence Berkeley Laboratory has been inundated with requests for information. Although



Green phosphor screen
High resolution (720h x 350v)
Combination monochrome adapter
and parallel printer interface
Upper/lower case
80 characters x 25 lines
16 colors
256 characters in text
2 graphics modes
Simultaneous graphics
and text capability
2¼″ integrated speaker
RS232C interface
Up to 9600 bits per second
6′ cord to system unit
Microprocessor-
controlled keyboard
Tactile feedback
10 function keys
10-key numeric pad
the IBM Personal Computer dealer nearest you, call (800) 447-4700. In Illinois, (800) 322-4400. In Alaska or Hawaii, (800) 447-0890.



System expansion slots
2 optional internal diskette drives
8088 microprocessor
Parity checking
40KB in ROM
160KB per 5¼″ diskette
DOS
User memory expandable up to 256KB
Because we put what you want into it, you get what you want out of it.
We unwrapped our package for you, bit by bit.
It's all here. And you're looking at it.
From the 8088 microprocessor and the Macro Assembler that give you speed and capacity to the RS232C interface that gives you the world.
All told, no other personal computer offers as many advanced capabilities. Read all about them in the Technical Reference Manual available at your IBM Personal Computer dealer.
Software? IBM Personal Computer DOS. The UCSD p-System. Plus a documented set of our device driver routines. For high level languages, exactly what you want. Enhanced BASIC in ROM. Pascal. FORTRAN. But our software story is still being written.
Maybe by you.
If you're interested, start by writing to: IBM Personal Computer Software, Dept. 765, IBM Corporation, Armonk, New York 10504.
IBM®
The IBM Personal Computer

we are certainly pleased with the interest, the Users Group is better able to deal with these requests than we are. Inquiries should be addressed to:

Software Tools Users Group
1259 El Camino Real, Box 242
Menlo Park, CA 94025

The 1600-member group issues newsletters, distributes a software catalog, provides an information referral service, produces a distribution tape, and holds biannual meetings. I am sure the Users Group would welcome the inclusion of microcomputer enthusiasts.

And, to answer the question most asked by BYTE readers who contacted us: Yes, the software tools have been brought up on a CP/M system. This implementation includes all the tools distributed through the Users Group, plus many of the extensions specified in the CACM article describing the VOS project ("A Virtual Operating System," Dennis Hall, Deborah Scherrer, and Joe Sventek, *Communications of the ACM*, September 1980, pp. 495-502). For more complete CP/M information, BYTE readers should contact:

Unicorn Systems
30261 Palomares Rd.
Castro Valley, CA 94546

We welcome the enthusiasm and interest shown by BYTE and its readers and hope the above information will answer most of their questions.

Deborah K. Scherrer
Computer Scientist
Lawrence Berkeley Laboratory
University of California
Berkeley, CA 94720

"BYTE" Fights Mice

The staff at the Poricy Park Nature Center was delighted with the article, "Bridging the 10-Percent Gap," by Paul Brady (October 1981 BYTE, page 264) which described our computer system.

On the day we received the magazine, we were given a black cat to help keep the mice from the bird seed we sell. We have appropriately named the cat "BYTE."

Patricia Contreras, Director
Poricy Park Nature Center
POB 36
Middletown, NJ 07748

Ultra-Low-Cost Protocol

Ken Clements and Dave Daugherty's article, "Ultra-Low-Cost Network for Personal Computers" (October 1981 BYTE, page 50), presents an excellent idea. Personal computing does need a low-rent Ethernet, especially for group applications, such as schools. However, the protocol described is both more complex and less reliable than necessary. A few minor changes would fix this.


In the RECEIVER layer, if a message has a bad checksum, just throw it away—there's no need to tell the protocol layer because it doesn't do anything with bad messages. In the PROTOCOL layer, pick one protocol and stick to it. A good simple one is as follows:

1. Every message has a message number. This includes ACK (acknowledge) utility messages.
2. Message numbers are either 0 or 1.
3. The sender starts by sending a message with a number of 0. The original sender then awaits a corresponding acknowledgment from the original receiver. Upon receiving an "ACK 0" message (with a correct checksum) the original message is considered acknowledged and the sender can send the next message, with message number 1. The sender expects an "ACK 1" reply to its number 1 message. This cycle repeats indefinitely.
4. All the receiver has to do is send a matching ACK whenever a message addressed to it is received, i.e., ACK 0 is sent in reply to a message number of 0, and ACK 1 in reply to a message number of 1. However, the receiver throws away (after ACKing them) messages with the same number as the last good message received, because such messages are duplicates.
5. When the sender fails to get a proper ACK in a reasonable time, the last message should be re-sent. After some number of unsuccessful attempts, the sender should give up and report the receiver down.

This protocol provides a guarantee that messages are not lost or duplicated, unlike the ACK/ACK-ACK protocol, provided that a bad message doesn't get past the checksum error-detection mechanism. A longer checksum (say 16 bits) will reduce the odds of this substantially—from 1 in 256 to 1 in 65,536. In a contention-type local network, there *will* be errors when



META TECHNOLOGIES



26111 Brush Avenue, Euclid Ohio 44132
CALL TOLL FREE 1-800-321-3552 TO ORDER
IN OHIO, call (216) 289-7500 (COLLECT)

1001 THINGS TO DO WITH YOUR PERSONAL COMPUTER
BY MARK SAWUSCH

333 pages $10.95

333 pages, written in simple terms, of "what-to-do" and "how-to-do-it". Suitable not only for microcomputers, but for programmable calculators as well. Includes program listings, formulas, a glossary of computer terms and more! Definitely a MUST BUY!

"TRS-80™ DISK AND OTHER MYSTERIES"
by Harvard C. Pennington

132 pages written in PLAIN ENGLISH packed with HOW TO information with details, examples and in-depth explanations. Recover lost files and directories, remove file protection, make BASIC programs unlistable. How to use SUPERZAP, recover from DOS errors and MORE!

TRS-80™ DISK $19.95

"OTHER MYSTERIES" VOLUME II
by James Farvour

Call now and place your order for this new book, "MICROSOFT™ BASIC DECODED & OTHER MYSTERIES for the TRS-80™", from IJG, Inc. A primer for cassette and disk BASIC on the TRS-80™, the information provided applies to similar MICROSOFT™ BASIC interpreters.

MICROSOFT™ BASIC DECODED . $24.95

"OTHER MYSTERIES" VOLUME III
by Dennis Kitsz

THE CUSTOM TRS-80™ $29.00
CALL FOR AVAILABILITY

"OTHER MYSTERIES" VOLUME IV
"BASIC FASTER AND BETTER"

If you program in BASIC, you want this book! Time-tested and proven, the techniques and routines can be used in thousands of ways to make your programs smaller, faster, and look truly professional.

BASIC FASTER & BETTER $24.95

EPSON
MX-80, MX-80FT, MX-100
PRINTERS
NEW LOW PRICES!

EXTRA LONG RIBBON
CABLE
$24.95
CONNECTS EPSON PRINTER & TRS-80 MICROCOMPUTER

40-TRACK, SINGLE/DOUBLE-DENSITY, FAST ACCESS, 5¼-inch TANDON
DISK DRIVES
$289.95 complete
FOR MODEL I and MODEL III

Includes Case, Power Supply and External Drive Connector

DISK DRIVE
EXTENDER CABLE
$9.95
for VISTA, MICROPOLIS, MTI, PERTEC, SHUGART, PERCOM & OTHERS

Single Sided, Soft-Sectored 5¼-inch,
PARAGON MAGNETICS™
PLAIN JANE™
DISKETTES
$19.95 box of 10

These are factory fresh, absolutely first quality (no seconds!) mini-floppies. They are complete with envelopes, labels and write-protect tabs in a shrink-wrapped box.

Box of 10 Diskettes $19.95

PARAGON magnetics™ *Gold*

Introducing MTC's premium generic diskette. Single-Sided, Soft-Sectored, DOUBLE-DENSITY, 5¼-inch diskettes with reinforcing HUB-RINGS. Individually 100% ERROR-FREE certified. Invest in GOLD!

PARAGON MAGNETICS GOLD $23.95

VERBATIM'S PREMIUM DISKETTES
DATALIFE™

Seven data-shielding improvements mean greater durability and longer data life. These individually, 100% error-free certified diskettes feature thicker oxide coating, longer-lasting lubricant, improved liner, superior polishing and more! Meets or exceeds IBM, Shugart, ANSI, ECMA and ISO standards.

VERBATIM DATALIFE™ DISKETTES
5¼-inch (box of 10)
MD525-01 . . . . $26.95
8-inch FLOPPIES
Double-Density, FD34-8000 . $43.95

'RINGS' & THINGS

HUB RING KIT for 5¼" disks. $10.95
HUB RING KIT for 8" disks. $12.95
REFILLS (50 Hub Rings) . . . . $ 5.95
CLEANING KIT for 5¼" drives . . . $24.95
5¼-inch diskette case $3.50
8-inch diskette case $3.95
5¼-inch File Box for 50 diskettes $24.95
8-inch File Box for 50 diskettes $29.95

TRS-80 is a trademark of the Radio Shack Division of Tandy Corporation. DATALIFE is a trademark of VERBATIM. PLAIN JANE, PARAGON MAGNETICS, are trademarks of MTC.

MOST ORDERS SHIPPED WITHIN ONE BUSINESS DAY

Products damaged in transit will be exchanged.

PRICES IN EFFECT THRU February 28, 1982
Prices, Specifications, and Offerings subject to change without notice.
8202

WE ACCEPT
- VISA
- MASTER CHARGE
- CHECKS
- MONEY ORDERS
- C.O.D.

- Add $3.00 for shipping & handling
- $3.00 EXTRA for C.O.D.
- Ohio residents add 6½% sales tax.

messages collide, so this is not a minor consideration.

As a last point, it is very useful to provide a high-level time-out interval, say of about 30 seconds, so that if nothing happens during that length of time, everything gives up trying to communicate and goes back to the initial state. Otherwise, if for some reason things get stuck, it may be necessary to reset *all* the computers connected to the network to get them all back in synchronism on message numbers. If all the systems in your classroom full of microcomputers need to be reset whenever any one gets fouled up, this trick is a big help.

With these fixes, the Ultra-Low-Cost Network should fly. There are more elaborate schemes, but this is the simplest one that doesn't get intermittent errors.

John Nagle
340 Ventura, Apt. 11
Palo Alto, CA 94306

Software Considerations

I would like to comment on "Bridging the 10-Percent Gap" by Paul Brady (October 1981 BYTE, page 264). Mr. Brady points out that a wide range of reasonably priced hardware for small-business requirements is available. This is true and should encourage progressive small-business owners to move into the computer age. However, Mr. Brady demonstrated the classic "small-business mistake" in this statement: "We barely managed the funds required for the hardware. We simply cannot spend hundreds or thousands more on software."

Prospective computer owners need to realize that good software is a labor-intensive product and must be included in the budgeting for a computer system. Mr. Brady was lucky that his organization had people willing to donate their time to design, code, test, and document customized software. Not all small businesses have this advantage.

My advice to a small-business owner who needs a computer but lacks the time and inclination to become a computer expert is to hire a local computer professional or small firm to put together the best hardware and software combination for his application. I will be glad to mail free copies of my article, "The Small-Business Owner's Guide to Hiring a Computer Expert," to anyone who sends me an address and 40¢ in stamps.

Diane P. Kerkhoff
Kerkhoff Computers
6309 Ambassador Dr.
Orlando, FL 32808

Altos Gamesmen

While Thomas Wadlow's "The Xerox Alto Computer" (see September 1981 BYTE, page 58) was most interesting, I'm sorry he didn't mention that Xerox also donated four Altos to the Computer Science Department at the University of Rochester in 1974. In fact, two of the games pictured in the article were written by graduate students there.

Trek is the work of Eugene Ball, who also wrote Death Star (in which you pilot your Alto down a trench in the Death Star and fire a torpedo at its only vulnerable spot to save the Federation). Pinball was written by Clint Parker. You can jiggle the "table" by holding down the space bar. Overly energetic application of the space bar results in a "tilt." Clint's version of Space Invaders remains one of the most popular Alto games. It keeps track of the top ten scores on the net. No still photograph can convey the fine graphic details of these programs.

Incidentally, the four original Altos at University of Rochester are named John, Paul, George, and Ringo (my own suggestion was Groucho, Harpo, Chico, and Zeppo).

Michel Denber
Xerox
800 Phillips Rd.
Webster, NY 14580

Exploring Zork's Origins

While praising so highly the efforts to fight software piracy undertaken by the vendors of "Zork, The Great Underground Empire," Bob Liddil in his review (February 1981 BYTE, page 262) perhaps forgot to mention that the release of Zork seems to be an act of software piracy itself. From the description given, I infer that Zork is just an implementation of the well-known PDP-11 game Dungeon, distributed by Digital Equipment Corp.'s user group, DECUS. All the situations, descriptions, treasures, reactions, etc. are nearly identical to those found in Dungeon: the white house with the sack

Systems Group System 2800 computers. They're making people stand up and take notice.

But then Systems Group products have always appealed to those who appreciate sensible value, high performance, unmatched reliability and prompt, courteous service.


Through the years, Systems Group product acceptance in Z80 CPU, disk controller, I/O and memory boards have been the result of some very purposeful and carefully thought out engineering. Not to mention strict industrial quality production standards.

That same effort has made System Group's new family of expandable System 2800 computers what they are today. Fast, reliable and powerful.

System 2800 computer systems are designed for a single user with 64K of memory or for up to as many as six separate users with additional add-in memory. They can easily expand as your organization's needs grow.

You can handle up to 8000 customers and 24,000 inventory items in our lowest cost dual floppy model and much, much more in our 40M byte hard disk models. And you can connect up to 12 terminals or printers and other add-on Systems Group floppy, tape and hard disk single or dual drive subsystems.

Select CP/M†, MP/M† or OASIS†† operating systems to run all your word processing and accounting programs. No matter what size organization you control, controlling will be easier from now on.



See the System 2800 from Systems Group, they're what computers should have been in the first place.

† registered trademark of Digital Research
†† registered trademark of Phase One Systems

Dealer Inquiries Invited

For dealers only, circle 344
All other inquiries, circle 345

Systems Group


A Division of MEASUREMENT systems & controls incorporated

1601 Orangewood Avenue
Orange, California 92668, (714) 633-4460
TWX/TELEX 910 593 1350 SYSTEMGRP ORGE

Be Permanently Impressed.

The Expandable Computer Family from Systems Group.






1981

Today's Requirements

Dual floppy single or multi-user system





1983

Tomorrow's Requirements

10M byte hard disk and floppy drive, single or multi-user system





1985

Your Future Requirements

40M byte hard disk and 20M byte tape back-up, single or multi-user system

of peppers on the kitchen table, the forest where players are reincarnated, the jewel-encrusted egg in a nest on a tree, and more. The colorful description of situations has especially set Dungeon apart from preceding adventure games. Even the name Zork is taken from a situation in Dungeon. Yet in Zork's advertising you will not find a tiny nod to any of the numerous authors outside Personal Software Inc. who have done 99 percent of the work.

Greetings from a fanatic BYTE reader.

Hans Strasburger
Dipl. Math. Dipl. Psych.
Tal 58/IV
D-8000 Munich 2
West Germany

Response to Hans Strasburger:

A call to Personal Software Inc. revealed that Zork will no longer be distributed by that company. Zork is now being sold by Infocom of Cambridge, Massachusetts. Joel Berez, president of Infocom, gave us a short history of Zork.

According to Mr. Berez, Zork was originally developed around 1977 and run on a Digital Equipment Corporation PDP-10 using a language called MDL. Sometime later a version was developed for the PDP-11 using FORTRAN, and this is the version being distributed by DECUS. This version was written by someone who had access to the original Zork source code. The microcomputer version formerly sold by Personal Software and now by Infocom was written by the authors of the original Zork: Marc Blank, Dave Lebling, Bruce Daniels, and Tim Anderson. The first micro-Zork, Zork I, was a subset of the original version. Zork II includes more of the original Zork situations than Zork I plus some additional enhancements. A future Zork III will contain the remaining original Zork material plus even more enhancements. Thus, the combination of Zork I, Zork II, and Zork III would give the user all the original PDP-10 version plus many enhancements. For more information on Zork, see "Zork and the Future of Computerized Fantasy Simulations," December 1980 BYTE, page 172.

Old Clothes Issue New Clarion Call

I enjoyed BYTE's reprint of Charles Anthony Richard Hoare's Turing lecture of 1980. (See "The Emperor's Old Clothes," in the September 1981 BYTE, page 414.) One of the points he made about the programming language Ada deserves some extension. He said, ". . .do not allow this language in its present state to be used in applications where reliability is critical. . . . The next rocket to go astray as a result of a programming-language error may not be an exploratory space rocket on a harmless trip to Venus. It may be a nuclear warhead exploding over one of our cities."

Some BYTE readers may not know that a hardware error nearly caused us to launch a nuclear attack against the Soviet Union on June 6, 1980. The North American Air Defense Command (NORAD) command center in Colorado Springs detected an illusory Soviet nuclear attack on us, and our bombers were taxiing to take off, our nuclear-missile submarines alerted, and our land-missile launch keys inserted into their sockets, ready to go in retaliation. The error was detected with little time to spare. It was traced to a $0.46 integrated circuit. This was not an isolated incident. A similar alert was signaled only three days earlier. (See *The Progressive* magazine, August 1980, pages 29-30.)

As we automate more and more of the decisions involved in launching our arsenal of 10,000 strategic nuclear weapons, most of which are far more powerful than the bombs used in Hiroshima and Nagasaki in 1945, we leave ourselves more and more vulnerable to computer errors. Professor Hoare's warning comes at a critical time.

To prevent accidental nuclear war, "debugging" our software and hardware plays a part. But, most important, we as computer professionals and human beings must speak out in favor of nuclear-weapons limitations. Specifically, we can endorse the "Call to Halt the Nuclear Arms Race," a statement that says that "the U.S. and the U.S.S.R. should adopt a mutual freeze on the testing, production, and deployment of nuclear weapons and of missiles and new aircraft designed primarily to deliver nuclear weapons. This is an essential, verifiable first step toward lessening the risk of nuclear war and reducing the nuclear arsenals." The "Call" is available in bulk for $0.05 per copy, plus postage, from:

American Friends Service Committee
1501 Cherry St.
Philadelphia, PA 19102

Single copies and more information can be obtained from:

Nuclear-Weapon Freeze
251 Harvard St.
Brookline, MA 02146

Many other organizations around the country are also working to support a weapons freeze. Would you believe, High-Technology Professionals for Peace, in Cambridge, Massachusetts? (See *Computer* magazine, September 1981, page 95.)

I hope that we can see the day when Professor Hoare's caution will be unnecessary.

Steven Pacenka
812 Hanshaw Rd.
Ithaca, NY 14850 ■

A Note on Our Database Issue

BYTE readers have shown a great deal of interest in the articles on database management systems, the theme of the November 1981 BYTE—particularly the article "A Survey of Data-Base Management Systems for Microcomputers" by Kathryn S. Barley and James R. Driscoll. While we are pleased that our readers liked the articles in that issue, we are concerned about some of the questions we have been asked, such as "What's wrong with this database? It wasn't listed in your November issue."

Readers must keep in mind that we are not the definitive source for microcomputer information; we cannot review every product on the market. We operate in a world of time constraints and deadlines. We present as many reviews of as many products as time and personnel resources allow. Barley and Driscoll noted that their survey of 18 databases was not comprehensive and that "a potential buyer . . . can determine which database features he or she considers most important and then seek a system that offers those features."

Database management is one of the fastest-growing fields in the microcomputer industry. We will try to keep you informed about as many products as we can. Please remember that the absence of a product review in BYTE does not imply that we have a negative opinion of it. Look for additional database reviews in future issues of BYTE.

A simple fact:

The considerable *benefits* of a personal computer like the Osborne 1® are often intangible, often exciting, and always expanding.

The *value* of the Osborne 1 is clear and simple:


$1795. Complete.

$1795 includes this hardware:

Z80A™ CPU with 64K RAM ☐ Dual floppy disk drives with 100K bytes storage each ☐ 5″ CRT ☐ Business keyboard with numeric keypad and cursor keys ☐ RS-232C Interface ☐ IEEE 488 Interface ☐ Weather-resistant, portable housing ☐ Operates on European and American voltages ☐

$1795 includes this software:

☐ CP/M® Operating System
☐ WORDSTAR® word processing with MAILMERGE
☐ SUPERCALC™ electronic spreadsheet
☐ CBASIC®
☐ MBASIC®





Call (415) 887-8080 for the name of your nearest authorized OSBORNE 1 computer retailer.

Trademarks: Z80A: Zilog Corporation
SUPERCALC: Sorcim Corporation
Registered Trademarks:
OSBORNE 1: Osborne Computer Corporation
CP/M: Digital Research MBASIC: Microsoft
CBASIC: Compiler Systems, Inc.
WORDSTAR, MAILMERGE: MicroPro International

Circle 262 on inquiry card.

Software Review

The Flexibility of VisiPlot

Robert E. Ramsdell
POB 59
Rockport, MA 01966

One of the most important communication functions your microcomputer can perform is to create, display, and print charts and graphs. For several months I have been using the methods described here to develop presentations for my clients. The graphics format dramatically increases my ability to communicate complex financial information and analyses to the client. In addition, charts and graphs tend to hold an audience's interest during a presentation.

Some of the many uses for this type of graphic communication include stock-market charting, budget analyses, and forecast and projection display. You can do all of this with VisiPlot, the latest and most powerful plotting and graph-generating program available for Apple computers.

About the Program


VisiPlot is a series of programs that allow entry and editing of data, design of a graphic screen presentation, and printing of the screen's contents to a graphics printer. All features are menu selected using the arrow keys, space bar, and return key. The data program allows full entry and editing of the information to be graphed, with as many as 645 points in 16 series. In addition, data can be automatically transferred to the program from a Data Interchange Format file created by another program, such as VisiCalc or DB Master. A comprehensive storage management program allows extensive file manipulation. Completed graphs (which I refer to as *slides*) can be saved to the disk and/or printed on any graphics printer.

The plotting program is extremely comprehensive and permits line, bar, half-bar, area, pie, high-low, and scatter graphs. Display-value ranges for the two axes are automatically determined by the program, but these default values can be overridden. After the basic graph is on the screen, VisiPlot's flexibility becomes evident.

A vast number of titling, formatting, and color options are available. The five fixed-title options have a choice of

About the Author
Robert E. Ramsdell, CPA, is a microcomputer consultant who lives and works in Rockport, Massachusetts. His company, Pansophics Ltd., publishes business- and financial-modeling applications software for use with VisiCalc and SuperCalc programs.

Tired of writing (and rewriting) customized and friendly error free code?



CRTForm™ is a programmer productivity tool that saves time.

CRTFORM produces a friendly bug free interface between end users and the applications programmer.

CRTFORM makes sure that end users enter information correctly, and gives error messages (in plain English) if they don't. It guarantees that programmers will receive correct information without having to write hundreds of lines of error checking code.

CRTFORM allows you to modify program input specifications without requiring expensive and time consuming changes in applications code. It even generates a source code skeleton (Pascal, BASIC, COBOL, FORTRAN, PL/I, and Ada) to interface the programmers' application code to the CRTFORM runtime module.

The CRTFORM package consists of:

- A forms manager that manipulates random access files of input specification forms.
- An editor that creates and modifies the specifications forms.
- A print utility that produces hard copy of forms and their specifications.
- A code generator that writes source code skeletons for ease of program interfacing.
- A terminal-independent runtime module in the machine language of your host processor.

CRTFORM is available under the CP/M, UCSD, and Apple Pascal operating systems. Please call or write for further information on OEM licensing arrangements, or for the name of your nearest CRTFORM dealer.

PROGRAMS THAT WRITE PROGRAMS

STATCOM CORPORATION

5766 BALCONES SUITE 202
AUSTIN, TEXAS 78731
PHONE 512/451-0221

normal or boldface type, though the movable-title option is by far the most powerful. A title can be created, moved, and placed anywhere on the screen in normal or reverse (black-on-white) print. This feature allows you to label individual points on the graph.

Among the formatting options is the ability to simultaneously compare two graphs (except the pie graph) on the screen, either side-by-side or one over the other. Bars in the bar graph appear as solid, shaded, or in outline. One graph can be overlaid on another, and horizontal and vertical grids facilitate reading the graph.

The user is offered a choice of black, white, violet, blue, orange, and green for use as background or in the bars, areas, and pie segments of the graphs. Printer drivers for most graphics printers are included on the disk and operate automatically from within the program.

Specific Examples

I have prepared several examples of graphs. Figure 1 shows the dramatic effect on profitability and customer returns resulting from an improved inspection program; figure 2 shows the distribution of a company's sales dollar; figure 3 compares sales and net operating income for a 10-year period; figure 4 compares the average inventory with the cost of sales for a company during seven years; figure 5 shows the performance of "My Mutual Fund" in comparison with the NYSE Index; figure 6 is a scatter graph of some mathematical functions.

In each example, you can see that the information is much more interesting and understandable when presented graphically. On a color monitor, the impact is even more dramatic.

Documentation

The documentation for VisiPlot is thorough, inclusive, and contains tutorial and reference sections. Because of the many possible uses, the program takes several hours to learn, but the tutorial is easy to follow and the user interface is very well designed. The disk contains sample data files that the user can examine, edit, and graph.

The reference section contains examples and full explanations of every command. A pocket reference card with less detailed information is also included.

Program Constraints

Because of the program's sophistication and the many options it offers, much work is required at the keyboard to create a slide. Another major constraint is that the program cannot reload and adapt a slide already created and stored. It takes about 15 minutes to create a slide, and you must start from scratch each time you want to make

At a Glance

Name
VisiPlot

Type
High-resolution color-graphing and plotting program for data-series display

Author
Mitch Kapor for Micro Finance Systems Inc.

Distributor
Personal Software Inc.
1330 Bordeaux Dr.
Sunnyvale, CA 94086
(408) 745-7841

Price
$199.50

Format
5¼-inch floppy disk

Language
Applesoft Basic and 6502 machine language

Computers
Apple II Plus and Apple III computers, minimum 48 K bytes of programmable memory

Documentation
Loose-leaf binder with 140-page tutorial and reference manual; reference card

Enhancements
Data Interchange Format files for communication with other programs (VisiCalc, DB Master, etc); also available with time-series analyses (VisiTrend/VisiPlot)

Audience
Businessmen, accountants, stockbrokers—anyone who can use graphic presentations

INTELLIGENT PRINTER INTERFACE

Free Your Computer from the Mundane Task of Printing

Imagine being able to use your computer seconds after beginning an extensive printout.

Visualize your printout with page breaks, page numbering and titles, margins of your choice, indented carryover lines, on any size paper!

Appreciate the time and money you will save by not waiting on your printer.

SooperSpooler, a buffered printer interface, maintains control over your printer while you go on using your computer for more productive activities. Eliminate waiting while your printer pecks through a long document. SooperSpooler accepts information from your computer at up to 2500 characters per second and feeds it to your printer as fast as it can handle it—without using any of your computers memory or time! As soon as SooperSpooler has stored your document in its buffer, control of your computer is returned to you.

SooperSpooler features include:

- 16K Memory—Will handle most of your printing jobs (expandable, see options)
- Buffer Status Readout—Lets you know just how much data is stored
- Space Compression—Makes the best use of memory on columnar documents
- Pagination—Eliminates printout on page perforations
- Page Stops—For single sheet printouts
- Headers and Page Numbering—Give your listing a professional look
- Indentation on Carryover Lines—Easy to find the beginning of a line
- Self Test Routine—You instantly know that all is well
- All Features Software Controllable—Your program can take over
- Plugs into Most Computer Systems—Standard cables available
- **$349.00!**—16K parallel I/O unit

Options:

- Serial Board—$95.00—Gives you the option of any combination of serial or parallel input or output. Can also be used for modem transmission.
- Memory Expansion—$159.00—Additional 46K for a total of 62K
- Cables—Available per your application.

SooperSpooler™ by Compulink—The missing link that gives your microcomputer mainframe printing.

COMPULINK
CORPORATION

1840 Industrial Circle, Dept. A
Longmont, CO 80501
(303) 651-2014
Order line: 800-525-6705

Dealer inquiries welcome



We accept
- VISA
- MasterCard
- Checks
- Money Orders
- COD

Add $3.00 per order for postage and handling
COD add $3.00
Colorado residents add sales tax

Prices and Specifications Subject to Change Without Notice

a change. Because it is impossible to print a slide later in the program, any printing must be done before you begin to create another slide.

The disk cannot be copied or backed up, but a backup copy of the disk can be obtained from the distributor for an additional $35.

Conclusions

VisiPlot is a well-designed software package that will prove useful to all those who want to use screen or printed graphics in their communications processes. The user interface is well planned, with all options selected from menus, and the data-entry and editing procedures are well conceived and implemented.

The ability to interchange data with other programs makes VisiPlot an integral part of any business systems package, while the combination of VisiPlot and a time-series analysis program (VisiTrend) is the most powerful forecasting and analysis software presently available.■




Figure 1: *A line and area graph created using VisiPlot.*




Figure 4: *This chart combines bar and half-bar representations.*




Figure 2: *A pie chart, used to illustrate relative quantities.*




Figure 5: *An area graph that plots investment activity over time. (The graph is real—the profits are imaginary.)*




Figure 3: *A bar chart or bar graph.*




Figure 6: *A scatter graph of some mathematical functions.*

WICAT SYSTEM 150 (68000 PROCESSOR)

LANGUAGES
APL
ADA
PASCAL
C
FORTRAN
BASIC
COBOL
LISP
Assembler

O/S
MCS-WICAT
UNIX V/7-BELL LABS
CP/M EMULATOR

MEMORY - 256 K - 1.5 MB

The list goes on.

In fact, the list goes on for all WICAT computer systems. Since no single language is perfect for every application, WICAT offers a variety of languages to choose from. If programming is your business, WICAT speaks your language.

Find the system that meets your list of needs. Call or write WICAT Systems today.





P.O. Box 539 1875 South State Street Orem, Utah 84057 (801) 224-6400

Call or write WICAT Systems for additional information.

Build a Computerized Weather Station

Steve Ciarcia
POB 582
Glastonbury, CT 06033

One of the few redeeming features of the weather here in New England is the abundance of wind. It may change directions five times a day, but there always seems to be a breeze.

For some time I have been thinking of installing a windmill at my house to provide supplemental electrical power. Maps and charts of my locale suggest that it might be feasible, but considering the complexities of the interactions of climate and terrain in Connecticut, I thought it might be worthwhile to gather more on-site weather data before pouring concrete.

The practical problem of collecting the data inspired this article. I started out by adapting a commercially available anemometer (wind-speed gauge) and wind vane for computer attachment. To simplify getting the data to the computer inside the house, I decided to convert the parallel output from the rooftop transmitter/sensor unit into serial format. Instead of stringing 200 feet of 12-lead cable from the rooftop unit to the computer, I could run a single two-conductor twisted-pair cable.

After this unpretentious start, I got a little carried away thinking how I could do away with even this one cable. But first let me describe the system as I initially built it, starting with the wind sensors.



Photo 1: *Wind-velocity measurements are taken by a cup anemometer and wind vane mounted high above any obstruction to air flow on a section of television-antenna mast.*

Weather Instrumentation

Devices capable of sensing and measuring wind speed and direction can be built from several different basic designs, but probably the most cost-effective wind-speed and direction sensors are the familiar cup anemometer and wind vane, shown in photo 1. The cup anemometer captures the moving air in cup-shaped air scoops that are attached via spokes to a shaft. The assembly spins at a rate proportional to the wind's velocity.

A wind vane looks and works like an arrow with a big tail. As the wind blows, the tail fin acts like a sail, causing the vane to align itself with the direction of the wind.

I briefly considered trying to design a homebrew cup anemometer and wind vane, but several factors argued against this.

In my application, survivability

and accuracy are important. To determine the economic feasibility of a windmill, measurements must be taken, for several months, from a location exposed to the full fury of the weather. An anemometer constructed from paper cups and a small permanent-magnet motor/generator would have been a kluge at best. It might have been capable of measuring wind speed for a little while, but it would not have survived exposure to the elements for very long. Also, I needed to have reliable accuracy to determine the potential power output of a windmill, which is a function of wind speed.

It is not easy to construct a reliable cup anemometer and wind vane. For weather instruments to work, they must survive the weather they are to monitor.

I prefer to concentrate on the applications of electronic technology rather than on techniques of fabrication or artistic excellence. Instead of attempting homebrew sensor designs, I decided to use the wind sensors from a commercially available weather-monitor kit, the Heathkit ID-1890 Digital Wind Computer, sold by the Heath Company, Benton Harbor, Michigan. This is a microprocessor-based unit that displays wind velocity and the date and time of peak gusts. The unassembled parts of the anemometer are shown in photo 2.

If you wish to duplicate my project, you can order the complete kit from Heath and use the appropriate parts. It is unlikely that the required parts will be available separately. (At the time of this writing, the ID-1890 Digital Wind Computer kit is on sale at $164.95, reduced from the regular price of $194.95.)

The required parts from the ID-1890 kit are listed in the text box on page 48. The ones unique to the kit are marked with an asterisk, while the rest are fairly common hardware or electronic parts.

The same wind vane and anemometer are used in the more complex ID-4001 Digital Weather Computer kit, which displays wind velocity, temperatures, barometric pressure, and the current date and time and stores weather data for future recall. The ID-4001 sells for $399.95. (In addition, the ID-4001 contains an output port designed to feed data into a Heath H-8 computer system for logging of weather conditions; it is likely that other computers could be connected through this interface as well.)

If you want to build an anemometer, you might try a different




Photo 2: *The anemometer and wind vane were constructed from parts used in the Heathkit ID-1890 Digital Wind Computer, shown here.*




Photo 3: *The partially assembled data encoder. The optical encoder disc is mounted on a shaft between the phototransistors and the LEDs. The opaque areas of the disc block the light path between appropriate phototransistor/LED pairs, producing a unique Gray-coded output value.*

measuring technique, such as the sonic anemometer described in BYTE several years ago by Neil Dvorak (see reference 5, listed on page 68). His design used four ultrasonic transducers to measure wind speed, direction, and the temperature of the air. But due to the tight tolerances of the analog circuitry involved, I recommend the cup-anemometer approach.

Adapting the Wind Sensors

The output from the Heathkit cup anemometer and wind vane consists of encoded electrical impulses, which must be specially interpreted by the computer to derive information about wind conditions. Each of these wind-sensor units is not much more than a weatherproof mechanical housing for pairs of phototransistors and LEDs (light-emitting diodes) separated by an optical encoding disc.

As shown in figure 1, the anemometer and wind vane each have six basic components: the air-catching apparatus (the wind cup or vane), the top housing, two printed-circuit (PC) boards, the plastic optical encoder disc, and the bottom housing. The wind cup (or vane) and encoder disc are connected by a shaft supported by ball bearings. As the cup and shaft turn, the shaft rotates the encoder disc between the phototransistors, which are mounted on the top PC board, and the infrared LEDs, which are mounted on the bottom PC board.




Figure 1: *Exploded mechanical diagram of the inverted Heathkit anemometer unit, showing the five LED and phototransistor positions on the two PC boards. The wind vane uses four LED/phototransistor sets, while the anemometer actually uses only one set.*

As the encoder disc turns, the opaque portions of its surface interrupt the light path between the LEDs and the phototransistors. A schematic diagram of the configuration is shown in figure 2.

There are five separate concentric bands on the encoder disc, as shown in figure 3. An identical disc is used in both the wind vane and the anemometer, but the two units use different portions. In the anemometer, the outside ring of the disc is positioned between a single LED/phototransistor pair. For each revolution of the cup shaft, 32 electrical pulses are generated as the 32 opaque disc areas pass the LED. The wind speed can be measured by simply determining the frequency of these pulses.

The wind vane uses four LED/phototransistor pairs to read the four inner tracks of the encoder disc. These four outputs form a 4-bit Gray-code value (interpreted in table 1), which defines the angular position to a resolution of 1 part in 16. Gray code is a modified binary code in which sequential numbers are represented by expressions that differ in only one bit position. This technique is preferable in slowly revolving encoders because "bit chatter" (oscillation between a 0 and 1 logic level at the point of transition) is less conspicuous than in simple binary or binary-coded-decimal (BCD) encoders. In such encoders, all four bits can change in certain positions (from 0111 to 1000, for example) with only a small change in angular position. Bit chatter can lead to ambiguous indications of direction.

A fairly simple circuit (shown in figure 4 on page 43) provides a 20-mA (milliamp) current to the LEDs and conditions the output from the phototransistors. The outputs of the 74LS04 inverter are TTL- (transistor-transistor logic) compatible and can be connected to any computer's pa-

rallel input port should you care to use the wind sensors as they are presently configured. Four LEDs connected to the vane output light up to aid calibration.

Calibrating the Wind Vane

Calibration of the vane for installation is simple and requires only a compass. Observe the state of the indicator LEDs with power applied to the vane. Rotate the housing and the vane until the indicators show all zeros. This setting of the vane should be oriented toward true north when the vane is installed. Be sure that the vane housing is secured so it won't rotate.

(In Connecticut there is a 14-degree difference between magnetic and true north, and the vane must be oriented 14 degrees from magnetic north to compensate. This sort of adjustment must be made in most of North America.)

Calibrating the Anemometer

Calibrating the anemometer is another story. The instructions that come with the kit make no mention of how many pulses are produced per second as a function of wind speed. The conversion of pulses to conventional units of speed (miles per hour [mph], kilometers per hour [kph], or knots) is handled by a microprocessor in the Digital Wind Computer, and this information is unnecessary for most users.

For me, however, it was essential. The only way to determine it was by empirically measuring the pulse rate in a known wind velocity. This can be accomplished by moving air across the anemometer, as in a wind tunnel, or moving the anemometer itself in still air. The indications should be the same.

As you can see in photo 6 on page 46, I moved the anemometer in still air by hanging the anemometer out the side window of my car while driving down a side street near my house (I got some strange looks). As I drove, I measured the output frequency of the encoding mechanism.

Because it was inconvenient to use my frequency counter in the car while driving, I used a battery-operated audio-cassette tape recorder. Connecting it using the circuit of figure 5, which is a portable version of the conditioning circuit previously discussed, I simply recorded the tone produced as the cups spun. The frequency rose and fell as the relative wind velocity increased and decreased. After returning home, I played back the recording into the frequency counter.

I tried various speeds between 15 and 60 mph, and the results were fairly consistent. (I was unable to drive slower than 15 mph without creating a traffic jam.)

The results of my calibration runs are shown in figure 6 on page 46. The output of this anemometer appears to be 11.6 pulses per second per mile per hour. A frequency of 600 Hz (hertz) corresponds to 50 mph. The curve is quite linear between 20 and 60 mph, but I suspect that readings below 10 mph might exhibit nonlinearities.




Figure 2: *Schematic diagram of the simple position-encoding circuitry inside the Heathkit wind-sensor units. The TIL32 LEDs and the TIL89 phototransistors operate in the infrared region.*

Decoding the reading of the anemometer with a computer can be accomplished most easily in software. The anemometer's pulse output can be measured by a machine-language subroutine that simulates a frequency



Figure 3: *The optical encoding disc uses a Gray code to eliminate ambiguity in angular position of the wind vane, while in the anemometer only the outermost ring is used as a sort of tachometer.*

counter; the algorithm for this will appear later in this article. The result is simply divided by 12 (close enough) to convert to miles per hour.

Adding a Digital Thermometer

With my scheme for measuring wind velocity well under way, I decided that I could easily upgrade the system to keep track of other weather conditions as well. While wind parameters were essential to my feasibility study, monitoring temperature provided an extra dimension to the data-gathering effort.

Most temperature indicators are analog in nature and require an A/D (analog-to-digital) converter to be read by a computer. This is not only an added complication, but it consumes more parallel-port resources to accommodate the A/D converter. A conversion resolution of 0.4 percent in parallel conversion requires 8 bits and generally occupies an entire 8-bit input port. Similarly, 0.002-percent converters use 16 bits.

Fortunately, parallel conversion is not a necessity in this application and others like it, which require modest accuracy but where input lines are at a premium. Here an analog-input-to-digital-frequency converter is more applicable. In my weather-monitoring system, I already had a digital frequency input from the anemometer. It was advantageous, therefore, to treat the temperature as a second frequency input and use the same software to measure it.

Figure 7 on page 48 is the schematic diagram of a temperature-to-frequency converter suitable for this application. IC1 is an LM134 analog current source/temperature sensor with an operating range of −55 to +125°C (degrees Celsius). (You could substitute an LM334 to function within a temperature range of 0 to +70°C.) With a 230-ohm value set on the calibrating potentiometer (the R_{SET} value), the voltage from it will increase 10 millivolts per degree Celsius (mV/°C) from some nominal output. Through IC2, the rate is amplified to 100 mV/°C and the offset adjusted to a convenient value. IC3 is a type-2207 voltage-controlled oscillator that acts as a voltage-to-frequency converter. As configured, a 0- to 10-V input will result in a 0- to 10-kHz output. This output frequency is then measured by the computer.

To add excitement to the project, I decided to make my weather station talk.

Calibration is best established by immersing the temperature sensor (IC1) in ice water at 0°C and then in a liquid at a known elevated temperature. The calibration curve will be linear, but its slope is dependent on the particular components used to build the sensor. It's probably best to have a frequency of 2 kHz represent 20°C and 5 kHz represent 50°C. Conversion from Celsius to the Fahrenheit scale should be done by the host computer.

Serial Link to the Roof

Most wind sensors are located remotely from the recording devices. In the Heathkit units, a 150-foot 8-conductor cable is available for this connection. I don't like stringing any more wire than I have to, and I prefer to communicate digested rather than raw data.

The easiest way to condition the weather-sensor outputs and reduce the wiring is to attach a computer directly to the wind and temperature sensors. Any computer could be




Photo 4: *Completed Heathkit anemometer assembly.*




Photo 5: *Prototype of the wind-sensor signal-conditioning circuit board, which combines the input-conditioning and calibrating-display circuitry of figure 4 with the digital-thermometer circuitry of figure 7. The two 4-pin connectors on the right side connect to the wind vane, and the connector on the left goes to the anemometer.*

Number	Type	+5 V	GND
IC1	74LS04	14	7
IC2	7406	14	7

used, of course, but I decided that this was a natural application for the Z8-BASIC Microcomputer (which I described in the July and August 1981 issues of BYTE) used as a device controller and data concentrator, because it contains the necessary I/O (input/output) ports and can be programmed directly in BASIC.

I connected the Z8-BASIC Microcomputer/controller to the sensor units, ran my twisted-pair cable, and set up the computer/controller to use its RS-232C serial port to transmit the results to another computer inside the house for recording or for display on a video terminal.

A message sent down the serial link for recording need only consist of a header and the reduced data. A program running on the display computer could format the data as a compass diagram on the screen, or the Z8-BASIC Microcomputer could perform the formatting, given a more sophisticated program. In either case, the Z8-BASIC Microcomputer/controller board has the latent capability to reduce, record, and format the wind and temperature data as desired.

A Synthesized Weatherman

Having come so far in devising a versatile weather-monitoring system, how could I stop without giving it the ultimate in capability? Using serial communication for recording data was satisfactory, but dull. To add futuristic excitement to the project, I decided to make my weather station talk.

Exploiting as-yet-unused system resources, I connected a parallel-port Sweet Talker voice synthesizer (the subject of my September 1981 article) to port 2 on the computer/controller. I stored a simple phonetic vocabulary consisting of words like "wind," "velocity," and "temperature" in a table in the Z8-BASIC Microcomputer's memory and wrote a program to




Figure 4: *Schematic diagram of the signal conditioner that accepts output from the phototransistors in the wind sensors and sends it to the controlling computer system. LED6 through LED10 are required only for calibration of the vane.*




Figure 5: *A simple circuit that allowed me to calibrate the anemometer from my moving car by holding it out the window. The anemometer's output was fed through this circuit into a small, battery-operated cassette tape recorder, and the tape was later played back into a frequency counter.*

read the sensors and send appropriate word phonemes out the port to the Sweet Talker. (A list of appropriate words is contained in table 2.) Continuing along this line of thought to its logical conclusion, I connected the audio output of the Sweet Talker to the input of a low-power radio transmitter.

In the final configuration, the computer/controller board digests the weather-instrument data, the Sweet Talker converts it to English, and the transmitter transmits it to my radio. For up-to-the-minute weather data, I merely tune my radio to 98 MHz and listen to my own synthesized weatherman announcing, "Wind heading: north northwest at twenty miles per hour."

System Configuration

Figure 8 on page 54 shows an outline of the connections in the completed system between the wind instrumentation, the temperature sensor, and the computer/controller board. The circuit boards are shown

Compass Position	D	C	B	A
N	0	0	0	0
N N W	0	0	0	1
N W	0	0	1	1
W N W	0	0	1	0
W	0	1	1	0
W S W	0	1	1	1
S W	0	1	0	1
S S W	0	1	0	0
S	1	1	0	0
S S E	1	1	0	1
S E	1	1	1	1
E S E	1	1	1	0
E	1	0	1	0
E N E	1	0	1	1
N E	1	0	0	1
N N E	1	0	0	0

(Gray Code: D C B A)

Table 1: *Interpretation of the optical Gray code produced by the LED/phototransistor detectors inside the Heathkit wind-vane sensor unit.*

anemometer	AE, N, AH1, M, AW1, AW2, M, I3, T, ER
average	AE1, EH3, V, R, I1, D, J
Celsius	S, EH1, L, S, I1, UH2, S
computer	K, UH1, M, P, Y1, IU, U1, T, ER
direction	D, I1, R, EH1, K, T, SH, UH3, N
east	E1, AY, S, T
Fahrenheit	F, EH1, R, I2, N, H, UH3, AH2, Y, T
frequency	F, R, E1, K, W, EH3, N, DT, S, Y
hour	AH1, UH3, W, ER
kilometers	K, I1, I3, L, AW1, M, I1, T, ER, Z
maximum	M, AE1, EH3, K, PA0, S, EH3, M, UH2, M
miles	M, AH1, EH3, I3, UH3, L, Z
minimum	M, I2, N, I2, M, UH3, M
north	N, O2, O2, R, TH
peak	P, E1, AY, K
per	P, ER
south	S, AH1, UH3, U1, TH
temperature	T, EH1, EH3, M, P, ER, UH1, T, CH, ER
velocity	V, UH1, L, AW1, S, I1, T, E1, Y
west	W, EH1, EH3, S, T
wind	W, I1, I3, N, D, D

Table 2: *A list of words useful in describing weather conditions, with their Votrax phonemes. These phonemes can be transmitted to the Sweet Talker voice synthesizer by the controlling software running on the Z8-BASIC Microcomputer, in accordance with the prevailing weather.*




Figure 6: *Graph of anemometer-output voltage as a function of relative wind speed.*



Photo 6: *The anemometer was calibrated by moving it relative to still air; holding it out the window of a moving automobile worked quite well. Driving at a known speed, I used the circuit of figure 5 to record its pulses; the characteristic curve is shown in figure 6.*

COMPUSTAR™

INTERTEC'S INCREDIBLE 255 USER SMALL BUSINESS COMPUTER

At last, there's a multi-user microcomputer system designed and built the way it should be. The CompuStar™. Our new, low-cost "shared-disk" multi-user system with mainframe performance.

Unlike any other system, our new CompuStar offers what we believe to be the most practical approach to almost any multi-user application. Data entry. Distributed processing. Small business. Scientific. Whatever! And never before has such powerful performance been available at such modest cost. Here's how we did it . . .

The system architecture of the CompuStar is based on four types of video display terminals, each of which can be connected into an auxiliary hard disk storage system. Up to 255 terminals can be connected into a single network! Each terminal (called a Video Processing Unit) contains its own microprocessor and 64K of dynamic RAM. The result? Lightning fast program execution! Even when all users are on-line performing different tasks! A special "multiplexor" in the CompuStar Disk Storage System ties all external users together to "share" the system's disk resources. So, no single user ever need wait on another. An exciting concept . . . with some awesome application possibilities!

CompuStar™ user stations can be configured in almost as many ways as you can imagine. The wide variety of terminals offered gives you the flexibility and versatility you've always wanted (but never had) in a multi-user system. The CompuStar Model 10 is a programmable, intelligent terminal with 64K of RAM. It's a real workhorse if your requirement is a data entry or inquiry/response application. And if your terminal needs are more sophisticated, select either the CompuStar Model 20, 30 or 40. Each can be used as either a standalone workstation or tied into a multi-user network. The Model 20 incorporates all of the features of the Model 10 with the addition of two, double-density mini-floppies built right in. And it boasts over 350,000 bytes of local, off-line user storage. The Model 30 also features a dual drive system but offers over 700,000 bytes of disk storage. And, the Model 40 boasts nearly 1½ million bytes of dual disk storage. But no matter which model you select, you'll enjoy unparalleled versatility in configuring your multi-user network.

Add as many terminals as you like - at prices starting at less than $2500. Now that's truly incredible!

No matter what your application, the CompuStar can handle it! Three disk storage options are available. A tabletop 10 megabyte 8" winchester-type drive complete with power supply and our special controller and multiplexor costs just $4995. Or, if your disk storage needs are more demanding, select either a 32 or 96 megabyte Control Data CMD drive with a 16 megabyte removable, top loading cartridge. Plus, there's no fuss in getting a CompuStar system up and running. Just plug in a Video Processing Unit and you're ready to go . . . with up to 254 more terminals in the network by simply connecting them together in a "daisy-chain" fashion. CompuStar's special parallel interface allows for system cable lengths of up to one mile . . . with data transfer rates of 1.6 million BPS!

Software costs are low, too. CompuStar's disk operating system is the industry standard CP/M*. With an impressive array of application software already available and several communication packages offered, the CompuStar can tackle even your most difficult programming tasks.

Compare for yourself. Of all the microcomputer-based multi-user systems available today, we know of only one which offers exactly what you need and should expect. Exceptional value and upward growth capability. The CompuStar™. A true price and performance leader!



2300 Broad River Rd. Columbia, SC 29210
(803) 798-9100 TWX: 810-666-2115



*Registered trademark of Digital Research Inc.

Circle 158 on inquiry card.




Figure 7: *Schematic diagram of a digital thermometer that varies its output frequency as a function of ambient temperature. The output can be read by the same frequency-counter software that interprets the wind-speed data from the anemometer.*

Component Sources

The following parts list is taken from the Heathkit ID-1890 Digital Wind Computer assembly manual. This list comprises the components necessary to build the wind-vane and cup-anemometer assemblies. Parts unique to the project are marked with an asterisk.

Part Number	*Quantity*	*Description*
250-235	8	6-32- by 1/4-inch stainless-steel screw
250-1168	6	#4 by 1-inch stainless-steel screw
254-25	8	#6 lockwasher
253-713	1	#6 rubber washer
252-80	1	6-32 cap nut
255-735	8*	short spacer
250-328	1	8-32 by 3/8-inch stainless-steel screw
250-43	2	8-32 by 1/4-inch setscrew
252-27	2	6-32 locking nut
253-1	2	#6 fiber flat washer
85-1982-1	4*	sensor printed-circuit board
412-635	5	TIL32 infrared light-emitting diode
417-919	5	TIL78 phototransistor
214-208-1	2*	top housing
214-209-1	2*	bottom housing
266-930	1*	wind vane
266-939	1*	wind cup
266-942	1*	wind vane cap
266-943	1*	counterweight
266-1032	2*	optical encoder disc
453-282	2*	1/8- by 3-inch shaft
253-712	4*	C-ring
455-643	4*	bearing
142-711	1	boom parts
142-712	1	boom
595-2399	1*	ID-1890 assembly manual
		miscellaneous hookup wire

mounted on a connecting motherboard in photo 8 on page 64.

Figure 9 on page 56 is a flowchart of a minimal application routine that reduces and transmits the resulting data down the serial communication line. Figure 10 on page 60 is the flowchart of a frequency-counter subroutine written in Z8 machine language. This routine reads the inputs from the temperature sensor and anemometer and derives numeric values in hertz. The routine is stored in memory beginning at hexadecimal location 1500 (as presently assembled) and is invoked from the BASIC/Debug interpreter by the statement

A=USR(%1500)

The value returned in the variable A is the frequency. Listing 1 on page 52 is the assembly-language listing.

If you wish to set up a radio weather station with a personal touch, as I did, you can use a low-power transmitter: either the AM (amplitude modulation) transmitter in figure 11a on page 62 or the FM (frequency modulation) unit in figure 11b on page 64.

Ideas for Improvement

I have thought about enhancing the


CP/M-86:™
The Standard in the 16-Bit World
The Growth Market & Proven Tools
The 16-bit world answers universal demands for greater performance, more address space and increased resources. This market's unprecedented growth fuels a profit-driven supply curve for software and hardware, where compatibility reigns. Our upward compatible CP/M® based family of 16-bit products, plus our commitment to our customers' success eases and speeds your entry, your conversion, to the 16-bit world of opportunities — the Digital Research world.
Single user solution: CP/M-86 features efficiency and power. For over a year, its dramatic user acceptance has generated impressive quantities of code. While others are just entering the market, Digital Research's CP/M-86 is already offering a broad array of languages and applications. This simplifies your conversion to 16-bit systems.
For concurrent single user applications, MP/M-86™ performs simultaneous, multiple operations such as communications, printing, computation, etc. It features compact, time-tested modular code. And it's available today.
In multiple computer environments, MP/M-86 lets you sell your same programs into this market segment. You solve multi-user needs with a field proven product, not a "newcomer." Increased sales of multi-user products mean more profit potential for you.
Expand to network: CP/NET-86™ interconnects multiple 16 or 8-bit systems. It allows you to expand your product's capabilities.
High level languages (over 20 languages) under CP/M-86, handily support your 16-bit applications. Our XLT86™ utility speeds conversion to 16-bit code by reducing R&D time. It makes program development and maintenance easier.
Documentation in a comprehensive set of manuals clarify your use of CP/M-86, MP/M-86 and XLT86.
16
HARDWARE
SOFTWARE

Listing 1: *Assembly listing of the "Windy" routine in Z8 machine language. "Windy" is called by the BASIC statement A=USR(%1500). The frequency is read from bit 7 of the input port mapped into memory-address space at hexadecimal 1500, and the numeric value is returned to BASIC in the variable A. The routine "Windclk" is called in response to an interrupt that occurs every 0.01 seconds.*

```
         Op
Address  Code  D1   D2  Line   Label      Mnemonic           Comment


                               * Windy-   Count anemometer pulses coming in at hexadecimal
                               *          C000, bit 7 (pin K)
                               *
                               * Inputs-  None. Called as a "USR" routine from BASIC/Debug
                               *
                               * Output-  Count of number of pulses seen at location C000, bit 7
                               *          Result returned in registers R12 and R13
                               *
                               * Uses-    R12 - R13          Accumulate number of pulses
                               *          T1,T1 prescale     Set to provide 0.01-second interrupt clock
                               *          R32                Save old value of work-register pointer
                               *          R33                Counts the number of 0.01-second interrupts
                               *          R34 - 35           Indirect pointer to location C000
                               *          R36 - 38           Work registers. R37 becomes 'DONE' flag
                               *          LOC. 100F-1011     JP op code to vector the interrupt to my routine
                               *
                               * Calls-   None, but tests flag set by interrupt-
                               *          driven routine "Windclk"
                               *
                               * Notes-   All register notation is as follows:
                               *            RXX - Denotes full 8-bit register address
                               *            WX - Denotes work-register address
                               *            WPX - Denotes work-register-pair address
                               *            XX - Denotes hexadecimal data
                               *            ** All notation is in hexadecimal radix **
                               *            ** unless otherwise indicated **
                               *
                               *

1500     8F                    Windy      DI                 Don't bother me 'til I'm set up
1501     E4    FD   32                    LD R32, RFD        Save current work-register pointer
1504     E6    FD   30                    LD RFD, 30         Point to my work registers
1507     E6    F3   03                    LD RF3, 3          Set up T, Prescale for mod-n, 64 count
150A     E6    F2   90                    LD RF2, 90         Set up T, to give 0.01-second interrupt
150D     E6    FB   20                    LD RFB, 20         Turn on IRQs I/R mask
1510     4C    C0                         LD W4, C0            Registers 34 and 35 point
1512     5C    00                         LD W5, 00              to the data-input address
1514     B0    12                         CLR R12            Clear registers 12 and 13. We
1516     B0    13                         CLR R13              will pass count in them.
1518     3C    00                         LD W3,00           Clear number of I/R's accumulator
151A     6C    10                         LD W6,10           Set up registers 36 and 37 to
151C     7C    0F                         LD W7,0F             store I/R vector for IRQ5
151E     8C    8D                         LD W8,8D           1st byte to store is JP op code
1520     92    86                         LDE WP6, W8        Move register 38 to address at registers 36 and
                                                             37
1522     7E                               INC W7             Step to next byte
1523     8C    15                         LD W8, 15          2nd byte is high byte of address
1525     92    86                         LDE WP6, W8        Store it.
1527     7E                               INC W7             Step to next byte
1528     8C    55                         LD W8, 55          3rd byte is low byte of address
152A     92    86                         LDE WP6, W8        Store this too
152C     46    F1   0C                    OR RF1, 0C         Initialization all done, start T1
152F     7C    00                         LD W7, 0           Clear register 37 [illegible] as flag
1531     9F                               EI                 Turn on I/Rs
                               *
                               *
                               *
                               *
```




Listing 1 continued on page 54


Systems II Ex **a total business system.**




















SYSTEMS II EX — EX for EXTENDED PERFORMANCE. Westware brings you the most completely integrated and simplest to use business software for your Apple Computer. The SYSTEMS II EX is complete with an integrated Database. Yes! The DBII Database can move your system's files into Database format for customized reports or labels.

Although the SYSTEMS II EX is a fully integrated system, you may purchase individual modules and later add additional modules, such as Job Costing for contractors. The power of our system is in the KSAM Firmware card that plugs into the Apple. This card permits high speed searches and eliminates running sort routines to get your files in order.

SYSTEMS II is available on 5¼" drives, and also on the Corvus hard disk. A Corvus based system will give you the power and capacity that challenges larger computers.

COMING SOON — Cash flow analysis with graphics, Database II with graphics, and Bill of Materials for small manufacturers.

CURRENT OPTIONS AVAILABLE — Job Costing, Cycle Invoicing, Order entry, and Layaway.

All Checks, statements and invoices use NEBS forms.

Dealer and OEM inquiries invited.

Apple is a trademark of Apple Computers.



Systems II Ex

2455 S.W. 4th Ave.
Suite 2
Ontario, OR 97914
(503) 881-1477

Circle 374 on inquiry card.

Yes, please send me your Systems II Demo Package.

☐ Yes, I would like to sample your software. Please send me the Systems II Demo Package. My check for $25 is enclosed.

Name ____________________

Title ____________________

Company Name ____________________

Address ____________________

City __________ State __________ Zip __________

2455 S.W. 4th Ave.
Suite 2
Ontario, OR 97914
(503) 881-1477

Listing 1 continued:

Address	Op Code	D1	D2	Line	Label	Mnemonic	Comment
					*This is the main counting loop		
					*		
1532	76	37	80		Count	TM R37, 80	Test to see if we're done
1535	EB	17				JR NZ, Done	If bit on, we're through
1537	82	84				LDE W8, WP4	Load data at C000 into R38
1539	76	38	80			TM R38, 80	Is bit 7 at logic 1?
153C	6B	F4				JR Z, Count	If not, loop until it is
153E	76	37	80		Lowwait	TM R37, 80	Check to see if done just like before
1541	EB	0B				JR NZ, Done	If bit on, we're through
1543	82	84				LDE W8, WP4	Pick up data at C000 again
1545	76	38	80			TM R38, 80	Check bit 7 for transition to 0
1548	EB	F4				JR NZ, Lowwait	If not, wait for it
154A	A0	12				INCW R12	If yes, then high-to-low = 1 pulse
154C	8B	E4				JR Count	Do the whole mess over again
					*This is what we do when we're finished		
154E	56	F1	F3		Done	AND RF1, F3	Shut down T1 counter
1551	E4	32	FD			LD RFD, R32	Restore work-register pointer for BASIC/Debug
1554	AF					RET	Go back to BASIC pgm/monitor
					*		
					* This is the interrupt-driven routine that counts clock cycles		
1555	3E				Windclk	INC W3	Add 1 to number of cycles
1556	A6	33	64			CP R33, 64	have we done 100?
1559	1B	02				JR LT, More	No, do more
155B	60	37				COM R37	Turn all bits on in register 37
155D	BF				More	I RET	Issue Return-from-interrupt
					* That's all, folks!		
					*		
					*		




Figure 8: *Block diagram of the complete computerized, voice-synthesized weather radio station. The weather data may be directed to a host computer system for logging if radio transmission is not desired, or the output of the Z8-BASIC Microcomputer/controller could be sent directly to a printer or video terminal.*

FRIENDLINESS.
Informative HP manuals, helpful error messages, and automatic syntax checking make BASIC language programming easy.

EXPANDABILITY.
Just plug in the HP interface bus (HP-IB) and add up to 14 peripherals without disassembly.

12-DIGIT ACCURACY.
(Not just 9!) Thanks to BCD math capability.

FULL-SCREEN EDITING.
Edit the easy way – without retyping entire statements. Insert, change, or delete characters at the touch of a key.

HP SOFTWARE.
Powerful, time-saving solutions to your everyday problems.

PORTABILITY.
Keyboard, CRT, printer and storage – all in a 20-lb. package. So you'll have computing power wherever you need it . . . office, lab, field, or home.

INTEGRATED GRAPHICS.
Analyze a better way – with graphics. Document your results with hard-copy plots.

Hewlett-Packard put it all together.

The HP-85 personal computing system.

Leave it to Hewlett-Packard to put a lot of power in a little package. Plus flexibility, portability, and all the other features you'd expect to find in a personal, professional, integrated computing system.

Turn it on and the HP-85 is ready to go. You're off and running using HP software or creating your own programming solutions. There's no bootstrapping. And since the operating system and powerful BASIC language exist in ROM, they use almost none of the available RAM.

If you've been looking for a friendly, integrated computer with power and dependability, look at the HP-85.

We put it all together for you!

For further information, phone toll-free, 800-547-3400, Dept. 276H, except Alaska/Hawaii. In Oregon, call 758-1010. Or, write Hewlett-Packard, Corvallis, OR 97330, Dept. 276H. 611/22

When performance must be measured by results.



START

SET Z8 PORT 2 FOR OUTPUT

TURN ON ANEMOMETER INPUT

READ C000 WIND VANE GRAY CODE INPUT

READ ANEMOMETER CALL "WINDY" FREQ COUNTER PROG

READ ANEMOMETER 5 TIMES ? (NO → back to READ ANEMOMETER; YES ↓)

ELIMINATE HIGH AND LOW READING

AVERAGE 3 REMAINING READINGS

CONVERT FREQUENCY TO MPH

TURN ON TEMPERATURE INPUT

READ TEMP CALL "WINDY" FREQ COUNTER PROG

CONVERT FREQ TO DEGREES C OR F

IS VOICE OUTPUT DESIRED ? (YES → FORMAT PRINT STATEMENT; NO ↓)

FORMAT RAW DATA INTO A SERIAL MESSAGE TO BE TRANSMITTED VIA SERIAL OUTPUT PORT

FORMAT PRINT STATEMENT i.e.: "WIND DIRECTION NORTH AT 20 MPH; TEMPERATURE 42 DEGREES."

CONVERT PRINT STATEMENT TO PHONEMES VIA LOOK UP TABLE

CALL SWEET TALKER SPEECH OUTPUT PROGRAM

Figure 9: *Flowchart of the program that directs the Z8-BASIC Microcomputer to collect raw data from the wind sensors, digest it, and provide output either to the serial communication line or the Sweet Talker voice synthesizer.*




Photo 7: *The wind vane must be oriented in accordance with true north, which may vary from the magnetic north shown on the compass. Point the vane to the north and rotate the housing until the Gray-code value shown in the calibration display reads all zeros.*

system to measure barometric pressure in addition to the wind velocity and temperature. Conceivably, it could be accomplished with the hardware as presently configured plus one more sensor.


The method I thought might work was some sort of capacitance detector. The majority of modestly priced ($100) barometers are spring-and-bellows pressure detectors. The bellows contracts and expands with the changes in atmospheric pressure. Given the extremely short linear motion and low masses involved, a measuring technique that doesn't require mechanical sensing seems best.

One idea is to use the bellows as one side of a two-plate capacitor. As the pressure changes, the bellows contracts, changing the spacing of the capacitor plates and therefore the capacitance. This capacitor is in turn used to set the frequency of an oscillator. As the capacitance



MetaCard will turn your Apple II personal computer into tomorrow's high performance machine. It triples the memory of your Apple, and at the same time, greatly increases the processing speed with an Intel 8088 16-bit microprocessor. The future for your Apple is built into MetaCard.

Enough Memory to get the Job Done
MetaCard has up to 128K bytes of onboard memory with parity. Adding



MetaCard to your Apple's existing 64K bytes of memory gives you three times the capacity, and opens the door to applications never before possible on your system.

Faster Processing Speeds
Speed is just as important as memory. MetaCard is designed to handle all computing tasks at greatly increased speeds. The Intel 8088 operates at the full 5Mhz, running most applications at least 4 times faster than the Apple's 1Mhz 6502. And MetaCard gives you multiprocessing capabilities, allowing both the 8088 and 6502 to run simultaneously at full speed. Increased processing speeds, interprocessor interrupts and a real-time clock enable your Apple to perform like the machine you want.


Compatibility and Reliability
Compatibility has been designed into MetaCard. Metamorphic's processor card runs CP/M-86, which is included with the card at no extra cost. And Metamorphic offers UCSD Pascal 4.0 and the operating system for the IBM Personal Computer as options. Full parity checking, power-up diagnostics and a 48 hour burn-in will insure the reliable performance of your MetaCard.

Find Out More
Not everyone needs greater memory and speed. If you're one of those who does, MetaCard is for you. At an introductory price of $980 for the 64K configuration, it's not the least expensive addition you can make to your system, but high performance products never are. Call us today and find out what Metamorphic Systems has in mind for your Apple's future. Dealer inquiries welcome. Metamorphic Systems, Inc., P.O. Box 1541, Boulder, Colorado 80306, (303) 499-6502.

Intel 8088 is a product of Intel Corporation.
Apple II is a registered trademark of Apple Computer Inc.
CP/M-86 is a registered trademark of Digital Research Corp.
IBM Personal Computer is a registered trademark of IBM.
U.C.S.D. Pascal is a registered trade mark of the University of California.







(10a)

WINDY
DISABLE INTERRUPTS
SAVE WORK REGISTER POINTER
INTIALIZE 0.01 SECOND TIMER (WINDCLK)
SET UP POINTER TO DATA PORT
SET UP POINTER TO INTERRUPT ROUTINE
CLEAR COUNTERS
START TIMER
ENABLE INTERRUPTS
IS FLAG=1 ? YES NO
IS C000 BIT 7 =1? NO YES
IS FLAG=1 ? YES NO
IS C000 BIT 7 =0? NO YES
ADD 1 TO COUNT
TURN OFF 0.01 SECOND TIMER
RESTORE WORK REGISTER POINTER
RETURN TO BASIC/DEBUG

(10b)

WINDCLK
ADD 1 TO IR COUNT
IS COUNT < 100 ? YES NO
SET FLAG = 1
EXIT

Figure 10: *Flowcharts of the machine-language routine "Windy" (figure 10a) and "Windclk" (figure 10b). The assembly-mnemonic listing is given as listing 1 on page 52. "Windy" is called from the BASIC interpreter by the statement A=USR(%1500), while "Windclk" is called when the Z8 processor receives an interrupt from the real-time clock.*

changes, it varies the frequency. This output frequency can then be read by the computer/controller in the same way as the anemometer and thermometer.

Concluding Thoughts

I doubt that many of you will go to the extremes that I did to eliminate a few wires, but even directly attaching weather sensors to your computer is a satisfying project. In the process of reading about the specifics of my "synthesized weatherman," you may have seen an application for one of the subsystems. Or with this informa-




Figure 11a: *Schematic diagram of a low-power AM (amplitude modulation) radio transmitter, which can be used with the Sweet Talker voice synthesizer to create an automatic weather radio station.*





"We provide business programs as individual as your business needs."

"Allow me to introduce myself. I'm a Vector computer, dedicated to the advancement of society. And I'd like to tell you how a computer can help you manage your business more efficiently. Especially if that computer is a Vector, like me. Because we're probably the most flexible and cost-effective computers you can find.

"Our programs are the key. Because they enable me to handle sales forecasting, budgeting, job costing and proposals, commissions, personalized mass mailings, charts and graphs. We Vectors can even talk to each other and to other bigger computers.

"Unique combinations of our individual programs can actually customize me to meet your specific requirements. Any combination of our software packages can be assembled right off the shelf, to help you realize your full potential as a salesman, merchant, stockbroker, clergyman, contractor, real estate or insurance agent or whatever your business.

"Choose from Memorite III for word processing and mail list management, Execuplan for financial planning and forecasting, Business Accounting, Data Management for filing and sorting information, Communications and a host of others. And, of course, all we Vectors come with the popular CP/M operating system.

"For more information and your local dealer, call us at (805) 499-5831 or (800) 235-3547. In California, call (800) 322-3577. Or write to us at 500 North Ventu Park Road, Thousand Oaks, CA 91320.

"We'll show you how we small information systems can mean big business for you."

Circle 366 on inquiry card.



Vector Graphic, Inc.

COMPUTERS FOR THE ADVANCEMENT OF SOCIETY.

Sold and supported by 400 dealers worldwide.
Vector Products are approved on General Services Administration authorized ADP scheduled price list.




Photo 8: *The complete talking, broadcasting weather station is made up of the Z8-BASIC Microcomputer/controller board, in back, the input-conditioning and temperature board, in the center, and the Sweet Talker voice-synthesizer board, in front. The Z8-BASIC Microcomputer is based on the Zilog Z8 microcomputer-on-a-chip, and the Sweet Talker employs the Votrax SC-01.*




Figure 11b: *Diagram of a low-power FM (frequency modulation) radio transmitter, for use with the Sweet Talker voice synthesizer.*

tion you could easily configure your own custom weather station.

I think I'll listen to my voice-synthesized weatherman for a while before making modifications to the system. My only regret is that I won't be able to observe the expression on my neighbor's face the first time he tunes his radio across the dial. And I may never install a windmill after analyzing the accumulated data, but I will have the most personal weather reports in Connecticut.

Next Month:

One of my ambitions is to put together a computer speech-recognition system. The first step is to analyze the audible components of spoken words. In March, my project will be a circuit that helps perform this analysis. ■

Continued on page 68

Now, Complete 5¼" System 5 Mbytes $2,495

MORROW DESIGNS

Leading edge technology in hard disk systems.

Complete systems. Morrow Designs hard disk subsystems are delivered complete with hard disk, controller, cabinet, power supply, fan, cables and CP/M* 2.2 operating system.

Widest range. Morrow Designs offers the widest range of hard disk systems available from a single supplier. 5¼," 8," 14." Five to over 100 megabytes of formatted hard disk storage. $2,995 to $17,980. Cost effective systems that work. And keep working.

S-100 and more. Morrow Designs hard disk systems are designed for use with the CP/M operating system. Available software packages allow our systems to run on any IEEE696/S-100 Standard system with no hardware modification. Plus, Cromemco,*** North Star,** Vector Graphics, Godbout, Dynabyte, Exidy,**** IMSAI, Micromation, Processor Technology and California Computer Systems.


Reliable systems. Morrow Designs is committed to hard disk system reliability. Not simply with a 90-day warranty, but with a money back guarantee. If our system fails to perform to specification, send it back. We'll send back your money.

Experience. As of April, 1981, there were over fifteen hundred Morrow Designs hard disk systems successfully installed. In fact, over 200 independent systems integrators now use our hard disks to solve their mass storage problems.

Performance answers. Morrow Designs hard disk systems have been benchmarked against all other systems. None is faster under CP/M. Morrow Designs hard disks operate at 10 times the speed of a floppy disk drive. Transfer rates range from 590,000 bytes to 900,000 bytes per second. That kind of performance can become addictive.

Cost effective answers. Compare Morrow prices and performance to anything presently available for S-100 systems. You'll find Morrow's price/megabyte/performance ratio to be unmatched. Leadership in disk systems technology earned us leadership in price/performance. And that may have earned us a call from you. Circle the Reader Service Number for our full line data sheets. Can't wait? Call us at (415) 524-2101. And yes, OEM quantity prices are available. **LOOK TO MORROW FOR ANSWERS.**

MORROW DESIGNS


5221 Central Avenue, Richmond, CA 94804
(415) 524-2101

Circle 236 on inquiry card.


*CP/M is a trademark of Digital Research.
**Northstar is a trademark of North Star Computers, Inc.
***Cromemco is a trademark of Cromemco, Inc.
****Exidy is a trademark of Exidy Corporation.

New CompuView Software

Apple/6502 Software Development Tools from MicroCraft Systems, Inc.

RGL Real-time Graphics

With RGL you can write programs for Apple II HI-RES graphics that move and rotate 3-D objects at real-time speeds--fast enough to make interactive animations possible. RGL is ideal for educational uses, interactive graphics are easy to program, even for beginners. An object is created by drawing lines in 3-D Space, and as it moves and rotates, its size and perspective are automatically adjusted. The source code library of example programs includes several two player games, a function to print a HI-RES screen, and many other graphics programs. Programs are very short, our tank battle animation, with game paddles controlling two tanks is only 4 pages long.

A text file is compiled into a BRUNable program. RGL is a very efficient structured language, similar to 'C'. No additional hardware or software is needed. Also available on Apple CP/M disk.

RGL System (Compiler and SuperEdit) $130
RGL compiler and documentation $85
Documentation with Demo disk $25
Cassette vers. (Resident compiler and screen editor) . . .$60

SuperEdit Full Screen Editor

Horizontal scrolling allows 80 columns • Move cursor by character, line or page • Search and replace • Block move and copy • Versions available for most 80 column boards
SuperEdit . . . .$75 (Manual only . . . $15)

MacroLink Complete 6502 Assembler

Disk Assembler, unlimited source file size, nestable file includes • Recursive macros and nestable conditional assembly • Links source or object code • Editor provided
MacroLink . . . .$125 (Manual only . . . $15)

DiskScreen Disk Utility

Display a complete disk sector in hex and ASCII using HI-RES screen, edit sector by typing over display. With Source listing. $40

Note: All programs require a single disk drive and 48K. When ordering please specify configuration.

Inquire about 6800 and 8080/Z80 cross-assemblers.

8086 Software

- VEDIT full screen editor for CP/M-86, SCP 86-DOS and IBM Personal Computer.

- CP/M-86 BIOS for popular S-100 disk controllers and SCP 8086 computer. Source Code $90

V-COM Disassembler

Finally a Z-80 disassembler for CP/M which produces easy to read code, a cross reference table and handles INTEL and ZILOG mnemonics. V-COM is exceptionally fast and produces an .ASM file directly from a .COM file. V-COM can accept two user created information files. One contains assignments of labels to 8 and 16 bit values; the second specifies the location of tables and ASCII strings. The resulting .ASM file will then contain labels and proper storage allocation for tables and strings. Each information file may contain nested 'INCLUDE' to other files. Each package includes variations of V-COM compatible with the TDL, MAC and two types of ZILOG assemblers. $80

FastScreen CRT emulation and Screen Line Editor

FASTSCREEN enhances your memory mapped hardware by providing a fast and highly compatible emulation of popular CRT terminals. The screen line editing allows you to move the cursor to any line on the screen, edit it and re-enter it without retyping. (Great when you mistype a long command line). It also includes paging and optional interrupt driven keyboard routines. (FASTSCREEN is provided as source code and requires assembly language knowledge for installation.) $85

PIICEON 24x80 S100 Video Board

The PIICEON V-100 offers memory mapped speed, but being I/O mapped, uses no memory space nor bank select. FASTSCREEN is the perfect software driver for the V-100. Fully assembled and tested by PIICEON, the company known by OEMs for reliability.
PIICEON with FASTSCREEN $480
PIICEON board only $460

Circle 409 on inquiry card.



The Industry Standard is Uniquely User Oriented

VEDIT is user oriented to make your editing for program development and word processing as fast and easy as possible. Particularly unique is the customization (installation) process which makes VEDIT the only editing package that allows you to determine your own keyboard layout and use any available cursor and function keys. Just think of the difference it makes in your ease of learning and usage to type cursor and function keys instead of memorizing obscure control characters. The customization extends to much more, takes only a few minutes and requires no programming knowledge.

Unequaled Hardware Support

The CRT version directly supports over 35 terminals (including ANSI standard) in its installation menu and utilizes 'smart' terminal features such as line insert/delete, reverse scroll, status line and reverse video. Function keys on terminals like the Televideo 920/950, Heath H19, IBM 3101 and XEROX 820 are all supported. The memory mapped version is extremely flexible, supports bank select such as on the SSM VB3 and screen sizes up to 70 X 200. With this level of customizability and hardware support, VEDIT will be fully integrated into your system.

User Oriented Features

You get the features you need, like searching, a scratchpad buffer for moving and rearranging sections of text, complete file handling on multiple drives and iteration macros. For ease of use VEDIT has features you won't find elsewhere, like automatic indenting for use with structured languages such as Pascal and PL/I. You are less likely to make a mistake with VEDIT, but if you do, one key will 'Undo' the changes you made to a screen line. And if you run out of disk space with VEDIT, you can easily recover by deleting old files or even inserting another diskette. Take a hint from our customers who have other editors and word processors. They find VEDIT the fastest and most comfortable to use.

Full Screen Editing with Exceptional Speed

VEDIT gives you true 'what you see is what you get' full screen editing. It creates and edits standard text files of up to one diskette in length, which are fully compatible with all compilers and text processors. VEDIT's unequalled speed is partly due to its ability to edit up to 47K of a file entirely in memory. There is no slow and annoying continuous disk accessing as found on most other editors/word processors. Yet you can still handle multiple files, insert a specified line range of another file anywhere in the text and even change diskettes.

New Word Processing

The new word-wrap and ability to print any part of the file makes VEDIT suitable for simple stand-alone word processing, or it may be used in conjunction with a text processor. Printer control characters can be imbedded in the file. The cursor's line and column positions can optionally be displayed.

**Now for
Xerox 820
IBM 8088**

Ordering

Many dealers carry VEDIT, or you may contact us for fast delivery. Specify your microcomputer, video board or the CRT terminal version, the 8080, Z80 or 8086 code version and disk format required. Demonstration versions available for some machines.

VEDIT - Disk and manual
For 8080 or Z80 . . . .$145
For CP/M-86 or IBM 8086 . . $195
Manual only $15

VISA or MASTERCARD Welcomed

Apple II Softcard • TRS-80 II and I
SuperBrain • Heath H8/H89 • Altos
NorthStar • Vector • MP/M • IBM

1955 Pauline Blvd., Suite 200
Ann Arbor, Michigan 48103
(313) 996-1299



PRODUCTS, INC.

Circle 83 on inquiry card.

References

1. Ciarcia, Steve. "Build a Z8-Based Control Computer with BASIC, Part 1," BYTE, July 1981, page 38.
2. Ciarcia, Steve. "Build a Z8-Based Control Computer with BASIC, Part 2," BYTE, August 1981, page 50.
3. Ciarcia, Steve. "Build an Unlimited-Vocabulary Speech Synthesizer," BYTE, September 1981, page 38.
4. Cole, E. W. *Introduction to Meteorology*. New York: John Wiley and Sons, 1970.
5. Dvorak, Neil. "Sonic Anemometry for the Hobbyist," BYTE, July 1979, page 120.
6. Firth, Michael R. "Do It Yourself Weather Predictions," BYTE, December 1976, page 62.
7. Smith, Stephen P. "Graphic Input of Weather Data," BYTE, July 1979, page 16.
8. Viola, John T. and William E. McDermott. "A Recording Mercury Manometer," *Journal of Chemical Education*, October 1976, page 670.

Special thanks to Bill Curlew for his help in writing the software for the Z8 processor.

Editor's Note: *Steve often refers to previous Circuit Cellar articles as reference material for each month's current article. Most of these past articles are available in reprint books from BYTE Books, 70 Main St., Peterborough, NH 03458.* Ciarcia's Circuit Cellar, Volume I *covers articles that appeared in BYTE from September 1977 through November 1978.* Ciarcia's Circuit Cellar, Volume II *contains articles from December 1978 through June 1980.* Ciarcia's Circuit Cellar, Volume III *contains the articles that were published from July 1980 through December 1981.*

The Z8-BASIC Microcomputer and the Sweet Talker voice synthesizer are available from:

The Micromint, Inc.
917 Midway
Woodmere, NY 11598
(800) 645-3479 (orders only)
(516) 374-6793 (technical information)

A Z8-BASIC Microcomputer expansion motherboard, a cassette interface, a memory-expansion module, and Z8 cross-assemblers (for CP/M and TRS-80 systems) are also available.

To receive a complete list of Ciarcia Circuit Cellar kits available from The Micro-Mint, circle 100 on the inquiry card.

ACCE
EVERY

intel®

iRMX 86
OPERATING SYSTEM
MICRO OEM, INC.

Why this operating system?

Ask the leading independent software vendors. They know Intel's iRMX 86 well enough to know it's an industry standard; that it allows them to plug into VLSI technology, and to design in a heap of high-performance features.

Ask OEM's. They'll point out how it lets them tap a vast reservoir of mass-market application software. And how major software houses have already packed it with popular languages.

And both will tell you that iRMX 86's performance and cost advantages are flat out impressive. Which makes it a marvelous match for the industry's most widely used VLSI microcomputers—the iAPX 86 and iAPX 88.

How marvelous? iRMX 86 has two to five times the multitasking talents of any other microcomputer operating system. So users can perform various chores simultaneously—with blazing, realtime system response. Thanks to ultra-fast context switching, task synchronization and memory-based message passing.

And iRMX 86 even supports multi-processing. Not only overseeing our 8087 numeric processor and 8089 I/O processor, but going even further. Often helping a whole team of 8086, 8088 microprocessors and 8087, 8089 processor extensions work together. While you're reaping the rewards of multiprocessing performance—without

A Homebrew Graphics Digitizer

Neal Atkins
5 Island Ave., Apt. 16-C
Miami Beach, FL 33139

Enrique Castro-Cid
7136 Bonita Drive
Miami Beach, FL 33141

For the past six years, coauthor Enrique Castro-Cid has been developing a new art form that combines art, computers, and mathematics. In particular, it uses branches of mathematics called conformal mapping and complex variables. Castro-Cid's technique is related to such topics as relativity and black holes in space. Images of giant objects the size of the earth are transformed to canvas size through a process that involves converting a drawing to coordinates and transforming the coordinates using mathematical functions to new points plotted and painted on canvas. Although the early work was done completely by hand, the use of computers for this process was a natural evolution.


This article describes a device that, when used with a computer, converts a drawing to its Cartesian coordinates (see photo 1). This graphics tablet is inexpensive and easy to build using the most elementary tools, yet it provides a high degree of accuracy. It can be implemented on most microcomputers that have two A/D (analog to digital) input channels. It can also replace the paddles or joysticks found on some computers.

Child's Play

We considered several designs for this graphics tablet. The simplest scheme to implement mathematically is a Cartesian-coordinate device having two linear potentiometers, one for the *X* direction and one for the *Y* direction. This idea is similar to the way the child's toy Etch-A-Sketch works. The disadvantage of such a device is the user must turn two knobs. If the two potentiometers are somehow connected, the mechanical linkage becomes quite difficult to fabricate, requiring either a rack-and-pinion gear or a string drive. A second design is based on polar coordinates, where the angle and radius are measured. The device to measure the angle can be easily built using a potentiometer, but the varying radius is still difficult to measure.

However, the human anatomy provides a very workable solution to this problem. A person's shoulder and elbow are able to cover a wide area without actually changing the length of his arm. Using the human arm as a model, a two-section mechanical arm, having pivots analogous to the shoulder and elbow joints (see figure 1) can be built. Such a design is easily fabricated using two fixed-length members and two potentiometers. The mathematics becomes more involved than in the other designs, but the use of a computer makes construction a simple task.

(1a)



(1b)




Figure 1: *Trigonometric conception of the graphics digitizer. Figure 1a shows the physical arrangement of the potentiometers on the arms. Figure 1b is labeled with the variables used to represent measurements made by the device.*

Geometry and Formulas

To find the coordinates X, Y of the stylus, given any voltages V_1, V_2 provided from two potentiometers, the voltages are converted to angles using the following equations:

$$\theta_1 = scale_1 \times V_1 + trans_1$$
$$\theta_2 = scale_2 \times V_2 + trans_2$$





Photo 1: *The homebrew graphics-tablet digitizer, built from a standard drafting table.*

(2a)



(2b)




Photo 2: *Construction details of the graphics tablet. Photo 2a shows the arrangement of the potentiometers on the table and the arms. Note the stylus hoider borrowed from a commercial pantograph. Photo 2b shows how clearance was obtained for the batteries and the on/off switch.*

The isosceles triangle (see figure 1b) formed by the two equal, fixed-length arms R has a variable-length hypotenuse H. At its apex is the potentiometer that produces V_2. This voltage is converted to angle θ_2 using the equation above. Trigonometry relates the base angles β, and the lengths H and R, as follows:

$$\beta = 90 - \theta_2/2$$

and $$H/2R = \sin(\theta_2/2)$$
$$H = 2R \sin(\theta_2/2)$$

Thus $$\theta_2 = 2 \arcsin(H/2R)$$

The angle ϕ of the radius H is the sum of angle θ and angle β:

$$\phi = \theta_1 + \beta$$

Using the equation for β above:

$$\phi = \theta_1 + 90 - \theta_2/2$$

This provides a solution, expressed in polar coordinates, involving a radius of length H and angle ϕ as its only variables. This is easily transformed to Cartesian coordinates:

$$X = H \cos(\phi)$$

and $$Y = H \sin(\phi)$$

The computational procedure is as follows: beginning with voltages V_1 and V_2, the angles θ_1 and θ_2 are computed. Radius H is found from angle θ_2 and R. Angle ϕ is found using angles θ_1 and θ_2. Finally, the coordinates X and Y are computed using H and ϕ.

Calibration

The device is calibrated by setting the stylus to two known test points (X_1, Y_1), (X_2, Y_2) on the table and sampling the corresponding voltages V_{ij}, where i is the potentiometer and j is the test point number. Then for each of the two positions:

$$\phi_j = \arctan(Y_j/X_j) \quad \text{and} \quad H_j = \sqrt{X^2 + Y^2}$$

Using earlier equations (remember that θ_{2j} refers to potentiometer 2 and θ_{1j} refers to potentiometer 1):

$$\theta_{2j} = 2 \arcsin(H_j/2R)$$
$$\theta_{1j} = \phi_j - 90 + \theta_{2j}/2$$
$$\theta_{i1} = scale_i \times V_{i1} + trans_i$$
for potentiometer i test point 1
$$\theta_{i2} = scale_i \times V_{i2} + trans_i$$
for potentiometer i test point 2

The New Idea Computer from TeleVideo® Systems.

For each potentiometer i there are two equations and two unknowns: *scale* and *trans*. However, θ and V are known. Therefore, the next step is to solve for the calibration factors:

$$del = V_{i1} - V_{i2}$$
$$scale_i = (\theta_{i1} - \theta_{i2})/del$$
$$trans_i = (V_{i1}\,\theta_{i2} - V_{i2}\,\theta_{i1})/del$$

The computational procedure is as follows: compute the angles θ for both potentiometers (i) at both positions (j). Then, compute the calibrating factors for potentiometer $i = 1$, and repeat for the second potentiometer.

Construction Details

The graphics tablet was constructed using materials readily available from most art or drafter's suppliers. The table is a standard 18-inch by 26-inch wooden drawing board, drilled and countersunk to accommodate potentiometer 1 (see photo 2a). Two 14-inch-long two-by-twos were screwed to the underside of the table, providing clearance for the batteries and the on/off switch (see photo 2b). The A/D converter accepts signals in the ±2.56-V range. Four D cells were selected as a power supply (see figure 2) because of their low cost and noise immunity. Also, due to the high resistance of the potentiometers and the A/D converter's high internal resistance, the battery drain is very low. The batteries provide ±3 V. If your A/D converter requires only a positive voltage, the two batteries on the negative side of ground can be eliminated. Batteries of other voltages can be substituted to meet other applications or completely omitted if you substitute the potentiometers for paddles or joysticks.

The graphics tablet operates by measuring angles; therefore, in order to achieve high degrees of accuracy, the potentiometers must have a very linear taper (response). At first we used inexpensive 10 percent tolerance potentiometers as shown in the photos. We found when a straight line was drawn, the digitized computer-graphics line had a slight waviness. However, a later model of the tablet was built using precision linear taper 0.5 percent potentiometers that greatly reduced this problem. They are mounted so that when the arms are at the middle of their range of motion, the shafts of the potentiometers are rotated approximately halfway. They must never be at their limit. Another condition affecting accuracy is mechanical rigidity; the arms must be free of play and torsion. The working arm length from potentiometer to potentiometer and from potentiometer to stylus is *exactly* 7 inches. This measurement is critical if the device is to be linear. Notice the longer arm is counterbalanced to prevent potentiometer 2 from dragging on the drawing surface. The counterweight consists of a number of metal washers mounted on a bolt. Some of the hardware, such as the knurled nuts and stylus holder, was borrowed from a pantograph (a device for enlarging drawings) that we purchased at the local art store.

Operation and Programming

The program in listing 1 was written in BASIC and can be easily modified for other systems. The main routine has two options: *Calibration* and *Draw*. During calibration, the computer asks the artist to place the stylus at position one, where $X = -4$ and $Y = 0$. The artist then enters the coordinates −4, 0, and the computer samples the voltages from both potentiometers. Then the process is repeated for position two, where $X = 8$ and $Y = -8$. We found the choice of test points not to be critical, but these two provide a good compromise for the physical placement of the stylus and the accuracy of the trigonometric functions. However, the measurement and perpendicularity of the points should be as exact as possible. The program now has all the information it requires to compute the calibrating factors *scale* and *trans*. Once the calibration procedure has been done, it does not have

Text continued on page 86




Figure 2: *A schematic diagram of the digitizer showing the simplicity of the device. The analog voltages provided by the potentiometers are stored in a computer after they are put through an analog-to-digital converter.*







Figure 3: *A representation of an original drawing after it has been digitized and transformed according to a mathematical equation of the artist's choosing.*

S-100 STATIC MEMORY BREAKTHROUGH







16K STATIC RAM $169

64K STATIC RAM $795

32K PARTIALLY POPULATED $479 48K PARTIALLY POPULATED $659

Finally, you can buy state-of-the-art S-100 static memory for your computer at unprecedented savings.

Memory Merchant's memory boards provide the advanced features, quality and reliability you need for the kind of operational performance demanded by new high-speed processors.

COMPLETELY ASSEMBLED

These memory boards are not kits, nor skeletons—but top quality, high performance memories that are shipped to you completely assembled, burned-in, socketed, tested and insured with one of the industry's best warranties.

SUPERIOR DESIGN & QUALITY

Memory Merchant's boards are created by a designer, well-known for his proven ability in advanced, cost-efficient memory design. Innovative circuitry provides you with highly desired features and incredible versatility.

Only first quality components are used throughout, and each board is rigorously tested to assure perfect and dependable performance.

SHIPPED DIRECT FROM STOCK

All Memory Merchant's boards are shipped direct from stock, normally within 48 hours of receipt of your order.

NO RISK TRIAL

We are so convinced that you will be absolutely delighted with our boards that we extend a no risk trial offer. After purchasing one of our boards, you may return it (intact) for any reason within 15 days after shipment and we will refund the purchase price.

NEW 18 MONTH LIMITED WARRANTY!

The reliability of our boards, through quality controlled production and proven performance, has enabled us to extend our warranty to a full 18 months. This includes a 6 month exchange program for defective units.

HOW TO ORDER

Please send check, money order, VISA or MASTERCHARGE (add ICA#) with your order. Sorry, no C.O.D.'s. Specify model number, and quantity desired. Shipping and handling charge is $5.00 per board. California residents add 6% Sales Tax. Credit card purchases may be telephoned to (415) 483-1008.

OEM and DEALER inquiries invited.



14666 Doolittle Drive
San Leandro, CA 94577
(415) 483-1008

64K RAM, Model MM65K16S

Cool running operation to 10 MHz

Ultra low-power consumption
Fully loaded 64K board draws:
Typ. 350 Ma. (Max. current 550 Ma.)

Bank Select Capability

Extended Addressing Capability

One 16K submodule equipped with a 2K window which may be located in any of the 2K segments

2716 (5V) EPROM Compatibility: Programmed 2716 EPROM's may replace any or all of the RAM

Four independently addressable 16K submodules on one board organized as two pair of independent 32K banks or as one 64K Extended Address Page. Each 32K bank responds independently to phantom. Bank Select logic is compatible with either Cromemco Cromix* or standard Bank Select software.

*Cromix is a trademark of Cromemco.

New 16K (2K X 8) 150ns Static RAM

Runs on any S-100, 8-bit system

MPM Conversion Option: Write for details.

16K RAM, Model MM16K14

Bank Select Capability

Extended Addressing Capability

One 4K segment equipped with 1K windows

Four independent 4K X 8 byte segments

Uses field proven 2114 (1K X 4)

Low-power consumption (Typ. 1.3 Amps)

Runs on any S-100 8080, 4 MHz Z-80 or 5 MHz 8085 system.

Prices, terms, specifications subject to change without notice.

Circle 197 on inquiry card.

Listing 1: *A BASIC program that allows calibration of the digitizer and storage of drawing information.*

```
100 REM ********
110 REM * ETCH *
120 REM ********
130 REM
140 REM
150 DIM X(200),Y(200),THETA(2,2),VCAL(2,2),SCALE(2),TRANS(2)
160 REM INITIALIZE
170 R        = 7.0
200 REM MAIN LOOP. READ USERS RESPONCE.
210 INPUT "CAL OR DRAW",ANS$
220     IF ANS$ = "CAL" THEN GOSUB 300
230     IF ANS$ = "DRAW" THEN GOSUB 600
240 GO TO 210
250 REM
260 REM
270 REM
280 REM
290 REM
300 REM *******
310 REM * CAL *
320 REM *******
330 FOR IPOSTN=1 TO 2
340     PRINT "SET THE ARMS TO POSITTION",IPOSTN
350     INPUT "X POSITION IS",XCAL
360     INPUT "Y POSITION IS",YCAL
370 REM SAMPLE A/D CONVERTER AND GET V1, V2.
380     GOSUB 1000
390     VCAL(1,IPOSTN) = V1
400     VCAL(2,IPOSTN) = V2
410     H        = SQR( XCAL↑2 + YCAL↑2 )
420     PHI      = ATN( YCAL / XCAL )
430     IF XCAL < 0 AND YCAL >=0 THEN PHI = PI(1.0) + PHI
440     IF XCAL < 0 AND YCAL < 0 THEN PHI = PI(1.0) + PHI
450     IF XCAL > 0 AND YCAL < 0 THEN PHI = PI(2.0) + PHI
460     THETA(2,IPOSTN) = 2.0 * ASN( H / ( 2.0 * R ) )
470     THETA(1,IPOSTN) = PHI + ( THETA(2,IPOSTN) - PI(1.0) ) / 2.0
480 NEXT IPOSTN
490 FOR IPOT=1 TO 2
500     DENOM  = VCAL(IPOT,1) - VCAL(IPOT,2)
510     SCALE(IPOT) = ( THETA(IPOT,1) - THETA(IPOT,2) ) / DENOM
520     TRANS(IPOT) = ( V(IPOT,1) * THETA(IPOT,2)     ->
                       -V(IPOT,2) * THETA(IPOT,1) ) / DENOM
530 NEXT IPOT
540 RETURN
550 REM
560 REM
570 REM
580 REM
590 REM
600 REM ********
610 REM * DRAW *
620 REM ********
630 REM INITIALIZE BUFFER INDEX
640 I        = 0
650 REM SAMPLE A/D CONVERTER.  GET V1, V2.
```

Listing 1 continued on page 84



The scope: Tektronix.
The performance: extraordinary.
The price: now just $1100!

The 2213 is the oscilloscope you've been waiting for, from the world's largest and most respected scope manufacturer.

Its advanced design makes possible an unprecedented low price for quality, performance and reliability that are unmistakably Tektronix!

Now, when you order direct via our new toll-free order desk, you can take delivery on this Tektronix oscilloscope for the lowest price ever offered!

The 2213's radical new design includes 65% fewer mechanical parts, fewer circuit boards, electrical connectors and cabling. Result: a lower price for you plus far greater reliability.

Yet performance is pure Tektronix: there's 60 MHz bandwidth for digital and high-speed analog circuits. The sensitivity for low signal measurements. The sweep speeds for fast logic families. A complete trigger system for digital, analog or video waveforms. And new high-performance Tektronix probes are included!

2213 PERFORMANCE DATA

Bandwidth: Two channels, dc—60 MHz from 10 V/div to 20 mV/div. (50 MHz from 2 mV/div to 10 mV/div).

Sweep speeds: Sweeps from 0.5 s to 50 ns (to 5 ns/div with X10 mag).

Sensitivity: Scale factors from 100 V/div (10X probe) to 2 mV/div (1X probe). Accurate to ± 3%. Ac or dc coupling.

Delayed sweep measurements: Standard sweep, intensified after delay, and delayed.

(Need dual time-base performance and timing accuracy to ± 1.5%? Ask about our 2215 priced at $1400.)

Complete trigger system: Modes include TV field, normal, vertical mode, and automatic; internal, external, and line sources; variable holdoff.

Probes: High performance, positive attachment, 10-14 pF and 60 MHz at the probe tip.

The price: Just $1100 complete*. Order direct from Tektronix National Marketing Center. Phones are staffed by technical people who can answer your questions about the 2213. Your direct order includes a 15-day return policy and full Tektronix warranty.

For 35 years, Tektronix has been bringing the highest standard of performance to professionals throughout the world. Now it's easier than ever to get your hands on a Tek scope!

ORDER TOLL-FREE


800-547-1845

Ask for Department 200

(In Oregon, Alaska and Hawaii: 1-503-627-5402 collect.) Lines are open from 8 am EST to 5 pm PST.

*Price F.O.B. Beaverton, OR





Now—A four station, hard disk business computer with letter quality printer, terminals and get-rolling software for less than $15 a day.*

The Altos Business Computer Special. The most powerful, reliable, easy-to-use system in its price range. And Altos backs it up with on-site, nationwide service.

The hardworking engines of our system are the Altos ACS8000-10, -12 and -14 computers. Any one of them can cost-effectively hook-up with from one to four stations, as your needs demand. Their rapid access, 10, 20 or 40 MByte Winchester hard disks let you file from a 3,000 to 12,000 page load.

OMPUTER SPECIAL

Our get rolling business software package includes multi-user systems software, Wordstar™ for word processing and Microplan™ for business analysis. And when you need more, your local Altos representative can route you through to hundreds of other business and accounting programs, to meet virtually any requirement. Plus Altos also lets you communicate with other computers, mainframes, and even allows networking.

Get on the right track! Join thousands of professionals, institutions and businesses who rely on Altos computer systems. Call our toll free number or write today for the Altos sales and service depot nearest you.

All aboard!

Circle 17 on inquiry card.

*Price approximate and may vary in your area. Daily lease based on: $17,000 principal. 20% annual interest. 5-year term. Includes: Altos ACS8000-10 computer, letter quality printer, four Altos "smart" terminals and get-rolling software. Does not include tax, installation, training and maintenance. Offer expires February 28, 1982.

Wordstar is a trademark of MicroPro International Corp. Microplan is a trademark of Chang Laboratories, Inc.

Packed with fresh ideas for business



COMPUTER SYSTEMS

2360 Bering Drive
San Jose, California 95131

800-538-7872
(In Calif. 800-662-6265)

Listing 1 continued:

```
660 GOSUB 1000
670 THETA1 = SCALE(1) * V1 + TRANS(1)
680 THETA2 = SCALE(2) * V2 + TRANS(2)
690 PHI    = ( PI(1.0) - THETA2 ) / 2.0 + THETA1
700 H      = 2.0 * R * SIN( THETA2 / 2.0 )
710 I      = I + 1
720 IF I>200 THEN DO
730    PRINT "****** BUFFER FULL ******"
740    RETURN
750 DOEND
760 X(I)   = H * COS(PHI)
770 Y(I)   = H * SIN(PHI)
780 REM CHECK IF KEY HAS BEEN STRUCK. GO TO SUBROUTINE "DONE".
790 GOSUB 2000
800 IF DONE=0 GOTO 660
807 REM
810 RETURN
820 REM
830 REM
840 REM
850 REM
860 REM
1000 REM *******
1010 REM * A/D *
1020 REM *******
1030 REM THIS ROUTINE IS COMPUTER DEPENDENT AND MUST BE WRITTEN
1040 REM BY THE PROGRAMMER.  EACH TIME IT IS CALLED IT SHOULD SAMPLE
1050 REM BOTH POTS, GIVING V1 AND V2.  2 TO 5 PAIRS PER SECOND IS AN
1060 REM APPROPRIATE SAMPLING RATE.
1070 REM *
1080 REM *
1090 REM *
1100 REM *
1110 REM *
1120 REM V1      = ..............
1130 REM V2      = .........
1140 RETURN
1150 REM
1160 REM
1170 REM
1180 REM
1190 REM
2000 REM ********
2010 REM * DONE *
2020 REM ********
2030 REM THIS SUBROUTINE IS USED TO TERMINATE THE COLLECTION OF DATA.
2040 REM IT CHECKS IF THE USER HAS STRUCK A KEY WHICH INDICATES THE
2050 REM END OF COLLECTION.
2060 REM IF DONE = 0 THEN  CONTINUE SAMPLING.
2070 REM IF DONE NOT = 0 THEN STOP SAMPLING.
2080 REM THIS ROUTINE MUST BE SUPPLIED BY THE PROGRAMMER.
2090 REM *
2100 REM *
2110 REM *
2120 REM *
2130 REM DONE    = ...............
2140 RETURN
2150 STOP
```

Announcing A Media Event From IMS

Configuration shown includes two slimline double sided, double density drives, 40 M byte Winchester subsystem with tape back-up.

The New 8000 SX Micro Computer System With Winchester And Floppy And Tape

Winchester technology brought a tremendous increase in capacity, but it also dumped a big problem in your lap.

How to dump all that data?

Trying to transfer 10 to 40M bytes of data between Winchester and floppies takes an armload of diskettes and a lot of time.

Cartridge tape is fast, but not efficient for random file handling.

Answer?

The new 8000 SX Micro Computer System with Winchester plus Floppy and Tape. It lets you back up and restore a single file or a complete drive with maximum efficiency.

Choose from 10, 20 and 40M byte Winchester subsystems, with error detection and correction, capable of loading a 20K byte system program in less than a second.

The floppy subsystem offers up to 1.2M byte per 8″ drive.

The bulk memory subsystem, an incremental cartridge tape drive, stores up to 17M byte on a single cartridge.

And, of course, the computer itself offers proven IMS top performance and reliability. Compare its full 2-year warranty.

Operating systems include CP/M, MP/M, and the incredibly powerful TurboDOS.

For all the facts and the location of your nearest IMS International dealer, call us today at (714) 978-6966. Or write:



We Build Computers As If Your Business Depended On Them.
2800 Lockheed Way, Carson City, NV 89701
Telex: 910-395-6051

Circle 151 on inquiry card.



Photo 3: *The finished acrylic-on-canvas work.*

Text continued from page 78:

to be repeated unless the geometry or batteries are changed.

The *Draw* option collects and digitizes the voltages from the potentiometers as the artist draws a figure. A sampling rate of four points per second (a point consisting of two samples, V_1 and V_2) was found experimentally to be an appropriate rate for the A/D converter. The voltages are converted to the coordinates X, Y. The program continues in a loop, collecting data until one of two events occurs: the user strikes the return key (the program branches out of the loop through the subroutine DONE, which reads the key) or the buffer is full (the program branches out).

Remember that pivot 2, analogous to the human elbow, should not be extended beyond 180 degrees; to do so will cause erroneous results. However, this limitation will not cause any restriction in drawing.

The program in listing 1 is an example of how to program the graphics tablet; it is up to the programmer to decide how to use the coordinates. Most likely he will display them on the video terminal.

Results

Figure 3 shows a typical drawing produced using the graphics tablet. Enrique Castro-Cid drew the original figure by hand and then digitized the coordinates using the graphics tablet. Once the points were stored in the computer, the drawing was transformed using the mathematical function $(Z + i/Z)$. The new coordinates were plotted on a Tektronix 4001 graphic terminal. The completed acrylic-on-canvas work is shown in photo 3.

We have found the graphics tablet has eliminated the bottleneck of digitizing our drawings. The system has developed into a good man-machine partnership, allowing each to do what it does best. ■



In an age when new standards are constantly emerging, one disk consistently meets or exceeds them all.

Maxell. The Gold Standard.

Not all disks are created equal. Some are better than others. To find out what's best for you, look for Maxell disks. They now carry the Gold Standard symbol of quality. It's your assurance Maxell disks meet or exceed every definition of quality. No matter who establishes it. We've earned this universal superiority by never relaxing our uniquely demanding quality control. Every aspect of manufacturing is checked, then checked again.

Your benefits are many. Take the perpetual problem of drop-outs. A drop-out is a tiny defect that wastes time and degrades computer accuracy and performance. Now that you understand what a drop-out is, forget it. Maxell disks don't have any. Each disk comes to you certified drop-out free at the time of manufacture. You can depend on this quality protecting your valuable programs and programming time, indefinitely. We've run disks over ten million passes under conditions designed to find weak points and wear. We couldn't. And you won't.


There is a Maxell disk for the floppy system you use, or plan to use. Check your computer's instructions. Or write for our complete, highly informative brochure.

When you set the Gold Standard as your level of quality, you'll benefit from improved disk performance, immediately. Bank on it.

maxell®

Maxell Computer Products Division, 60 Oxford Drive, Moonachie, N.J. 07074, 201-440-8020

Performance. Quality. Reliability.




For more information on these products and other business, industrial, and scientific computing solutions, contact your nearest **CompuPro** systems center.

New!

Disk 2 DMA Hard Disk Controller

8086/87 Co-Processor



CompuPro is a division of Godbout Electronics, Oakland Airport, CA 94614-0355 415-562-0636

CompuPro means performance, quality, reliability.

There is no need to make the best of slow memory, slow processors, and me-too engineering: **CompuPro** delivers answers for the toughest business, scientific, and industrial computing problems. Backed by a one year limited warranty (two years for boards qualified under the Certified System Component high-reliability program), **CompuPro** system components are the leading choice of systems integrators world-wide.

When you depend on your computer, choose a computer on which you can depend...IEEE 696/S-100 from CompuPro.

Disk 1. High Performance DMA Floppy Disk Controller. $495 A/T, $595 CSC. C/PM® 2.2 $175, C/PM®86 $300.

System Support 1. Battery clock/calendar, dual interrupt controllers; power fail interrupt; RS-232C port; 3 timers. $395 A/T, $495 CSC. Options: 4 MHz 9511A or 9512 $195. 4K RAM/ROM.

CPU Z. Z80® 4 MHz $295 A/T, 6MHz $395 CSC.

CPU 8085/8088 Dual Processor. Executes 8 and 16 software. 6MHz $425 A/T, $525 CSC.

High Speed Static Memory.

RAM 20. Extended addressing or bank select. RAM 20-8K: $210 A/T, $280 CSC. -16K: $285 A/T, $355 CSC. -24K: $355 A/T, $425 CSC. -32K: $425 A/T, $495 CSC.

RAM 17. Ultra low power (1.6 Watts typical for 64K). RAM 17-48K: $650 A/T, $750 CSC. -64K: $795 A/T, $895 CSC.

RAM 16. 64K X 8 or 32K X 16. $895 A/T, $995 CSC.

RAM 21. 128K X 8 or 64K X 16. $1695 A/T, $1895 CSC.

M-Drive.

Runs CompuPro RAM under CP/M 2.2 to eliminate disk waits. Includes RAM and M-Drive software. Requires 6MHz or faster CPU 8085/88, Disk 1, and System Support 1. Return CompuPro CP/M master disk and CPU 8085/88 for modification. 128K M-Drive: $1590 A/T; 256K M-Drive: $3100 A/T.

Interfacers.

Interfacer 1: Two RS-232C ports, full handshake and selectable Baud rates. $249 A/T, $324 CSC.

Interfacer 2: Three full duplex parallel ports plus one serial port. $249 A/T, $324 CSC.

Interfacer 3-5: 2 sync/async, 3 async RS-232C ports. $599 A/T, $699 CSC.

Interfacer 3-8: 2 sync/async, 6 async RS-232C ports with full handshake, software programmable Baud rates, more. $699 A/T, $849 CSC.

Enclosure 2.

Rugged metal construction, constant voltage power supply, 20 slot high speed motherboard (fully shielded and terminated), quiet fan, line filter, more. Desktop model $825, Rack mount $895.


Documentation.

"CompuPro Product User Manuals: 1975-1980". 250+ page book includes Interfacers 1 and 2, CPU Z, CPU 8085/88, and all products released prior to 1981. $20. "CompuPro Product User Manuals Vol. 2". 300+ page book includes Interfacer 3, Disk 1, System Support 1, product updates and more. $25.

CP/M is a registered trademark of Digital Research Z80 is a registered trademark of Zilog



division



OAKLAND AIRPORT, CA 94614-0355 (415)562-0636

Your authorized **CompuPro** sales center specializes in business, industrial, and scientific computing. Call **415-562-0636** for the name of the sales center nearest you, or for placing factory direct VISA® /Mastercard® orders. Prices shown do not include tax, shipping charges, or dealer installation/support services.

Circle 69 on inquiry card.

The Atari Tutorial

Part 6: Atari BASIC

Lane Winner
Atari Inc.
1265 Borregas Ave.
POB 427
Sunnyvale, CA 94086

Atari BASIC is like other BASIC languages in that it is interpreted, which means that programs can be run when they are entered without intermediate stages of compilation and linking. The Atari BASIC interpreter resides in an 8K-byte ROM (read-only memory) cartridge in the left slot of the computer. It encompasses addresses A000 through BFFF hexadecimal. You must have at least 8K bytes of RAM (random-access read/write memory) to use Atari BASIC.

Strengths and Weaknesses

To use Atari BASIC effectively, you must know its strengths and weaknesses. With this information, programs can be written that make good use of its assets and features.

The strengths of Atari BASIC are:

- It supports the operating system graphics. Simple BASIC statements can be used to display graphics information on the screen.
- It supports the hardware. BASIC statements such as SOUND, STICK, and PADDLE are simple interfaces to the hardware of the computer.
- It has a simple interface to assembly-language routines through the USR function.
- The BASIC interpreter is in ROM. This prevents accidental modification of the interpreter by the user program.
- It supports the Atari disk operating system (DOS). Specialized calls such as NOTE and POINT (in DOS 2.0S) allow the user to randomly access a disk through the disk operating system.
- It offers peripheral support. Any peripheral recognized by the operating system can be accessed from a BASIC program.

The weaknesses of Atari BASIC are:

- It gives no support of integers. All numbers are stored as 6-byte binary-coded-decimal (BCD) floating-point numbers.
- Mathematical operations are slow. Since all numbers are 6 bytes long, math operations become rather slow.
- It does not allow string arrays. Only one-dimensional strings can be created.

How Atari BASIC Works

The workings of the BASIC interpreter are summarized as follows:

1. BASIC gets a line of input from the user and converts it into a tokenized form.
2. It then puts this line into a token program.
3. This program is then available for execution.

The details of these operations are discussed in the following four sections:

- The Tokenizing Process
- The Token File Structure
- The Program Execution Process
- System Interaction

The Tokenizing Process

In simple terms, the tokenization of

This article appears in slightly different form in De Re Atari, *which is published by Atari, Inc., and is reproduced with its express permission.*

a line of code in BASIC looks like this:

1. BASIC gets a line of input.
2. It then checks for legal syntax.
3. During syntax checking, the line is tokenized.
4. The tokenized line is moved into the token program.
5. If the line is in immediate mode, it is executed.

To better understand the tokenizing process, some terms must first be defined:

Token—An 8-bit byte containing a value that corresponds to a BASIC keyword or element of syntax.

Statement—A complete "sentence" of tokens that causes BASIC to perform a meaningful task. When listed on the same line, statements are separated by colons.

Line—One or more statements preceded either by a line number in the range of 0 to 32,767, or an immediate-mode line with no line number.

Command—The first executable token of a statement that tells BASIC to interpret the tokens that follow in a particular way.

Variable—A token that is an indirect pointer to its actual value; this is done so that the value can be changed without changing the token.

Constant—A 6-byte BCD value preceded by a special token. This value remains unchanged throughout program execution.

Operator—Any one of 46 tokens that in some way move or modify the values that follow them.

Function—A token that returns a value to the program when executed.

EOL—An end-of-line character that has the value 9B hexadecimal.

BCD—Binary-coded decimal. This refers to a number that uses the 6502 microprocessor's decimal mode.

BASIC begins the tokenizing process by getting a line of input. This input will be obtained from one of the handlers of the operating system. Normally, it is from the screen editor; however, with the ENTER command (which merges new program lines with an existing program), any device can be specified. The call BASIC issues is a GET RECORD command, and the data returned are ATASCII information terminated by an EOL. (ATASCII is a modified ASCII code used to represent characters and symbols within the Atari computers.) These data are stored by a part of the Atari operating system called the central I/O utility (CIO) into the BASIC input line buffer from locations 580 to 5FF hexadecimal.

After the record is returned, the syntax-checking and tokenizing processes begin. First, BASIC looks for a line number. If one is found, it is converted into a 2-byte integer. If no line number is present, the computer is assumed to be in immediate mode and the line number 8000 hexadecimal is assigned to it. These are the first two tokens of the tokenized line. This line is built in the token output buffer, which is 256 bytes long, and resides at the end of the reserved operating system RAM.

The next token is a dummy byte reserved for the byte count (or *offset*) from the start of this line to the start of the next line. Following this is another dummy byte for the count of the start of this line to the start of the next *statement*. These values are set when tokenization is complete for the line and the statement, respectively. The use of these values is discussed later in the program execution process section.

BASIC now looks for the command of the first statement of the input line. A check is made to determine if this is a valid command by scanning a list of legal commands in ROM. If a match is found, the next byte in the token line becomes the number of the entry in the ROM list that matched.

If at any time an error is found, a syntax error token is assigned to that byte and BASIC stops tokenizing,

SANYO MONITORS

When you're ready to stop playing around.



Maybe your home TV was OK as a display when all you were concerned with was blasting Klingons.

But if you spend more than a couple of hours in front of your TV screen, you'll start to pay the price in eyestrain. Maybe even headaches.

It's not worth it. Not when you can get a Sanyo data monitor that's specifically designed for long-term, day-in, day-out use.



Compare display quality of a typical home TV (left) with a Sanyo professional monitor (right).

Sanyo monitors have been the industry standard for as long as there's *been* a personal computer industry—in fact they're recommended by computer dealers and manufacturers alike. That's because when you buy a Sanyo, you're not just getting a stripped-down TV set. You're getting a truly professional display system.

Sanyo offers a complete selection of monitors for any application. You can choose from 9" models with either white or easy-on-the-eyes green phosphors. Or a sleek new 12" model with a special anti-reflective screen (green or white), and an optional desk stand with adjustable tilt. If color graphics are your thing, check our 13" full-color models—one with TV-compatible video input, and a new ultra-high resolution RGB model for computers like the IBM, NEC and Apple III.



Visit your computer dealer and find out how much better things look on a real, professional monitor from Sanyo.

Anything less is just playing around.



Communications Products Division
Sanyo Electric Inc., 1200 W. Artesia Blvd., Compton, CA 90220 (213) 537-5830

Circle 314 on inquiry card.

copies the rest of the input buffer in ATASCII format to the token output buffer, and prints the error line.

Assuming a good line, one of seven items can follow the command: a variable, a constant, an operator, a function, a double quote, another statement, or an EOL. BASIC tests to see if the next input character is numeric. If not, it compares that character and those following against the entries of the variable name table. If this is the first line of code entered in the program, no match will be found. The characters are then compared against the function and operator tables. If no match is found there, BASIC assumes that this is a new variable name. Since this is the first variable, it will be assigned the first entry in the variable name table. The characters are copied out of the input buffer and stored into the name table with the most significant bit (MSB) set to a logical 1 on the last byte of the name. Eight bytes are then reserved in the variable value table for this entry. (See the discussion of the variable value table in the next section.)

The token that ends up in the tokenized line is the variable number minus one with the MSB set. Thus, the token of the first variable entered would be hexadecimal 80, the second would be hexadecimal 81, and so on up to hexadecimal FF, for a total of 128 unique variable numbers.

If a function is found, its entry number in the operator function table is assigned to the token. Functions require certain sequences of parameters; these are contained in syntax tables. If they are not matched, a syntax error will result.

If an operator is found, a token is given its table entry number. Since operators can follow each other in a rather complex fashion (such as multiple parentheses), the syntax checking of them is a bit complicated.

In the case of the double quotes, BASIC assumes that a character string is following, assigns a hexadecimal 0F to the output token, and reserves a dummy byte for the string length. The characters are moved from the input buffer into the output buffer until the second set of quotes is found. The string-length byte is then set to the character count.

If the next characters in the input buffer are numeric, BASIC converts them into a 6-byte BCD constant. A hexadecimal 0E token is put in the output buffer, followed by the 6-byte constant.

When a colon is encountered, a hexadecimal 14 token is inserted in the output buffer, and the offset from the start of the line is stored in the dummy byte that was reserved for the count to the start of the next statement. At this point, another dummy byte is reserved and the process goes back to get a command.

When the EOL is found, a hexadecimal 16 token is stored and the offset from the start of the line is put in the dummy byte for the line offset. At this point, tokenization is complete and BASIC moves the token line into the token program. First, it searches the program for that line number. If

TAKE A TEST DRIVE.



Our drives feature excellent engineering, and all of the advanced performance features you've come to expect from the nation's leading disk drive manufacturers. All systems are completely burned-in and tested. And, you'll see at least five quality assurance stamps on each and every drive, which is how we make sure our drives will run and will continue to run past our optional two year e ended warranty.

Our drive packages start at $250.00 and include a comprehensive operations manual and an attractive static free, dust free cover.

Systems available for Altos, [1]Apple™, Atari, Heath™, North Star™, S-100, [2]TRS-80™ (Model I, II, III, Color), Zenith™.

If one of our drives fails to meet your highest expectations of how trouble free and reliable a disk drive can be, then return it to us for a complete refund.*

So, before you buy another drive, take a test drive with one of ours. We're sure that you'll find TRAXX to be the finest.

IT'S GUARANTEED!

TRAXX COMPUTER CORPORATION

Circle 360 on inquiry card.

Call our toll-free TRAXX LINE: 1-800-621-3102. In Illinois, call: (312) 987-1024. 10AM-6PM CST, Monday thru Friday. *For full refund drives must be returned within 10 days of purchase.

[1]Apple is a registered trademark of Apple Computer Inc.
[2]TRS-80 is a registered trademark of Radio Shack, a Tandy Company.

the same number is found, the computer replaces the old line with the new one. If it is not found, the computer inserts the new line in the correct numerical sequence. In both cases, the data following the line are moved either up or down in memory to allow for an expanding and contracting program size.

BASIC now checks to see if the tokenized line is an immediate-mode line. If so, that line is executed according to the methods described in the interpretive process; if not, BASIC goes back to get another line of input.

If at any time during the tokenizing process the length of the token line exceeds 256 bytes, an Error 14 message (line too long) is sent to the screen and BASIC goes back to get the next line of input.

An example line of input and its token form are shown in figure 1. Table 1 shows the token values for Atari BASIC.

The Token File Structure

The token file contains two major segments: a group of zero-page pointers that point into the token file, and the actual token file itself. The zero-page pointers are 2-byte values that point to various sections of the token file. There are nine 2-byte pointers in locations 80 to 91 hexadecimal. The textbox on page 112 gives a list of the pointers and the sections of the token file they reference.

The Program Execution Process

Executing a line of code involves reading the tokens created during the tokenization process. Each token has a particular meaning that causes BASIC to execute a specific series of operations. The method of doing this requires BASIC to get one token at a time from the token program and process it. Since the token is an index into a jump table of routines, a PRINT token points indirectly to a PRINT processing routine. When that processing is complete, BASIC returns to get the next token. The pointer used to fetch each token is called STMCUR and is at locations 8A and 8B hexadecimal.

The first line of code executed in a program is the immediate-mode line. This is usually a RUN or GOTO. In the case of the RUN, BASIC gets the first line of tokens from the statement table (tokenized program) and processes it. If all the code is in-line, BASIC merely executes consecutive lines.

If a GOTO is encountered, the line to go to must be found. The statement table contains a partially linked list of line numbers and statements. The lowest line number is first, followed by increasing line numbers up to the largest. If a line somewhere in the middle of the table is needed, the following process occurs.

The address of the first line is found in the STMTAB pointer at hexadecimal 88 and 89. This is stored in a temporary pointer. The first 2 bytes of the first line are its line number. This number is compared to the requested line number. If the first number is less, BASIC gets the next line by adding the third byte of the first line to the temporary pointer.

```
THE LINE:

        10 LET X=1 : PRINT X

ITS TOKENIZED REPRESENTATION:
   0A 00  13  0F  06  80  2D  0E  40 01 00 00 00 00  14  13  20  80  16
```

LINE 10 (0A 00); LINE OFFSET (13); STATEMENT OFFSET (0F); "LET" TOKEN (06); X (80); "=" TOKEN (2D); TOKEN FOR NUMERIC CONSTANT (0E); BCD ENCODING OF THE NUMBER 1 (40 01 00 00 00 00); END-OF-STATEMENT TOKEN (14); STATEMENT OFFSET (13); PRINT TOKEN (20); X (80); END-OF-LINE TOKEN (16)

Figure 1: *A line of Atari BASIC in tokenized form. The tokenized form of the line is the one stored in memory.*



PLACE
STAMP HERE
Post Office
will not
deliver mail
without postage

HEATH COMPANY

Benton Harbor, MI 49022

CLEAR. QUICK. QUIET. ALL THREE, ONLY $1,095.*

You get sharp, easy-to-read printouts. You get them fast, over 150 characters per second, from a printer that's loaded with convenience features.

The Heath/Zenith 25 Printer is a heavy-duty, high-speed, dot matrix printer. It produces up to 300 lines per minute with whisper-quiet smoothness. The entire 95-character ASCII set prints in upper case and lower case with descenders, in a 9 x 9 matrix. All functions and timing are microprocessor-controlled.

The features described below tell only part of the story. You have to see it in action to know how good it really is.

Pick the store nearest you from the list at left. And stop in today for a demonstration of the Heath/Zenith 25 Printer. If you can't get to a store, send $1.00 for the new Zenith Data Systems Catalog of assembled commercial computers and also receive free the latest Heathkit Catalog. Write Heath Co., Dept. 334-864, Benton Harbor, MI 49022.

HEATH/ZENITH

Your strong partner

Adjustable tractor-feed width with dual sets of tractors for smooth, bi-directional paper movement. Adjustable vertical and horizontal tabs.

Character pitch is hardware or software-selectable at 10, 12, 13.2 and 16.5 characters per inch, for a maximum of 222 characters per line. That gives you great flexibility in setting up forms.

Standard RS-232C interfacing for compatibility with most systems. Also 20mA current loop serial interface.

Uses standard edge-punched papers in single or multiple forms or fanfold.

Software- or hardware-selectable baud rates at 110, 150, 300, 600, 1200, 4800 and 9600.

Heathkit printer

Character set includes 33 block graphic characters for charts and graphs.

Heavy-duty construction for reliable operation and long life under daily use.

Convenient cartridge ribbon for quick, no-mess replacement.

Completely enclosed cabinet muffles sound for quiet operation.

Special detectors tell you when you're out of paper or when paper jams.

*In kit form, F.O.B. Benton Harbor, MI. Also available completely assembled and tested at $1,595. Prices and specifications are subject to change without notice.

CP-204A

(a) Commands

Hexadecimal	Decimal	Meaning
00	0	REM
01	1	DATA
02	2	INPUT
03	3	COLOR
04	4	LIST
05	5	ENTER
06	6	LET
07	7	IF
08	8	FOR
09	9	NEXT
0A	10	GOTO
0B	11	GO TO
0C	12	GOSUB
0D	13	TRAP
0E	14	BYE
0F	15	CONT
10	16	COM
11	17	CLOSE
12	18	CLR
13	19	DEG
14	20	DIM
15	21	END
16	22	NEW
17	23	OPEN
18	24	LOAD
19	25	SAVE
1A	26	STATUS
1B	27	NOTE
1C	28	POINT
1D	29	XIO
1E	30	ON
1F	31	POKE
20	32	PRINT
21	33	RAD
22	34	READ
23	35	RESTORE
24	36	RETURN
25	37	RUN
26	38	STOP
27	39	POP
28	40	?
29	41	GET
2A	42	PUT
2B	43	GRAPHICS
2C	44	PLOT
2D	45	POSITION
2E	46	DOS
2F	47	DRAWTO
30	48	SETCOLOR
31	49	LOCATE
32	50	SOUND
33	51	LPRINT
34	52	CSAVE
35	53	CLOAD
36	54	[IMPLIED LET]
37	55	ERROR—[SYNTAX]

(b) Operators

Hexadecimal	Decimal	Meaning
0E	14	[numeric constant]
0F	15	[string constant]
10	16	[not used]
11	17	[not used]
12	18	,
13	19	$
14	20	: [statement end]
15	21	;
16	22	[line end]
17	23	GOTO
18	24	GOSUB
19	25	TO
1A	26	STEP
1B	27	THEN
1C	28	#
1D	29	< = [numeric comparison]
1E	30	< > [numeric comparison]
1F	31	> = [numeric comparison]
20	32	< [numeric comparison]
21	33	> [numeric comparison]
22	34	= [numeric comparison]
23	35	^
24	36	*
25	37	+
26	38	−
27	39	/
28	40	NOT
29	41	OR
2A	42	AND
2B	43	(
2C	44	)
2D	45	= [arithmetic assignment]
2E	46	= [string assignment]
2F	47	< = [string comparison]
30	48	< > [string comparison]
31	49	> = [string comparison]
32	50	< [string comparison]
33	51	> [string comparison]
34	52	= [string comparison]
35	53	+ [unary operators]
36	54	− [unary operators]
37	55	([string left parenthesis]
38	56	([array left parenthesis]
39	57	([DIM array left parenthesis]
3A	58	([function left parenthesis]
3B	59	([DIM string left parenthesis]
3C	60	, [array comma]

(c) Functions

Hexadecimal	Decimal	Meaning
3D	61	STR$
3E	62	CHR$
3F	63	USR
40	64	ASC
41	65	VAL
42	66	LEN
43	67	ADR
44	68	ATN
45	69	COS
46	70	PEEK
47	71	SIN
48	72	RND
49	73	FRE
4A	74	EXP
4B	75	LOG
4C	76	CLOG
4D	77	SQR
4E	78	SGN
4F	79	ABS
50	80	INT
51	81	PADDLE
52	82	STICK
53	83	PTRIG
54	84	STRIG

Table 1: *A table of token values for Atari BASIC. Table 1a shows the interpretation of a given value as a BASIC command token. Table 1b shows the interpretation of a value as a BASIC operator token. Table 1c shows the interpretation of a value as a BASIC function token. The interpretation of a token value varies with its position in the line.*

8086 Super-micro

8 Mhz. - 16-bit - S-100 bus - 128K 70 nsec. RAM

Computer Benchmarks – All systems running the same BASIC program.

Manufacture – Model	Class	Operating System	Language (Type*)	Run Time (Seconds)
IBM 3033	Mainframe	VS2-10RVYL	Stanford BASIC	10
Seattle Computer System 2	Micro	MS-DOS	Microsoft BASIC (C)	33
Digital Equipment PDP 11/70	Mini	n/a	BASIC (I)	45
Prime 550	Mainframe	PRIMOS	BASIC V16.4 (I)	63
Digital Equipment PDP-10	Mainframe	TOPS-10	BASIC (I)	65
IBM System 34	Mainframe	Release 05	BASIC (I)	129
TEI System 48	Micro	MAGIC 1.0	Microsoft BASIC (C)	178
Hewlett-Packard HP3000	Mini	Time Share	BASIC (I)	250
Seattle Computer System 2	Micro	MS-DOS	Microsoft BASIC (I)	310
Alpha Micro AM-100/T	Micro	AMOS 4.3a	Alpha BASIC (SC)	317
Digital Equipment PDP 11/45	Mini	n/a	BASIC (I)	330
Data General NOVA 3	Mini	Time Share	BASIC 5.32	517
Ohio Scientific C4-P	Micro	OS65D 3.2	Level 1 BASIC (I)	680
North Star Floating Point	Micro	NSDOS	NorthStar BASIC (I)	685
Radio Shack TRS-80 II	Micro	TRSDOS 1.2	BASIC (I)	792
Apple II +	Micro	DOS 3.2	Applesoft II (I)	960
Cromemco System 3	Micro	CDOS	32K BASIC (I)	1074
Commodore Pet 2001	Micro	n/a	Microsoft BASIC (I)	1374
IBM 5100	Micro	n/a	BASIC (I)	1951
Vector MZ	Micro	n/a	Micropolis BASIC (I)	2251

* C = Compiler; I = Interpreter. Times (except for Seattle Computer) taken from August 1981 issue of Interface Age.

Seattle Computer System 2 consists of 8 Mhz. 8086 CPU set, 128K of 70 nsec. static RAM, double-density disk controller, 22-slot TEI constant voltage mainframe, a cable for two 8' drives, and MS-DOS operating system (also called 86-DOS, IBM PC-DOS, Lifeboat SB-86). The system is fully assembled and tested and ready to run with the addition of disk drives (we can supply) and terminal. Price: $4185. 8087 Adapter also available.

Call for location of our nearest dealer

Software

We have the following Microsoft high-level languages running under MS-DOS.

- BASIC-86 Interpreter $400
- BASIC-86 Compiler $400
- Fortran-86 .... $600
- Pascal-86 .... $600
- Cobol-86 .... $900
- Macro-86 Assembler $300


Check for new additions



1114 Industry Dr. Seattle WA 98188

Information Hotline

206/575-1830



The temporary pointer will be pointing to the second line. Again, the first 2 bytes of this new line are compared to the requested line. If they are less, the third byte is added to the pointer. If a line number does match, the contents of the temporary pointer are moved into STMCUR and BASIC fetches the next token from the new line. Should the requested line number not be found, an Error 12 (line not found) is generated.

The GOSUB involves more processing than the GOTO. The line-finding routine is the same, but before BASIC goes to that line, it sets up an entry in the run-time stack. It allocates 4 bytes at the end of the stack and stores a 0 in the first byte to indicate a GOSUB stack entry. It then stores the line number it was on when the call was made into the next 2 bytes of the stack. The final byte contains the offset in bytes from the start of that line to where the GOSUB token was found. BASIC then executes the line it looked up. When the RETURN is found, the entry on the stack is pulled off, and BASIC returns to the calling line.

The FOR command causes BASIC to allocate 16 bytes on the run-time stack. The first 6 bytes are the limit the variable can reach in 6-byte BCD format. The second 6 bytes are the step, in the same format. Following these, BASIC stores the variable number (MSB set) of the counting variable. It then stores the present line number (2 bytes) and the offset into the line. The rest of the line is then executed.

When BASIC finds the NEXT command, it looks at the last entry on the stack. It makes sure that the variable referenced by the NEXT is the same as the one on the stack and checks if the counter has reached or exceeded the limit. If not, BASIC returns to the line with the FOR statement and continues execution. If the limit was reached, the FOR entry is pulled off the stack and execution continues from that point.

When an expression is evaluated, the operators are put onto an operator stack and then pulled off one at a time and evaluated. The

BASIC Command	Operating System IOCB Parameters
OPEN #1,12,0,"E:"	IOCB = 1 Command = 3 (OPEN) Aux1 = 12 (Input/Output) Aux2 = 0 Buffer Address = ADR("E:")
GET #1,X	IOCB = 1 Command = 7 (Get Characters) Buffer Length = 0 Character returned in accumulator
PUT #1,X	IOCB = 1 Command = 11 (Put Characters) Buffer Length = 0 Character output through accumulator
INPUT #1,A$	IOCB = 1 Command = 5 (Get Record) Buffer Length = Length of A$ (not over 256) Buffer Address = Input Line Buffer
PRINT #1, A$	IOCB = 1 BASIC uses a special put byte vector in the IOCB to talk directly to the handler.
XIO 18,#6,12,0,"S:"	IOCB = 6 Command = 18 (Special—Fill) Aux1 = 12 Aux2 = 0

Table 2: *Examples of BASIC I/O commands and the corresponding parameters that are passed to the operating system IOCBs (input/output control blocks).*

order in which the operators are put onto the stack can either be implied, in which case BASIC looks up the operator's precedence from a ROM table, or the order can be explicitly stated by the placement of parentheses.

Pressing the BREAK key at any time causes the operating system to set a flag to indicate this occurrence. BASIC checks this flag after each token is processed. If it finds it has been set, it stores the line number at which this occurred, prints a "STOPPED AT LINE XXXX" message, clears the BREAK flag, and waits for user input. At this point, the user could type CONT and program execution would continue at the next line.

System Interaction

BASIC communicates with the operating system primarily through the use of I/O calls to the central I/O utility. Table 2 gives a list of user BASIC calls and the corresponding operating system IOCBs. (IOCB stands for "input/output control block." An IOCB is a table of information used to control information flow between the computer and either a disk file or I/O device.)

When a BASIC token program is SAVEd or CSAVEd to a device, two blocks of information are written. The first block consists of seven of the nine zero-page pointers that BASIC uses to maintain the token file. These are LOMEM through STARP (see textbox). One change is made to these pointers when they are written out: the value of LOMEM is subtracted from each of the 2-byte pointers, and these new values are written to the device. Thus, the first 2 bytes written are 0,0.

The second block of information written consists of the following token file sections: the variable name table, the variable value table, the token program, and the immediate-mode line.

When this program is LOADed or CLOADed into memory, BASIC looks at the operating system variable MEMLO and adds its value to each of the 2-byte zero-page pointers as they are read from the device. These

NOW! MORE THAN EVER

When You Have To Face A Deadline...



Since its introduction, Pascal/MT+® has been used to produce thousands of professional solutions to industrial, business and systems level application problems. In addition to implementing the complete ISO STANDARD, Pascal/MT+® contains a host of powerful features and facilities which make program construction a snap!

Pascal/MT+® is a total programming system including our native machine code compiler, linker, Pascal-level debugger, disassembler, run-time subroutine library and the exclusive SpeedProgramming™ Package.

With the advent of 16-bit machines and increasing customers demands, you can no longer afford to write programs in anything but a professionally constructed and professionally supported package like Pascal/MT+®. MT MicroSYSTEMS has demonstrated its commitment to keeping your programs and programmers productive with our recent introduction of Pascal/MT+86 and Pascal/MT+68K for the 8086 and 68000. While Pascal/MT+® provides the capability to write non-portable programs when the need arises, true portability between radically different machines is a reality while still translating into efficient, optimized native machine code.

Our Pascal/MT+® compilers and SpeedProgramming Package are available on a wide variety of processors and operating systems, with more to come! We are continually working to provide innovative solutions to the ever present problem of translating your ideas into software solutions.

The Pascal/MT+® System

Compiler:

Generates ROMable Native Code • Complete ISO Standard (superset of Jensen & Wirth).

Powerful Extensions Include:

Modular Compilation, Direct production of binary relocatable modules • Dynamic strings • Chaining • Powerful Overlay system • Address and Size returning functions • Bit manipulation (test, set, clear, shifts) • Byte manipulation (high, low, swap) • Imbedded assembly language • Easy linkage to external assembly language • Full NEW and DISPOSE procedures • Direct access to I/O ports • Fast floating point, both software and AMD 9511 • Accurate 18 digit BCD (fixed point, 14,4) • Include files • Hex literal numbers • and more...

. . . Arm Yourself With Pascal/MT+®



Linker:
Combines relocatable modules into executable files • Can generate Hex format for use with PROM programming.

Interactive Symbolic Debugger:
Variable display • High-level breakpoints by procedure/function name • Tracing/single step by Pascal statement • Procedure/function entry and exit trace available.

Disassembler:
Combines a relocatable module with its listing file to produce interleaved Pascal and approximate assembly language code.

The SpeedProgramming Package™:
The SpeedProgramming Package is an integrated set of tools which allows you to create Pascal/MT+® programs, check them for correct syntax and undefined identifiers, format them to display flow of control, and do this all within the editing environment before you ever invoke the compiler. Programmers like SpeedProgramming because it frees them from the time consuming chore of repeated compilations to correct simple syntactic and typing errors. Managers find that SpeedProgramming improves productivity, thereby reducing development costs. SpeedProgramming combined with our field tested Pascal/MT+® package gives you a comfortable, powerful, interactive programming environment in which to create your professional quality software. Your products demand production quality tools. Order Pascal/MT+® with SpeedProgramming today!

Screen Editor:
User configurable • Standard random cursor movement, file access, search and replace, insert, delete, exchange, etc. • Structured language editing features such as automatic indent, line adjustment, reading from and writing to a file, block text insertion and duplication. • Requires: 24 x 80 CRT (or larger), ASCII Keyboard (7 bit data), random cursor addressing.

Interactive Syntax Scanner:
Finds syntax errors in text being edited • Enters SPEED, puts cursor at error, prints error text.

Variable Checker:
Catches undefined and mis-spelled variables before the compiler is invoked.

On-Line Reformatter:
Beautify programs in seconds • Clearly shows structure and program flow.

Source Code Management Tools:
Automatic Modification Log and Backup utility program.

PRICING: *Read carefully, some systems do not include the SpeedProgramming Package but do include the compiler, linker, disassembler, debugger and other utilities.

AVAILABLE NOW!

*8080/8085/Z80 without SpeedProgramming . . . . Price $350.00
56K or larger CP/M-80 or Heath/Zenith HDOS
8080/8085/Z80 complete including SpeedProgramming . . . . Price $475.00
56K or larger CP/M-80 (not available for HDOS)
8080/8085/Z80 for special MP/M environments . . . . Contact Factory

*8086/8088 without SpeedProgramming . . . . Price $600.00
CP/M-86 or MP/M-86, requires 116K program area
8086/8088 complete including SpeedProgramming . . . . Price $800.00
*8086/8088 without SpeedProgramming for RMX-86 . . . . Price $1500.00

All 8086/8088 packages include 9511 and 8087 support and program to convert MT object files into Intel .OBJ 8086 files.

COMING SOON:

68000 Cross Compiler System . . . . Price (to be announced)
68000 Resident System with and without SpeedProgramming . . . . Price (to be announced)

Available on 8" (3740) Single Density Disks. Contact Distributors For Other Formats.
CPM/, MP/M are trademarks of Digital Research, Inc.
Heath, Zenith and HDOS are trademarks of Zenith Data Systems.

FOR: 8080/8085/Z80/8086/68000

Payment Terms:
Cash, Check, UPS, C.O.D.,
Mastercard, VISA,

MT Micro SYSTEMS
1562 Kings Cross Drive
Cardiff, California 92007 (714) 434-6101

***Pricing:**
8080/Z80 — $475.00
Others Call

*All prices and speculations are subject to change without notice.

Circle 241 on inquiry card.

pointers are placed back on page zero. The values of RUNSTK and MEMTOP are then set to the value in STARP. (See figure 2 for the locations of these and other pointers.)

Next, 256 bytes are reserved in memory above the value of MEMLO to allocate space for the token output buffer. Then, the token file information, consisting of the variable name table through the immediate-mode line, is read in. These data are placed in memory immediately following the token output buffer.

Improving Program Performance

Program performance can be improved in two ways. First, the execution time can be decreased (it will run faster); second, the amount of space required can be decreased, allowing it to use less RAM. To attain these two goals, the following lists can be used as guidelines. The methods of improvement in each list are primarily arranged in order of decreasing effectiveness. Therefore, the method at the top of a list will have more impact than one at the bottom.

The following methods will help speed up a BASIC program:

- Recode—Because BASIC is not a structured language, the code written in it tends to be inefficient. After many revisions, it becomes even worse. Thus, the time spent to restructure the code is worthwhile.
- Check algorithm logic—Make sure that the code to execute a process is as efficient as possible.
- Put frequently called subroutines and FOR/NEXT loops at the start of the program—Since BASIC starts at the beginning of a program to look for a line number, any line references near the end take longer to reach.
- For frequently called operations within a loop, use in-line code rather than subroutines—The program speed can be improved here since BASIC spends time adding and removing entries from the run-time stack.
- Make the most frequently changing loop of a nested set the deepest—In this way, the run-time stack will be altered the fewest number of times.
- Simplify floating-point calculations within the loop—If a result is obtained by multiplying a constant by a counter, time can be saved by changing the operation to the addition of a constant.
- Set up loops as multiple statements on one line—In this way, the BASIC interpreter will not have to get the next line to continue the loop.
- Disable the screen display—If visual information is not important for a period of time, up to a 30-percent time savings can be made with a POKE 559,0. Save the previous value in location 559 so you can later restore the video output.
- Use a coarser graphics mode or a short display list—If a full screen display is not necessary, up to a 25-percent time savings can be made by causing the computer to spend less time on video display.
- Use assembly code—Time savings can be made by encoding loops in assembly language and using the USR function.

The following methods will help save space in a BASIC program:

Circle 207 on inquiry card.

• Recode—As mentioned previously, restructuring the program makes it more efficient. It also saves space.

• Remove remarks—Remarks are stored as ATASCII data and merely take up space in the running program.

• Replace a constant used three times or more with a variable—BASIC allocates 7 bytes for a constant, but only 1 for a variable reference. Therefore, 6 bytes can be saved each time a constant is replaced with a variable assigned to that constant's value.

• Initialize variables with a READ statement—A data statement is stored in ATASCII code, 1 byte per character, whereas an assignment statement requires 7 bytes for one constant.

• Try to convert numbers used only once and twice to arithmetic combinations of predefined variables—An example is to define Z1 to equal 1 and Z2 to equal 2; if the number 3 is required, replace it with the expression Z1 + Z2.

• Set frequently used line numbers (in GOSUB and GOTO) to predefined variables—If the line 100 is used in 50 different places, approximately 300 bytes can be saved by equating Z100 to 100 and referencing Z100.

• Keep the number of variables to a minimum—Each new variable entry requires 8 more bytes in the variable value table and a few bytes for its name.

• Clean up the value and name tables—Because the variable value and name tables are normally saved with the BASIC program, variable entries continue to take up space even




Figure 2: *A list of pointers used by BASIC and the Atari operating system to keep track of memory usage. These pointers are described in greater detail in the operating system section of the* Atari Personal Computer System Operating System User's Manual and Hardware Manual.


ORDER TOLL-FREE

consumer computers Mail Order DISCOUNTS

FREE SHIPPING*
*on all pre-paid cash orders

SEE OUR ADS ON PAGES 284, 411 AND 443 FOR MORE EXCITING DISCOUNTS

NEC Microcomputer



SAVE! CALL FOR BEST PRICE

If you're considering a computer, consider this:
- 4 Mhz Z-80A Operation
- 80 or 40 column modes STANDARD
- Built-in Centronics printer port
- Full ASCII keyboard with Shift lock
- Real Time Clock STANDARD
- RGB Color Output
- Mixed text and graphics
- Numerica Keyboard STANDARD
- CP/M Compatibility
- 5 programmable Function keys
- 24K Microsoft NBASIC In ROM with enhanced color graphic commands

The NEC PC-8001A has all these features and much more. Expandibility you want, expandability you get. Through the use of the PC-8012A I/O unit, total system RAM can be extended to 160K. The PC-8031 Dual Disk Drive puts 286K of floppy disk storage at your command.

The NEC PC-8001A has so many things that are options on other computers built right in that you may never have to buy another accessory! The quality that the NEC name has come to stand for has been built-in, too.

Compare the competition, and then call Consumer Computers for the NEC PC-8001.

NEC COMPATIBLE SOFTWARE

CP/M Operating system with graphics control . . . CALL
SUPERCALC Financial & Scientific Modeling (requires CP/M) . . . CALL
WORDSTAR Word Processing System (requires CP/M) . . . CALL
SYSTEMS PLUS Complete Accounting System (requires CP/M) . . . CALL
MICROSOFT BASIC-80 (requires CP/M) . . . CALL
MICROSOFT FORTRAN-80 (requires CP/M) . . . CALL
MICROSOFT COBOL-80 (requires CP/M) . . . CALL

SPECIAL NEC CATALOG AVAILABLE

ATARI PERSONAL COMPUTERS



ATARI 800 16K PLEASE CALL FOR BEST PRICE

Atari 400 w/16K	349
410 Program Recorder	65
810 Disk Drive	449
825 80 col. 7x8 Dot matrix impact printer	699
822 40 col. Quiet Thermal Printer	349
850 Interface Module	159
Atari 16K Ram Module	69
Axlon Ramcram 32K Module	189
Asteroids, Missile Command and Star Raiders	35 ea.

SPECIAL ATARI CATALOG AVAILABLE

commodore



CBM Business Computer

- 73 Key Typewriter Style Keyboard
- 80 x 25 Column/Line Video Display
- Integrated 9" Green Phosphor Monitor Standard
- Inverse & Overstrike Characters
- Full Screen editing capability Built-In
- Built-In Parallel I/O Port
- IEEE-488 Bus Interface Capability Standard!
- 2 Cassette Ports
- 18K ROM BASIC (Version 4.0)
- 9 Digit Floating Point Binary Arithmetic
- Sophisticated Disk & Tape Handling Software

We couldn't tell you all the things the Commodore CBM system could do for your home or office, but think about hiring a secretary, an accountant, and a financial advisor all for the price of a Commodore CBM 8000 Computer! Just add the Commodore 4040 or 8050 dual floppy disk drive, and a printer of your choice, and you've got a fully integrated system, ready to bring the computer revolution into your home or business! Start your revolution now at Consumer Computers.

MASS STORAGE DISK DRIVES AVAILABLE ACCOUNTING SOFTWARE AND SPECIALIZED MARKET SOFTWARE TOO!
CALL OR WRITE FOR BEST PRICES. COMPLETE CBM CATALOG AVAILABLE.

commodore PET Personal Computer



16K's, 32K's, & 48K's AVAILABLE

CALL FOR BEST PRICE

Introducing the Commodor PET! All the things you need to start computing today are built right in. Things like 18K PET BASIC, 9" Green Phosphor Video Monitor, 74 key professional keyboard, numeric keypad, and more. As if this weren't enough, the PET comes has a parallel I/O port that is just waiting for a printer, and the industry standard IEEE-488 bus for expansion
- 40 x 25 Column/Line Video Display
- Integrated 9" Green Phosphor Monitor Standard
- Inverse & Overstrike Characters
- Full Screen editing capability Built-In
- Built-In Parallel I/O Port
- IEEE-488 Bus Interface Capability Standard!
- 2 Cassette Ports
- 18K ROM BASIC (Version 4.0)
- 9 Digit Floating Point Binary Arithmetic
- Sophisticated Disk & Tape Handling Software

Other PET accessories and equipment available at great prices. Complete Commodor catalog available.

apple computer
Authorized Dealer




APPLE II PLUS

16K's, 48K's, 64k's*

*48K Apple with 16K RamBoard

CALL FOR BEST PRICES



APPLE DISK DRIVES

DRIVE ONLY OR W/CONT & DOS 3.3 CALL FOR PRICES

SPECIAL APPLE CATALOG AVAILABLE

ORDER TOLL FREE 800-854-6654

In California and outside continental U.S.
(714) 698-8088
Telex 695-000 Beta CCMO

Ordering information: Phone orders using VISA, MASTERCARD, AMERICAN EXPRESS, DINER'S CLUB, CARTE BLANCHE, bank wire transfer, cashier's or certified check, money order, or personal check (allow ten days to clear). Unless prepaid with cash, please add 5% for shipping, handling and insurance. (minimum 5.00). California residents add 6% sales tax. We accept CODs. OEM's, Institutions and corporations please send for a written quotation. All equipment is subject to price change and availability without notice. All equipment is new and complete with manufacturer's warranty (usually 90 days). Showroom prices may differ from mail order prices.

Send Orders To:
consumer computers Mail Order
8314 Parkway Drive
La Mesa, Calif. 92041

Circle 88 on inquiry card.

after all references to them are removed from the program. To delete the entries, LIST the program to disk or cassette, type NEW, and ENTER the program. (Unlike SAVE or CSAVE, LIST stores the program as a file of characters and ENTER reads the program in as if it had been typed in from the keyboard.)

- Keep variable names as short as possible—Each variable name is stored in the name table as ATASCII information. The shorter the names, the shorter the table.
- Replace text used repeatedly with strings—On screens with a lot of text, space can be saved by assigning a string to a commonly used set of characters.
- Initialize strings with assignment statements—An assignment of a string with data in quotes requires less space than a READ statement and a CHR$ function.
- Concatenate lines into multiple statements—Three bytes can be saved each time two lines are converted into two statements on one line.
- Replace once-used subroutines with in-line code—The GOSUB and RETURN statements waste bytes if used only once.
- Replace integer numeric arrays with strings if the data values fall between 0 and 255 (or if the data can be scaled to that range)—Numeric array entries require 6 bytes each. However, each number can be reduced to one character by using the CHR$ function; it can later be restored with the ASC function.
- Replace SETCOLOR statements with POKE commands—This saves 8 bytes per occurrence.
- Use cursor-control characters rather than POSITION statements—The POSITION statement requires 15 bytes for the x and y parameters, whereas the cursor-editing characters are 1 byte each.
- Delete lines of code via program control—See the next section on advanced programming techniques.
- Modify the string/array pointer to load predefined data—SAVE and CSAVE save the part of the token file from VNTP up to STARP. By changing the value in STARP to point to the *end* of the data, string and array information can be saved.
- Small assembly-language routines can be stored in USR calls—An example would be:

```
X=USR(ADR("hhh[*]LV[d]"),16)
```

(The boxes represent inverse video characters.) Eight bytes are saved by not placing the string in a named string variable.

- Chain programs—An example would be an initialization routine that is run first, then loads and runs the main program.

Advanced Applications

An understanding of the fundamentals of Atari BASIC makes it possible to write some interesting applications. These can be strictly BASIC operations, or they can also involve features of the operating system. The following paragraphs give examples of three such techniques.

String initialization—The program in listing 1 sets all the bytes of a string of any length to the same value. BASIC copies the first byte of the

Text continued on page 118

Listing 1: *Quick string manipulation using the Atari BASIC substring function. This program will initialize every character of the string A$ to the value "A".*

```
10 REM STRING INITIALIZATION
20 DIM A$(1000)
30 A$(1)="A":A$(1000)="A"
40 A$(2)=A$
```

Listing 2: *Modification of an Atari BASIC program under program control. By using a special "forced read" mode, information on the screen can be automatically read into BASIC without user intervention. In this program, this ability is used to delete lines 70 through 90 while the program is being run.*

```
10 REM DELETE LINE EXAMPLE
20 GRAPHICS 0:POSITION 2,4
30 ? 70:? 80:? 90:? "CONT"
40 POSITION 2,0
50 POKE 842,13:STOP
60 POKE 842,12
70 REM THESE LINES
80 REM WILL BE
90 REM DELETED
```

Atari BASIC Zero-Page Pointers

Name	Pointer Location (hex)	Part of Token File Pointed To
LOMEM	80,81	*Token output buffer—The buffer BASIC uses to tokenize one line of code. It is 256 bytes long and resides at the end of the operating system's allocated RAM.*
VNTP	82,83	*Variable name table—A list of all the variable names that have been entered in the program. They are stored as ATASCII characters, each new name stored in the order it was entered. Three types of name entries exist:* *1. Scalar variables—MSB (most significant bit) set on last character in name.* *2. String variables—last character is a "$" with the MSB set.* *3. Array variables—last character is a "(" with the MSB set.*
VNTD	84,85	*Dummy end of the variable name table—BASIC uses this pointer to indicate the end of the name table. When there are less than 128 variables, this normally points to a dummy zero byte. When 128 variables are present, this points to the last byte of the last variable name.*
VVTP	86,87	*Variable value table—This table contains current information on each variable. For each variable in the name table, 8 bytes are reserved in the value table. The information for each variable type is:*

Byte Number	1	2	3	4	5	6	7	8
Scalar	00	Var#	6-byte BCD constant					
Array (explicitly dimensioned) (undimensioned)	41 40	Var#	Offset from STARP(8C,8D)		first DIM+1		second DIM+1	
String (explicitly dimensioned) (undimensioned)	81 80	Var#	Offset from STARP(8C,8D)		Length		DIM	

A scalar variable contains a numeric value. An example is X=1. The scalar is X and its value is 1, stored in 6-byte BCD format. An array is composed of numeric elements stored in the string/array area and has one entry in the value table. A string, composed of character elements in the string/array area, also has one entry in the table.

The first byte of each value entry indicates the type of variable: 00 for a scalar, 40 for an array, and 80 for a string. If the array or string has been dimensioned, the least significant bit (LSB) is set on the first byte.

The second byte contains the variable number. The first variable entry is number zero. If 128 variables were present, the last would be hexadecimal 7F.

The IBM Personal Computer

Personal, Professional, Technical — or somewhere in between ... PC-MATE™ makes the IBM Personal Computer a perfect match

PC-MATE™ from TECMAR is the first and only complete expansion series available for the IBM Personal Computer. There are currently more than twenty PC-MATE™ expansion options available, and new products are continuously added to the list.

When you want more from your IBM Personal Computer, look to PC-MATE™.

You can create a SUPER PERSONAL COMPUTER with household lights and appliance control, voice output, and give it more memory than any ordinary personal can handle.

Or make it a PROFITABLE PROFESSIONAL SYSTEM with expansion space and a Winchester disk to handle more business accounts.Increase memory up to the system limit and process those accounts faster. Add flexible I/O interfaces and put yourself on line to outside information sources.

As an INTELLIGENT LABORATORY TOOL with interfaces to IEEE 488 instrumentation, analog signals, stepper motors and video signals, your IBM Personal Computer becomes the perfect workbench assistant.

Hardware, Software, Accessories — PC-MATE™ provides the highest quality and the greatest possible range of functionality for the IBM user.

Ask your local computer store for more information on the PC-MATE™ series from TECMAR, or call for the name of your nearest authorized PC-MATE™ dealer.



PC-MATE™ EXPANSION OPTIONS

Personal Computer Expansion Chassis (see photo)
192K and 259K Dynamic Memory with Parity
Winchester Disk Drive and Controller
Parallel Medium Speed Input/Output Interface
Serial Medium Speed Input/Output Interface
Parallel High Speed Input/Output Interface
Serial High Speed Input/Output Interface
Analog to Digital Converter - 8, 12, 14, 16 Bit
Dust Cover Set for IBM PC and Peripherals
High Speed Static Memory (RAM/ROM)
Digital to Analog Converter - 8 and 12 Bit
Multi-System Printer Sharing Facility
CMOS Memory with Battery Backup
System Clock with Battery Backup
Electrically Erasable EPROM
BSR X-10 Device Controller
Stepping Motor Controller
Video Image Digitizer
IEEE 488 Interface
Prototyping Board
Music Synthesizer
Voice Synthesizer
Extender Board

One Year Warranty

Additional products are already under development, so if we don't have what you need, chances are good that we soon will.

Tecmar Inc. PERSONAL COMPUTER PRODUCTS DIVISION
23600 Mercantile Rd., Cleveland, OH 44122 (216) 464-7410

		In the case of the scalar variable, the third through eighth bytes contain the 6-byte BCD number that has currently been assigned to it. *For arrays and strings, the third and fourth bytes contain an offset from the start of the string/array area (described below) to the beginning of the data.* *The fifth and sixth bytes of an array contain its first dimension. The quantity is a 16-bit integer, and its value is 1 greater than the limit the user entered. The seventh and eighth bytes are the second dimension, also a value of 1 greater.* *The fifth and sixth bytes of a string are a 16-bit integer that contains its current length. The seventh and eighth bytes are its dimension (up to 32,767 bytes in size).*
STMTAB	88,89	*Statement table—This block of data includes all the lines of code entered by the user and tokenized by BASIC. It also includes the immediate-mode line. The format of these lines is described in figure 1.*
STMCUR	8A,8B	*Current statement—This pointer is used by BASIC to reference particular tokens within a line of the statement table. When BASIC is waiting for input, this pointer is set to the beginning of the immediate-mode line.*
STARP	8C,8D	*String/Array area—This block contains all the string and array data. String characters are stored as 1-byte ATASCII entries. Therefore, a string of 20 characters will require 20 bytes. Arrays are stored with 6-byte BCD numbers for each element. A 10-element array requires 60 bytes.* *This area is allocated and subsequently enlarged by each dimension statement encountered, the amount being equal to the size of a string dimension or six times the size of an array dimension.*
RUNSTK	8E,8F	*Run-time stack—This software stack contains GOSUB and FOR/NEXT entries. The GOSUB entry consists of 4 bytes. The first is a 0 byte indicating GOSUB, followed by the 2-byte integer line number on which the call occurred. This is followed by the offset into that line so that the RETURN can come back and execute the next statement.* *The FOR/NEXT entry contains 16 bytes. The first is the limit the counter variable can reach. The second byte is the step or counter increment. Each of these quantities is in 6-byte BCD format. The thirteenth byte is the counter variable number with the MSB set. The fourteenth and fifteenth bytes are the line number; the sixteenth is the line offset to the FOR statement.*
MEMTOP	90,91	*Top of application RAM—This is the end of the user program. Program expansion can occur from this point to the end of free RAM, which is defined by the start of the display list. The FRE function in BASIC returns the amount of free RAM by subtracting MEMTOP from HIMEM (pointed to by locations hexadecimal 2E5 and 2E6). Note that the BASIC MEMTOP is not the same as the OS variable called MEMTOP.*

COBOL the language of business.
The language of Micro Focus

CIS COBOL

WITH FORMS-2

Our CIS COBOL product family brings you the most successful business programming tool ever devised, COBOL, in a form optimized for today's most cost effective hardware, the microcomputer. Standard COBOL as defined by ANSI X3.23-1974.

The reliability and performance of CIS COBOL are strongly emphasized by its' continued qualification for U.S. government contracts. In January 1981 CIS COBOL entered its 2nd year of G.S.A. certification.

CIS COBOL is powerful but simple to use. Its screenhandling, dynamic module loading and fast ISAM let you take full benefit from micro computer facilities.

Our FORMS-2 utility is a COBOL source code generator to help you build interactive applications with ease. Using our unique demonstration "How to create a COBOL program in 20 minutes," you can quickly try out new application ideas.

And if you are developing software for resale, the variety of systems running CIS COBOL offers you a very large available market.

CIS COBOL and FORMS-2 are available through our dealers and distributors for many 8080, Z80 and LSI-11 systems including Apple II with Softcard and CP/M.

For OEM purchase on 8086, PDP-11, UNIX and other order codes approach us direct. Our system transfer technology has made CIS COBOL first on a number of processors and enabled us to interface to 30 different operating systems.

For more information about CIS COBOL fill in the coupon below.

To: Micro Focus Inc. 1601 Civic Center Drive,
Santa Clara, Ca 95050, USA.
Phone: (408) 496 0176. Telex: 278704 MFCIS UR

Please send me

- ☐ A brochure on CIS COBOL
- ☐ A brochure on FORMS-2
- ☐ A set of Applications Notes

.... (Qty) CIS COBOL manual(s) at $75 (inc. p+p) for which I enclose a check for $.................................

My chief interest is in; (please tick box)

- ☐ 8080
- ☐ 8086
- ☐ UNIX
- ☐ Apple II

Name ....

Position ....

Company ....

Address ....

Tel No. ....




CIS COBOL and FORMS-2 are trademarks of Micro Focus. 8080 is a trademark of Intel Corp, Z80 of Zilog, LSI-11 and PDP-11 of Digital Equipment Corp, Apple II of Apple Computer, Softcard of Microsoft Consumer Products, CP/M of Digital Research and UNIX of Bell Laboratories.

Circle 209 on inquiry card.

BRAINS - MAINFRAMES

SUPERBRAINS

ZENITH





SUPERBRAIN QD 64K
List $3995 only $2949

Z-89 48K
LIST $2895 ONLY $2099
Z-90 64K DD 3195 ONLY $2489

NORTH STARS

ADVANTAGE



MINICOMPUTER
PERFORMANCE
GREEN PHOSPHOR
OPTIONS:
GRAPHICS + CP/M


LIST	$3999
ONLY	$2999

ZENITH MONITOR GREEN PHOSPHOR $118

TERMINALS

GREEN
Z-19 $718

INTERTUBE III SUPER SMART $710



EPSON

MX70 GRAPHICS	299
MX80 FT	598
MX-80	474
MX-100	749

ANADEX 9501	$1290
NEC LETTER QUAL FRICTION & TRACTOR	CALL
ZENITH PRINTER Z-25 LIST 1595 ONLY	$1256
DIP-84 FT GRAPHICS	$ 595
STARWRITER LETTER QUAL FT	$1824
EPSON MX70 WITH GRAPHICS SALE! 6 ONLY	$ 299
QANTEX W/BUFFER	$1299

ATARI		LIST	ONLY
	400	399	340
	800	1080	799

WONDERFUL GAMES-EDUCATION

RCA-COSMAC VP-711 199

GAMES-BASIC-PROGRAMS-MUSIC
GUIDED SATELLITE TO SATURN

TARBELL's Empire I, II, & III have two 8" disk drives. The I is single sided, the II is double sided, and the Empire III has one of the floppies replaced by an 8-Megabyte Hard Disk. FREE BUSINESS SOFTWARE EMP 1 $4888 ONLY **$3666**

CALIFORNIA COMPUTER 2210A
$2195 ONLY **$1795** Z80, 64K, I/O, DMA Disk controller + CP/M.

Model 300-1A is the larger system: 2.4 Mb 8", Z80, 64K, and optional OASIS, CP/M, or MP/M operating system. LIST $5695 ONLY **$4995**

MORROW DESIGNS Decision 1
OPTIONAL UNIX FREE CP/M. Multi user & Multi processing, 4 to 6 Mhz Z80, and optional Floating Point Processor, or Hard Disk 26 M6. A very powerful system at a saving.
LIST $1725 ONLY **$1380.**

GODBOUT COMPUPRO Big 8:
6MHz Z80, DMA Disk Controller, 32K fast static RAM, Interfacer 1 I/O board, + CP/M. LIST $1995 ONLY **$1595**

Super Sixteen 8085/8088 is the fastest combo 8-16 CPU. LIST $3495 ONLY **$2795**

SYSTEMS GROUP System 2812
runs CP/M or OASIS. Supports single user & multiuser & multi task. Up to 5 megabytes with 8" drives optional 10-megabyte hard disk. LIST $5035 ONLY **$3775**

AMERICAN SQUARE COMPUTERS is organizing a World-Wide FRANCHISE of Computer Stores. Be a WINNER! Join our SUCCESSFUL TEAM selling powerful Computers. Write or Phone us.

SEATTLE's 16 bit COMPUTER is here! 8 MHz 8086 CPU the fastest S-100 computer! 128K Static RAM, DD Disk Controller, 22-slot Main Frame, 86-DOS #2 128K LIST $4185 ONLY **$3349** #1 As above but 64K LIST $3190 ONLY **$2649**

WE SELL GOOD HARDWARE WE SELL GOOD SOFTWARE

American square Computers


919-889-4577 KIVETT DR. JAMESTOWN N.C. 27282 919-883-1105

® CP/M is a registered trademark of Digital Research, Inc.

Circle 19 on inquiry card.

LOWEST PRICE - BEST QUALITY

NORTH STAR



North Star Horizon 2

2-5½ Disk Drives
64K Double Den
Factory assem. & tested
Factory guaranteed
List $4195


only **$2875**

POWERFUL NORTH STAR BASIC FREE
SUPERB FOR BUSINESS & SCIENCE

FACTORY ASSEMBLED & TESTED	LIST	ONLY
HORIZON-2 32K-DOUBLE DEN	$3695	$2625
HORIZON-2-32K-QUAD DENSITY	$3995	$2799
HORIZON-2-64K-QUAD	$4495	$3150
HORIZON-1-64K-Q-HD5	$6695	$4685
HORIZON RAM ASSM	48K = $679	64K = $879
BIG SALE ON MULTI-USER TIME-SHARING		CALL
ENGLISH TO BASIC TRANSLATOR		$ 99
NORTH STAR HARD DISK 18 Mb	$5375	$3923
NORTH STAR TIME SHARING MULTI-USER		CALL
ZBASIC 2 TO 5 TIMES FASTER!		$350
SECRETARY WORD PROCESSOR		$99
WORDSTAR WORD PROCESSOR		$318
FLOATING POINT BOARD	$399	$319
OASIS MULTI-USER SOFTWARE	SAVE	CALL
CP/M FOR N* Extra features	$230	$220
MICRO MIKE SOFTWARE	SAVE	CALL
ECOSOFT ACCOUNTING $355	MICROSTAT	$265
UCSD PASCAL II.0	$199	$159
EXTRA PRECISION BASIC		$50
NORTHWORD	$399	$299
MAILMANAGER	$299	$224
INFOMANAGER	$499	$374
GENERAL LEDGER	$999	$749
ACCOUNTS RECEIVABLE	$599	$449
ACCOUNTS PAYABLE	$599	$449
INVENTORY	$999	$749
ORDER ENTRY	$999	$749

InterSystems

ITHACA INTERSYSTEMS 2A



Z-80A CPU 4 MHz
64K Dynamic RAM
Front panel
V I/O—with interrupts
FDCII Disk Controller
20 slot motherboard

LIST $3795 ONLY $2839

PASCAL/Z + THE FASTEST PASCAL $375

	LIST	ONLY
PASCAL SYSTEM 128K 2 DRIVES	$7295	SAVE
CACHE BIOS SYSTEM 128K 2 DRIVES	$6995	CALL
CP/M SYSTEM 64K 2 DRIVES	$6295	SAVE
DPS-1 MAINFRAME WITH Z80A	$1795	CALL
Z80 MACRO ASSEMBLER	$125	SAVE
SPELL—PERFECT SPELLING	$295	CALL
COMPARE—UTILITY SOFTWARE	$295	SAVE
INTEREDIT—TEXT EDITOR	$295	CALL

MORROW 8" DISK

DISCUS 20 + CP/M® 600K ONLY $848
DISCUS 2 + 2 + CP/M* 1.2 MEGA B. $1099
ADD DRIVES 2D = $599 2 + 2 = $795
DISCUS 20-DUAL + CP/M® ONLY $1388
FREE MICROSOFT BASIC FROM MORROW WITH DISCUS SYSTEM OR HARD DISK



MORROW HARD DISK
26,000,000 BYTES!!
LIST $4495 ONLY $3395
CP/M* IS INCLUDED!

AMERICAN SQUARE COMPUTERS is organizing a World-Wide FRANCHISE of Computer Stores. Be a WINNER! Join our SUCCESSFUL TEAM selling powerful Computers. Write or Phone us.

SAVE ON MEMORY AND PROGRAMS

SYSTEMS MEMORY 64K A&T	$549	CORVUS HARD DISK	SAVE	ECOSOFT FULL ACCOUNTING	355	Which Computers are BEST? FREE
SYSTEMS MEMORY 64K BANK	684	SSM VIDEO BRD VB3 4Mhz	412	CAT NOVATION MODEM	169	INSURED SHIPPING AT LOW RATES
MICROANGELO	985	SPECTRUM COLOR ASM *	326	MEMORY MERCHANT 16K	159	CALL FOR LATEST PRICES, DETAILS
ITHACA MEMORY 8/16 BIT 64K	845	EZ-CODER English to BASIC	99	WICAT 68000 16-BIT	CALL	WE BEAT ADVERTISED PRICES

FACTORY GUARANTEES — EXPERT ADVICE

American square Computers

919-889-4577 KIVETT DR. JAMESTOWN N.C. 27282 919-883-1105

* CP/M is a registered trademark of Digital Research, Inc.

Circle 19 on inquiry card.

Listing 3: *Quick manipulation of a graphics player within Atari BASIC. By setting a string variable to point to the 512-byte area reserved for a player and manipulating that string, a player can be moved around the screen faster than is otherwise possible in BASIC. This program creates a small rectangle that glides across the video screen, changing direction when it nears the boundary of the video display.*

```
100 REM PLAYER/MISSILE EXAMPLE
110 DIM A$(512),B$(20)
120 X=X+1:READ A:IF A<>-1 THEN B$(X,X)=CHR$(A):GOTO 120
130 DATA 0,255,129,129,129,129,129,129,129,129,255,0,-1
140 REM B$ CONTAINS PATTERN FOR PLAYER SHAPED LIKE SMALL BOX
2000 POKE 559,62:POKE 704,88
2020 I=PEEK(106)-16:POKE 54279,I
2030 POKE 53277,3:POKE 710,224
2040 VTAB=PEEK(134)+PEEK(135)*256:REM VALUE OF VVTP POINTER
2050 ATAB=PEEK(140)+PEEK(141)*256:REM VALUE OF STARP POINTER
2060 OFFS=I*256+1024-ATAB
2070 HI=INT(OFFS/256):LO=OFFS-HI*256
2090 POKE VTAB+2,LO:POKE VTAB+3,HI:REM A$ POINTS TO P/M AREA
3000 Y=60:Z=100:V=1:H=1
4000 A$(Y,Y+11)=B$:POKE 53248,Z:REM VERT AND HORIZ POSITION CHANGED
4010 Y=Y+V:Z=Z+H
4020 IF Y>213 OR Y<33 THEN V=-V
4030 IF Z>206 OR Z<49 THEN H=-H
4420 GOTO 4000
```

Text continued from page 110:

source string into the first byte of the destination string, then the second, third, and so on. By making the destination string the second byte of the source (A$(2) refers to the substring of A$ from its second through its last character), the same character can be stored throughout the entire string.

Delete lines of code—By using a feature of the operating system, a program such as listing 2 can delete or modify lines of code within itself. The screen editor can be set to accept data from the screen without user input. The POKE in line 50 causes the Atari screen editor device to do a "forced read" of the information on the screen, while the POKE in line 60 restores control of the computer to the keyboard. (For more information, see the section on the screen editor within the "I/O Subsystem" chapter of the *Atari Personal Computer System Operating System User's Manual and Hardware Manual.*) Thus, by first setting up the screen, positioning the cursor to the top, and then stopping the program, BASIC gets the commands that have been printed on the screen.

Player/missile graphics with strings—A fast way to move player/missile graphics data is shown in listing 3. This program places a small box on the screen (a player) and causes it to bounce around the screen. A dimensioned string A$ has its string/array area offset value changed to point to the player/missile graphics area. Writing to this string with an assignment statement now writes data into the player/missile area at assembly-language rates.

In particular, the first statement in line 4000 moves the player image in string B$ up or down the vertical "strip" that the player occupies. The second statement changes the horizontal position of the "strip." When the box reaches the vertical limits of 33 or 213 (line 4020) or the horizontal limits of 49 or 206 (line 4030), the direction of the box movement is reversed.

Next Month

We will next take a look at the sound-generating capabilities of the Atari 400 and 800 computers. ■

More detailed information on several of the subjects discussed here is contained in the Atari Personal Computer System Operating System User's Manual and Hardware Manual. *This manual (part C016555) can be ordered for $27 plus $3 shipping and handling from Atari Customer Service, 1346 Bordeaux Dr., Sunnyvale, CA 94086. California residents must add 6½% sales tax.*

DOW JONES BLUE CHIP SOFTWARE GIVES YOU BLUE CHIP INVESTMENT CONTROL.

Never before have investors had the electronic capability to track and intelligently manage their own portfolios like this. Using Dow Jones' data base and exclusive portfolio management software you can store, modify and automatically update individual holdings on your own personal computer.

Now you have a remarkable opportunity to use software that can actually minimize risk and increase the chances for investment success —software that allows you to maintain multiple portfolios, automatically value each stock in your portfolio, obtain current quotes (15 to 30 minutes delayed during market hours) and historical quotes, retrieve year-to-date figures and compare them to the stock's original worth. You'll even be able to test the market with hypothetical portfolios—evaluating the "what- ifs" before you buy or sell.

More and more investors are becoming "bullish" about the DOW JONES NEWS/RETRIEVAL® Service—relying on it for instant business and financial data that can save hours of valuable time. You get exclusive electronic access to articles from The Wall Street Journal, Barron's and the worldwide Dow Jones News Service, in-depth background information on thousands of public companies, earnings-per-share forecasts, and much more. It's everything you need to better manage your business and personal finances.

When you make your software purchase, we'll give you a free Dow Jones password. . .as well as one hour of free introductory, non-prime time. And software and usage costs will be tax deductible in many cases (consult your tax advisor).


Find out about Dow Jones' unique ability to help you manage your own portfolio like a professional, improve and broaden your research capabilities, spot and analyze trends. Visit your nearest computer store or call the Dow Jones customer service hotline.



Call Toll Free
800-257-5114
(In New Jersey call 609-452-1511)

DOW JONES NEWS/RETRIEVAL® Service

North Star offers you an



incredible Advantage™ over IBM and Apple.

The ADVANTAGE™ desktop computer from North Star is better in every category than either the IBM Personal Computer or the Apple III. Compare for yourself!

Incredible Data Storage:
The ADVANTAGE has twice the diskette capacity of either the IBM PC or the Apple III. This means you have twice as much information at hand.

Incredible Graphics:
The ADVANTAGE gives you a higher precision display. A revolutionary software package called BUSIGRAPH™ is provided at no extra charge for preparing graphs, bar charts, and pie charts.


Incredible Software:
The ADVANTAGE is fully CP/M* compatible. Neither IBM nor Apple provides this ability to run the broadest range of industry-standard applications. In addition, only North Star offers 10 application packages for word processing, financial analysis, accounting and data base management.

Incredible Convenience:
ADVANTAGE is the only one of the three that's fully-integrated. It fits attractively on your desk without the clumsiness of the multiple-enclosure, multiple-cable approach taken by IBM and Apple.

Incredible Price:
The ADVANTAGE from North Star offers you the best in price/performance. You get more data storage per dollar invested, more applications programs, more available languages, and more graphics capabilities. At an incredible list price of $3999.

To find out more about our incredible family of desktop computers with graphics, call TOLL FREE 800-447-4700. (Illinois 800-322-4400, Alaska/Hawaii 800-447-0890.) North Star Computers, Inc. 14440 Catalina St., San Leandro, CA 94577 USA (415) 357-8500. TWX/Telex (910) 366-7001.

North Star, ADVANTAGE and BUSIGRAPH are trademarks of North Star Computers, Inc. CP/M is a registered trademark of Digital Research, Inc.



THE INCREDIBLE ADVANTAGE COMPUTER COMPARISON CHART*

	NORTH STAR ADVANTAGE	IBM PERSONAL COMPUTER	APPLE III
MICROPROCESSOR(S)	Z-80A Central processor 8035 Auxiliary processor	8088 processor	6502A processor
GRAPHICS DISPLAY RESOLUTION	640x240 pixels	640x200 pixels	560x192 pixels
DUAL FLOPPY DISC CAPACITY	720K bytes	320K bytes	280K bytes
CONVENIENT DESKTOP PACKAGE*	Yes, all in one enclosure	No, 3 enclosures	No, 3 enclosures
BUSINESS GRAPHICS SOFTWARE INCLUDED?	Yes	No	No
CP/M COMPATIBLE?	Yes	Partial	No
LANGUAGES SUPPLIED BY MANUFACTURER	Graphics BASIC, PASCAL, COBOL, FORTRAN, C	BASIC, PASCAL	BASIC, PASCAL
APPLICATIONS S/W PACKAGES SUPPLIED BY MANUFACTURER	10 packages	5 packages	5 packages
SELF-TEST DIAGNOSTIC	Yes	Yes	No
NATIONAL ON SITE SERVICE	Yes	No	No
MANUFACTURER SUPPLIED PRINTERS	Letter quality/matrix (136 columns)	Matrix (80 columns)	Letter quality/matrix (80 columns)
RETAIL PRICE PER KILO-BYTE OF DISK STORAGE	$5.55	$11.17	$15.57

*Professional configuration: Dual Floppy Disks, Monochrome Display, Keyboard, CPU, 64K bytes (or minimum) RAM Memory, and Printer Interface.
Source: Dataquest and Manufacturer's Literature, November 1981.

FOLLOW THE STAR



The Input/Output Primer

Part 1: What Is I/O?

Steve Leibson
Auto-trol Technology Corporation
12500 North Washington St.
POB 33815
Denver, CO 80233

A modern computer can process incredible amounts of information or make thousands of decisions each second. Without communication to the outside world, however, the computer's work is of little use. Here's where input/output comes in; it links the computer to operators or processes that require its problem-solving powers.

Input/Output (I/O) is the term used to describe communication with the outside world. To describe the various means used to effect these communications, I'll start with the core of the system, the computer itself, then work outward toward the rest of the world.

A general-purpose computer has two main components: processor and memory. The processor, the system's engine, follows sequences of instructions that cause it to process data. Instructions and data are stored in memory for the processor's use.

Three sets of electrical lines, called *buses*, link the processor and memory: the address bus, the data bus, and the control bus. Computer memory is organized into thousands of locations, each with a unique address and the capability of storing one piece of data or one instruction in a sequence. The processor differentiates between instructions and data.

The processor can access information in memory by placing the proper signals on the address bus. These signals represent an address that specifies the memory location of interest to the processor. The processor must also signify whether it wishes to extract information from the selected location (to read) or to place information in it (to write).

The advantage of memory-mapped I/O: existing processor instructions serve the dual purpose of interfacing to memory and to I/O devices.

This signaling is performed on the control bus, which also contains signal lines that synchronize the processor and memory. In read and write operations, information passes between memory and processor over a data bus.

Since data *and* instructions pass over the data bus, the processor must correctly interpret the information. The processor's internal timing cycles enable it to distinguish data from instructions. To obtain its next instruction, the processor performs an *instruction fetch*. Then the processor performs operations necessary to execute the instruction.

The location currently being accessed for instructions is held in a register or *program counter* within the processor. The instruction addressed by the program counter may cause the processor to access memory again, this time to obtain data or to place data in memory. Such operations result from execution of *memory reference instructions*.

We've now described all the computer operations needed to run a program: the computer can obtain instructions from memory, access memory for data, process data, and place processed data back into memory. Two questions now arise: how do the program and data get into the memory, and how does the operator obtain the results of the processing? The answer: through the input/output devices.

A complete computer system, such as a Hewlett-Packard desktop computer, is not composed of a processor and memory alone. Making a system requires adding peripheral devices such as a keyboard, display, printer, and magnetic tape unit. These peripheral devices connect the computer to the outside world. The keyboard, display, and printer allow communications with a human operator, while the tape storage device provides storage and retrieval of programs and data.

How are peripheral devices connected to the processor/memory combination inside the computer? Two methods are currently in use. The first places these devices on the memory bus already discussed; peripheral devices thus "appear" to the processor as memory locations. The processor can send data to, or obtain data from, the peripherals by using memory-reference instructions. This approach is called *memory-mapped I/O* because it allocates some

This article is the first in Steve Leibson's six-part series, The Input/Output Primer. *The series will explain the way in which computers talk with the world. Upcoming articles will discuss interrupts and direct memory access; parallel and HPIB (GPIB) interfaces; BCD and serial interfaces; character codes; interrupts, buffers, grounds, and signal degradation. "An I/O Glossary," which follows this article, is a valuable reference for the entire series.*

Circle 60 on inquiry card.

We will not be undersold !!

We will meet or beat competition by as much as two to five percent!

Find the lowest price that the item is advertised in any publication…send us an order and a check… **WE WILL MEET OR BEAT THE PRICE.** It's as simple as that.

Write for details.

Lowest prices to end-users, OEM's, dealers and system houses

COMPUTERS WHOLESALE

P.O. Box 144 Camillus, N.Y. 13031 (315) 472-2582

Best prices anywhere. We beat 'em all!

COMPUTERS

INTERSYSTEMS



DPS1, DPS1A, DPS2A . CALL FOR PRICES

DYNABYTE

List .... Less 20%

ALTOS

PLEASE CALL FOR PRICES

SUPERBRAIN
By INTERTEC



64K DD	$2495
64K QD	$2949
DSS-10MEG	$3195

CROMEMCO

CS1, List $4695 .... **OUR PRICE $3195**

CS2, List $4695 .... **OUR PRICE $3549**



data systems


Z-89 .... List
$2895

OUR PRICE
$2139

With CP/M
Microsoft Basic,
Super Calc

TERMINALS

TeleVideo



Televideo 910C	$569
912C	$659
920C	$719
950C	$925
925	$719
INTERTUBE	$725
Emulator	$725

OKIDATA

Microline 80	$436
Microline 83A	$796
Microline 82A	$519

Qume — SPRINT 9/35	CALL
SPRINT 9/45	CALL

SOROC

Soroc IQ120	$679
IQ130	$585
IQ135	$719
IQ135 w/g	$789
IQ140	$995

HAZELTINE

HAZELTINE *ESPRIT*	SAVE
1420	CALL
1500	SAVE
1510	CALL

ZENITH Z19 ... $639

ANADEX

DP9500	$1290
DP9501	$1290

C-ITOH


25-S	$1379
25-P	$1325
45-P	$1749
40-S	$1825

PRINTERS

CENTRONICS

739-1 PAR	$699
739-3 SER	$799
704-11 parallel	$1509
704-9 (RS232)	$1519

TI 810



810 Basic	$1289
810 Full Option	$1599
820 RO Basic	$1545
820 KSR Basic	$1739

NEC — 55/7710	$2395
55/7730 PARALLEL	$2395
5520 KSR	$2695

Diablo 630 RO	$2049
1640 KSR	$3495
1640-RO	$3095
TRACTOR	$249

Paper Tiger 445G	$649
460	$775
460G	$785
560G	$1059

Epson 80 FT	$548
MX80	$465
100 MX	$745
SERIAL INTERFACE	$55

DISK SYSTEMS

MORROW

Discus 2D	$835
Dual Discus 2D	$1385
Discus 2 + 2	$1199
M-5	$1995
M-10	$2999
M-20	$3795
M-26	$3349

CORVUS

5 mg	$2999
10 mg	$4279
20 mg	$5159

Most items in stock for immediate delivery. Factory sealed cartons w/full factory warranty. NYS residents add appropriate sales tax. Prices do not include shipping. VISA and Master Charge add 3%. C.O.D. orders require 25% deposit. Prices subject to change without notice.

Circle 79 on inquiry card.

COMPUTERS WHOLESALE



P.O. Box 144 Camillus, N.Y. 13031



800-448-5715



In N.Y. call 315-472-2582

portion of computer memory space to peripheral devices. The Motorola 6800 and 68000 microprocessors use memory-mapped I/O.

The advantage of memory-mapped I/O is that existing processor instructions serve the dual purpose of interfacing to memory and to I/O devices. The disadvantage is that the full range of memory is not available for program and data storage. In other words, memory-mapped I/O reduces the computer's maximum memory size. For 8-bit microprocessors with only about 64,000 possible memory locations, this loss of available memory can be a real limitation.

The Intel 8080 and Zilog Z80 microprocessors use a slightly different scheme. I/O devices are connected to the processor by the memory data bus, but special I/O instructions and signals on the control bus are used for the I/O process. Full memory capacity is available to the processor because special I/O addressing is used. Though the I/O devices are on the memory bus, they are in I/O space rather than in memory space. Figure 1 illustrates how I/O devices are connected to processors on the memory bus.

The second method of implementing I/O in a computer is to create a totally new bus, the I/O bus, which resembles the memory bus. The I/O bus has an address bus (called the *peripheral-address bus* to differentiate it from the *memory-address bus*), a second set of data lines, and a peripheral-control bus. The signals on the I/O bus may or may not resemble those of the memory bus. This system has the advantage of full memory capability but pays the price of creating a new set of instructions, called *I/O instructions*, and a second bus, the I/O bus. Figure 2 shows an I/O bus system.




Figure 1: *A computer system with memory-mapped I/O (input/output). The I/O interfaces communicate with the processor over its memory bus. As a result, the processor has less memory space available for its own use, but there's no need for I/O instructions in its instruction set.*

Let's briefly discuss instructions before continuing. The memory-reference and I/O instructions belong to a class of instructions called *processor* or *machine* instructions. This class of instructions controls computer operations at the very lowest level. Each instruction can initiate only the simplest tasks, such as obtaining one piece of information from memory or dispatching one character to a peripheral device.

Programmers would face a tremendous task if they had to solve all problems by writing programs at this level of complexity. Therefore, the computer supplier usually provides a systems program or operating system which, in effect, provides a new set of instructions with far greater power. The new set of instructions is called a *high-level language* because the instructions, now referred to as *statements*, allow programming at a much higher level of complexity.

Digital Signals

We've briefly discussed the sets of lines called buses and have stated that the processor and other systems components send signals along these buses. Buses, of course, consist of metallic carriers upon which voltages may be impressed and currents made to flow.

The simplest signal that might travel along such a conductor is the presence or absence of voltage or current flow. This is a *binary* signal because it can assume only two states: present or absent. With a voltage-related signal, the voltage either is or isn't there: the voltage is either k volts or zero volts. Voltages are measured with reference to a zero point, usually called *ground*, which is often a heavy conductor interconnecting all components in a computer system.

Binary signals are the primary means of communication in computer systems because the circuitry required to generate and detect mere presence or absence of a signal is much simpler to construct than circuits concerned with "how much" signal is present. Simplified circuitry allows construction of highly complex processors because binary circuits require much less space than other types. This is the key to construction of LSI (large-scale integrated) circuitry, which incorporates thousands of circuits on a small silicon chip.

Buses are simply sets of parallel conductors upon which binary signals can be impressed. The most common binary signal at present is the TTL level set. TTL (transistor-transistor logic) is a family of integrated circuits which constitute the building blocks for many of today's computers. These digital circuits not only define presence or absence of signal as valid binary signals but also define regions of voltage for proper levels. Those regions are:

High region = 2 to 5 volts
Undefined region = 0.8 to 2 volts
Low region = 0 to 0.8 volts

Voltages in the undefined region mean neither high nor low.

As long as the circuits that send and receive signals agree on the levels to be used, we have a hardware system for transmitting signals. We will see that one of the tasks of I/O circuits is to convert signal levels used by one portion of the system to those used in another. Unfortunately, not all peripheral devices use TTL levels. All the computer buses that we will discuss do use these levels.




Figure 2: *A computer system with an I/O bus in addition to a memory bus. Building in a separate I/O bus frees all the memory-address space for the processor's own use.*

THE CHIEFTAIN™: A Powerful Descendant of Proud Ancestors.

Based on Superior 6809-Family Technology, Smoke Signal's Chieftain Line is a Series of Computers that Now Include Formidable Hard Disk Systems and Multi-User, Multi-Tasking Capability!

Chieftain's awesome array of capabilities flow directly from the advanced technology that produced the renowned 6809 and state-of-the-art 68000 microprocessors. This extraordinary architecture **exceeds** Z-80 — CP/M based computers in capability, ease-of-use and reliability.

By virtue of this rock-solid heritage, Chieftain computers are today used the world over in a staggering array of applications that demand **exceptional performance**.



Dealer opportunities still available. Please inquire.

Amazing Versatility, Uncompromised Quality and Outstanding Support

Select the Chieftain that most perfectly fits a defined environment and budget. The series starts at 5¼-inch floppy disk systems and proceeds through a spectrum of capabilities up to Winchester hard disk systems of 10- or 30-Megabyte capacity, and higher as technology makes available! Add multi-tasking power for mainframe-like performance.

In **any** configuration, the Chieftain is a no-fuss, turn-key system that serves you more than adequately today... and easily remains a step ahead of growing requirements. All are upward-compatible, with expandable memory. Software ranges from a complete small business program library to highly-specialized applications collected through Smoke Signal's unique Dealer Information Exchange.

Gold-plated connectors typify Smoke Signal's insistence on unquestioned reliability and long life. Every Chieftain computer is Endurance-Certified to **ensure** perfect operation from day one.

The quality doesn't stop there. Prompt, expert support is only as far away as the telephone. **Every** working day.

Cost-Effectiveness is the Final, Convincing Fact

A typical dealer price for a complete Chieftain computer system is well below $5,000 (or even lower, depending on quantity discount!). Remember, that is **not** for the lowest-priced Chieftain, and it includes terminal, printer, software and desk — all our usual fine quality.



31336 Via Colinas, Westlake Village, CA 91362

(213) 889-9340

For dealers only, circle 327
All other inquiries, circle 328

Name ____________________
Title ____________________
Company ____________________
Address ____________________
City ____________________
State __________ Zip __________
Phone ( ) ____________________

Data Representation

After establishing signal levels, we must reach an agreement on what the various signals represent. What will be the digital representation of the character "A" or the number "123"? The alphabet can assume any of 26 values. Numerals can assume an infinite number of values. How can two levels—on and off—represent all these values?

The answer is to use more than one signal line, thus creating a bus. If we use eight lines, each of which can assume one of two levels, then we can represent 2 raised to the eighth power or 256 values. This is sufficient to represent all of the characters in the alphabet (both uppercase and lowercase) and the other printable characters and punctuation marks on a typewriter, along with a few special characters.

Communication is possible with eight lines as long as the sender and receiver agree on what each of the 256 values represents. The second task of I/O is to assure agreement between sender and receiver or at least to convert from one set of values to another.

In addition, not all devices communicate on the same number of lines. Some use a single wire (plus ground) and send one bit (binary digit) of information at a time. The receiver reassembles these sequential bits of information into a "parallel" representation (e.g., eight bits of data stored on eight parallel data lines). Some devices need only send numerals, which can be represented with ten values and require only four digital signal wires (because binary 1010, which has four bits, is decimal 10). Other forms of representation may require 16, 24, 32, or 64 lines, complicating interconnection. Interfacing among these devices must somehow adapt one system of representation to another.

The I/O Bus

We've just discussed several basic concepts relating to computer systems and I/O. Now we can give the programmer a means of questioning the computer and the computer a means of answering those questions.

The first step is to create an I/O bus leading from the processor to the outside. As stated earlier, the I/O bus is a set of conductors carrying signals that represent the information the computer is trying to transmit from the processor to the peripheral.

In addition, several conductors carry control signals that let the computer signal the recipient that the data on the bus is valid and should be accepted. The recipient must have some signals to notify the processor of the recipient's readiness to accept data and of its operational status. Finally, since we want the computer to be able to receive and transmit data, a signal is needed to dictate the direction of the data flow on the I/O bus.

The I/O bus shown in figure 3 has a number of connections. The topmost connection, with arrowheads at both ends, represents a group of 16 data lines. This connection is the data bus; the arrowheads indicate that the data bus can carry data in either direction, depending on the processor's immediate need. Beneath the data lines is a single wire labeled "strobe." The strobe is the bus synchronizer; the computer uses the strobe to indicate that data is ready to be accepted.

The next wire in figure 3 is labeled "I/O" and controls the direction of the data on the data bus. The I/O wire is the traffic cop of the I/O bus, allowing bidirectional data flow in only one direction at a time. The peripheral signals the computer on wires labeled "status" and "flag." Status is a simple signal indicating presence or absence of a peripheral to receive data. After all, a computer can't communicate with a device that's not there.

Flag is a more complex signal. To understand flag, we need to study speed. Computer processors are very fast; the only moving parts inside them are the speedy electrons carrying digital signals. On the other hand, devices with which computers communicate are often mechanical. Disk and tape mechanisms, printers, and plotters all have moving parts that




Figure 3: *An I/O bus like that used by Hewlett-Packard. The bidirectional data lines carry information between the computer and the peripheral-device interface. The computer uses the strobe line to tell the peripheral device that data is ready to be accepted. The I/O line informs the peripheral of the direction of data transfer. The peripheral device uses the flag line to ask the computer to delay sending more data. The status line tells the computer whether or not the peripheral device is attached.*

take relatively long periods of time to perform their assigned tasks.

Take a printer for example. Let's study an interchange between a computer and a piece of paper. The computer first addresses the printer interface using the last set of wires in the I/O bus diagram, the *peripheral-address lines.* If there's a device at that address, it will respond by signaling the computer on the status line. If the response is positive, the computer sets the I/O line to "output" (direction is always from the processor's perspective), places data on the data lines, and causes the strobe line to indicate the data's availability. If the printer is working, it accepts and prints the data.

A serial impact printer, much like a typewriter, must select the proper character, activate some mechanism to strike the paper, and then move to the next character position.

These steps may take 10 milliseconds (0.01 seconds) or so to perform. That may not seem like a long time, but the processor takes about one microsecond (0.000001 seconds) to send the command to print. From the processor's perspective, the printer takes forever.

Fortunately, computers are patient and will obey if told to wait. In our example, the computer will not send another character until the printer has printed the current one. The flag line carries the printer's signal asking the processor to wait.

That completes our discussion of computer input/output. As we've seen, the computer remains firmly in control of the entire process. Next month, we'll look at those cases in which the I/O peripheral takes control of the computer: interrupts and direct memory access. ■

An I/O Glossary

Learning the terminology and jargon is one of the most difficult problems encountered when entering a new technical field. Every discipline has its own unique vocabulary, and the world of computer input/output is no exception. This glossary should help the reader who is unfamiliar with the computer terms in the I/O Primer, although the glossary is not comprehensive and its definitions are not necessarily universal.

accumulator: a register inside the computer processor that stores operands and receives the results of operations. A computer may have several accumulators.

alphanumeric: representing letters and numbers.

ASCII (American Standard Code for Information Interchange): a 7-bit code capable of representing letters, numbers, punctuation marks, and control codes in a form acceptable to machines.

analog: varying continuously rather than in steps. Contrast this with **digital**. A rheostat is an analog device; an on-off switch is digital.

analog-to-digital conversion (also


MOST COMPETITIVE PRICES ANYWHERE!

SAVE ON ALL YOUR COMPUTER NEEDS WITH

MID-AMERICA MICRO MART, INC.



- *ORDER TOLL FREE (800) 323-5338 In Illinois Call Collect (312) 498-5099*
- *Your Order Processed Immediately*
- *All Merchandising Includes Full Factory Warranty*
- *Dealer Inquiries Invited*







Z-89 ZENITH DATA SYSTEM

This stand alone micro computer simplifies operation and installation. With the wide range of CP/M TM Software available this is the ideal small business computer.
Z-80 CPU/2 Serial Ports - Built-in 12" Terminal.
Z-89 48K RAM/one 5" 100K Drive $2,140.00
Z-90 64K RAM/one 5" 200K Drive $ Call $

QUME SPRINT 9/35

The QUME Sprint "9" Series Printer has broken the price performance barrier.
Letter quality - KSR 35 CPS - Serial RS232 - Daisywheel.
$1,795.00

TELEVIDEO SYSTEM I

The System I is the state-of-the-art, single user system designed for reliable performance. Programmable in BASIC, COBOL, P/L and you will be able to transport your software to larger systems. One Televideo 910 CRT Dual 5-1/4" Floppy Drives 1 MG on Floppy - includes CP/M 2.2 and more!!!
$2,995.00

PRINTERS

QUME

SPRINT "9" SERIES - Serial RS232
9/45 ltd. 45 CPS - Word processing letter quality $1,995.00

Full Panel Option	$150.00
Memory Option	$150.00
Bi-Directional Tractor	$190.00

NEC

55/7710-1 R/O 55 CPS Serial	$2,193.00
55/7730-1 R/O 55 CPS Parallel	$2,195.00
55/7720-1 KSR 55 CPS Serial	$2,449.00

ANADEX

High Resolution	200 CPS
DP9000	$1,225.00
DP9501	$1,299.00

OKIDATA

MICROLINE SERIES

80 Friction & Pin Feed	$ Call
82A	$ Call
83A	$ Call

C.R.T.S.

VDT - 100

The brilliant CRT $1,095.00
- ★ Can be programmed from the keyboard to emulate many terminals
- ★ Real time clock
- ★ Detached keyboard
- ★ Emulates the ADM-31, VT-52, TS-1
- ★ VT 100 optional

AMPEX

With detachable keyboard.
- ★ Full featured video terminal
- ★ Display 24 lines/25th status line
- ★ 2 pages display memory
- ★ Green screen

Dialog 80	$949.00
Dialog 30	$849.00

ADDS

- ★ Detached keyboard
- ★ Programmable function keys
- ★ 2 postion tilt screen

Viewpoint $569.00

ZENITH

Z-19 $749.00

TELEVIDEO

910	$569.00
912 C	$659.00
920 C	$729.00
950 Green Screen	$949.00

ACCESSORIES

ATI Cut Sheet Feeder fits most printers. Feeds 8-1/2" x 11" paper, single sheets	$1,195.00
QUME Datatrack 8" drives-Double Sided/Double Density	$549.00
2 for	$1,049.00
Datatrak 5-1/4"	$325.00
2 for	$599.00
U.S. ROBOTICS Phone link accoustic MODEM — 300 Baud, Orig./Ans. Self-test RS232 - Half/Full Duplex	$179.00
Universal Printer Stand	$99.00
16K Memory Boards, fast or slow	$149.00
2 for	$250.00
Athana Diskettes Single Sided/Single Density - Box of 10	$39.00

TO ORDER: CALL TOLL FREE (800) 323-5338 — In Illinois Call Collect (312) 498-5099. Master Charge and Visa accepted. Prices do not include shipping. For fast delivery send certified check, money order, or bank wire transfer. Allow 10 days for personal checks to clear. Prices subject to change without notice. Please call for latest prices. Prices include 2% cash discount. Illinois residents include sales tax.



MID-AMERICA MICRO MART, INC.


Suite 304
121 S. Wilke Road
Arlington Heights, Illinois 60005

Circle 228 on inquiry card.

A to D, ADC, or A/D): the conversion of continuously varying phenomena (e.g., voltages) into discretely varying or "stepped" phenomena.
APL: a high-level computer language considered by many to be the strongest language for mathematical procedures and algorithms. APL uses specially developed arithmetic operators.
assembly language: a low-level computer language for implementing higher-level functions. One assembler statement produces one machine instruction.
asynchronous device: a unit that operates at a speed not associated with any particular portion of the system to which it is connected; it therefore is not a time-critical component. Not to be confused with the asynchronous serial interfaces which are synchronous devices.
asynchronous data communications: a serial I/O protocol in which each byte transmitted is self-sufficient and bears no exact time relationship to preceding or succeeding bytes.
background program: that portion of the resident computer program that is run when the system has no other needs for the processor. Found only in multitasking systems.
base: the radix or number of characters in a particular number system. The decimal number system is base 10, since 10 numerals (0 through 9) are used.
BASIC (Beginners All-purpose Symbolic Instruction Code): a high-level language that is particularly easy to learn. Although this is the native language of most microcomputers today, there are many incompatible dialects.
baud rate: term often used to mean *bit rate* or *data rate*, the rate in bits per second at which information is transmitted over a serial link. In data transmission over analog channels such as the phone line, the baud and data rates may not be the same.
BCD (binary-coded decimal): a 4-bit system of coding the numerals 0 through 9. The 6 most significant codes of the 4-bit system are unused because 4 bits can represent 16 different numbers.
benchmark: a test program used to compare a feature, usually speed, of two or more systems.
bidirectional lines: lines that may carry information in either direction but not in both simultaneously.
binary: the base-2 number system, which uses only the numerals 0 and 1.
bipolar: an integrated-circuit technology characterized by high speed, medium power requirements, and wide availability.
bisync (binary synchronous): a synchronous, serial data-communications protocol that is byte-oriented. Created by IBM.
bit (binary digit or **binary integer):** a single digit of a binary number.
bit rate: see **baud rate.**
bus (plural **buses**): a group of hardware signal wires used to interconnect several devices for communication.
byte: a group of 8 bits.
character: a pattern which is meaningful in a semantic system and which does not consist of smaller meaningful units; an "atom" of meaning.
character set: a group of characters that, taken as a whole, can express all the information desired in a particular system.
checksum: a quantity used in several error-checking schemes. The checksum usually follows a string of characters.
chip (also **integrated circuit**): an electronic component made up of many basic devices, such as transistors, all combined on a single piece of silicon.
CMOS (complementary metal-oxide semiconductor): a logic family of integrated circuits characterized by extremely low power requirements, medium speed, wide availability, and susceptibility to static discharge.
clock: a periodic signal used throughout a system for timing and synchronization.
compiler: a program that takes a high-level language as its input and produces machine code for output.
compute-bound: adjective describing a program that is speed-limited by the computations being performed rather than by the I/O taking place.
control character: a character that produces some action in a device other than the printing or displaying of a character. A normal character may become a control character in some systems by being prefixed with a control character or characters.
controller: the device that dictates the sequence of events in a system.
control line: a signal line used to sequence the flow of information over a data link.
CRT (cathode-ray tube): a term often used synonymously with *video-display terminal*, of which the CRT is a part; a popular display device used to show multiple lines of text and/or graphics.
data bus: a set of signal wires that carries data or characters between devices in a system.
data communications: generally taken to mean serial data I/O but may include any I/O between digital devices.
data set: Bell Telephone's name for a modem. Used to transmit digital data over voice telephone lines.
data terminal: a class of devices with keyboards and video displays, a video-display terminal.
decimal: pertaining to the base-10 number system.
digital: a method of representing information with discrete numbers.
digital-to-analog (also **D to A**, or **DAC**, or **D/A**) **conversion:** a technique for converting a digital representation into a simulated analog signal.
DMA (direct memory access): an I/O technique for transferring data between a device and memory without the aid of the computer processor. A very high-speed method that requires special hardware to control memory.
DTL (diode-transistor logic): a

How to maximize your Model III:

You don't have to settle for standard equipment. Let MTI and Alpha Byte help you build the Model III you want.





MTI FLOPPY DISK ADD-ON KITS

Now you can upgrade your 16K level II Model III to a full 48K Disk System the easy way with MTI's Double Density Disk Controller and your choice of Disk Drives. You can choose 40 track, Double-Sided 40 track or Double-Sided 80 track Drives to supply your disk storage needs. Forty Track Drives store 175K, Double-sided 40 Track drives store 350K. Four Double-Sided 80 Track Drives provide up to 3 MEGABYTES of On-Line storage.

INTERNAL DISK DRIVE KITS

The first drive kit includs one Tandon Disk Drive, MTI Double Density Controller, Switching power supply, 32K of RAM, all mounting hardware, cables and Detailed Installation Instructions. The second internal drive kit includes a second drive and the necessary installation hardware.

40 TRACK DRIVE SYSTEM	
DRIVE NO. 1 KIT	695.00
DRIVE NO. 2 KIT	279.00
40 TRACK DUAL HEAD SYSTEM	
DRIVE NO. 1	779.00
DRIVE NO. 2	389.00
80 TRACK DUAL HEAD SYSTEM	
DRIVE NO. 1	929.00
DRIVE NO. 2	569.00

EXTERNAL DRIVE KITS

Two external drives can be attached to any dual drive Model III Computer.

40 TRACK EXTERNAL DRIVES	
DRIVE NO. 3	379.00
DRIVE NO. 4	359.00
DUAL HEAD 40 TRACK EXTERNAL DRIVES	
DRIVE NO. 3	499.00
DRIVE NO. 4	479.00
DUAL HEAD 80 TRACK EXTERNAL DRIVES	
DRIVE NO. 3	679.00
DRIVE NO. 4	659.00

FIVE MEGABYTE EXTERNAL WINCHESTER HARD DRIVE 2795.00

Add the Ultimate in Fast High Capacity Disk Storage to any Model III Floppy Disk system. Reliable Winchester technology provides enough storage for the largest business files. Winchester disk drives have greatly increased data transfer rates and that means faster program and file loading. This is a complete self contained system that connects to a standard Model III Disk System in minutes without any modification to the computer.

MODEL III DIAGNOSTIC PROGRAM 49.95

A complete diagnostic program for the Model III. Tests RAM and ROM, video display and all disk drives. Catch problems while they're small and be sure that your Model III is in perfect running condition.

MODEL III CP/M-80 NOW AVAILABLE! ... 849.00 CP/M® & 80 Column Kit.

Now you can run proven CP/M based software on your Model III, with standard 80-column display. A simple internal modification will transform your Model III into a NEW computer and allow you to run CP/M the industry-standard operating system and assure you of a large supply of fine software. Includes CP/M 2.2.

MODEL III SPEED-UP MOD 149.00

Now you can run your Model III at 4 MEGAHERTZ, that's almost double the standard speed. This simple-to-install kit does require some soldering.

MODEL III DISK DRIVE CLEANING KIT 24.95

Uses soft non-abrasive cleaning material and includes a disk head excercising program to insure thorough cleaning.

DOSPLUS OPERATING SYSTEMS FOR THE MODEL III

Solid BUG-FREE operating systems for the Model III. Supports different size drives on the same system and Basic Program Chaining with variables saved in memory.

40 TRACK	99.00
80 TRACK	119.00
EXPANDED DOSPLUS 3.3.8	149.00
Read and Write 40 Track Diskettes on an 80 Track System.	
HARD DISK DOSPLUS	299.00
Supports the MTI 5 MEG HARD DISK.	

CP/M is a reg. trademark of Digital Research.

Alpha Byte COMPUTER PRODUCTS

We built a reputation on our prices and your satisfaction.

We guarantee everything for 30 days. If anything is wrong, return the item and we'll make it right. And, of course, we'll pay the shipping charges.

We accept Visa and Master Card on all orders; COD orders, up to $300.00.

Add $2.00 for standard UPS shipping and handling on orders under 50 lbs, delivered in continental U.S. Call for shipping charges over 50 lbs. Foreign, FPO and APO orders add 15% for shipping. Californians add 6% sales tax.

Prices quoted are for stock on hand and are subject to change without notice.

To order, or for information, call: (213) 706-0333

31245 LA BAYA DRIVE, WESTLAKE VILLAGE, CALIFORNIA 91362

Circle 14 on inquiry card.



logic family, compatible with TTL and nearly extinct.

EBCDIC (extended binary-coded decimal interchange code): a special IBM character set seldom used in microcomputers.

emulator: a program or circuit that imitates another program or circuit in real time. Usually, the emulator provides testing and monitoring capabilities beyond those of the program or circuit being emulated.

erasable programmable read-only memory (also **EPROM**): an integrated circuit that can store programs or data which can later be erased. Information is stored, with or without power, until the erase procedure is activated. There are two types of EPROM: ultraviolet-erasable EPROM, and electrically erasable programmable ROM (EEPROM). EPROMs are common in development work because they can be reused.

exponent: the power of 10 of a number expressed in scientific notation. The exponent of the number

$$1.245 \times 10^{15}$$

is 15.

fan in: the electrical load a logic circuit places on a signal line.

fan out: a measure of the drive capability of a logic circuit.

firmware: a program (software) placed in ROM. Many microcomputers have firmware operating systems and language interpreters.

flag line: a signal line used in a data link to signal the status of a device connected to the data link.

foreground job: a program that has the highest priority and runs on the computer processor whenever possible. Found only in multitasking systems.

full duplex: (in a communication channel) capable of simultaneous transmission in both directions. The term is also used (incorrectly) to describe data terminals that do not "self-echo" on their screens the characters they send, relying instead on the remote terminal to echo each character sent. Contrast

THE COMMODORE COMPUTERS

"FROM $300 TO $1995, THEY COST LESS AND GIVE YOU MORE FOR YOUR MONEY. READ OUR CHART."

—William Shatner

The idea of a computer in every office and home used to be science fiction. Now it's becoming a reality. The question is, with so many to choose from, which computer should you buy? When you consider the facts, the clear choice is Commodore.




COMPARE OUR $995 COMPUTER

FEATURES	COMMODORE 4016	APPLE II	IBM
Base Price	$995	$1,330	$1,565
12" Green Screen	Standard	299	345
IEEE Interface	Standard	300	NO
TOTAL	$995	$1,929	$1,910
Upper & Lower Case Letters	Standard	NO	Standard
Separate Numeric Key Pad	Standard	NO	Standard
Intelligent Peripherals	Standard	NO	NO
Real Time Clock	Standard	NO	NO
Maximum 5½" Disk Capacity per Drive	500K	143K	160K

Pricesare as of the most recent published price lists, September, 1981 and approximate the capabilities of the (16K) PET® 4016. Disk Drives and Printers are not included in prices. Models shown vary in their degree of expandability.

Many experts rate Commodore Computers as the best desk-top computers in their class. They provide more storage power—up to 1,000,000 characters on 5¼" dual disks—than any systems in their price range. Most come with a built-in green display screen. With comparable systems, the screen is an added expense. Our systems are more affordable. One reason: we make our own microprocessors. Many competitors use ours. And the compatibility of peripherals and basic programs lets you easily expand your system as your requirements grow. Which helps explain why Commodore is already the No. 1 desk-top computer in Europe with more than a quarter of a million computers sold worldwide.



WE WROTE THE BOOK ON SOFTWARE.
The Commodore Software Encyclopedia is a comprehensive directory of over 500 programs for business, education, recreation and personal use. Pick up a copy at your local Commodore dealer.

FULL SERVICE, FULL SUPPORT.
Commodore dealers throughout the country offer you prompt local service. In addition, our new national service contract with TRW provides nationwide support. Visit your Commodore dealer today for a hands-on demonstration.

Commodore Computer Systems
681 Moore Road
King of Prussia, PA 19406

Canadian Residents:
Commodore Computer Systems
3370 Pharmacy Avenue
Agincourt, Ontario, Canada, M1W 2K4

Please send me more information.

Name __________
Company __________ Title __________
Address __________
City __________ State _____ Zip _____
Telephone __________
Interest Area __________
☐ Business ☐ Education ☐ Personal CBM-BY



commodore COMPUTER

Circle 65 on inquiry card.

The $149[95] personal computer.

Introducing the Sinclair ZX81

If you're ever going to buy a personal computer, now is the time to do it.

The new Sinclair ZX81 is the most powerful, yet easy-to-use computer ever offered for anywhere near the price: only $149.95* completely assembled.

Don't let the price fool you. The ZX81 has just about everything you could ask for in a personal computer.

A breakthrough in personal computers

The ZX81 is a major advance over the original Sinclair ZX80—the world's largest selling personal computer and the first for under $200.

In fact, the ZX81's new 8K Extended BASIC offers features found only on computers costing two or three times as much.

Just look at what you get:

- Continuous display, including moving graphics
- Multi-dimensional string and numerical arrays
- Mathematical and scientific functions accurate to 8 decimal places
- Unique one-touch entry of key words like PRINT, RUN and LIST
- Automatic syntax error detection and easy editing
- Randomize function useful for both games and serious applications
- Built-in interface for ZX Printer
- 1K of memory expandable to 16K

The ZX81 is also very convenient to use. It hooks up to any television set to produce a clear 32-column by 24-line display. And you can use a regular cassette recorder to store and recall programs by name.

*Plus shipping and handling. Price includes connectors for TV and cassette, AC adaptor, and FREE manual.

If you already own a ZX80

The 8K Extended BASIC chip used in the ZX81 is available as a plug-in replacement for your ZX80 for only $39.95, plus shipping and handling—complete with new keyboard overlay and the ZX81 manual.

So in just a few minutes, with no special skills or tools required, you can upgrade your ZX80 to have all the powerful features of the ZX81. (You'll have everything except continuous display, but you can still use the PAUSE and SCROLL commands to get moving graphics.)


With the 8K BASIC chip, your ZX80 will also be equipped to use the ZX Printer and Sinclair software.

Order at no risk**

We'll give you 10 days to try out the ZX81. If you're not completely satisfied, just return it to Sinclair Research and we'll give you a full refund.

And if you have a problem with your ZX81, send it to Sinclair Research within 90 days and we'll repair or replace it at no charge.

**Does not apply to ZX81 kits.




NEW SOFTWARE: Sinclair has published pre-recorded programs on cassettes for your ZX81, or ZX80 with 8K BASIC. We're constantly coming out with new programs, so we'll send you our latest software catalog with your computer.



ZX PRINTER: The Sinclair ZX Printer will work with your ZX81, or ZX80 with 8K BASIC. It will be available in the near future and will cost less than $100.



16K MEMORY MODULE: Like any powerful, full fledged computer, the ZX81 is expandable. Sinclair's 16K memory module plugs right onto the back of your ZX81 (or ZX80, with or without 8K BASIC). Cost is $99.95, plus shipping and handling.



ZX81 MANUAL: The ZX81 comes with a comprehensive 164-page programming guide and operating manual designed for both beginners and experienced computer users. A $10.95 value, it's yours free with the ZX81.


The $99.95 personal computer.
ZX81
Introducing the ZX81 kit
If you really want to save money, and you enjoy building electronic kits, you can order the ZX81 in kit form for the incredible price of just $99.95.* It's the same, full-featured computer, only you put it together yourself. We'll send complete, easy-to-follow instructions on how you can assemble your ZX81 in just a few hours. All you have to supply is the soldering iron.
How to order
Sinclair Research is the world's largest manufacturer of personal computers.
The ZX81 represents the latest technology in microelectronics, and it picks up right where the ZX80 left off. Thousands are selling every week.
We urge you to place your order for the new ZX81 today. The sooner you order, the sooner you can start enjoying your own computer.
To order, simply call our toll free number, and use your MasterCard or VISA.
To order by mail, please use the coupon. And send your check or money order. We regret that we cannot accept purchase orders or C.O.D.'s.
CALL 800-543-3000. Ask for operator #509. In Ohio call 800-582-1364. In Canada call 513-729-4300. Ask for operator #509. Phones open 24 hours a day, 7 days a week. Have your MasterCard or VISA ready.
These numbers are for orders only. For information, you must write to Sinclair Research Ltd., 2 Sinclair Plaza, Nashua, NH 03061.
sinclair
AD CODE 2BY
PRICE† QTY. AMOUNT
ZX81 $149.95
ZX81 Kit 99.95
8K BASIC chip (for ZX80) 39.95
16K Memory Module (for ZX81 or ZX80) 99.95
Shipping and Handling 4.95 $4.95
TOTAL
MAIL TO: Sinclair Research Ltd., One Sinclair Plaza, Nashua, NH 03061.
NAME
ADDRESS
CITY/STATE/ZIP
† U.S. Dollars

with **half duplex**.

gate: the minimal logic element; a circuit with more than one input but only one output, which is energized by a certain combination of inputs. Basic gate types are AND, OR, Exclusive OR, and NOT.

GIGO (garbage in, garbage out): the usual answer to the question "Why doesn't my program work?"

ground, earth or safety: a wire that is (or is supposed to be) at earth potential. Intended to reduce or eliminate shock hazard in an electrical device.

half duplex: (in a communication channel) capable of transmission in both directions but in only one direction at a time. The term is also used (incorrectly) to describe data terminals that "self-echo" on their screens each character they send. Contrast with **full duplex**.

handshake: a signaling protocol for transferring information between devices in a synchronized manner at a rate acceptable to both devices; may be in either hardware or software.

hardware: the electronic circuitry in a system.

hardware buffer: a register or set of registers used to store information temporarily, usually to act as a transfer medium between a fast device and a slow one.

hardware driver: a circuit used to impress a signal on a conductor.

hardware interrupt: a mechanism that can quickly obtain the computer processor's attention for a task of higher priority than the one executing.

Hewlett-Packard Interface Bus (also **HPIB, GPIB, IEEE-488 bus**): a hardware interface similar to an 8-bit parallel interface but standardized in IEEE standard 488-1978.

high-level language: a computer language characterized by powerful statements and great ease of programming but both at the expense of execution speed.

HPL (High Performance Language): a high-level interpretive language found only in the Hewlett-Packard 9820, 9821, 9825, and 9826 desktop computers. Has extensive I/O capabilities.

IEEE (Institute of Electrical and Electronics Engineers): a professional organization that has defined several I/O standards.

initialization: a process that sets the starting values in a device to a known state. Often entire systems need to be initialized when powered up.

input: the process of transferring information into a computer.

input/output (I/O): a set of processes for information transfer into and out of a computer.

interface: the boundary between two devices or programs.

interface card: a device that converts signals from a computer bus into signals needed by a peripheral device. Voltages, signal speeds, and signal formats may be converted.

interpreter: a program that directly

APPLE • ALTOS • ATARI • MAXELL • DYSAN • EPSON • CCS • SHARP • CASIO • HP • VERBATIM • MEMOREX • SOROC • CORVUS • ADDS

MICRO BUSINESS WORLD INC.



Information Line (213) 996-2252
TOLL FREE MAIL ORDER LINES
(800) 423-5886 Outside Calif.

HEWLETT PACKARD HP125 — OUR PRICE $2990.00 — *Special Of The Month*



MSL 3750.00
Save 760.00

The HP125. It types your letters. And does a lot more.

The HP 125 types, edits and prints everything from memos to reports to high quality letters. But that's just the beginning. It can also help with financial decisions and do business graphics.

HP DISC DRIVE
Single Master Model 82902M — Our Price $1099.00 — MSL $1500.00 — *Save* 401.00
Dual Master Model 82901M — $1849.00 — MSL $2500.00 — *Save* 651.00

SHARP BUSINESS COMPUTER 64K

* 5.25" diskette
* 284K byte per disk drive
* 2 disk drives per unit
* Expandable up to 4 units
* Including SHARP's FDOS (Floppy
* Disk Operating System)

MSL 5995.00 — OUR PRICE $3995.00 — *Save* $2000.00

NEC STUDENT SYSTEM 64K



*NEC PC 80001A
*NEC PC 8012 A
*NEC PC 8031 A
12" Grn. Phs. Video Monitor

MSL 3565.00 — *Our Price* $2495.00 — *Save* $1070.00

XEROX 820 WORD PROCESSING SYSTEM (INCLUDES SOFTWARE)




MSL 3495.00 — OUR PRICE $2649.00 — *Save* 846.00

commodore COLOR COMPUTER VIC-20

Vic-TV Modual $19.00
Vic Cassette $69.00
Vic Disk Drive .... $ Call
Vic 6 Pack program $44.00

MSL 299.00 — OUR PRICE $255.00 — *Save* 44.00

HEWLETT PACKARD



	List	Our Price
HP-125 Microcomputer	3750.00	2990.00
HP-85 Microcomputer	3250.00	2475.00
HP-83 Microcomputer	2250.00	1777.00
16K Exp-Memory Module	295.00	255.00
Graphics Plotter 7225	2450.00	2075.00
Personality Mod. For 7225	750.00	665.00
2631B Impact/Printer/ Hvy Dty	3950.00	3250.00
Option 020 For 2631B	150.00	125.00
8 Drives to Choose from 82902S	1300.00	1125.00
9895A 8" Dual Drive	6850.00	5500.00
Graphics Tablet 9111A	2050.00	1678.00
HP-11C Slim-Line Advanced	135.00	119.00
HP-12C Slim-Line Financial	150.00	129.00
HP-41 CV New 2.2 Bytes Mem	325.00	250.00
HP-41-C Calculator	250.00	185.00
Card Reader For 41CV/C	215.00	162.00
Printer For 41CV/C	385.00	289.00
Optical Wand For 41 CV/C	125.00	97.00
Quad Ram Equals 4 Mem. Mods	95.00	81.00
Memory Modules For 41C		25.00
HP-97 Programble Printer	750.00	595.00
HP-67 Programble Calculator	375.00	295.00
HP-34C Programble Scientific	150.00	117.00
HP-38C Programble Bus. R/E	150.00	117.00
HP-32E Adv. Scientific	55.00	48.00
HP-37E Business Mgmt.	75.00	57.00

commodore

	List	Our Price
8032-32K 80 Col Crt	1495.00	1097.00
4032-32K 40 Col Crt	1295.00	989.00
4016-16K 40 Col Crt	995.00	788.00
8050-Dual Disk 950K	1795.00	1344.00
4040-Dual Disk 343K	1295.00	989.00
C2N-Cassette Drive	95.00	77.00
4022-80 Col Printer	795.00	639.00
8024-Mannsman Talley	1995.00	1545.00
25CPS-Starwriter	1895.00	1399.00
CBM-IEEE Modem	279.00	225.00
Voice Synthesizer	395.00	325.00
VIC 20	299.00	255.00
PET to IEEE Cable	39.95	34.00
IEEE to IEEE Cable	49.95	39.00

XEROX

	List	Our Pr
Xerox 820-1 5-1/4" Disk	2995.00	2399.00
Xerox 820-2 8" Disk	3795.00	2995.00
CP/M Operating System	200.00	169.00
Word Processing Software	500.00	429.00
Super Calc	295.00	249.00

ATARI PERSONAL COMPUTERS

	List	Our Price
400 16K Bytes of Ram	595.00	337.45
800 16K Bytes of Ram	1080.00	739.00
410 Program Recorder	90.00	77.00
810 Disk Drive	600.00	457.00
825 Printer (80 col Centronic 737)	999.95	769.00
820 Printer (40 col impact)	450.00	353.00
830 Acoustic Modem	200.00	155.00
850 Interface Module	220.00	192.00
Atari Visicalc	200.00	164.00

TEXAS INSTRUMENTS

	List	Our Price
TI 99/4A Console New Improved	950.00	385.95
10" Color Monitor High Resolution	399.95	339.95
32K Memory Module	399.95	312.95
Speech Synthesizer	149.95	127.95
Disk Memory Drive	499.95	390.95
RF Modulator	49.95	42.50
Telephone Coupler (Modem)	224.95	185.95
Printer (Solid State)	399.95	315.95

PRINTERS



	List	Our Price
EPSON		
MX 80 FT	$ 745.00	$ 549.00
MX 80 IMPACT	645.00	450.00
MX 70 IMPACT	500.00	390.00
MX 100	995.00	765.00
ANADEX 9501	1650.00	1299.00
NEC		
5510	3195.00	2445.00
5515	3295.00	2545.00
3510	2495.00	1795.00
3515	2545.00	1849.00
OKIDATA		
MICROLINE 80	545.00	395.00
MICROLINE 82	649.00	549.00
MICROLINE 83	1050.00	769.00
PAPER TIGER		
445G with Graphics	795.00	695.00
460G with Graphics	1,394.00	899.00
560G New full size	1,695.00	1,139.00
DIABLO (LETTER QUALITY)		
630 R102 bi-directional tractors	2,965.00	2,350.00
1640K109 keyboard tractors	4,000.00	2,899.00
630 RO Receive Only	2,710.00	2,250.00
1650K 136 keyboard tractors	4,000.00	3,100.00

MONITORS

	List	Our Price
BMC		
12" Grn. Phs KQ (15 Hz)	219.00	165.00
12" Grn. Phs EO (18 Hz)	$249.00	185.00
12" Grn Phs (20 Hz)	279.00	209.00
12" Colour Composite Hi Res.	439.00	319.00
Grn. Phs 12"	275.00	165.00
NEC Grn. Phs. 12"	225.00	179.00
Zenith 12"	159.00	119.00
LE MONITOR		
* 9" B & W	179.00	159.00
* 9" Green Phs	189.00	165.00
* 12" B & W	209.00	185.00
* 12" Green Phs.	229.00	199.00
** 12" Green Phs.	199.00	159.00
* Anti Reflective Screen		
** T.V. Grade Screen		
SANYO MONITORS		
13" Color (new) high quality	$550.00	399.00
12" Green Phs.	360.00	269.00
12" B & W	340.00	239.00
15" B & W	370.00	255.00
9" B & W The Best Seller!	235.00	159.00
9" Green Phs.	275.00	199.00

1 Year Extended WARRANTY


$99.00
INQUIRE

$ AVINGS
ERVICE
ELECTION
ATISFACTION

TERMINALS — TELEVIDEO


	List	Our Price
910	$ 699.00	$ 599.00
912C	950.00	699.00
920C	995.00	795.00
950C	1,195.00	949.00

DISKETTES SOLD IN BOXES OF 10 (Min. Purchase) $100



PRICE PER DISKETTE	List	Our Price
DYSAN		
104/1 5" SOFT SECTOR	6.00	3.99
104/1D = " DBL. DEN. SOFT SEC.	6.40	4.60
3740/1 8" SOFT SECTOR	7.25	4.75
3740/1D 8" DBL. DEN. SOFT SECTOR	10.75	6.90
MAXELL		
MD-1 5" SOFT SEC-TOR/DBL. DEN.	5.00	3.50
MD-2 " SOFT SECTDR/DBL. SIDE./DBL. DEN.	7.00	4.90
FD-1 8" SOFT SEC./DBL. DEN.	6.50	4.50
FD-1 8" SOFT SEC./DBL. SIDE/DBL. DEN.	8.50	5.95

DRIVES



CORVUS	List	Our Price
5 MBYTES	3,750.00	$3,050.00
10 MBYTES	5,350.00	4,449.00
20 MBYTES	6,450.00	5,325.00

EXPANSION BOARD — Q STAR 16K RAM BOARD

LIST 199.00 — OUR PRICE 129.00

SOFTWARE FOR APPLE II



	List	Our Price
Language System with Apple Pascal	495.00	399.00
BPI General Ledger System	395.00	319.00
Visidex	200.00	159.00
Visicalc	200.00	159.00
Desktop Plan II	200.00	159.00
Microlab Database System	150.00	119.00
Stoneware DB Master	229.00	189.00
Muse Supertext II	15[illegible]	119.00
Softape Magic Window	99.00	72.00

SOFTWARE FOR COMMODORE

	List	Our Price
Ozz-The Information Wizard	395.00	$289.00
Wordcraft 80	395.00	289.00
Irma-Info Retrieval & Mgmt. Aid	495.00	389.00
Dow Jones Portfolio Mgmt.	149.00	119.00
Pascal Development Pkg.	295.00	219.00
Ebs-Receivables. Inventory	750.00	569.00
Bpi-General Ledger	395.00	389.00
Word Pro 3-40 Column	250.00	175.00
Word Pro 4-80 Column	375.00	259.00
Word Pro 4 Plus	450.00	319.00

MODEMS


	List	Our Price
NOVATION CAT MODEM	189.95	140.00
NOVATION D-CAT	199.00	150.00
NOVATION APPLE-CAT	389.00	329.00
HAYES MICROMODEM	379.00	295.00
HAYES SMARTMODEM	279.00	239.00

CALCULATORS

CASIO	List	Our Price
HR-10 Paper Feed	49.95	39.00
HR-12 Paper Feed	54.95	42.00
FR-100 Paper Feed	79.95	59.00
FR-1210 Paper Feed	129.95	99.00
PQ-20	29.95	23.00
LC-785	12.95	10.00
LC-3165	12.95	10.00
FX-68 Scientific	29.95	23.00
FX-81 Scientific	19.95	17.00
FX-3600P Scientific	39.95	29.95
FX-602P "Computer Talk" 88 Memories Programming Upper & Lower Case Dot Matrix 512 Step	129.95	99.00
FX-702P Solves Problems with Alpha-Numeric Clarity. uses Basic Language	199.95	159.00

TELE. ANSW. DEVICES





PHONE MATE	List	Our Pr
900	119.95	86.00
905 Remote	199.95	144.00
910	159.95	115.00
920	199.95	144.00
925 Remote	239.95	173.00
930 Remote	299.95	216.00
950 Remote	339.95	245.00
960 Remote	399.95	288.00

MICRO BUSINESS WORLD WAREHOUSE MAIL ORDER

18720 Oxnard, #108
Tarzana, CA 91356

OUTSIDE CA CALL TOLL FREE 1 (800) 423-5886 IN CA (213) 996-2252

Telex: 182852
Answer: MICKO TZNA

*California residents add 6% sales tax.
**Add 3% Shipping & Handling — Add 3% surcharge for credit cards. Orders cannot be shipped unless accompanied by payment, including shipping, handling and tax where applicable.

Name (Please print) ____
Address ____
City ____ State ____ Zip ____

Qty	Make	Model	Description	Price	Total

TOTAL ORDER $
TAX IF APPLICABLE*
SHIPPING & HANDLING**
TOTAL ENCLOSED $

☐ Certified Check or M.O. ☐ Allow 2 weeks clearance for personal check
☐ Bank Wire Transfer
VISA MasterCard
CREDIT CARD # ____
Exp. Date ____ Signature ____

GTE • PERSONAL SOFTWARE • PAPER TIGER • HAYS MICROCOMPUTERS • D.C. HAYS MICROCOMPUTERS • NOVATION • CANON • HAYDEN • HITACHI • VERBATIM • AMPEX • HAZELTINE • NEC • CENTRONIC • BMC

HP • D.C. HAYS MICROCOMPUTERS • PAPER TIGER • GTE • DIABLO • BMC • CENTRONIC • NEC • HAZELTINE • MEMOREX • AMPEX • PERSONAL SOFTWARE • ADDS • XEROX • DIABLO

MAXELL • DYSAN • EPSON • CCS • SHARP • CASIO • HP • VERBATIM • MEMOREX • SOROC • CORVUS • PERSONAL SOFTWARE • CCS

Circle 205 on inquiry card.

executes a high-level language.

interrupt: a disruption in a process's normal flow.

inverter: a logic element or gate that outputs a 1 for a 0 input and a 0 for a 1 input. Also called a NOT gate.

I/O-bound: adjective describing a program whose speed is limited by the information interchange between devices in a system rather than by the computation being done.

K: abbreviation for 1024, typically used to specify memory size because 1024 is a power of 2.

k: abbreviation for 1000, typically used to specify resistor values and computer prices.

kluge: a concoction of hardware and software, usually extensively patched together and not easily manufactured. Most commercial computers have several kluges.

latch: a logic device that transfers input data to output during a clock-signal transition and holds the data after the clock transition, regardless of whether or not the input data changes; used for memory.

LCD (**liquid-crystal display**): a display device characterized by high visibility in high light levels and no visibility in darkness.

LED (**light-emitting diode**): a display characterized by high visibility in darkness and less visibility at higher light levels.

logic: a group of circuits that performs Boolean arithmetic and memory functions.

logic ground: the reference level for all the digital signals in a system. Not necessarily connected to, or at the same potential as, the earth ground.

LSI (**large-scale integration**): highly dense logic circuits on single chips. Microprocessors are LSI devices.

machine code: the instructions directly executed by the processor.

mainframe: term originating in large data-processing installations where sometimes small, remote processors are connected to a large, central "mainframe" computer. Often used now to refer to the central control and interface unit of any computer, not including devices attached by external cabling.

mantissa: the significant digits of a number expressed in scientific notation. The mantissa of the number

$$1.245 \times 10^{15}$$

is 1.245.

mass storage: a device for storing large amounts of data or programs in a readily retrievable, nonvolatile form.

MOS (**metal-oxide semiconductor**): an integrated circuit technology characterized by high density, medium speed, and medium power consumption. Two types of MOS exist: NMOS and PMOS, in addition to the related CMOS technology.

modem: see **data set**.

multitasking: a mode of computer operation in which several processes seem to take place simultaneously. In a multiprocessor system, simultaneous operation is truly possible. In a single-processor system, the processes timeshare the processor, and, although they appear to be happening simultaneously, they are actually occurring in a sequential manner. Multitasking operation allows a computer to make computations while waiting for slower I/O processes to take place. Also called *overlap*.

negative-true logic: a logic system in which a low voltage represents a logic 1 and a higher voltage represents a logic 0.

network: a term used in serial data communications to describe devices that have varying amounts of intelligence interconnected to form a large system.

noise: in a communication system or circuit, a disturbance which conveys no information and may interfere with the flow of information or meaningful signals.

nonvolatile: capable of retaining information even when a device is switched off; ROMs, disks, and tapes are nonvolatile.

DUAL/68000



...Hard Power from the Soft Support of UNIX®

A new and powerful computer has been born... the System 83. The versatile UNIX* operating system pilots the System 83's raw power through a myriad of software such as "C", FORTRAN, PASCAL, BASIC, COBOL, and even Networking. Step into a bold new frontier with more power than you ever dreamed possible.

FEATURES:

- ☐ UNIX V7 configured by UNISOFT**
- ☐ Full IEEE 696/S-100 Compatability
- ☐ MC68000 8Mhz Processor
- ☐ 32-Bit Data Operations with 32-Bit Internal Registers
- ☐ 16-Bit Data Transfer Operations
- ☐ Memory Management Allows Concurrent Use of Mapped and Non-mapped Address space
- ☐ Rugged Industrial Grade Components at all Levels
- ☐ 16 Mb of Main Memory Directly Addressable
- ☐ 7 Vectored Interrupt Levels
- ☐ 192 Device-supplied Interrupts
- ☐ 256 Kb of RAM with Parity Per Board Slot
- ☐ Up to 3.2 Mb of RAM Per Cabinet

* UNIX is a trademark of Bell Laboratories and is supported on the DUAL System 83 by UNISOFT

**UNISOFT is a trademark of UNISOFT Corporation of Berkeley, CA.

Circle 110 on inquiry card.



DUAL SYSTEMS CONTROL CORPORATION

system reliability/system integrity

720 Channing Way • Berkeley • CA 94710 • (415) 549-3854 • Telex: 172029 SPX

nybble: half a byte or 4 bits. BCD data is packed into nybbles.
object code: a program in machine code. The ultimate form a program must take to run on a processor.
octal: a base-8 number system using the numerals 0 through 7. Applied in the creation of machine-code programs and helpful in visualizing bit patterns.
one's complement: the inversion of each bit of a binary number. All 1s become 0s and all 0s become 1s.
one's-complement arithmetic: a binary arithmetic system in which negative numbers are created by inverting individual bits in the corresponding positive-number representation. There are two 0s: all binary 0s (+0) and all binary 1s (−0).
open collector: a type of output structure found in certain bipolar logic families. The device has a transistor that enables it to output to a low-voltage level only. When the device is inactive, an external resistor holds the device's output at a high-voltage level. Open collector devices are useful when several devices are to drive a single bus line (such as the IEEE-488 bus).
operating system: the software that controls and coordinates all the hardware elements in a computer system.
output: transfer of information from a computer to another device.
overlap: see **multitasking**.
packed data information that has been compressed to make optimal use of data storage. Four BCD digits may be packed in one 16-bit word.
paper tape: one of the oldest, slowest, and cheapest methods of storing information in a computer system. Data is stored in punched-hole sequences on a paper tape. Still the only universal medium of interchange between computer systems.
parallel I/O: the fastest, simplest method of interconnecting two devices; requires the least circuitry. Data is transferred in bit-parallel format, with the width of the interconnect bus generally equal to the word size of the processor or the peripheral. Eight-bit parallel interfaces are common and ideal for character transmission.
parity: an error-detection method used in I/O in which noise is a possible problem. Parity is determined by counting the number of 1s in a data word. If the number of 1s is odd, the word has odd parity; if the number of 1s is even, the word has even parity.
Pascal: a computer language that is popular for its structure and data types but has relatively primitive I/O statements.
peripheral: a device connected to a computer for providing data to, or accepting data from, the external environment.
peripheral processor: an auxilliary processor used to interface to external devices. Generally provided to increase system performance by allowing simultaneous computation by the main processor and I/O by the peripheral processor.
polling: a technique that discerns which of several devices on an I/O connection is trying to get the processor's attention. In a simple form, the processor may periodically interrogate each peripheral device to determine its status.
positive-true logic: a logic system in which a logic 0 is represented by a low voltage and a logic 1 by a higher voltage.
priority interrupt: an interrupt structure in which devices with higher priority may interrupt the servicing of devices with lower priority. In other systems, priority may only be used in the arbitration of simultaneous interrupts, disallowing interruption of an in-process interrupt-service routine.
program: a series of statements defining a process or procedure in a form that can be executed by a computer.

Price breakthrough: $499.

For a CMOS microprocessor development system.

Our new CDP18S693 costs less than any other 1802 microprocessor development system on the market. And the development system can even become your final target system.

The incredibly low $499* price includes:

- CDP18S601 computer Microboard.
- ROM/audio cassette controller Microboard.
- Five-card chassis and case.
- Detachable 5-volt power supply.
- Audio cassette tape I/O drive for mass storage.

You get these capabilities:

- Extended BASIC resident in ROM with full floating-point arithmetic.
- 2K-byte monitor program with extensive memory manipulation.
- RS232C or 20 mA terminal interface, up to 1200 baud.
- Run-time BASIC 3 firmware for final system configuration.

Or, for $799,* you can get the CDP18S694. It has all the capability of the 693, plus:

- ROM-based 1802 Assembler/Editor.
- PROM Programmer board.
- A second cassette tape I/O drive.

System expansion:

- Expand your Microboard system capability, choosing from over 40 expansion boards and hardware accessories.
- Memory expandable to full 65K bytes.
- Virtually unlimited I/O expansion capability using any combination of analog and digital I/O boards.

Develop software for any 1802-based component design, or for any Microboard system in BASIC or assembly language.

At these prices you can't afford not to get into CMOS.

For more information, contact any RCA Solid State sales office, sales representative or distributor.


Or contact RCA Solid State headquarters in Somerville, N.J. Brussels, Belgium. Sao Paulo, Brazil. Hong Kong.

Or call Microsystems Marketing toll-free (800) 526-3862.

* U.S. optional distributor resale, single unit price.

Circle 415 on inquiry card.





programmable read-only memory (PROM): a logic circuit that may be programmed once in a PROM programmer; stores data and/or instructions that are unlikely to need change. Also comes in erasable models (EPROMs).

protocol: a set of conventions for transfer of information between devices. The simplest protocols define only the hardware configuration. More complex protocols define timings, data formats, error-detection and correction techniques, and software structures for running the interface. The most powerful protocols define each level of the transfer process as a layer separate from the rest, so that some layers, such as the interconnecting hardware, may be changed without affecting the other layers.

queue: a list of processes to be executed in sequential order or of information blocks to be processed in sequential order.

random-access memory (also RAM): read/write memory in which the time needed to write in or read out data is independent of the data's location, usually refers to volatile semiconductor memory.

read-only memory (also ROM): memory devices in which the memory locations are set to fixed patterns when the device is manufactured. Used for invariant programs and data.

read/write memory: memory that can store information on a temporary basis. Usually, the information disappears when the power is turned off.

real-time clock: a device that continually measures time in a computer system without respect to what tasks the computer is performing.

real-time operation: computing at a speed sufficient to perform the required tasks during a related physical process so that results of the computations can help control the process. A program that closes the flood gates after the town is under water is not running in real time.

register: a device used for temporarily holding a piece of information to be processed or transferred.

schematic: a drawing that shows the interconnections of circuitry to form a device. Generally needed when interfacing two devices that are not plug-to-plug compatible and sometimes when interfacing those that are.

SDLC (synchronous data-link control): a protocol specifying a layered, bit-oriented approach to serial data communications.

serial I/O: a type of interconnection in which information is transferred one bit at a time. The most common serial I/O hardware schemes are the RS-232 standard and the 20-mA current loop. Both are pseudo-standards because most devices using them work similarly but are not plug-to-plug compatible.

simplex: a unidirectional implementation of an I/O protocol.

simulator: a circuit or program that imitates another circuit or program but not at the same speed.

software buffer: a location or set of locations in memory given a name by the resident program and used to hold information until needed.

software driver: a program or routine that transmits information to a device by using a device-dependent protocol.

software interrupt: interruption of a user-level program in response to the acknowledgment of a hardware interrupt by the operating system. In high-level language programs, software interrupts can safely occur only at the end of a program line.


status: information about a device's current state.

status line: a simple method of representing some state of a device in an interconnection scheme.

string: a set of characters ordered in some manner.

strobe: a control signal for information transfers at the hardware level.

Look What Apparat has for your IBM Personal Computer.



Apparat announces our initial line of add-on boards for your IBM Personal Computer. We are committed to further product introductions to enable you to build on your new IBM system.

Add Functionality and Capability with These New P.C. Boards

Apparat has the following products available for delivery in the first quarter 1982:

Prom Blaster will program most 1K to 4K byte EPROMS of 25XX and 27XX single or multivoltage type. Complete with personality modules and read/write software. Priced at $149.00.

Clock Calendar features seconds, minutes, hours, day of week, date, month and year. Backup battery, leap year and crystal time base. Priced at $129.00.

Protype Card 3.5 by 8 inches wirewrap area holds over 150-14 Pin Dips. Priced at $29.95.

RGB Color Monitors choose from NEC, AMDEK and TECO CRTs. Priced at $1,095.00 for the NEC and $999.00 for AMDEK. TECO available in April 1982.

More Products Coming Soon

Apparat has more products for your IBM system in production and ready for introduction in the second quarter 1982:

3rd and 4th add-on disk drives expansion cabinet houses up to two IBM compatible drives. Priced at $499.00 for cabinet and one 160K drive, two drives at $749.00.

Combo Card parallel printer, ASYNC communication (RS-232), and clock calendar multipurpose adapter.

64K byte hardware print-spooler — (with parallel printer adapter) buffers 13 minutes of print output (at 80 characters/second).

300 Baud Modem Card with ASYNC serial adapter.

Apparat will continue developing add-on products to support your IBM Personal Computer. Call today to find out more information about the above products or to order yours. Dealer inquiries welcome.

(303) 741-1778

IBM Personal Computer is a trademark of IBM.





4401 So. Tamarac Parkway, Denver, CO 80237 (303) 741-1778

"ON GOING SUPPORT FOR MICROCOMPUTERS"

synchronous data communication: a serial I/O protocol in which the transmitter and receiver are synchronized to a common clock signal.
synchronous device: a device that transfers information at its own rate, not at the convenience of any other interconnected device. Synchronous devices, such as disks, must be serviced when they request service, or data is usually lost.
synchronous transfer: an I/O transfer that takes place in a certain amount of time without regard to feedback from the receiving device. The receiver must always be faster than the transmitter for such transfers to work properly.
threshold: the point of transition between two logic states. For example, 4.5 V might be a threshold for low/high transitions.
transceiver: a circuit or device capable of transmitting *and* receiving.
transistor-transistor logic (TTL): a logic family characterized by high speeds, medium power requirements, and wide use.
Tristate (or three-state; Tristate is a trademark of National Semiconductor Corporation): an output configuration, found in several logic families, capable of assuming three states: logic high, logic low, and high-impedance. Useful for interconnecting many devices on the same set of wires in such a way that only one device at a time controls the levels on the lines while the other devices are in the high-impedance state.
two's complement: a one's complement to which 1 is added.
universal asynchronous receiver/transmitter (UART): a logic device used to convert from parallel to serial and serial to parallel in the asynchronous serial data communications format.
universal synchronous/asynchronous receiver/transmitter (USART): a UART with additional capability for synchronous serial data communications.
vectored interrupt: an interrupt scheme in which each interrupting device causes the operating system to branch to a different interrupt routine, thus saving the time otherwise required for a poll to determine the interrupting device's identity. The Zilog Z80 has an advanced vectored-interrupt scheme.
voice channel: a transmission channel originally designed for voice transmission, such as the telephone line. Modems can transmit digital information over these channels for long-distance data communications.
word: the smallest unit of information that may be handled conveniently ("addressed") by a computer. Most microprocessors use 8-bit words called **bytes**. Some of the latest microprocessors, however, use 16-bit words. Usually, the larger the word size, the faster data may be processed. ■

FIT—A Federal Income Tax Program in UCSD Pascal

Edward Heyman
300 Center Hill Rd.
Centreville, DE 19807

Does Uncle Sam withhold too much from your paychecks all year and then send you a refund without paying you interest on the excess amount withheld? Do you miss deductions when you make out your tax forms because you forget some items or fail to keep records in a way that makes deductions easy to find? Do you miss other tax breaks by choosing investment strategies without analyzing the tax consequences?

If you have access to a computer that runs UCSD Pascal, FIT, my federal income tax program, can help you with these problems. First, FIT will estimate your correct tax during the year. This will enable you to adjust the amount of withholding in order to increase your take-home pay, minimize your refund, and earn interest on income that Uncle Sam would routinely withhold. If interest rates are 15 percent, your loss during the year from excess withholding is about (.15) × (9/12) × (REFUND). A $1000 refund means you lose $112.50 in interest—almost enough for a new board, a modem, or some useful software.

FIT also provides a convenient way to collect tax data as they arise. With April 15 swiftly approaching, you won't have to spend hours searching for and organizing data. Also, since FIT makes calculating your taxes easy, you can use it to see how different kinds of investments would affect your obligations to Uncle Sam.

What FIT Does

FIT lets you enter tax data for all the lines on form 1040 and Schedules A and B. (Schedule A is for itemized deductions; Schedule B for dividends and interest income.) At your option, you can enter data sequentially without entering the line numbers, or you can type a line number to enter data for a single line or to correct an entry. FIT permits multiple entries for each line. That saves you the trouble of adding totals for each line before entering data. For joint returns, FIT lets you assign a data entry to either the husband or wife.

BYTE has made no independent evaluation of the accounting sufficiency of FIT. We also note that future changes in the tax laws should be reviewed for changed data and computational requirements.

FIT then processes the data, consolidating Schedules A and B in form 1040, making all adjustments, and calculating the tax according to your filing status and number of dependents. FIT makes calculations for individuals, married persons filing separately, or married persons filing jointly.

FIT displays data on either the console or the printer. The program stores data in disk files for retrieval. It will also store multiple files under different names so that you can save tax data for different years, taxpayers, or scenarios. The ability to store multiple files is what makes FIT a good tool for analyzing the tax consequences of different investment strategies.

How to Use FIT

FIT starts by displaying the following prompt:

```
FIT COMMAND--> P)rint E)dit C)alculate R)ead
               W)rite Q)uit
```

The ")" indicates that the preceding letter is typed to invoke the desired command. Unless you are using the program with data previously stored in a disk file, you should begin with the Edit command. Just type E.

Editing

Typing E after the main prompt brings the editing prompt:

```
EDIT COMMAND--> A)sched A B)sched B Z)Form
                1040 F)Filing Status Q)Quit
```

Listing 1: *Sample data for line 8 of form 1040 as produced by FIT; a federal income tax program. The line at the top presents options to the user. Pressing <ESC> accepts the data, pressing control D deletes them, and pressing N, A, or W permits change of the name, amount, or assignment (to husband or wife).*

```
COMMAND -->  <ESC> to continue   ^D)elete   Change -->  N)ame   A)mount   W)hose

LINE NUMBER  8               WAGES,SALARIES,ETC

GF INDUST

HUSBAND

AMOUNT       24590.00
```

To enter the taxpayer's name, the tax year, the filing status, and the number of dependents, type F. After you complete the entries under filing status, the EDIT COMMAND prompt line reappears. Choosing A, B, or Z brings the prompt:

EDIT COMMAND--> S)equentially I)ndividual lines Q)uit

Sequential editing lets you enter data for one line at a time, skipping the lines that represent calculations based on data from other lines. FIT automatically fills in the calculated values later. If you choose I for editing individual lines, this prompt appears:

ENTER LINE NUMBER TO BE CHANGED 0) for help

Entering 0 causes the display of a list of the names and numbers of the lines on the form you are using. When you enter a line number, FIT displays each current entry for that line. You will see the prompt:

COMMAND--> ESC to continue ∧ D)elete Change— N)ame A)mount W)hose

The screen also shows:

- the number and description of the line
- the name of the previous entry
- to whom the entry was assigned (husband or wife)
- the amount

You can accept the entry by pressing ESCAPE, delete the entry by pressing control D, or change the name, amount, or assignment of the entry by pressing N, A, or W. If the filing status is other than married, FIT won't show assignment of the item to husband or wife. Listing 1 shows an example of data displayed for line number 8.

When no data have been previously entered for a line, or when all the entries have been displayed, FIT asks:

DO YOU WANT TO ADD AN ITEM Y/N

Answering Y results in a prompt to input data. Answering N brings a display like the one in listing 2, which shows a summary of the data for the current line. If you are doing sequential editing, the program proceeds to the next line number. If you are editing individual items, the screen asks whether you want to continue editing or quit.

The Edit mode takes you from form to form until you have had an opportunity to fill in all the items. Whether doing sequential editing or individual-line editing, you leave the Edit mode by typing Q for Quit.

When you leave the Edit mode, you again see FIT's main prompt line:

FIT COMMAND--> P)rint E)dit C)alculate R)ead W)rite Q)uit

Calculating

To calculate the taxes for an individual, just press C at the main prompt. If the filing status is "married," however, FIT asks whether to calculate your taxes for a married couple filing jointly, a married couple filing separately, or two unmarried individuals. (The law doesn't give married couples the option to file as two unmarried individuals, but a couple may want to see what their taxes would be if they were single.)

FIT does all the calculations for Schedules A and B and enters the results in form 1040. Then it does the calculations for form 1040 itself. The tax is calculated using the correct tax table for the filing status entered. The calculation takes only about 1.5 seconds and then you return to FIT's main prompt.

Printing

Typing P at the main prompt brings the prompt:

PRINTER COMMAND--> A)schedule A B)schedule B Z)Form 1040 #)for detail

You can print any of the three forms, with totals for each line, by pressing the letter indicated. If you want to see all the data entries for each line in addition to the totals, you press # (for detail) *before* selecting a form. Whether or not you choose detail, you are asked to direct the output to the printer or the console screen.

.001 Second From Wallstreet

Now, a terminal in western Kansas is no more than a microsecond from the data of Wall Street or the Commodities Exchange.

Now, an advanced data communications system allows your CP/M® based computer system to access almost any dial-up computer, capture and store the received data, and transfer files between any two CP/M® systems — even when disk formats are incompatible.

What would you call a system like this?



What Crosstalk can do for you depends mostly on what you need done. It acts as a "smart terminal," automatically dialing any dial-up system. It allows you total modem control, changing modem speed, data word format and duplex instantly. It captures on-line data for analysis off-line, saving time and money. It transfers any type of file with complete error checking.

When you equip more than one office with Crosstalk, you can exchange information instantly by phone, even if you don't subscribe to an information utilities service.

So no matter where your office is located, Crosstalk can give you access to the world, instantly. Call or write for details.



TM Microstuf, Inc.
1900 Leland Dr., Suite 12
Marietta, GA 30067
(404)952-0267

DEALER INQUIRES WELCOME

CROSSTALK is a trademark of Microstuf, Inc.
CP/M is a registered trademark of Digital Research Inc.

Circle 224 on inquiry card.

We take the nail-biting out of mail-order shopping.

If the idea of mail-order shopping makes you nervous, you're in for a pleasant surprise.

Nail-biter #1: I need to talk to someone before I buy it.

When you call Alpha Byte you won't talk to an order-taker. Our people are state-of-the-art experts who live and breathe microcomputers. If you're not sure about *exactly* what you need, or you'd like to discuss the pros and cons of a particular piece of equipment, call us. We love it.

Nail-biter #2: It'll take forever to arrive.

Not from Alpha Byte. An order placed today gets shipped tomorrow. If an item is temporarily out of stock, you won't be charged until stock is replenished and your order is shipped.

Nail-biter #3: What if it's still not right once I get it?

No problem. Return it and we'll happily give you a complete refund. And, of course, we'll pay the shipping charges.

Still biting your nails? Here's the clincher, our guarantee:

We guarantee *everything* we sell for thirty days. If *anything* is wrong, just return the item and we'll make it right.

Put us to the test. You won't be disappointed.

NEW! NEC PC-8001 . . . . $CALL

Alpha Byte now stocks the complete computer line!

16K RAM KITS 13.95

Set of 8 NEC 4116 200 ns. Guaranteed one full year.

DISKETTES

ALPHA DISKS 21.95

Single sided, certified Double Density 40 Tracks, with Hub-ring. Box of 10. Guaranteed one full year.

VERBATIM DATALIFE

MD 525-01, 10, 16	26.50
MD 550-01, 10, 16	44.50
MD 557-01, 10, 16	45.60
MD 577-01, 10, 16	34.80
FD 32 or 34-9000	36.00
FD 32 or 34-8000	44.95
FD 34-4001	48.60

DISKETTE STORAGE

5¼'' PLASTIC LIBRARY CASE	2.50
8'' PLASTIC LIBRARY CASE	3.50
PLASTIC STORAGE BINDER w/ Inserts	9.95
PROTECTOR 5¼'' (50 Disk Capacity)	21.95
PROTECTOR 8'' (50 Disk Capacity)	24.95

INTEGRATED COMPUTER SYSTEMS

NORTHSTAR	$CALL
ALTOS	$CALL
ZENITH Z89	$CALL
CALIF. COMPUTER SYSTEMS	$CALL
MORROW DESIGNS	$CALL

PRINTERS

ANADEX DP 9500	1295.00
ANADEX DP 9501	1295.00
C-ITOH 25 CPS PARALLEL	1440.00
C-ITOH 25 CPS SERIAL	1495.00
C-ITOH 45 CPS PARALLEL	1770.00
C-ITOH 40 CPS SERIAL	1870.00
EPSON MX-80	$CALL
EPSON MX-80 F/T	$CALL
EPSON MX-100 GRAPHIC	$CALL
EPSON GRAFTRAX	90.00
IDS-445G PAPER TIGER	779.00
IDS-460G PAPER TIGER	945.00
IDS-560G PAPER TIGER	1195.00
NEC SPINWRITER 3510 S. RO	2195.00
NEC SPINWRITER 3530 P. RO	2195.00
NEC SPINWRITER 7710 S. RO	2645.00
NEC SPINWRITER 7730 P. RO	2645.00
NEC SPINWRITER 7700 D SELLUM	2795.00
NEC SPINWRITER 3500 SELLUM	2295.00
OKIDATA MICROLINE 80	389.00
OKIDATA MICROLINE 82A	569.00
OKIDATA MICROLINE 83A	799.00
OKIDATA MICROLINE 84	1199.00
QUME 9/45	2149.00
MALIBU 200 DUAL MODE	2695.00

CORVUS

FOR S-100, APPLE OR TRS-80 MOD I, III

Controller, Case/P.S., Operating System, A & T.

5 MEGABYTES	3245.00
10 MEGABYTES	4645.00
20 MEGABYTES	5545.00
MIRROR BACK-UP	725.00

MOUNTAIN HARDWARE

CPS MULTIFUNCTION BOARD	199.00
SUPERTALKER SD200	259.00
ROMPLUS W/ KEYBOARD FILTER	179.00
ROMPLUS W/O KEYBOARD FILTER	130.00
KEYBOARD FILTER ROM	49.00
COPYROM	49.00
MUSIC SYSTEM	369.00
ROMWRITER	149.00
APPLE CLOCK	252.00
A/D + D/A	299.00
EXPANSION CHASSIS	625.00

APPLE HARDWARE

VERSA WRITER DIGITIZER	259.00
ABT APPLE KEYPAD	119.00
MICROSOFT Z-80 SOFTWARD	299.00
MICROSOFT RAMCARD	159.00
VIDEX 80 x 24 VIDEO CARD	299.00
VIDEX KEYBOARD ENHANCER II	129.00
VIDEX ENHANCER REV 0-6	99.00
VIDEX SOFT SWITCH	29.00
M & R SUPERTERM 80 x 24 VIDEO BD	315.00
NEC 12" GREEN MONITOR	199.00
NEC 13" COLOR MONITOR	399.00
SANYO 12" MONITOR (B & W)	249.00
SANYO 12" MONITOR (GREEN)	269.00
SANYO 13" COLOR MONITOR	469.00
SSM AIO BOARD (INTERFACE) A & T	165.00
SSM AIO BOARD (INTERFACE) KIT	135.00
ZENITH 13" HI RES. GREEN MON	139.00
APPLE FAN	44.95
T/G JOYSTICK	54.95
T/G PADDLE	34.95
VERSA E-Z PORT	21.95
MICRO SCI A40 W/CONTROLLER	479.00
MICRO SCI A40 W/O CONTROLLER	409.00
MICRO SCI A70 W/CONTROLLER	629.00
MICRO SCI A70 W/O CONTROLLER	549.00
THE MILL-PASCAL SPEED UP	329.00
PROMETHEUS VERSACARD	229.00

CALIF. COMPUTER SYSTEMS

S-100 BOARDS

2200A MAINFRAME	459.00
2065C 64K DYNAMIC RAM	539.00
2422 FLOPPY DISK CONT. & CP/M®	359.00
2710 FOUR SERIAL I/O	279.00
2718 TWO SERIAL/TWO PARALLEL I/O	269.00
2720 FOUR PARALLEL I/O	199.00
2810 Z-80 CPU	259.00

APPLE BOARDS

7710A ASYNCHRONOUS S. INTERFACE	139.00
7712A SYNCHRONOUS S. INTERFACE	159.00
7424A CALENDAR CLOCK	99.00
7728A CENTRONICS INTERFACE	105.00

VISTA COMPUTER CO.

APPLE 80 COLUMN CARD	329.00
APPLE 8" DISK DRIVE CONTROLLER	549.00

MODEMS

NOVATION CAT ACOUSTIC MODEM	145.00
NOVATION D-CAT DIRECT CONNECT	165.00
NOVATION AUTO-CAT AUTO ANS	219.00
NOVATION APPLE-CAT	349.00
UDS 103 LP DIRECT CONNECT	175.00
UDS 103 JLP AUTO ANS	209.00
HAYES MICROMODEM II (APPLE)	299.00
HAYES 100 MODEM (S-100)	325.00
HAYES SMART MODEM (RS-232)	249.00
HAYES CHRONOGRAPH	225.00
LEXICON LX-11 MODEM	109.00

TERMINALS

TELEVIDEO 910	639.00
TELEVIDEO 912C	745.00
TELEVIDEO 920C	830.00
TELEVIDEO 950C	995.00
ZENITH Z-19	799.00

TRS-80 MOD I HARDWARE

PERCOM DATA SEPARATOR	27.00
PERCOM DOUBLER II	159.00
TANDON 80 TRACK DISK DRIVE	429.00
TANDON 40 TRACK DISK DRIVE	289.00
LNW DOUBLER W/ DOSPLUS 3.3D	159.00

ISOLATORS

ISO-1 3-SOCKET	53.95
ISO-2 6-SOCKET	53.95

MORROW DESIGNS

FLOPPY DISK SYSTEMS

Controller, P.S., Microsoft Basic, CP/M®, A & T.

DISCUS 2D (Single Drive — 500K)	869.00
DISCUS 2D (Dual Drive — 1 MEG)	1499.00
DISCUS 2 + 2 (Single Drive — 1 MEG)	1099.00
DISCUS 2 + 2 (Dual Drive — 2 MEG)	1999.00

HARD DISK SYSTEMS

Controller, P.S., Microsoft Basic, CP/M® A & T.

DISCUS M10 (10 Megabytes)	3099.00
DISCUS M26 (26 Megabytes)	3749.00

BARE DRIVES

TANDON 5¼ INCH

100-1 SINGLE HEAD 40 TRK	219.00
100-2 DUAL HEAD 40 TRK	299.00
100-3 SINGLE HEAD 80 TRK	299.00
100-4 DUAL HEAD 80 TRK	429.00

TANDON THINLINE 8 INCH

848-1 SINGLE SIDE	459.00
848-2 DUAL SIDE	549.00

MICRO PRO

APPLE CP/M®

WORDSTAR*	259.00
SUPERSORT*	145.00
MAILMERGE*	90.00
DATASTAR*	215.00
SPELLSTAR*	169.00
CALCSTAR*	169.00

CP/M®

WORDSTAR	310.00
SUPERSORT	195.00
MAILMERGE	110.00
DATASTAR	245.00
SPELLSTAR	195.00
CALCSTAR	169.00

MICROSOFT

APPLE

FORTRAN*	165.00
BASIC COMPILER*	315.00
COBOL*	595.00
Z-80 SOFTCARD	299.00
RAMCARD	159.00
TYPING TUTOR	17.95
OLYMPIC DECATHLON	24.95
TASC APPLESOFT COMPILER	159.00

CP/M®

BASIC 80	299.00
BASIC COMPILER	319.00
FORTRAN 80	369.00
COBOL 80	595.00

PEACHTREE

APPLE CP/M®

GENERAL LEDGER	295.00
ACCT. RECEIVABLE	295.00
ACCT. PAYABLE	295.00
PAYROLL	295.00
INVENTORY	295.00

CP/M®

GENERAL LEDGER	595.00
ACCT. RECEIVABLE	595.00
ACCT. PAYABLE	595.00
PAYROLL	595.00
INVENTORY	595.00
PROPERTY MGMT	799.00
CPA CLIENT WRITE-UP	799.00

APPLE SOFTWARE

MAGIC WINDOW	79.00
DB MASTER (NEW)	179.00
PFS: PERSONAL FILING SYSTEM	79.00
PFS: REPORT	79.00
Z-TERM*	89.95
ASCII EXPRESS	63.95
HAYDEN APPLESOFT COMPILER	149.00
EASY WRITER-PRO	199.00
EXPEDITER II APPLESOFT COMPILER	73.95
A-STAT COMP. STATISTICS PKG	119.00
SUPER TEXT II	129.00

PERSONAL SOFTWARE

DESKTOP PLAN II	159.00
CCA DATA MGMT. SYSTEM	89.00
VISIPLOT	159.00
VISITREND/VISIPLOT	199.00
VISIDEX	159.00
VISITERM	129.00
VISICALC 3.3	159.00
VISIFILES	199.00

CP/M® SOFTWARE

THE WORD-SPELL CHECK	75.00
d BASE II	599.00
SUPER CALC	229.00
MAGIC WAND	279.00
SPELLGUARD	239.00
P & T CP/M® MOD II TRS-80	175.00
COMMX TERMINAL PROG	75.00

TRS-80 GAMES

TEMPLE OF APSHAI	34.95
HELLFIRE WARRIOR	34.95
STAR WARRIOR	34.95
RESCUE AT RIGEL	24.95
CRUSH, CRUMBLE AND CHOMP	24.95
INVADERS FROM SPACE	17.95
PINBALL	17.95
STAR TREK 3.5	17.95
MISSILE ATTACK	18.95
STAR FIGHTER	24.95

TRS-80 SOFTWARE

NEWDOS/80 2.0 MOD I	139.00
LAZY WRITER MOD I	125.00
PROSOFT NEWSCRIPT MOD I, III	99.00
SPECIAL DELIVERY MOD I, III	119.00
X-TRA SPECIAL DELIVERY MOD I, III	199.00
TRACKCESS MOD I	24.95
OMNITERM SMART TERM. MOD I, III	89.95
MICROSOFT BASIC COMP. FOR MOD I	165.00

APPLE GAMES

PERSONAL SOFTWARE

CHECKER KING	21.95
GAMMON GAMBLER	21.95
BRIDGE PARTNER	21.95
MONTY PLAYS MONOPOLY	29.95
ZORK	32.95
MONTY PLAYS SCRABBLE	34.95

BRODERBUND

TAWALA'S LAST REDOUBT	24.95
GALAXY WARS	20.95
ALIEN RAIN (AKA GALAXIAN)	20.95
ALIEN TYPHOON	20.95
APPLE PANIC	24.95
SPACE WARRIOR	20.95

AUTOMATED SIMULATIONS

INVASION ORION	20.95
STAR WARRIOR	32.95
TUES. MORNING QUARTERBACK	25.95
CRUSH, CRUMBLE AND CHOMP	24.95
THE DRAGON'S EYE	20.95

MUSE SOFTWARE

ROBOT WARS	32.95
THREE MILE ISLAND	32.95
A.B.M.	20.95
GLOBAL WAR	20.95
CASTLE WOLFENSTEIN	24.95

ON-LINE SYSTEMS

MYSTERY HOUSE	20.95
WIZARD AND PRINCES	29.95
H/R FOOTBALL	32.95
H/R CRIBBAGE	20.95
MISSILE DEFENSE	25.95
CRANSTON MANOR	29.95
SABOTAGE	20.95
SOFT PORN ADVENTURE	24.95
PEGASUS II	25.95
EXPEDITER	73.95

SIRIUS SOFTWARE

PHANTOMS FIVE	24.95
SPACE EGGS	24.95
AUTOBAHN	24.95
PULSAR II	24.95
GAMMA GOBLINS	24.95
GORGON	32.95
SNEAKERS	24.95
EPOCK	29.95
COPS AND ROBBERS	29.95

EDU-WARE

PERCEPTION PKG.	19.95
COMPU-READ	24.95
STORY TELLER	18.95
COMPU-MATH: ARITHMETIC	39.95
COMPU-MATH: FRACTIONS	34.95
COMPU-MATH: DECIMALS	34.95
COMPU-SPELL (REQ. DATA DISK)	24.95
COMPU SPELL DATA DISKS 1-4, ea.	17.95

MORE GREAT APPLE GAMES

COMPUTER QUARTERBACK	32.95
THE WARP FACTOR	32.95
CARTELS AND CUTTHROATS	32.95
TORPEDO FIRE	49.95
THE SHATTERED ALLIANCE	49.95
COMPUTER BASEBALL	32.95
POOL 1.5	29.95
ULTIMA	33.95
RASTER BLASTER	24.95
FLIGHT SIMULATOR	27.95
INTERNATIONAL GRAND PRIX	25.95
COSMO MISSION	24.95
SARGON II	28.95
SHUFFLE BOARD	29.95

SUPPLIES

AVERY TABULABLES

1,000 3½ x 15/16	8.49
3,000 3½ x 15/16	14.95
5,000 3½ x 15/16	19.95

FAN FOLD PAPER

(Prices F.O.B. S.P.)

9½ x 11 18lb WHITE 3,000 ct	29.00
14 7/8 x 11 18lb WHITE 3,000 ct	39.00

CP/M is a reg. trademark of Digital Research.

*Requires Z-80 Softcard.

We built a reputation on our prices and your satisfaction.

We accept Visa and Master Card on all orders; COD orders, up to $300.00.


Add $2.00 for standard UPS shipping and handling on orders under 50 lbs, delivered in continental U.S. Call for shipping charges over 50 lbs. Foreign, FPO and APO orders, add 15% for shipping. Californians add 6% sales tax.

Prices quoted are for stock on hand and are subject to change without notice.

To order, or for information, call:

(213) 706-0333

31245 LA BAYA DRIVE, WESTLAKE VILLAGE, CALIFORNIA 91362



Circle 13 on inquiry card.

Listing 2: *A summary of the FIT data for line 8 of form 1040. FIT is running in the individual-line editing mode. Typing Q takes the user out of the Edit mode. If the user chooses to continue, FIT asks for the number of another line to edit.*

```
            DO YOU WANT TO --> C)ontinue   Q)uit

     LINE NUMBER  8            WAGES,SALARIES,ETC

                  HUSBAND         24590.00

                     WIFE         18500.00

                    TOTAL         43090.00
```

Listing 3 shows a sample printout for form 1040, listing 4 shows a printout for Schedule A, and listing 5 shows a printout for Schedule B. Listings 3 and 4 show totals only, but listing 5 was produced with the # option to show detailed entries for each item. FIT's printout of form 1040 adds a line at the end, MAXIMUM TAX BRACKET, to tell you the percentage used to calculate the last dollar of tax.

Reading and Writing

We've now seen all the commands in FIT's main prompt except for the Read and Write commands. If you want to read in a file of data or write a file, FIT asks for a file name (8 characters in the primary name; no extension required). If you use the Write command and enter the name of an existing file, FIT lets you choose a different file name or overwrite the existing file.

How FIT Works: Data Structures

The best way to learn how a program works is to look at the data structures first. Pascal conveniently puts them at the beginning of a program or procedure. FIT's main data structure is a record—a collection of a fixed number of related data items—named TLINE. TLINE, declared on the first page of listing 6, is a record of type variant. Records of type variant may contain variables that differ in the number and type of their components. The most important variant in the record TLINE is variant 1. It contains three long integers: one for amounts assigned to the husband, one for amounts assigned to the wife, and one for amounts assigned to the total for husband and wife. Variant 1 also contains a *pointer* to a data type called ITEM (these are discussed later).

Variant 2 holds data on the filing status, and variant 3 holds the name of the taxpayer.

FIT has one TLINE record for each line in form 1040, Schedule A, and Schedule B. An array called TLINES contains all the TLINE records. I put all the records for the three forms in a single array in order to speed access to data on disk. The index of the array—the number used to reference items in the array—is an integer between 1 and maxline. Here is how the TLINE records are stored in the TLINES array:

Form 1040	INDEX IN [1 TO 66]
Schedule A	INDEX IN [66+1 to 66+41]
Schedule B	INDEX IN [107+1 to 107+8]

I wanted the program to let me enter individual data items for each line, rather than make me sum all the individual data items myself and then enter the sum. One way to provide this multiple-entry feature is to construct an array for each line number to hold all its data items. This approach would require placing a reasonable limit on the number of data items per line, and then reserving memory space for that number of items for each line. If I set a maximum of 20 data items per line, the program

Text continued on page 162

SuperSoft's



for CP/M

Ada*, the language of the '80s, is here now. Required by the Department of Defense for all programming, Ada is a highly structured, sophisticated language, well suited to both applications and systems programming.

SuperSoft Ada is a native code, fully recursive, two pass compiler which generates ".COM" files. While currently a subset, **SuperSoft Ada** supports most features of the standard Ada language such as:

pragma	arrays	case
loop	for	while
procedure	characters	integers
strings	floating disk	disk I/O
console I/O	printer I/O	

Ada is a state-of-the-art language designed for the demanding contemporary user/programmer. Because it is required by the Department of Defense, Ada is certain to become a dominant language soon. Begin learning and using Ada now with **SuperSoft Ada.**

Ada Compiler: **[requires 48K CP/M]**	$250.00
Manual & documentation:	$ 20.00

Available from fine dealers everywhere, or directly from:
SUPERSOFT, INC.
P.O. BOX 1628
CHAMPAIGN, IL 61820
217-359-2112 Telex: 270365
Technical Hot Line:
217-359-2691

U.K. and Europe:
DIGITAL DEVICES
134 LONDON ROAD
SOUTHBOROUGH KENT
TUNBRIDGE WELLS
TN4 OPL
ENGLAND
Tel: Tunbridge Wells (0892)37977/9
Telex: 95582

Japan:
ASR CORPORATION INTERNATIONAL
1-2-8, SHIBA DAIMON
TOKYO 105
JAPAN
Tel: (03)-437-3901 Telex: 242-3296

SuperSoft.....First in Software Technology

The following is required by the Department of Defense for copyright protection:

"This compiler is presently an incomplete implementation of the Ada programming language. It is intended that this compiler will be further developed to enable implementation of the complete Ada programming language, and then to be submitted to the Ada Joint Program Office for validation."

*Ada is a trademark of the Department of Defense. (Ada Joint Program Office).
*CP/M is a registered trademark of Digital Research.

Listing 3: *A sample FIT printout of federal income tax form 1040.*

```
 ***************************************************************************
MARY & JOE MICRO                  TAX YEAR 1980                     FORM 1040
FILING STATUS 2             EXEMPTIONS 3                            6 Mar 1981
***************************************************************************
                                              HUSBAND      WIFE        TOTAL
 8  WAGES,SALARIES,ETC                       24590.00   18500.00    43090.00
 9  INTEREST INCOME                            622.50     150.00      772.50
10  DIVIDENDS                                  375.50     575.50      951.00
11  INCOME TAX REFUNDS                              0     125.25      125.25
12  ALIMONY RECEIVED                                0    2000.00     2000.00
13  BUSINESS INCOME                          -2385.00          0    -2385.00
14  CAPITAL GAIN                              -250.00     150.00     -100.00
15  CAPITAL GAIN DIST                               0          0           0
16  SUPPLEMENTAL GAINS                              0          0           0
17  TAXABLE PENSIONS & ANNUITIES                    0          0           0
18  PENSIONS,RENTS,ROYS,PARTNER                560.00          0      560.00
19  FARM INCOME                                     0          0           0
20  UNEMPLOYMENT                                    0          0           0
21  OTHER INCOME                                    0          0           0
                                           ----------  ----------  ----------
22  TOTAL INCOME                             23513.00   21500.75    45013.75
===========================================================================
23  MOVING EXPENSE                                  0          0           0
24  EMP BUSINESS EXPENSE                            0          0           0
25  PAYMENTS TO IRA                                 0          0           0
26  PAYMENTS TO KEOGH                               0          0           0
27  INTEREST PENALTY                           125.00          0      125.00
28  ALIMONY PAID                              4000.00          0     4000.00
29  DISABILITY INCOME                               0          0           0
                                           ----------  ----------  ----------
30  TOTAL ADJUSTMENTS                         4125.00          0     4125.00
===========================================================================
31  ADJUSTED GROSS INCOME                    19388.00   21500.75    40888.75
32  ADJUSTED GROSS INCOME                    19388.00   21500.75    40888.75
33  DEDUCTIONS                                6025.15     261.70     6286.85
                                           ----------  ----------  ----------
34  32-33                                    13362.85   21239.05    34601.90
35  TAX                                       2272.34    5215.77     6830.37
36  ADDITIONAL TAXES                                0          0           0
                                           ----------  ----------  ----------
37  TOTAL TAXES                               2272.34    5215.77     6830.37
===========================================================================

***************************************************************************
MARY & JOE MICRO                  TAX YEAR 1980                     FORM 1040
FILING STATUS 2             EXEMPTIONS 3                            6 Mar 1981
***************************************************************************
                                              HUSBAND      WIFE        TOTAL
38  POLITICAL CONTRIBUTIONS                     50.00      50.00      100.00
39  CREDIT FOR ELDERLY                              0          0           0
40  CHILD AND DEPENDENT                             0          0           0
41  INVESTMENT CREDIT                               0          0           0
42  FOREIGN TAX CREDIT                              0          0           0
43  WORK INCENTIVE                                  0          0           0
44  JOBS CREDIT                                     0          0           0
45  ENERGY CREDITS                             175.80          0      175.80
                                           ----------  ----------  ----------
46  TOTAL CREDITS (lines 38 to 45)             225.80      50.00      275.80
                                           ----------  ----------  ----------
47  BALANCE (line 37 - line 46)               2046.54    5165.77     6554.57
```

Listing 3 continued on page 159

16 Bit 8086 Multi-User Microcomputer System

FOR MP/M-86™

$7595 FOUR USER SYSTEM



THE TEC 86M

1/2 MEGABYTE OF MEMORY

TWO 8 INCH D.D. FLOPPY DISKS

STANDARD FEATURES

16 BIT 8086 CPU - Processor performance is the most critical element in a Multi-User System. Speed, power and the increased throughput of our 16 Bit 8086 CPU are just a few of the reasons why our TEC 86M Multi-User Systems really perform.

1/2 MEGABYTE OF MEMORY - The second most important factor which affects system performance is available user memory. Our 1/2 Megabyte, four user system gives each user well over 100K Bytes of memory, eliminating program size compromises which lead to poor Multi-User system performance.

MP/M-86™ COMPATIBILITY - The TEC 86M includes a ROM Boot for MP/M-86™ and is designed to provide optimal support for MP/M-86™. The MP/M-86™ Operating System is available separately from Tecmar for $600. See Software Options listed below for important MP/M-86™ features.

FULLY INTERRUPT DRIVEN - The TEC 86M provides terminal and disk I/O interrupts to MP/M-86™, allowing for maximum system performance in Multi-User operation.

TWO 8 INCH DOUBLE DENSITY FLOPPY DISK DRIVES - The two Double Density floppy disks total 1.2 Megabytes of storage. Options include double sided floppy disk drives and Winchester drives.

FOUR SERIAL USER PORTS - Four serial user ports are provided. Each port can be independently set for speeds from 50 to 19200 Baud.

MULTIPLE PARALLEL PORTS - Parallel ports are provided for operating printers as well as other parallel devices.

EASILY EXPANDABLE - The modular design of the Tec 86 and Tec 86M assures you of continued system expandibility. All options are easily field installable. Available options include: Memory 64K and 256K, additional users, double sided floppy disks, Winchester 31 Megabyte hard disk, terminals, and printers.

ATTRACTIVE DESKTOP ENCLOSURE - Tecmar Single and Multi-User systems come in your choice of an attractive desk top enclosure with wood grained side panels to blend nicely into your office surroundings, or an industrial quality cabinet for more hostile environments. Rack mount enclosures are available as options.

ONE YEAR WARRANTY - Tecmar Systems are fully assembled and thoroughly tested. All Tecmar Components carry a full One Year Warranty.

SOFTWARE OPTIONS

MP/M-86™ - Multi-User interrupt driven Operating System for the 16 Bit 8086 TEC 86M Microcomputer System. FILE PASSWORD PROTECTION - Access to user files can be restricted to require proper passwords prior to access. CONCURRENT FILE ACCESS -Files may be accessed by multiple users, each reading and/or writing the same file, with protection provided at both the file and the record level. FILE TIME AND DATE STAMPING - Files contain creation, and modification Times and Dates for ease and accuracy in determining the latest or most useful file versions. PRINT SPOOLER - Files may be submitted to the System Spool file for printing. This frees the user terminal to continue operation during the independent printing function.

LANGUAGES - BASIC-86™ FORTRAN-86™ PASCAL-86™ CBASIC/86™ CIS-COBOL™ PASCAL/M86™ FORTH

*NOT INCLUDING MP/M-86 and User Terminals.

OTHER FINE S100 and APPLE PRODUCTS AVAILABLE, INCLUDING:

ANALOG to DIGITAL CONVERTERS (12, 14, 16 bit accuracy; 30, 40, 100, 125 KHz Conversion rates; 16 to 256 Channels; programmable gain; timer/counters). **DIGITAL to ANALOG CONVERTERS** (12 bit accuracy, 3 microsecond conversion rate). 8086 CPU Board, I/O Boards 64K/256K Memory Boards, Real-time Video Digitizer and Display. Complete Systems also available for Data Acquisition, Video Digitization, and General Purpose Applications.

REQUEST OUR CATALOG FOR COMPLETE LISTING, AND SPECIFICATIONS ON THE ENTIRE TECMAR PRODUCT LINE.



CANADA: Our Ontario Distributor is OCTANT COMPUTER SERVICES INC., 146 Front Street West, Suite 485, Toronto, Ontario M5J 2L7 [416] 598-1046

Circle 350 on inquiry card.

Announcing the Printing Breakthrough of the Century: Smith-Corona® TP-1™ Text Printer

- Low Cost Daisy Wheel Printer


$845.00

- Microprocessor Electronics
- Serial or Parallel Interface
- Simple, Reliable Mechanism


ACT NOW: Limited Supply, Low, Low Cost

Smith Corona, one of the largest manufacturers of small printers in the world, gives a whole new perspective to printing with their electronic text printer—**TP-1.** The **TP-1** is a microprocessor controlled, high quality **daisy wheel printer.** It produces perfectly formed, executive quality printouts at the speed of 120 words per minute. Typewriter quality printing at dot matrix prices.

Simple, durable and dependable, **TP-1** may be used with word processing systems, microcomputers and most small business systems. Compact and attractively styled, the **TP-1** blends well with any setting.



Additional daisy print wheels $4.95



Additional ribbons $2.95

Now, all your letters, documents forms and reports can have the crisp, professional look you demand—for business or personal use—at an affordable price. **TP-1,** the electronic text printer.

Don't delay. Order your **TP-1** TODAY at the low price of **$845.**

Micro Printer Marketing offers same day shipping, nationwide service and invites dealer inquiries. Catalogues available. No shipping charges on pre-paid orders.

Micro Printer Marketing

Call Micro-Printer Marketing
215/433-3366 CALL COLLECT
MasterCard and Visa Accepted





Circle 172 on inquiry card.

Listing 3 continued:

```
==========================================================================================
48  SELF EMPLOYMENT TAX                      0            0            0
49  MINIMUM TAX                              0            0            0
50  TAX FROM PRIOR YEAR INV-CREDIT           0            0            0
51  FICA AND RRTA TAXES                      0            0            0
52  TAX ON IRA                               0            0            0
53  ADVANCE EIC PAYMTS RECEIVED              0            0            0
                                    ----------   ----------   ----------
54  BALANCE (lines 47 to 53)           2046.54      5165.77      6554.57
==========================================================================================
55  TOTAL FICA WITHHELD                3590.00      3010.25      6600.25
56  1980 ESTIMATED TAX PAYMENTS              0            0            0
57  EARNED INCOME CREDIT                     0            0            0
58  AMOUNT PAID WITH FORM 4868               0            0            0
59  EXCESS FICA AND RRTA TAX PAID            0            0            0
60  CREDIT FOR FED TAX ON SP FUEL            0            0            0
61  REGULATED INVESTMENT CO CREDIT           0            0            0
                                    ----------   ----------   ----------
62  TOTAL (line 55 to 61)              3590.00      3010.25      6600.25
==========================================================================================
63  OVERPAID                           1543.46            0        45.68
64  TO BE REFUNDED TO YOU                    0            0            0
65  APPLIED TO EST 1981 TAX                  0            0            0
66  BALANCE DUE                              0      2155.52            0
==========================================================================================
  MAXIMUM TAX BRACKET                           32           43           37
```

Listing 4: *A sample FIT printout of Schedule A, itemized deductions.*


```
******************************************************************************************
MARY & JOE MICRO                      TAX YEAR 1980                         SCHEDULE A
FILING STATUS 2                 EXEMPTIONS 3                                 6 Mar 1981
******************************************************************************************
                                       HUSBAND         WIFE        TOTAL
 1  50 % OF MEDICAL INS PREMS            85.00            0        85.00
 2  MEDICINE AND DRUGS                   92.95        78.75       171.70
 3  1% OF LINE 31 FORM 1040             193.88       215.00       408.88
                                    ----------   ----------   ----------
 4  SUB TOTAL line 3-line 2                  0            0            0
 5  BALANCE OF INS PREMS                 85.00            0        85.00
 6  OTHER MEDICAL AND DENTAL            250.50       517.70       768.20
                                    ----------   ----------   ----------
 7  TOTAL (lines 4 to 6)                335.50       517.70       853.20
 8  3% OF LINE 31 FORM 1040             581.64       645.00      1226.64
 9  LINE 7 - LINE 8                          0            0            0
                                    ----------   ----------   ----------
10  TOTAL MED & DENTAL                   85.00            0        85.00
==========================================================================================
11  STATE & LOCAL INCOME TAX            458.85       480.45       939.30
12  REAL ESTATE TAXES                  1840.90            0      1840.90
13  GENERAL SALES TAXES                 150.90       250.50       401.40
14  PERSONAL PROPERTY TAXES                  0            0            0
15  OTHER TAXES                              0            0            0
                                    ----------   ----------   ----------
16  TOTAL TAXES lines 11 to 15         2450.65       730.95      3181.60
==========================================================================================
17  HOME MORTGAGE INTEREST             3650.00            0      3650.00
18  CREDIT & CHARGE CARDS               225.50       350.75       576.25
19  OTHER INTEREST                           0            0            0
                                    ----------   ----------   ----------
20  TOTAL INT (lines 17 to 19)         3875.50       350.75      4226.25
```

Listing 4 continued on page 160

Listing 4 continued:

```
==============================================================================
21   CASH CONTRIBUTIONS                       659.00       770.00      1429.00
22   OTHER CASH CONTRIBUTIONS                      0            0            0
23   CARRYOVER                                     0            0            0
                                           ----------   ----------   ----------
24   TOTAL CONTRIBUTIONS                      659.00       770.00      1429.00
==============================================================================
25   LOSS BEFORE INSURANCE                   1500.00            0      1500.00
26   INSURANCE REIMBURSEMENT                  895.00            0       895.00
                                           ----------   ----------   ----------
27   LINE 25 - LINE 26                        605.00            0       605.00
28   $100 OR LINE 27                          100.00            0       100.00
                                           ----------   ----------   ----------
29   TOTAL CASUALTY  OR THEFT                 505.00            0       505.00
==============================================================================
30   UNION DUES                                    0       110.00       110.00
31   OTHER MISC DEDUCTIONS                    150.00            0       150.00
                                           ----------   ----------   ----------
32   TOTAL MISCELLANEOUS                      150.00       110.00       260.00
==============================================================================
33   TOTAL MEDICAL & DENTAL                    85.00            0        85.00
34   TOTAL TAXES                             2450.65       730.95      3181.60
35   TOTAL INTEREST                          3875.50       350.75      4226.25
36   TOTAL CONTRIBUTIONS                      659.00       770.00      1429.00
37   TOTAL CASUALTY OR THEFT                  505.00            0       505.00
38   TOTAL MISCELLANEOUS                      150.00       110.00       260.00
39   SUM (lines 33 to 38)                    7725.15      1961.70      9686.85
40   ADJUSTMENT                              1700.00      1700.00      3400.00
                                           ----------   ----------   ----------
41   LINE 39 - LINE 40                       6025.15       261.70      6286.85
==============================================================================
```

Subscribe to



the small systems journal that keeps you on-line.

MAIL CARD OR CALL TOLL FREE **800-258-5485**

Please print 4H22

Name

Address

City State/Province/Country Code

United States

☐ One year $19 (12 issues) ☐ Two years $34 ☐ Three years $49

Canada or Mexico

☐ One year $21 (12 issues) ☐ Two years $38 ☐ Three years $55

Foreign Rates (to expedite service, please remit in U.S. funds drawn on a U.S. bank)

☐ Europe, one year, air delivered, $43.

☐ All other countries, one year, surface delivered, $35
(Air delivery available upon request)

☐ **Check enclosed** (entitles me to **13 issues for price of 12**, North America only)

☐ Bill VISA ☐ Bill Master Charge ☐ Bill me (North America only)


Card Number Expires

Signature Allow 6 to 8 weeks for processing your subscription.

Every issue of BYTE is filled with stimulating, timely articles on computer hardware, software, applications and reviews of computer products. There is also tutorial information for both the beginner and experienced computer user.

Read your first copy of BYTE, The Small Systems Journal. If it is everything you expected, honor our invoice. If it isn't, just write "cancel" on the invoice and mail it back. You won't be billed, and the first issue is yours at no charge.

McGraw-Hill




NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 39 MARTINSVILLE, NJ

POSTAGE WILL BE PAID BY ADDRESSEE



Subscription Dept.
P.O. Box 590
Martinsville, NJ 08836

A Good-Buy Present.


Z-80A™ CPU, Floppy Disk Controller, 64K of Memory, Serial & Parallel I/O Ports . . . all on a SINGLE S-100 BOARD!

Your business computer market has problems—expensive, power-hungry machines that are hard to expand and even harder to service. Advanced Micro Digital Corporation has the solution—SUPER/NET©, a TRULY single S-100 board computer that will seem like a dream to skeptical technicians and salesmen—not to mention your customers. SUPER/NET© is less expensive, less difficult to service and expand and requires less power than traditional four board S-100 systems; yet it contains all their popular features:

- IEEE S-100 Standard
- Z-80A™ CPU
- 64K Bank Select Memory
- Both 8" or 5¼" Floppy Disk Controller (WD 1793 chip)
- 2 Serial & 2 Parallel I/O Ports
- Real Time Clock Interrupts
- 2K Monitor EPROM
- Extended Addressing
- Runs with CP/M™, MP/M™ and CP/NET™
- One Year Warranty

Advanced Micro Digital Corporation is dedicated to the research and development of S-100 computer technology. The maintenance of superb quality in our product line is our priority.

Now you can say "Good-Bye!" to all your old S-100 boards without giving up convenience and configurability, because now its all on a single S-100 computer board.



ADVANCED MICRO DIGITAL CORPORATION

For more information on SUPER/NET© write or call:

7201 Garden Grove Blvd. • Suite E • Garden Grove CA 92641 • (714) 891-4004 • TELEX: 678401 tab irln

™ Registered Trademark of Digital Research Corp.

Listing 5: *A sample FIT printout of Schedule B, interest and dividend income. To obtain this printout, which shows detailed entries rather than just totals, the user typed # before typing B on the printer command line.*

```
*************************************************************************************************
MARY & JOE MICRO                             TAX YEAR 1980                        SCHEDULE B
FILING STATUS 2                      EXEMPTIONS 3                                 6 Mar 1981
*************************************************************************************************
                                                         HUSBAND         WIFE           TOTAL
 1 INTEREST INCOME
LAST NAT                  HUS                            125.85
LAST NAT                  WIF                                            150.00
QW L I CO                 HUS                             22.90
AS CRED U                 HUS                            350.90
DFS INS CO                HUS                            122.85
TOTAL                                                    622.50          150.00          772.50

 3 DIVIDEND INCOME
FG INDUST                 HUS                            250.00
GF INDUST                 WIF                                            450.00
AP MOTORS                 HUS                            225.50
AP MOTORS                 WIF                                            225.50
TOTAL                                                    475.50          675.50         1151.00
```

Text continued from page 154:

would require about 35K bytes of random-access read/write memory (RAM) based on the calculation: 115 lines × 20 items × 15 bytes per item. Most of this memory space would be wasted because most lines would have only a few entries.

To conserve memory space, I decided to store data entries for each line in a linked list. I constructed the list as follows. I defined the structured data type ITEM as a *packed* record containing:

- the name of an item
- a 9-digit integer for the amount of the item
- the assignment of the item (to husband or wife)
- the line number associated with the item
- a pointer to the next item in the list

Defining a record as packed advises the compiler that you want it to store the data internally in a way that conserves memory space; you sacrifice some speed of access because of the time required for packing and unpacking the data.

A *pointer* is a variable that holds the storage address of a related item of data; the compiler doesn't assign memory space to these related data items once and for all, as the compiler does for other variables. The pointer in the record TLINE points to the first ITEM in the list of data ITEMs for each line number. The pointer in ITEM links the ITEMs in the list. Use of the pointers in this way assures that memory space will be consumed only when necessary.

FIT contains other important data structures. TITLES is a one-dimensional array of strings that holds the names of the lines on all three tax forms. TAXRAY is a three-dimensional array used to hold the four factors required to calculate the tax. These factors are:

- the lower income level for the bracket
- the upper income level for the bracket
- the minimum tax for the bracket
- the tax rate for income in excess of the lower level

There are 16 brackets. I defined the data type FACTORARRAY as a two-dimensional array of the 16 brackets × four factors. Since each filing status requires

Text continued on page 394

SUPERVYZ–THE NEXT INDUSTRY STANDARD

SUPERVYZ is a revolutionary software concept designed to overcome the frustrations of using CP/M® This allows you to crack any non-technical market without the hassles of teaching the operating system. Instead, users are greeted with a series of self-prompting, self-explaining menus linking the user directly to the application. We'll supply the menus or you create your own, to meet the exact needs of your customers. SUPERVYZ presents unlimited software flexibility by providing a system to coordinate multiple application programs. The menus tie it all together, allowing program interaction. Even the most complicated commands between programs can be a simple menu choice.

MANUFACTURERS
Ship SUPERVYZ with every computer you sell. SUPERVYZ means software support interactive help files . . . dealer confidence . . . instant foreign market access . . . vertical market packaging . . . more computer sales!

DEALERS
Buy SUPERVYZ as a separate program . . . bundle software from different suppliers . . . demonstrate capabilities, not confusion . . . sell computers more efficiently - SUPERVYZ does the teaching . . . end after-the-sale handholding . . .

SOFTWARE SPECIALISTS
Package SUPERVYZ into every system you deliver . . . SUPERVYZ is compatible with over 2000 programs, 300 computers. Target your market with SUPERVYZ.

USERS
Insist on SUPERVYZ . . . don't buy a computer without it.

Dealer inquiries invited, foreign or domestic.



Epic Computer Corporation
7542 Trade Street
San Diego, CA 92121
Tel: 714-695-3560

Circle 125 on inquiry card.

SUPERVYZ™

YOUR NEW MARKETING TOOL FOR INCREASED SALES OF CP/M COMPUTERS AND APPLICATION SOFTWARE

INTRODUCTORY RETAIL PRICE

$95

*Calif. orders 6% sales tax or resale number

1 SEP 1981 SUPERVYZ Function Selection Menu 12:34:56 PM
1) Set Current Date and Time
2) Select Default Disk and User
3) Add or Change SUPERVYZ Menus
4) Extended Volume Table of Content
5) File and Disk Support Functions
6) Accounting (A/R A/P G/L P/R O/E)
7) Data Base Inquiry and Reporting
8) Word Processing
9) Data Entry and Verification
10) Forecasting and Planning

Please enter the number of the desired function (0 if none, ? for help) [ ]

This is the operator/machine conversational text area.

The above menus are easily adaptable to your specific requirements.

Default Drive = A Volume Table of Contents (VTOC) Default User = 1
A ACCOUNTS MNU | A DATABASE MNU | A DATANTRY MNU
A SUPERVYZ MNU | A FORECAST MNU | A WORDPROC MNU
Push ↓ arrow for more

*Supervyz is a trademark of Epic Computer Corporation. CP/M is a trademark of Digital Research.

Listing 6: *The main FIT program, which also contains the support procedures. The support procedures perform basic tasks, such as handling input of string data, used in other procedures. The main body of FIT, at the end of the listing, calls the five segmented procedures START, EDIT, RW, PRINTER, and CALCULATE. The segmented procedures do most of the work of FIT.*

```
{$S++}

PROGRAM FIT;      {federal income tax program}
                  { by edward heyman          }
                  {    300 center hill rd     }
                  {    centreville de         }
                  {       19807               }


CONST
        MAXLINE = 115;  MAXTLINE = 66;  MINALINE = 67;  MAXALINE = 107;
        MINBLINE = 108; MAXBLINE = 115;
        ESC = 27;
TYPE
        LONGINT=INTEGER[9];
        FILENAME=STRING[15];
        INTSTR=STRING[12];
        NAMESTR=STRING[26];

        FILING_STATUS = 0..5;
        TLINE_NUM = 1..MAXLINE;
        TLINESET       = SET OF TLINE_NUM;
        OWNER          = (H_OWN,W_OWN,T_OWN);
        POINTER = ^ITEM;

        ITEM           = PACKED RECORD
                NPTR     : POINTER;
                NAME     : STRING[10];
                AMT      : INTEGER[9];
                WHOSE    : OWNER;
                TLNUM    : TLINE_NUM;
          END;

        TLINE           = PACKED RECORD
                CASE TAG : INTEGER OF

                 1       :   (IPTR     : POINTER;
                              HUS      : INTEGER[9];
                              WIF      : INTEGER[9];
                              TOT      : INTEGER[9]);

                 2       : (D1,D2,D3:INTEGER;
                              TAXYEAR : STRING[4];
                              FS : FILING_STATUS;
                              EXEM : INTEGER);

                 3       : (NAME : NAMESTR);

          END;
        TLS = PACKED ARRAY[1..MAXLINE] OF TLINE;

        TAXTABLE = (X,Y,YS,Z);
        TAXFACTORS = (LOWER,UPPER,BASE,PERCENT);
        FACTORARRAY = ARRAY [1..16,TAXFACTORS] OF LONGINT;

VAR
        CH : CHAR;
        TTABLE : TAXTABLE;
        FSTAT : FILING_STATUS;
        SCREEN,SINGLE,SAME,QUIT : BOOLEAN;
```

Listing 6 continued on page 166

If you don't know a baud from a floppy...

YOU NEED TO KNOW THE QDP-100 MICROCOMPUTER

It does more, does it easier, and costs a lot less.

Most people who need computers don't have the time, or desire, to become full-time computer "wizards."

With the budget-priced QDP-100 you get all the time-saving precision information you want from a computer, now and in the future, without all the unnecessary complexity associated with less considerate computers.

QDP-100 IS A FULL-SCALE 8-bit computer, readily upgradeable to 16 bits as your business or professional information-processing needs grow. It uses the IEEE S-100 bus, compatible with CP/M and MP/M disk operating systems.

QDP-100 HANDLES BOTH floppy disks and hard disks to give you total software versatility.

QDP-100 CONNECTS INSTANTLY to any standard terminal and printer. Both serial and parallel ports are available. Features most microcomputers can't match.

QDP-100 HAS SINGLE BOARD SIMPLICITY. Eliminates the hassle of complex multi-chip, multi-board computers.

QDP-100 IS EASY to learn and to operate. Most owners use their QDP-100 with professional skill and results in short order. Our instruction manual doesn't need an interpreter.

If you'd rather be a wizard with computer results, than with computers, choose the QDP-100. Call or write for literature and full details.

QDP NEEDS A FEW MORE GOOD DEALERS. Attractive, profitable, protected dealerships are still available in several high-potential computer market areas.



10330 Brecksville Road
Cleveland, Ohio 44141
216/526-0838 Telex: 241596

CP/M and MP/M are registered trademarks of Digital Research Corp.

Listing 6 continued:

```
        DAY, MONTH, YEAR: INTEGER;
        SPECSET,DLINESET,SLINESET,SPAGESET,CALCSET : TLINESET;
        TAXRAY : ARRAY [TAXTABLE] OF FACTORARRAY;
        TITLES : ARRAY [1..MAXLINE] OF STRING[30];
        TLINES : TLS;
        MAX_TAX : ARRAY [OWNER] OF LONGINT;
        P    : FILE OF CHAR;

PROCEDURE MEM;FORWARD;
FUNCTION  READINT (LEN:INTEGER) : INTEGER;FORWARD;
PROCEDURE CLEAR;FORWARD;
PROCEDURE ELINE;FORWARD;
PROCEDURE EEOL;FORWARD;
PROCEDURE EEOS;FORWARD;
PROCEDURE WAIT;FORWARD;
PROCEDURE PDOL(DOL : LONGINT;VAR  STDOL : INTSTR);FORWARD;
PROCEDURE CENTER (ST : STRING; SCREEN : BOOLEAN);FORWARD;
PROCEDURE READDOL (LEN:INTEGER;VAR DOLREAD:LONGINT);FORWARD;
PROCEDURE NAMER(TITLE : NAMESTR ; VAR ST : STRING ;L:INTEGER);FORWARD;
PROCEDURE LINE(CH:CHAR;LONG:INTEGER);FORWARD;


{$ITAXSTART.TEXT}
{$ITAXRW.TEXT}
{$ITAXPRINT.TEXT}
{$ITAXCALC.TEXT}
{$ITAXEDIT.TEXT}
PROCEDURE MEM;
  BEGIN
    WRITELN('MEMORY AVAILABLE ',MEMAVAIL)
  END;

PROCEDURE LINE{(CH:CHAR;LONG:INTEGER)};
  VAR
          J:INTEGER;
  BEGIN
    FOR J:=1 TO LONG DO WRITE(P,CH)
  END;{line}

PROCEDURE NAMER{(TITLE : NAMESTR ; VAR ST : STRING ;L:INTEGER)};
{used to permit string data input TITLE is a prompt ,L is the max length
                                                      of the returned string }
  BEGIN
    REPEAT
      GOTOXY(0,6);
      WRITE('ENTER ',TITLE,' -->  ');
      EEOL;
      READLN(ST);
      IF (LENGTH(ST)>L)
        THEN BEGIN
               WRITE('NAME CANNOT EXCEED ',L,' CHARACTERS');
               WAIT;
               GOTOXY(0,7);EEOL;
             END;
    UNTIL (LENGTH(ST)<=L);
    WRITELN;
  END;

FUNCTION READINT {(LEN:INTEGER) : INTEGER};
{ a long winded routine to allow input of an integer of LEN digits}
  CONST
```

Listing 6 continued on page 170



At Hayes, we don't believe in second best. Or planned obsolescence. We believe in taking the state of the art to the limit. Our new Smartmodem, for example, is the most sophisticated 300-baud originate/answer modem you can buy. And yet, it is perhaps the easiest-to-use modem ever.

RS-232C Compatible. Smartmodem lets any RS-232C compatible computer or terminal communicate by phone with other computers and time-sharing systems located *anywhere in North America*. You get full and half-duplex operation with both Touch-Tone* *and* pulse dialing.

Auto-Answer/Dial/Repeat. Smartmodem can answer the phone, dial a number, receive and transmit data, and then hang up the phone—automatically! If desired, Smartmodem will even repeat the last command. You can depend on Smartmodem for completely unattended operation.

Completely Programmable. Smartmodem can be controlled using *any* programming language. Over 30 different commands can be written into your programs or entered directly from your keyboard.

Smartmodem also includes several switch-selectable features that let you tailor performance to your exact needs. You can "set it and forget it" for the ultimate in convenience.

Built-in Audio Monitor. Thanks to an internal speaker, you can actually listen to your connection being made. You'll know immediately if the line is busy or if you reached a wrong number—*and you don't even need a phone!*

Status at a Glance. Seven LED's indicate Smartmodem's current operating mode: auto-answer, carrier detect, off hook, receive data, send data, terminal ready and modem ready. You're never left in the dark!

Direct-Connect Design. Smartmodem is FCC registered for direct connection to any modular phone jack—there's no acoustic coupler to cause signal loss and distortion.

Smartmodem, Smart Buy. Professional quality features. Versatile performance. A full two-year limited warranty. A suggested retail price of only $279.

What more could you want? Perhaps the matching Hayes Stack Chronograph, an RS-232C compatible calendar/clock system.

Check out the Smartmodem wherever fine computer products are sold. And don't settle for anything less than Hayes.

Hayes

Smartmodem. The ultimate concept in modems is now a reality.


Smartmodem
AA CD OH RD SD TR MR
Hayes

Hayes Microcomputer Products Inc. 5835 Peachtree Corners East, Norcross, Georgia 30092 (404) 449-8791



NEC

PC-8000 Series Microcomputer System.



CALL FOR PRICE

BASIC UNIT

UNDER **$1200**

NEC 12" Green Screen	269
NEC Add-on Dual Mini Drive	849
NEC Computer PC8001-A 32K	995
NEC Dual Mini-Drive	995
NEC FDC I/O Port	149
NEC Hi-Res Color Monitor	929
NEC I/O Unit 32K RAM	595
NEC Impact Printer Cable	49
NEC Impact Printer F/T	695
NEC Low Res Color Monitor	399
NEC Spinwriter #5510 (Serial)	2785
The WEDGE I/O Unit 32K RAM	549
32K Memory Board for use with The WEDGE	179

1-800-854-2833

WE ACCEPT FOREIGN ORDERS CALL FOR PRICE QUOTATIONS

S-100 by Calif. Comp. Sys.

Floppy Disk Controller	369
64K Dynamic RAM Board, 200ns	499
Z-80 CPU Board w/monitor ROM	269
16K static memory board, 200ns	369
32K static memory board, 200ns	599
S-100 12 slot mainframe	475

ATARI

IF ATARI MAKES IT WE SELL IT!!



$749

ATARI® 800™ PERSONAL COMPUTER SYSTEM

Atari 400 8K Computer	349
Atari 800 16K Computer	749
Atari 410 Program Recorder	69
Atari 810 Disk Drive	449
Atari 820 Printer	299
Atari 825 Printer	695
Atari 850 Interface	169
Assembler/Editor	45
Atari Joysticks	18
Atari Paddles	18
Basketball	30
Computer Chess	30
Invitation to Programming	17
Music Composer	45
Star Raiders	39
Super Breakout	30
3-D Tic-Tac-Toe	30
Video Easel	30
Visicalc	180
Atari 16K RAM by MPC	85
Atari 32K RAM by MPC	149.
Atari Le Stick	35

SALE 16K MEMORY BOARD

FOR

ATARI® 400/800

- 16k 4116 200NS RAM
- Assembled and tested
- No modification-hardware or software
- Full one year warranty on parts and labor
- MPC AT-16

commodore

CBM 4016 $795



- 12" Green Screen
- upper lower case letters
- real time clock
- numeric keypad
- IEEE interface

CBM PRODUCTS

8032	1095
4032	995
8096	1795
CBM 4022 Printer	625
Tally 8024	1695
CBM C2N Cassette Drive	65
CBM 4040 Dual Disk Drive	995
CBM 8050 Dual Disk Drive	1345

CBM SOFTWARE

CP/M & Related Software	CALL
Word Pro 3 Plus	195
Word Pro 4 Plus	295
Commodore Tax Pkg	395
Visicalc	145
EBS Accts. Rec./Inventory Interactive Sys	595
BPI General Ledger	325
OZZ Information Sys	325
Dow Jones Portfolio	125
Pascal	235
Legal Time Accounting	445
World Craft 80	285
Word Check	175
Create-A-Base	215
Power	85
Socket-2-Me	19

VIC 20

Personal Computer

$255



Color - Sound - Graphics

FOR YOUR VIC 20

VIC-TV Module	19
VIC Cassette	65
VIC Disk Drive	CALL
VIC 6 Pack Program	44


Complete Line of Mountain Computer & Personal Software Products

1-800-854-2833

WE ACCEPT FOREIGN ORDERS CALL FOR PRICE QUOTATIONS

SALE 16K RAMCARD





ONLY


$99

- MPC AP-16
- 2 Year Warranty
- Apple Language System Compatible
- 4 LED's
- Switch selectable 2716 EPROM monitor socket for customized system monitors
- 16K . 4116 200NS RAM
- Operates in any slot (subject to software requirements)

apple® II

48K $1089

Disk $435



APPLE III

$2795

SOFTWARE FOR YOUR apple®


Alkemstone by Level 10	34
Asteroid Field by Cavalier	19
Business Pkgs by Continental	199
Cosmo Mission by Astar	19
DB Master III by Stoneware	179
DB Master Utility Pkg	89
Desktop Plan II by Personal Software	159
Epoch by Sirius	29
Flight Simulator by Sub-Logic	34
Fortran by Microsoft	149
Gorgon by Sirius	35
Home Money Minder by Continental	29
Hungry Boy by Astar	21
Magic Window by Art-Sci	89
Personal Filing System	69
PFS: Report	69
Robot Wars by Muse	31
Sargon II Chess Game by Hayden	29
Space Eggs by Sirius	25
Spellstar by Micropro	169
Super Stellar Trek by Rainbow	33
Supertext II by Muse	119
Tax Preparer by Howardsoft	139
Thunderbirds by Astar	19
Typing Tutor II by Microsoft	21
Visicalc II by Personal Software	159
Visitrend/Visiplot by Personal Software	199
Visifile by Personal Software	199
Wordstar by Micropro	239

ACCESSORIES FOR YOUR apple®

16K Ramcard by MPC	99
Analog to Digital Converter by CCS #7470A	99
Asynchronous Serial Card by CCS #7710A	129
Centronics Printer Card by CCS #7728A	99
Clock/Calendar Module by CCS #7114A	69
CPS Multifunction Card by Mtn Comp	185
Expansion Chassis by Mtn. Comp	595
IEEE/Cable by CCS #7490A	129
Joystick by TG	47
Keyboard Enhancer by Videx	99
Lower Case Adapter by MPC	35
Micromodem II by Hayes	295
Paddles by TG	32
Parallel Card by CCS #7720A	99
Programmable Timer Module by CCS #7440A	99
Smartmodem by Hayes	239
Versa-Writer Digitizer Drawing Sys. by Versa Comp	209
Videoterm (80 Column Card) by Videx	269
Z-80 Softcard by Microsoft	299
Numeric Keypad by Keyboard Co	119
Joyport by Sirius	69
Joystick by Keyboard Co	45
Keyboard Enhancer II	129

CALL FOR FREE BROCHURE!
1-800-854-2833

EPSONS



PRINTERS

Daisey Wheel Printer by C. Itoh	1435
Paper Tiger 445G	699
Paper Tiger 460G	899
Paper Tiger 560G	1139
PRISM COLOR PRINTER By IDS	1795
Qume Sprint 5/45	2499
Silentype w/interface	349

MONITORS

Amdek Color (low res)	389
Amdek Green	169
Amdek B/W 12"	139
Sanyo 9" B/W	169
Sanyo 12" B/W	249
Sanyo Green	249
Sanyo 13" Color	449
ZENITH 12" GREEN	139

DISKS

Dysan (pkg 10)	50
Memorex (pkg 10)	30
Opus (pkg 10)	25
BASF (pkg 10)	25
Verbatim "Gold" (pkg 10)	35

MONTHLY SPECIALS

ZENITH GREEN MONITOR	$139
VERSA-WRITER DIGITIZER	$209

TO ORDER: Phone or mail orders invited using VISA, MASTERCARD, AMERICAN EXPRESS, cashier's or certified check, money order or personal check (allow 10 business days for personal or company checks to clear). We accept PO's from Fortune 500 companies & U.S. Gov. Agencies. COD's accepted. Include 5% for UPS shipping, handling and insurance on all orders not prepaid with cash. Min. $5 shipping. APO & FPO include 5% ($15 min.) for postage. Shipping in CA add 6% sales tax. FORIEGN ORDERS include 1% handling ($5 min.) shipped air freight collect only. Credit card, COD's & PO's not accepted on foreign orders. Please include phone number on all orders. All equipment is in factory cartons with manufacturer's warranty. Open products not returnable. Restocking fee charge for returned merchandise. Equipment subject to price change & availability. WE SHIP THE SAME DAY ON MOST ORDERS!

COMPUTER SPECIALTIES

(714) 579-0330
MAIL TO: 1251 BROADWAY
EL CAJON, CA. 92021

Circle 77 on inquiry card.

```
          PERIOD='.';PLUS='+';MINUS='-';DOL='$';BS=8;LF=10;FF=12;CR=13;DEL=127;
          SPACE=32;EEOL=4;
VAR
          CHARRAY:ARRAY [1..10] OF CHAR;
          READINTEGER:INTEGER;
          POSITION:1..9;
          NEG:BOOLEAN;
          DIGITS: SET OF CHAR;
 BEGIN{READINT}
          DIGITS:=['0'..'9'];
          FOR POSITION:=1 TO LEN DO
                  WRITE('_');
          FOR POSITION:=1 TO LEN DO
                  WRITE(CHR(BS));
          POSITION:=1;
          WHILE POSITION = 1 DO
            BEGIN
              READ(KEYBOARD,CHARRAY[POSITION]);
              IF (CHARRAY[POSITION] IN DIGITS+[PLUS,MINUS]) THEN
                      BEGIN
                      WRITE(CHARRAY[POSITION]);
                      POSITION:=POSITION+1;
                      END;{if}
              END;{while}
          WHILE POSITION <= LEN DO
            BEGIN
              READ(KEYBOARD,CHARRAY[POSITION]);
              IF (CHARRAY[POSITION] IN DIGITS) THEN
                      BEGIN
                      WRITE(CHARRAY[POSITION]);
                      POSITION:=POSITION+1;
                      END
              ELSE
                      BEGIN
                      IF CHARRAY[POSITION]=CHR(BS) THEN
                              BEGIN
                              WRITE(CHR(BS));
                              POSITION:=POSITION-1;
                              END;{IF}
                      IF (CHARRAY[POSITION] IN [CHR(SPACE),CHR(CR)])
                              THEN LEN:=POSITION-1;
                      END;{else}
      END;{WHILE}
      READINTEGER:=0;
      IF CHARRAY[1]='-' THEN NEG:=TRUE elSE NEG:=FALSE;
      FOR POSITION:=1 TO LEN DO
           BEGIN
            IF (CHARRAY[POSITION] IN DIGITS) THEN
            READINTEGER:=10*READINTEGER+ORD(CHARRAY[POSITION])-ORD('0');
           END;{for}
      IF NEG
             THEN READINT:= -READINTEGER
             ELSE READINT:= READINTEGER;
 END;{READINT}

PROCEDURE EEOS;{erase to end of screen}
  BEGIN
    WRITE(CHR(2));
  END;{eeos}

PROCEDURE CLEAR;{clear the screen}
  BEGIN
```

Listing 6 continued on page 172

HUNTINGTON COMPUTING

ONE OF THE WORLD'S LARGEST INVENTORIES

WORD PROCESSORS

Apple* Writer		$65.99
Magic Window	$100 00 now	$84.99
Easy Writer Professional	$250 00 now	$219.00
Letter Perfect	$150 00 now	$127.49
SuperText	$150 00 now	$127.49
Superscribe	$129 95 now	$110.39
Executive Secretary	$250 00 now	$212.49
Apple* Wordstar	$375 00 now	$284.00
Hebrew II	$60 00 now	$50.99
Apple* Writer Extended	$34 95 now	$30.69
Select	$595 00 now	$523.59
Word Handler	$249 00 now	$219.99

GAMES

Red Alert	$29 95 now	$26.29
Empire I World Builders	$32 95 now	$28.99
Golden Mountain	$19.95 now	$16.89
Space Eggs	$29.95 now	$19.99
Apple* Panic	$29.95 now	$19.99
Thief	$29 95 now	$25.39
Snack Attack	$29 95 now	$25.39
Med Fly Mania	$29 95 now	$24.59
The Book	$19.95 now	$17.99
Hi-Res Soccer	$29.95 now	$25.39
Apple*-Oids	$29.95 now	$25.39
Wurst of Huntington Computing		$19.99
Ultima	$39 95 now	$33.89
Autobahn	$29 95 now	$25.39
Battle Cruiser Action	$44 95 now	$38.89
Gorgon	$39.95 now	$33.89
Super Stellar Trek	$39.95 now	$33.89
Hellfire Warrior	$39.95 now	$33.99
Gamma Goblins	$29.95 now	$25.39
Mission Asteroid	$19.95 now	$17.99
Wizardry	$49 95 now	$42.49
Warp Factor	$39 95 now	$33.99
Microsoft Adventure	$29 95 now	$25.39
Wizard and the Princess	$32.95 now	$28.99
Flight Simulator	$34 95 now	$29.49
Odyssey	$29 95 now	$25.39
Sargon II	$34 95 now	$29.69
Space Eggs	$29 95 now	$25.39
Hi-Res Cribbage	$24 95 now	$21.19
Lords of Karma (cass.)	$20 00 now	$16.99
Oh Shoot	now	$19.99
ABM	$24 95 now	$21.19
Computer Conflict	$39.95 now	$35.99
Computer Air Combat	$59 95 now	$52.99
Temple of Apshai	$39.95 now	$33.89
Zork II	$39.95 now	$33.99
All Nibble Software		15% off list
Robot Wars	$39 95 now	$33.99
Cranston Manor	$34 95 now	$29.69
Dragon s Eye	$24 95 now	$21.19
Twala s Last Redoubt	$29 95 now	$25.39
Snoggle	$24 95 now	$21.19
Alien Rain	$24 95 now	$21.19
Alien Typhoon	$24 95 now	$21.19
Raster Blaster	$29.95 now	$25.39
Creature Venture	$24.95 now	$21.19
Hodge Podge	$23.95 now	$21.29
Meteoroids in Space	$19.95 now	$16.99
Dragon Fire	$49.95 now	$42.49

MISCELLANEOUS

D C. Hayes Micromodem	$375 00 now	$299.00
D C Hayes Smart Modem	$279 00 now	$249.00
460G Paper Tiger	$1094 00 now	$961.99
560G Paper Tiger	$1394 00 now	1225.00
Tiger Trax	$16 95 now	$15.25
Z-80 Softcard	$395 00 now	$299.00
NEC 12" Green on Black	$260 00 now	$209.00
Videx 80-col	$350 00 now	$299.00
TG Joystick	$59 95 now	$50.89
TG Game Paddles	$39 95 now	$33.89
Paymar LCA Rev. 7		$29.69
Dragon Fire	$49 95 now	$42.49
Jawbreaker	$29 95 now	$26.29
Hadron	$34 95 now	$30.69
Dark Forest	$29 95 now	$26.29
Southern Command	$39.95 now	$35.09
Beer Run	$29 95 now	$26.29
Hungry Boy	$24 95 now	$21.19
Ring of Saturn	$39 00 now	$33.89
Streets of the City & Trucker	$24 95 now	$21.19
Race for Midnight	$29 95 now	$25.39
Galactic Empire	$24 95 now	$22.99
Space Warrior	$24 95 now	$21.19
Pulsar II	$29 95 now	$25.39
Star Cruiser	$24 95 now	$20.99
Both Barrels	$24 95 now	$21.89
Cyber Strike	$39.95 now	$36.99
Phantom 5	$29 95 now	$25.39

Softlights

By Fred Huntington

There are several new exciting products this month for the Apple*.

We've got Amdek's super new monitors – the no-glare green/black and also the HIRES color monitor – all at special prices. Both of these are absolutely beautiful.

Write for information on the niftiest piece of business software to come out in a long time – VersaForm from Applied Software Technology. It's a business forms processor which is a sophisticated, yet simple to use transactional management program.

Speaking of monitors, check out the new Kaga 12" green/black monitor. I liked it so much I took the first one home and kept it for my personal use on my Apple*. Our special price is **$199.00.**

We've got the best deal going on 5¼" diskettes. We're very proud to be carrying the Elephant Memory Systems disk. They have hub rings, a life-time guarantee, and are among the best disks you can buy at **any** price. Don't be fooled by our low introductory price of **$24.99.** We'll match these disks against any made.

The most exciting printer to be introduced yet, the Prism Printer™ from IDS, is now available. Print speeds of up to 200 cps, friction and traction feed, four color printing and much more. A bargain at $1995, but even more so at our price. Please call.

Learning to type a bore? Not when it's a game! We have the new Mastertype from Lightning **$35.09.** Educational Courseware has many delightful programs including ones to help teachers teach by providing their own questions in American history, biology, etc. Each is **$28.79** (list $32.00).

We have much more than what is listed in our ads or catalogs. If you see it advertised in this magazine, chances are you can get it at a 10 to 15 percent discount from us, both hardware and software.

COMING SOON!
California Toll-Free Number
800-692-4146

STOCK PROGRAMS

Portfolio Master	$75 00 now	$63.69
Market Charter	$129 95 now	$110.39
Dowlog for Market Charter	$99 95 now	$89.99
Investment Decisions	$99 95 now	$84.99
Stock Tracker	$190 00 now	$161.49
Stock Tracker (Auto Ver)	$300 00 now	$254.99

BUSINESS APPLICATIONS

Invoice Factory (Special)	$200 00 now	$149.00
Regression Trend Analysis	$26 95 now	$22.89
Multiple Regression	$29 95 now	$25.39
Microsoft Fortran	$200 00 now	$165.69
Microsoft Cobol-80	$750 00 now	$637.49
Business Pac 100	$99 95 now	$84.99
Desktop Plan II	$200 00 now	$169.99
Visicalc 3 3 Special	$200 00 now	$149.00
Visiplot	$179 95 now	$152.89
Visitrend/Visiplot	$259 95 now	$220.89
Visiterm	$149 95 now	$127.39
Complete Mailing (Avant-Garde)	$59 95 now	$50.89
DB Master	$229 95 now	$194.59
PFS	$95 00 now	$80.69
PFS Report	$95 00 now	$80.69
Thinker	$495 00 now	$420.69
Request	$225 00 now	$191.19
Super Kram	$175 00 now	$148.69
ASCII Express	$99 95 now	$84.99
BPI Accounts Receivable	$395 00 now	$335.69
BPI General Ledger	$395.00 now	$335.69
The Mail Room	$29 95 now	$25.39
Continental General Ledger	$250 00 now	$212.49
Cont. Accounts Receivable	$250 00 now	$212.49
Cont. Accounts Payable	$250.00 now	$212.49
Continental Payroll	$250 00 now	$212.49
Broderbund Payroll	$395 00 now	$335.69
Informer II	$49 95 now	$42.49
Creative Financing	$150 00 now	$127.49
Real Estate Analyzer	$150 00 now	$127.49
Accounting Assistant (cass)	$7 95 now	$6.89
Spell Star	$250 00 now	$212.49
Muse Form Letter	$100 00 now	$84.99
Property Management System	$225 00 now	$191.19

PERSONAL/HOME

Interlude (disk)	$19 95 now	$16.99
Handwriting Analysis	$19 95 now	$16.89
Decision Master	$29 95 now	$25.39
The Correspondent	$44 95 now	$38.19
Diet Planning	$24 95 now	$21.19
Win at the Races	$39 95 now	$33.89
Pro Football (SDL)	$26 95 now	$22.89
College Football (SDL)	$26 95 now	$22.89
Grocery List	$19 95 now	$16.89
Financial Management System II	$39 95 now	$33.89
Home Money Minder	$34 95 now	$29.69

MISCELLANEOUS

Verbatim Datalife-plain w/hubs		10 for $27.99
Dysans		10 for $49.99
Flipsort Box		$29.80
Scotch Disk Cleaner	$29 95 now	$26.99
E-Z Port	$24 94 now	$21.19
Atari*/TRS-80*/Pet*		Write for Information
The Book	$19 95 now	$17.99
Escape from Acturus	$29 95 now	$25.39
Basic Mailer	$69 95 now	$59.49
Memory Management II	$49 95 now	$42.89
Castle Wolfenstein	$29 95 now	$25.39
Upper Reaches of Apshai	$19 95 now	$16.89
Bridge Tutor	$39 95 now	$35.19
Crossfire	$29 95 now	$26.29
Epoch	$29 95 now	$25.39
Outpost	$29 95 now	$26.29
Ulysses	$34 95 now	$29.69
Space Quark	$29 95 now	$25.39
Beneath Apple DOS (book)	$19.95 now	$16.89
Birth of the Phoenix	$14 95 now	$12.69
Goblins	$27 50 now	$23.29
Painter Power	$39 95 now	$33.89
U S Constitution	$29 95 now	$25.39
Merger	$49 95 now	$42.49
Super Stellar Trek	$39 95 now	$33.89
LISA	$79 95 now	$67.89
Brain Surgeon	$49 95 now	$42.49
Info Master	$150 00 now	$127.49
Waterloo II	$49 95 now	$42.39
Speedstar	$139 95 now	$114.69
Kaves of Karkhan	$49 95 now	$42.39
Dos Boss	$24 00 now	$20.39

ONE OF THE WORLD'S LARGEST INVENTORIES

Call Toll-Free 800-344-4111 (Outside California)

HUNTINGTON COMPUTING
Post Office Box 1235
Corcoran, California 93212

Order by Phone 800-344-4111
In California (209) 992-5411



We take MasterCard or VISA (Include card # and expiration date). California residents add 6% tax. Include $2.00 for postage. Foreign and hardware extra. Send for free catalog. Prices subject to change.

```
      WRITE(CHR(12))
    END;

 PROCEDURE ELINE;{erase line}
   BEGIN
     WRITE(CHR(14))
   END;

 PROCEDURE EEOL;{erase to end of line}
   BEGIN
     WRITE(CHR(04))
   END;

PROCEDURE WAIT;
{routine used to halt program while user examines output}
   VAR    CH : CHAR;
   BEGIN
     GOTOXY(10,23);
     WRITE('ENTER <ESC> TO CONTINUE');
     REPEAT
       READ(CH)
     UNTIL CH = CHR(27)
   END;

PROCEDURE CENTER {(ST : STRING; SCREEN : BOOLEAN)};
{routine to print a string in the center of the line}
  VAR             X,Y : 0..132;
                  CH : CHAR;
  BEGIN
    CH := ' ';
    IF SCREEN THEN Y := 40 ELSE Y := 66;
    X := Y - (LENGTH(ST) DIV 2);
    WRITELN(CH:X,ST);
  END;


PROCEDURE PDOL {(DOL : LONGINT;VAR  STDOL : INTSTR)};
  BEGIN
    STR(DOL,STDOL);
    INSERT('.',STDOL,PRED(LENGTH(STDOL)));
  END;


PROCEDURE READDOL {(LEN:INTEGER;VAR DOLREAD:LONGINT)};
{routine to permit entry of long integer of LEN digits}
 CONST
        BS = 8; PLUS = '+';      MINUS = '-';
 VAR
         POSITION:1..10;
         NEG:BOOLEAN;
         ESC : CHAR;
         CHARRAY:ARRAY [1..10] OF CHAR;
         DIGITS:SET OF CHAR;

BEGIN{readdol}
        SAME := FALSE;
        QUIT := FALSE;
        ESC := CHR(27);
        DIGITS:=['0'..'9'];
        FOR POSITION:=1 TO LEN DO
                WRITE('_');
        FOR POSITION:=1 TO LEN DO
                WRITE(CHR(BS));
```

Listing 6 continued on page 174

"WITH THE UCSD p-SYSTEM,™ WE CAN WRITE ONE APPLICATION THAT GOES FROM APPLE TO ZENITH."

HARRY BLAKESLEE, President, Denver Software

Our business is bigger and better than ever.

A lot of the credit for that goes to the UCSD p-System software from SofTech Microsystems. It's given us ten times the market we used to have.

We can write a single, sophisticated applications program with the UCSD p-System—like our financial management package—and it just keeps on running. On Apple, Commodore, Ohio Scientific, Texas Instruments, Zenith, and more. That's the real beauty of the UCSD p-System. Any program you write for one microcomputer runs on others, both today and tomorrow. You protect your software investment, without restricting your hardware options.

And with the UCSD p-System, you can use the language of your choice—UCSD Pascal,™ FORTRAN-77, BASIC, or assembly language. All are backed by SofTech Microsystems, a leading system software company who's been around for over a decade, who knows how to develop professional quality software, and who's committed to delivering it.

Get a head start on tomorrow. With the microcomputer software that goes from "A" to "Z." Distribution licensing and single copies available. Write or call for details, so you can start going places, too.



For the software that's going places.

9494 Black Mountain Road, San Diego, CA 92126. (714) 578-6105
TWX: 910-335-1594

UCSD p-System and UCSD Pascal are trademarks of the Regents of the University of California.

Circle 416 on inquiry card.

Listing 6 continued:

```
        POSITION:=1;
        REPEAT
            READ(KEYBOARD,CHARRAY[POSITION]);
        UNTIL (CHARRAY[POSITION] IN DIGITS+[PLUS,MINUS,ESC,'Q','q']);
        IF (CHARRAY[POSITION] = ESC) OR (CHARRAY[POSITION] IN ['Q','q'])
          THEN IF (CHARRAY[POSITION] IN ['Q','q'])
            THEN BEGIN
                   QUIT := TRUE;
                   EXIT(READDOL);
                 END
            ELSE BEGIN
                   SAME := TRUE;
                   EXIT(READDOL);
                 END
          ELSE BEGIN
                   WRITE(CHARRAY[POSITION]);
                   POSITION:=POSITION+1;
                   END;{if}
        WHILE POSITION <= LEN DO
          BEGIN
            REPEAT
              READ(KEYBOARD,CHARRAY[POSITION]);
            UNTIL (CHARRAY[POSITION] IN (DIGITS + ['.',CHR(BS)]));
            IF (CHARRAY[POSITION] IN DIGITS ) THEN
                    BEGIN
                    WRITE(CHARRAY[POSITION]);
                    POSITION:=POSITION+1;
                    END
            ELSE
                    BEGIN
                    IF CHARRAY[POSITION]=CHR(BS) THEN
                            BEGIN
                            WRITE(CHR(BS));
                            POSITION:=POSITION-1;
                            END;{IF}
                    IF (CHARRAY[POSITION] = '.')THEN
                            BEGIN
                              WRITE('.');
                              LEN:=POSITION+1;
                            END;
                    END;{else}
    END;{WHILE}
    DOLREAD:=0;
    IF CHARRAY[1]='-' THEN NEG:=TRUE ELSE NEG:=FALSE;
    FOR POSITION:=1 TO LEN DO
         BEGIN
          IF (CHARRAY[POSITION] IN DIGITS) THEN
          DOLREAD:=10*DOLREAD+ORD(CHARRAY[POSITION])-ORD('0');
         END;{for}
    IF NEG THEN DOLREAD:= - DOLREAD;
 END;{readdol}


BEGIN{fit main}
  START;
  WRITELN;
  MEM;
  WAIT ;
  REPEAT
    CLEAR;
```

Listing 6 continued on page 176

Listing 6 continued:

```
    WRITE('FIT COMMAND --> P)rint E)dit C)alculate R)ead W)rite Q)uit ');
    REPEAT
      READ(CH)
    UNTIL (CH IN ['E','e','C','c','R','r','W','w','P','p','Q','q']);
    CASE CH OF

        'E','e' : EDIT;
        'R','r' : BEGIN
                    RW('R');
                    FSTAT := TLINES[7].FS;
                    IF FSTAT IN [2,3] THEN SINGLE := FALSE;
                  END;
        'W','w' : RW('W');
        'P','p' : PRINTER;
        'C','c' : CALCULATE;
      END;{case}
  UNTIL (CH IN ['Q','q']);
END.{fit main}
```


Circle 266 on inquiry card.

Circle 154 on inquiry card. →

Listing 7: *The FIT segment procedure START. This procedure sets up the variables used in other parts of FIT.*

```
SEGMENT PROCEDURE START;                         {sets up the variables}

  PROCEDURE INITIALIZE;
  {inserts nul values in TLINES}
    VAR
          I : 1..MAXLINE;
          EMPTY : TLINE;
    BEGIN
      WITH EMPTY DO
        BEGIN
          IPTR := NIL;
          HUS := 0;
          WIF := 0;
          TOT := 0;
        END;
      FOR I := 8 TO MAXLINE DO
              BEGIN
                TLINES[I] := EMPTY;
                TLINES[I].TAG := 1
              END;
      WITH TLINES[7] DO
        BEGIN
          D1 := 1;  D2:=1;  D3:=80;
          TAXYEAR := ' ';
          FS :=0; EXEM := 0;
        END;
      WITH TLINES[6] DO NAME := ' ';
    END;{initialize}

    PROCEDURE READFACTORS;
    {reads the tax factor file into the array TAXRAY}
      VAR            TFILE : FILE OF FACTORARRAY;
                     TTABLE : TAX_TABLE;
      BEGIN
        RESET(TFILE,'FACTORS.FTAX');
        FOR TTABLE := X TO Z DO
          BEGIN
            TAXRAY[TTABLE] := TFILE^;
            WRITE(',');
            GET(TFILE)
          END;
        CLOSE(TFILE);
      END;{readfactors}

    PROCEDURE READNAMES;
      {reads the line names into the array TITLES}
      TYPE          T=ARRAY[1..MAXLINE] OF STRING[30];
      VAR           TNAMES:FILE OF T;
      BEGIN
        RESET(TNAMES,'LINENAMS.FTAX');
        TITLES := TNAMES^;
      END;


    PROCEDURE GETDATE;
      {gets the date from the disk in drive 4}
        VAR
            DUMMY : PACKED ARRAY [1..22 ] OF CHAR;
            HIGH, LOW : INTEGER;
        BEGIN
```

Listing 7 continued on page 180

COMPUTER WAREHOUSE

CALL TOLL FREE 1-800-528-1054



ATARI

Special 32K 800 System
800 w/32K, recorder, star raiders, joysticks ...... **Call**
Above w/48K ...... **Call**

800 (16K)	**Call**
400	**Call**
810 Disk Drive	**$440**
825 Printer	**$575**
850 Interface	**$155**
410 Recorder	**$60**
830 Modem	**$140**
16K Memory	**$75**
32K Memory	**$150**

DISK DRIVES

Lobo

Apple 1st Drive	**$490**
Apple 2nd Drive	**$410**

MODEMS

Novation

CAT	**$140**
D-CAT	**$155**
Apple Cat II	**$349**
Auto Cat	**$235**

PRINTERS

C. Itoh

25CPS - Serial	**$1380**
25CPS - Parallel	**$1310**
40CPS - Serial	**$1555**
45CPS - Parallel	**$1700**
Prowriter	**Call**

Datasouth

DS 180	**$1275**

Diablo

630 RO w/Tractors	**$2260**
630 RO wo/Tractors	**$2050**

Epson

MX-80	**Call**
MX-80 F/T	**Call**
MX-100	**Call**

Infoscribe

500	**Call**
1000	**Call**

NEC

PC-8023A	**Call**
7700 Series	**Call**
3500 Series	**Call**

Okidata

Microline 80	**$330**
Microline 82-A	**$470**
Microline 83-A	**$740**
Microline 84	**Call**

Paper Tiger

560G	**$1050**

Texas Instruments

810 Basic	**$1250**
810 Loaded	**$1450**

VIDEO TERMINALS

Adds

Viewpoint	**$535**

Altos

Altos I	**Call**

Soroc

IQ 120	**$ 660**
IQ 130	**Call**
IQ 135	**Call**
IQ 140	**Call**

Televideo

910 C	**$575**
912 C	**$690**
920 C	**$735**
925 C	**$740**
950 C	**$925**

Zenith

Z-19	**$680**

DISKETTS

Scotch

5¼" 0, 10, 16 Sector (Qty 100)	**$250**
8" 0, 32 Sector (Qty 100)	**$260**

COMPUTERS

Altos

ACS 8000-15	**$ 3995**
ACS 8000-2 w/CPM®	**$ 2695**

Alspa

ASCI-1	**Call**
ASCI-2	**Call**

NEC	**Call**

Northstar

Advantage	**Call**
Horizon II 64K DD	**$ 2750**
Horizon II 64K QD	**$ 3050**

Televideo Systems .... **Call**

System I	**$2255**
System II	**$5045**

Zenith

Z-89 48K w/CPM®	**$2160**
Z-90 64K w/CPM®	**$2385**

Both above w/supercalc

MONITORS

Zenith

12" Green Screen	**$ 115**

Prices & availability subject to change without notice

Personal checks will delay shipping two weeks



2222 E. Indian School Rd. • Phoenix, Arizona 85016
Order Line: 1-800-528-1054
Other Information: 602-954-6109

MasterCard VISA

Store Hours: Tues.-Fri. 10-5 MST Saturday 10-3 MST

Prices reflect 3% cash discount. Product shipped in factory cartons with manufacturers warranty. Add 2%, a minimum of $5, for shipping and handling.

Listing 7 continued:

```
            UNITREAD( 4, DUMMY, 24, 2);
            HIGH := ORD ( DUMMY [ 22 ] );
            LOW := ORD ( DUMMY [ 21 ] );
            DAY := ( HIGH MOD 2 ) * 16 + LOW DIV 16;
            MONTH := LOW MOD 16;
            YEAR := HIGH DIV 2;
        END;

BEGIN{start}
    GETDATE;
    {the following set contains line numbers of lines requiring calculation}
    CALCSET := [9,10,22,30,31,32,33,34,35,37,46,47,54,62,63,64,65,66,69,70,73,
               74,75,76,82,86,88,90,93,94,95,98,99,100,101,102,103,104,105,106,
               107,109,111,114,115];
    SINGLE := TRUE;        {needs a value to start}
    SCREEN := TRUE;        {most times it is}
    INITIALIZE;            {zero TLINES}
    READFACTORS;           {fill tax factor array}
    READNAMES;             {fill line number array}
END;{start}
```

Listing 8: *The FIT segment procedure EDIT. EDIT enables the user to enter and correct data for form 1040, Schedule A, and Schedule B. EDIT lets the user work on all lines sequentially (procedure ED-SEQUENT) or on an individual line requested by number (procedure ED-INDIVIDUAL). Both these procedures call the procedure EDIT-TLINE to do the real editing of any line.*

```
SEGMENT PROCEDURE EDIT;
 VAR            LN : TLINE_NUM;          {index to ARRAY TLINES}
                INT : INTEGER;
                EDIT_CHAR,CH : CHAR;


    PROCEDURE EDIT_SPEC;
    {enter taxpayers name,the tax year,filing status and number of dependents}
      VAR
                H,W : INTEGER;
                INT,EXEMPS : INTEGER;
                LN : TLINE_NUM;
      PROCEDURE FILINGSTAT;
        BEGIN
          WITH TLINES[7] DO
          BEGIN
            GOTOXY(0,4);EEOS;
            WRITELN('    1) Single');WRITELN;
            WRITELN('    2) Married filing Jointly');WRITELN;
            WRITELN('    3) Married filing Separately');WRITELN;
            WRITELN('    4) Head of household');WRITELN;
            WRITELN('    5) Widow(er)');WRITELN;
            REPEAT
              INT := READINT(1)
            UNTIL INT IN [1..5];
            FS := INT;
            IF FS IN [2,3] THEN SINGLE := FALSE;
          END;{with}
        END;{filingstat}
```

Listing 8 continued on page 182

WE HAVE A HARD-ONE FOR YOU!

WHO MAKES A WINCHESTER HARD DISK for IBM-PERSONAL COMPUTER, TRS-80™ MODEL III, etc.?



THE VR DATA HARD DISK III™ WINCHESTER SUBSYSTEM

6.5 MEG to 19 MEG per UNIT FROM $2895*

*Subsystem includes 6.5 MEG Winchester Drive Power Supply, Controller, I/O Controller Adaptor, Enclosure, Cables.

Other Quality Products Available

IBM - Personal Computer	
2nd Floppy Disk Drive	$265.00
Superbrain & QD	
Parallel Output Port	99.00
TRS-80 - Model III	
Disk III Floppy Subsystem	599.00
2nd Drive	265.00
VR-RS232C	75.00

Quality Products in the QUEUE

IBM - Personal Computer
- Memory Expansion - 192K
- D-CON • Integral Direct Connect Mode
- VR-RS232C

TRS-80 Mod III
- D-CON • Integral D.C. Modem
- Computer w/Integral Hard Disk III and Disk III

DEALERS & OEM'S INVITED **SERVICE • 215-461-5300**

800-345-8102 • 215-461-5300 - PA • TELEX 845-124

PRICES SUBJECT TO CHANGE W/O NOTICE
TRS-80 - TRADEMARK OF TANDY CORP.
DISK II, HARD DISK III, D-CON - TRADEMARKS OF VR DATA CORP.



VR Data Corporation
777 Henderson Boulevard • Folcroft, PA 19032



Listing 8 continued:

```
    BEGIN
        LN := 7;
        CLEAR;GOTOXY(0,2);
        WITH TLINES[7] DO
          BEGIN
            CENTER(TITLES[5],SCREEN);WRITELN;
            NAMER('NAME',TLINES[6].NAME,26);
            NAMER('TAX YEAR',TAXYEAR,4);
            FILINGSTAT;
            EXEM := 0;
            CLEAR;GOTOXY(0,2);
            WRITE('ENTER CORRECT LETTER');
            GOTOXY(0,4);
            CENTER(TITLES[7],SCREEN);WRITELN;
            WRITELN('    Y)ourself');WRITELN;
            WRITELN('    O)ver sixtyfive');WRITELN;
            WRITELN('    B)lind');WRITELN;
            WRITELN('    T) over 65 and blind');
            REPEAT
              READ(CH)
            UNTIL CH IN ['Y','y','O','o','B','b'];
            CASE CH OF
             'Y','y'     : H := 1;
             'O','o'     : H := 2;
             'B','b'     : H := 2;
             'T','t'     : H := 3;
               END;{case}
            IF NOT SINGLE
              THEN BEGIN
                     CENTER(TITLES[LN],SCREEN);WRITELN;
                     GOTOXY(0,6);EEOS;
                     WRITELN('    S)pouse');WRITELN;
                     WRITELN('    O)ver sixtyfive');WRITELN;
                     WRITELN('    B)lind');WRITELN;
                     WRITELN('    T) over 65 and blind');
                     REPEAT
                       READ(CH)
                     UNTIL CH IN ['S','s','O','o','B','b'];
                     CASE CH OF
                      'S','s'   : W := 1;
                      'O','o'   : W := 2;
                      'B','b'   : W := 2;
                      'T','t'   : W := 3;
                        END;{case}
                   END{IF}
                 ELSE W := 0;
            CLEAR;GOTOXY(0,6);
            WRITE('ENTER NUMBER OF OTHER DEPENDENTS ');
            EXEMPS := READINT(2);
            EXEM := H + W  + EXEMPS;
          END;{with}
    END;{editspec}


  PROCEDURE EDIT_TLINE(LN : TLINE_NUM);
  {main data input routine}
    VAR
                HSUM,WSUM,DOL : INTEGER[9];
                NEXTPTR,PTR,LASTPTR : POINTER;
                TL : BOOLEAN;
                CH : CHAR;
  PROCEDURE VIEW;
  {display contents of TLINES[LN]}
```

Listing 8 continued on page 186

The revolutionary Discovery multiprocessor is the only system that allows the total integration of powerful 16 bit 8086 processors with the more standard Z-80 user processors. The DISCOVERY system may be configured in any 8 bit/16 bit combination, or as a totally exclusive 16 bit system only to provide the ultimate in performance and flexibility in advanced micro systems.

Ultimate performance. The dpc-186 is the most sophisticated single board microcomputer available today offering more power and faster processing time through the 8086 CPU for bigger, more complex programs. Memory starts at 128 K (compared to the Z-80's 64 K), and is expandable to 1 megabyte. And the dpc-186 is fully compatible with the standard DISCOVERY multiprocessor system permitting efficient upgrading as future needs develop, without sacrificing any of your extensive hardware and software investment.

World's best multiprocessor system. The DISCOVERY system provides separate processors and memory for each of its 16 users. It offers full CP/M™ and CP/M-86™ compatibility, interprocessor communication, and shared and private files. Each user can take advantage of shared peripherals and cross submitting of tasks between processors. The system is controlled by a unique, two board dpc-280 service processor and dpc/os distributed processing operating system.

By the board or by the system. The DISCOVERY multiprocessor is ready for immediate delivery as a complete system, as processor boards, and everything in between. It offers exclusive technology in multiprocessing, yet is fully compatible with existing standards including CP/M and S-100. It is quite simply unmatched in performance, capabilities and offers a far greater degree of flexibility.

DISCOVERY—offering a whole new world of possibilities.

For the first time, 8 and 16 bit processor intermixing.



Action Computer Enterprises, Inc.
ace
The Multiprocessing Company
55 West Del Mar Boulevard, Pasadena, CA 91105 USA
(213) 793-2440, TWX 910-588-1201
Circle 8 on inquiry card.

Dealer and OEM inquiries invited.

*CP/M is a registered TM of Digital Research, Inc.

MiniMicroMart has a reputation for LOW PRICES...... For a limited time most of our prices have been reduced 5%

(until March 15, 1981) **Write for a free catalog.**

Prices in this ad are subject to an additional discount of 5%

DISKETTES

5¼ Discs for TRS-80 and APPLE Prime First Quality MEMOREX Discs ..Now Only $21.99 per box

Plus $5.00 for shipping, handling and insur.

Any Quantity

MiniMicroMart carries a complete line of disks at comperable savings... Please call or write for detailes.

INTEGRATED COMPUTER SYSTEMS

DYNABYTE	CALL
NORTHSTAR	CALL
ALTOS	CALL
ZENITH Z89	CALL
CALIF. COMPUTER SYSTEMS	CALL
MORROW DESIGNS	CALL
CROMEMCO	CALL
SUPERBRAIN	CALL
TELEVIDEO	CALL
ITHACA INTERSYSTEMS	CALL

HP

HP-85	$2195.00
HP-125	$2995.00
HP 5¼ Dual Disk Drive	$1995.00

Call for prices on new 5¼ Winchester Drives for HP-85 and HP-125 Computers

PRINTERS

ANADEX DP 9500	1295.00
ANADEX DP 9501	1295.00
CENTRONICS 739	689.00
C-ITOH 25 CPS PARALLEL	1440.00
C-ITOH 25 CPS SERIAL	1490.00
C-ITOH 45 CPS PARALLEL	1765.00
C-ITOH 40 CPS SERIAL	1865.00
C-ITOH TRACTOR OPTION	190.00
EPSON MX-80	499.00
EPSON MX-80 F/T	599.00
EPSON MX-100 GRAPHIC	799.00
EPSON GRAPHICS ROM	90.00
IDS-445G PAPER TIGER	779.00
IDS-460G PAPER TIGER	945.00
IDS-560G PAPER TIGER	1195.00
NEC SPINWRITER 3510 Ser.RO	2195.00
NEC SPINWRITER 3530 Par.RO	2195.00
OKIDATA MICROLINE 80	389.00
OKIDATA MICROLINE 82A	549.00
OKIDATA MICROLINE 83A	849.00
OKIDATA MICROLINE 84	1199.00
QUME 9/45	2145.00
MALIBU 200 DUAL MODE	2685.00

CORVUS

FOR S-100, APPLE OR TRS-80 MOD I,II

Controller, Case/P.S, Operating System, A & T.

5 Megabytes	3239.00
10 Megabytes	4639.00
20 Megabytes	5539.00
MIRROR BACK-UP	725.00

APPLE SOFTWARE

MAGIC WAND	275.00
WORDSTAR	259.00
MAILMERGE(Req.WORDSTAR)	90.00
SPELLSTAR(Req.WORDSTAR)	169.00
DATASTAR	199.00
PFS: PERSONAL FILING SYSTEM	79.00
PFS: REPORT GENERATOR	79.00
MICROSOFT FORTRAN	165.00
MICROSOFT COBOL	550.00
DB MASTER 3.0	179.00
VISICALC 3.3	169.00
VISIPLOT	149.00
VISIDEX	169.00
CCA DATA BASE MANAGER	99.00

APPLE HARDWARE

ABT APPLE KEYPAD	119.00
MICROSOFT Z-80 SOFTCARD	299.00
MICROSOFT RAMCARD	170.00
VIDEX 80 × 24 VIDEO CARD	299.00
VIDEX KEYBOARD ENHANCER	99.00
M&R SUPERTERM 80 × 24 Video Bd.	315.00
NEC 12" GREEN MONITOR	199.00
SANYO 12" MONITOR(B&W)	249.00
SANYO 12" MONITOR(Green)	269.00
SANYO 13" COLOR MONITOR	469.00
BMTR MONITOR	169.00
SSM AIO BOARD (INTERFACE)A&T	165.00
SSM AIO BOARD (INTERFACE)KIT	135.00
ZENITH 13" HI-RES Green MON	139.00
SSM AIO BOARD (INTERFACE) A&T	165.00
SSM AIO BOARD (INTERFACE) KIT	135.00

MOUNTAIN HARDWARE

CPS MULTIFUNCTION BOARD	209.00
SUPERTALKER SD200	259.00
ROMPLUS W/KEYBOARD FILTER	179.00
ROMPLUS W/O KEYBOARD FILTER	130.00
KEYBOARD FILTER ROM	49.00
COPYROM	49.00
MUSIC SYSTEM	459.00
ROMWRITER	149.00
APPLE CLOCK	252.00
A/D + D/A	299.00
EXPANSION CHASSIS	625.00

CALIF. COMPUTER SYSTEMS

S-100 BOARDS

2200A MAINFRAME	359.00
2032A 32K STATIC RAM	599.00
2065C 64K DYNAMIC RAM	499.00
2422 FLOPPY DISK CONT.& CP/M®	339.00
2710 FOUR SERIAL I/O	249.00
2718 2 SERIAL/2 PARALLEL I/O	269.00
2720 FOUR PARALLEL I/O	199.00
2810 Z-80 CPU	249.00

APPLE BOARDS

7710A Asynchronous Ser. Interface	139.00
7712A Synchronous Ser. Interface	149.00
7424A CALENDER CLOCK	99.00
7728A CENTRONICS Printer Interfac	99.00

VISTA COMPUTER CO.

APPLE 40 Tk.Drive A40 (163K Bytes)	389.00
APPLE 80 Tk.Drive A80 (326K Bytes)	549.00
APPLE 160Tk.Dr.A160(652K Bytes)	799.00
APPLE 80 COLUMN CARD	329.00
APPLE 8 Inch Disk Drive Controller	549.00

CROMEMCO BOARDS

SCC Single Card Computer, List $495 .... $382
ZPU Z-80 CPU 2/4MHz, List $395 .... $335
48KTP 2 Port 48K Memory, List $1495 .... $1269
16KZ Dynamic RAM Memory, List $495 .... $419
64KZ Dynamic RAM Memory, List $1195 .... $995
16FDC Disk Controller, DD, List $595 .... $499

CROMEMCO BOARDS

8K Bytesaver II Prom Programmer, List $295 .... $249
32K Bytesaver Prom Card for 2716s, List $345 .... $295
TU-ART I/O Interface, List $345 .... $249
D + 7A Digital/Analog Interface, List $295 .... $210
8PIO 8 Port Parallel Interface, List $245 .... $209
4PIO 4 Port Parallel Interface, List $395 .... $335
QDRT 4 Channel Syn/ Asyn Interface, List $595 .... $499
IOP Intelligent I/O Processor, List $695 .... $589
PRI Printer Interface Card, List $245 .... $209
16KPR 16K Prom Memory Card, List $245 .... $209
CGI TV Dazzler, List $395 .... $335
SDI Hi-Res Color Graphics, List $795 .... $675
EXC-2 Extender Board, List $65 .... $38
WWB-2 Wire Wrap Board, List $65 .... $38

CP/M SOFTWARE

MICROSOFT BASIC-80	299.00
MICROSOFT BASIC COMPILER	319.00
MICROSOFT FORTRAN-80	369.00
PEACHTREE SYSTEMS	CALL
MAGIC WAND(Requires CP/M®)	275.00
WORDSTAR(Requires CP/M®)	325.00
MAILMERGE(Requires WORDSTAR)	110.00
SPELLSTAR(Requires WORDSTAR)	199.00
CALCSTAR	239.00
DATASTAR	249.00
SPELLGUARD	239.00

CP/M is a registered trademark of Digital Research

MODEMS

NOVATION CAT ACOUSTIC MODEM	145.00
NOVATION D-CAT Direct Connect	155.00
NOVATION AUTO-CAT AUTO ANS.	219.00
NOVATION APPLE-CAT	349.00
UDS 103 LP DIRECT CONNECT	175.00
UDS 103 JLP AUTO ANSWER	209.00
D.C.HAYES MICROMODEM II(Apple)	299.00
D.C.HAYES 100 MODEM(S-100)	325.00
D.C.HAYES Smart Modem(RS 232)	249.00
LEXICON LX-11 MODEM	109.00

TRS-80 MOD I HARDWARE

PERCOM DATA SEPARATOR	27.00
PERCOM DOUBLER II	159.00
DOUBLE ZAP II/80	45.95
TANDON 80 TRACK DISK DRIVE	429.00
TANDON 40 TRACK DISK DRIVE	299.00

TRS-80 SOFTWARE

NEWDOS/80 2.0 MOD I	139.00
LAZY WRITER MOD I	125.00
PROSOFT NEWSCRIPT MOD I,III	99.00
SPECIAL DELIVERY MOD I,III	119.00
X-TRA SPECIAL DELIVERY MOD I,III	199.00
TRACKCESS MOD I	24.95
OMNITERM SMART TERM. MOD I,III	89.95
MICROSOFT BASIC COMP. For Mod I	165.00

MORROW DESIGNS

FLOPPY DISK SYSTEMS

Controller, P.S., Microsoft Basic, CP/M® , A&T

DISCUS 2D(Single Drive—500K)	898.00
DISCUS 2D(Dual Drive—1 MEG)	1549.00
DISCUS 2+2 (Single Drive—1MEG)	1239.00
DISCUS 2+(Dual Drive—2 MEG)	2139.00

HARD DISK SYSTEMS

Controller, P.S., Microsoft Basic CP/M® , A&T

DISCUS M5 (5 Megabytes)	2095.00
DISCUS M10 (10 Megabytes)	3095.00
DISCUS M20 (20 Megabytes)	3795.00
DISCUS M26 (26 Megabytes)	4069.00

MiniMicroMart is offering 5% savings on hundreds of items not listed in this ad. please call for more information.

F.O.B. shipping point. All prices subject to change and all offers subject to withdrawal without notice. Advertised prices are for prepaid orders. Credit card and C.O.D. 2% higher. C.O.D. may require deposit.

MiniMicroMart, Inc



943 W.Genesee St. Syracuse, N.Y. 13204 (315)422-4467



Circle 232 on inquiry card.

Listing 8 continued:

```
   VAR
              SCREEN : BOOLEAN;
                 OBJ : INTSTR;
   BEGIN
     SCREEN := TRUE;
     GOTOXY(0,3);
     EEOS;
     IF NOT SINGLE
       THEN BEGIN
              GOTOXY(0,8);
              PDOL(TLINES[LN].HUS,OBJ);
              WRITE('HUSBAND':20,OBJ:20);
              GOTOXY(0,10);
              PDOL(TLINES[LN].WIF,OBJ);
              WRITE('WIFE':20,OBJ:20);
            END;
     GOTOXY(0,12);
     PDOL(TLINES[LN].TOT,OBJ);
     WRITE('TOTAL':20,OBJ:20);
   END;

 PROCEDURE SUMS ;
 {add all ITEMs and place values in TLINES[LN]}
   BEGIN
     WITH TLINES[LN] DO
       BEGIN
        HUS := 0;
        WIF := 0;
        TOT := 0;
          IF IPTR<>NIL
            THEN BEGIN
              NEXTPTR := IPTR;
              REPEAT
               IF NEXTPTR^.WHOSE = H_OWN THEN HUS := HUS + NEXTPTR^.AMT
                                        ELSE WIF := WIF + NEXTPTR^.AMT;
               NEXTPTR := NEXTPTR^.NPTR
              UNTIL NEXTPTR = NIL;
              TOT := HUS + WIF
            END;{if}
        END;{with}
  END;{sums}

PROCEDURE WHO (PTR : POINTER);
{assign item to husband or wife}
  BEGIN
    WITH PTR^ DO
      BEGIN
        GOTOXY(0,12);
        WRITE('ASSIGN TO H)USBAND  W)IFE ');
        REPEAT
          READ(CH);
        UNTIL (CH IN ['H','h','W','w']);
        IF CH IN ['H','h'] THEN WHOSE := H_OWN
                ELSE WHOSE := W_OWN;
      END;{with}
   END;{who}

FUNCTION VIEWITEM(PTR : POINTER ) : POINTER;
{display and edit an ITEM then return pointer to next item}
  VAR           ST : STRING;
                CH : CHAR;
                OBJ : INTSTR;
```

```
BEGIN{viewitem}
  CLEAR;
  WRITE('COMMAND -->  <ESC> to continue   ^D)elete  ');
  WRITE(' Change --> N)ame  A)mount');
  IF NOT SINGLE THEN WRITE('  W)hose ');
  WITH PTR^ DO
    BEGIN
      VIEWITEM := NPTR;
      GOTOXY(0,4);
      WRITE('LINE NUMBER ');
      IF LN <= MAXTLINE
        THEN WRITE(LN : 2)
        ELSE IF LN <= MAXALINE THEN WRITE(LN-MINALINE+1 : 2)
                                ELSE IF LN <= MAXBLINE
                                  THEN WRITE(LN-MINBLINE+1 : 2);
      WRITELN('  ',TITLES[LN]:40);
      GOTOXY(0,6);
      WRITE(NAME);EEOS;
      GOTOXY(0,8);
      CASE WHOSE OF
        H_OWN : WRITE('HUSBAND');
        W_OWN : WRITE('WIFE');
        T_OWN : WRITE('TOTAL');
       END;{case}
      GOTOXY(0,10);
      PDOL(AMT,OBJ);
      WRITE('AMOUNT ',OBJ:12);
      REPEAT
        REPEAT
          GOTOXY(77,0);READ(CH);
          IF CH = CHR(4)          {delete routine}
            THEN BEGIN
                   IF TL          {if pointer was from TLINES[LN]}
                          THEN TLINES[LN].IPTR := NPTR
                          ELSE LASTPTR^.NPTR := NPTR;
                   EXIT(VIEWITEM);
                 END;
        UNTIL ( CH IN ['N','n','W','w','A','a',CHR(ESC)]);
        IF CH IN ['N','n','W','w','A','a']
             THEN BEGIN          {change a value in ITEM}
                    WITH PTR^ DO
                      BEGIN
                        CASE CH OF
                          'N','n'   : NAMER('NAME',PTR^.NAME,10);

                          'A','a'   : BEGIN
                                        GOTOXY(0,10);
                                        READDOL(9,AMT);
                                        WRITELN;
                                      END;


                          'W','w'   : WHO(PTR);
                        END;{CASE}
                      GOTOXY(77,0);   {return cursor to command line}
                    END;{WITH}
                  END;
             UNTIL CH = CHR(ESC);
      END;{with}
  TL := FALSE;  {parent of pointer is no longer TLINES[LN]}
  LASTPTR := PTR;
END{viewitem};
```

Listing 8 continued on page 190

Unbeatable prices......

Orange Micro

NEW NEC 8023 DOT MATRIX




High resolution graphics: 144 x 160 dots/inch · Proportional spacing · Lower case descenders · 9 x N dot matrix · 8 character sizes · 5 unique alphabets · Greek character set · Graphic symbols · 100 cps print speed · Bidirectional, logic seeking printing · Adjustable tractors · Single sheet friction feed · Paper empty sensor · Vertical & horizontal tabbing · Bidirectional paper feed · Bold & underlined print

NEC 8023 DOT MATRIX . . . . (List $795) $ Call

EPSON MX 80/MX 80 FT

9 x 9 dot matrix · Lower case descenders · 80 CPS · Bi-directional, logic seeking · 40, 66, 80,132 columns per line · 64 special graphic characters · TRS-80 Compatible · Form handling · Multi-page printing · Adjustable tractors




MX 80 . . . . (List $645) $ Call

Graftrax-80 Dot Graphics Upgrade . . . (List $95) $ Call

MX 80 FT includes Friction Feed . . . . (List $745) $ Call

EPSON MX 70




Super low-priced dot resolution graphics · 5 x 7 dot matrix · User replaceable printhead & Top of Form

MX 70 . . . . (List $450) $ Call

EPSON MX 100

Same basic features as the MX 80 · PLUS friction feed for single sheets · PLUS 15" wide carriage

MX 100 . . . (List $945) $ Call




C. ITOH STARWRITER



Daisy Wheel Letter Quality 25 CPS (Optional 45 CPS) · Typewriter quality · Centronics parallel · RS 232 Serial (Optional) · Proportional spacing · Bi-directional · Programmable VFU · Self test · Diablo compatible · Friction feed (Optional tractors) · 136 printable columns · Manufactured by TEC

C. ITOH STARWRITER . . . . (List $1525) $ Call

NEC SPINWRITER



High Speed Letter Quality · 55 CPS · Typewriter quality · Bi-directional · Plotting & Proportional spacing

77XX RO, Serial/Parallel . . . . (List $3055) $2575

QUME 9/45 typewriter quality . . . . $ Call

DIABLO 630 typewriter quality . . . . $ Call

NEW MALIBU 200

165 cps standard (250 cps optional) · Letter quality font · 12 optional fonts · Bidirectional, logic seeking · 19 x 18 dot matrix · Expanded characters (2x, 4x) · Dot resolution graphics · Underlining

MALIBU 200 . . . . (List $2995) $ Call

TELEVIDEO CRT'S

TVI910, TVI912C, TVI920C, TVI950—Please call toll free. Prices are too low to advertise . . . . $ Call

CENTRONICS 739



With graphics and word processing Print Quality · 18 x 9 dot matrix; suitable for word processing · Underlining · proportional spacing · right margin justification · serif typeface · 80/100 CPS · 9½" Pin Feed/Friction feed · Reverse Platen · 80/132 columns · Top of Form


CENTRONICS 739-1 (Parallel) . . . . (List $955) $Call

CENTRONICS 739-3 (Serial) . . . . (List $1045) $815

...technical expertise.

The printer specialists.


ANADEX



Dot Graphics, Wide Carriage · 11 x9 dot matrix; lower case descenders · Dot resolution graphics · Bi-directional, logic seeking · Up to 200 CPS · RS 232 Serial & Parallel · Forms control · X-ON/X-OFF · Up to 6 part copy.

ANADEX 9501/9500 . . . . (List $1650) $1350

IDS PAPER TIGERS



Dot Resolution Graphics, quality print, speed 9 wire staggered printhead with lower case descenders · Over 150 CPS · Bi-directional, logic seeking · 8 character sizes; 80-132 columns · Adjustable tractors · High-resolution dot graphics · Proportional spacing & text justification


IDS 460G . . . . (List $1094) $ Call
IDS 560G . . . . (List $1394) $ Call
IDS PRISM COLOR PRINTER . . . . . . (List $1995) $ Call

INTERFACE EQUIPMENT

CCS APPLE SERIAL Interface & Cable $150
ORANGE INTERFACE for Apple II parallel interface board & cable $110
TRS-80 CABLES to keyboard or Exp. Interface . . . $ Call
NOVATION D-CAT direct connect modem . . . . $ Call
ATARI, NORTHSTAR printer cables . . . . $ Call
ALL EPSON ACCESSORIES . . . . $ Call

THE GRAPPLER™

APPLE INTERFACE AND CABLE by Orange Micro



The Grappler™ interface card is the first to provide on-board firmware for Apple high resolution dot graphics. No longer does the user need to load clumsy software routines to dump screen graphics—it's all in a chip. Actually, it's our E-PROM, and it is replaceable to accommodate the Anadex, Epson MX-70, 80* and 100, IDS Paper Tigers, Centronics 739, NEC 8023, C. ITOH Prowriter, and future graphic printers. The Grappler™ accepts 18 software commands including Hi-Res inverse, 90° rotation, double size, and much more. Invented by, and available from Orange Micro and Orange Micro dealers only. $ Call for price.

*Requires GRAFTRAX 80

VISIT OUR RETAIL STORES

If you live in California, or are visiting don't miss our two Printer Stores. Expert consultation and know-how is available to assist you in getting the best printer for the application. We provide live demonstrations for a wide selection of Printers.



SHERMAN OAKS, 13604 Ventura Blvd., (213) 501-3486
ANAHEIM, 3150 E. La Palma, SuiteI, (714) 630-3622
Store Hours: M-F 10-6, Sat. 10-4

At Orange Micro our printer specialists fit the right printer to your application. Call us today for free consultation (and don't forget to ask for your free catalog).

Phone orders are WELCOME; same day shipment. Free use of VISA and MASTERCARD. COD's accepted. Personal checks require 2 weeks to clear. Manufacturers warranty included on all equipment. Prices subject to revision.

CALL FOR FREE CATALOG TOLL FREE (800) 854-8275

CA, AK, HI (714) 630-3322.









3150 E. La Palma, Suite G, Anaheim, CA 92806

Circle 259 on inquiry card.

Listing 8 continued:

```
BEGIN{edit_tline}
  HSUM := 0;
  WSUM := 0;
  WITH TLINES[LN] DO
    BEGIN
      IF IPTR <> NIL  {if any ITEMs exist}
        THEN BEGIN
               TL := TRUE;     {parent of pointer is TLINES[LN]}
               NEXTPTR := VIEWITEM(IPTR);      {get first ITEM}
                      {while an ITEM exists get it}
               WHILE (NEXTPTR <> NIL) DO NEXTPTR := VIEWITEM(NEXTPTR);
                      {no ITEMs left}
             END;{if}
  REPEAT              {add ITEMs or leave}
    CLEAR;
    GOTOXY(0,2);
    WRITE('LINE NUMBER ');
    IF LN <= MAXTLINE
      THEN WRITE(LN : 2)

        ELSE IF LN <= MAXALINE THEN WRITE(LN-MINALINE+1 : 2)
                            ELSE IF LN <= MAXBLINE
                                THEN WRITE(LN-MINBLINE+1 : 2);
      WRITELN('   ',TITLES[LN]:40);
      WRITE('DO YOU WANT TO ADD AN ITEM  Y/N');
      REPEAT
        READ(KEYBOARD,CH)
      UNTIL ( CH IN ['Y','y','N','n']);
      ELINE;
      IF CH IN ['N','n'] THEN BEGIN
                              SUMS;{add the ITEMs and put in TLINE[LN]}
                              VIEW;{display the contents of TLINES[LN]}
                              EXIT(EDIT_TLINE);
                            END;
      NEW(PTR);          {begin the addition of a new ITEM}
      IF IPTR = NIL THEN IPTR := PTR    {if its the first ITEM of TLINES[LN]}
                   ELSE LASTPTR^.NPTR := PTR;
      LASTPTR := PTR;
      WITH PTR^ DO       {begin actual data entry}
        BEGIN
          NPTR := NIL;
          TLNUM := LN;
          NAMER('NAME',PTR^.NAME,10);
          GOTOXY(0,8);
          WRITE('ENTER AMOUNT  ');
          READDOL(9,AMT);
          IF SINGLE THEN WHOSE := H_OWN
                     ELSE WHO(PTR);
        END;{with PTR^}
   UNTIL (CH='Q');
  END;{with tlines[ln]}
END;{edit_lines}

FUNCTION EDIT_WHAT : CHAR;
{select a schedule to edit}
  VAR           CH : CHAR;
  BEGIN
    CLEAR;
    WRITE ('EDIT COMMAND --> A)schedule A     B)schedule B     Z)form 1040 ');
    WRITE ('   F)iling status  Q)uit ');
    REPEAT
      READ(CH)
    UNTIL ( CH IN ['A','a','B','b','Z','z','F','f','Q','q']);
```

Listing 8 continued on page 388

LETTER-PERFECT PRINTER DOUBLES AS DATA CRUNCHER.





Print two ways...correspondence quality and high speed data processing. Now priced under $2000!

The new T-1805 dual purpose serial printer uses a unique 40 x 18 matrix dot pattern for high quality correspondence printing; or, flip a switch, it uses a 7 x 9 matrix for high speed data processing printing. In the high speed mode, it generates reports at time-saving throughput rates reaching 200 lines per minute. In the reduced speed correspondence mode, its pivoting print head lays down overlapping dots to create a letter-perfect character that looks like it came from an office typewriter.

The T-1805 is the latest evolution in the popular and proven T-1000 series of serial printers. As such, the T-1805 offers the same quality construction, high reliability, ease of operation and operator conveniences. Plus, for the benefit of the office crew, the T-1805 is exceptionally quiet. Its 53 dbA noise level ranks it as the quietest impact printer on the market.

There's much more to tell, so visit or call your Mannesmann Tally sales outlet today.


Mannesmann Tally, 8301 South 180th Street, Kent, WA 98031. Phone (206) 251-5524.

Circle 188 on inquiry card.

Printers for the long run.

MANNESMANN TALLY





On the leading edge of the current technological revolution, these two books are written by modern thinkers who, like the Renaissance sages of an earlier time, venture across the boundaries of traditional disciplines to create vivid, detailed studies of humanity's quest for self-contained thinking machines.

In *Brains, Behavior, and Robotics*, Dr. James Albus demonstrates through an analysis of the processing hierarchies of the human brain that in our own heads we find the best model for an artificial intelligence computer. He goes on to survey the state of the art of robotics and concludes by portraying the social and economic impact of the coming "robot revolution."

Dr. Ernest W. Kent writes in *The Brains of Men and Machines* of the complex relationship between humans and machines. Drawing on the latest research in physiological psychology, he predicts that the more intelligent our machines become, the more they will resemble their creators in methods of processing information, storing data, solving problems, and even in their very circuitry.

Complete with extensive bibliographies, both *The Brains of Men and Machines* and *Brains, Behavior, and Robotics* will fascinate the layman and challenge the professional.

Circle 410 on inquiry card.

McGraw-Hill

Please send _____ **Brains, Behavior, and Robotics $16.95**

_____ **Brains of Men and Machines $15.95**

Name _____ Check Enclosed _____


Address _____ Bill Visa/ Master Card # _____

City _____ State _____ Zip _____ Expiration Date _____

BYTE Books 70 Main Street Peterborough, N.H. 03458 Please add .75 per book to cover shipping cost.

Call Toll-Free 800/258-5420

BYTE BOOKS



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 45 Martinsville, NJ

POSTAGE WILL BE PAID BY ADDRESSEE

POPULAR
COMPUTING


Subscription Department
P.O. Box 307
Martinsville, NJ 08836



Introducing "Popular Computing," the key to understanding.

Now you don't have to be a computer professional to unlock all the mysteries, potential, and pleasures of home and small business computers. *Popular Computing*, the new monthly magazine from McGraw-Hill, is the key.

Created in response to growing demand for our informative quarterly *onComputing*, *Popular Computing* explores every aspect of personal computers and their use. All reported in easy-to-understand nontechnical language.



The answer to "Computerphobia."

Even the most computer-unsophisticated reader will find *Popular Computing* interesting and stimulating. Every issue will contain straight-talking product reviews, special news briefs, and feature articles by famous guest contributors (like Isaac Asimov). There'll even be a helpful glossary of computer jargon we couldn't avoid using, and much, much more.

Special Introductory Offer.

Send in this coupon today, and take advantage of *Popular Computing's* Special Introductory Offer.

McGraw-Hill

POPULAR COMPUTING
THE KEY TO UNDERSTANDING
P.O. Box 397, Hancock, NH 03449

SUPER SAVINGS FOR ME...I'm taking advantage of this super introductory offer of 12 issues for only $11.97 saving me $3.03 on the basic rate of $15.00—and saving me $18.03 off the 12 issue newsstand rate of $30.00. If my 30-day review of your first issue doesn't 100% please me, I may cancel my subscription and you will promptly refund ALL my money or give me a FULL credit on my charge card marked below:

Mail Today to:
POPULAR COMPUTING
P.O. Box 307, Martinsville, NJ 08836

☐ Check Enclosed for $11.97
☐ Charge $11.97 to:
☐ Visa ☐ Mastercard

Card No. ______ Expires ______
Signature ______
Name (Please Print) ______
Address ______
City ______
State ______ Zip ______

Build an EPROM Emulator

Eric C. Rehnke
1067 Jadestone Lane
Corona, CA 91720


Remember the last time you developed a program, "burned" it into (stored it in) an EPROM (erasable programmable read-only memory), and then discovered one or two bugs? And then, as a result of fixing one of the bugs by burning the EPROM again, several more showed up? It's happened to me more than once. And since it takes quite a bit of time to erase and reprogram EPROMS, a whole evening can be wasted without accomplishing much. After several of these frustrating sessions, I decided that there had to be a better way. After all, aren't computers supposed to *save* time?

Clearly, a device was needed that would "look" like an EPROM to an EPROM socket and be quickly accessible from the program-development system. In this way, code could be verified before burning it into an EPROM. This becomes even more of a necessity if you're developing code for a small, dedicated controller and don't have any means of trying it before programming the EPROM.

About this time, I saw an ad for a Debug Memory Board (DBM-1) from Pragmatic Designs of Mountain View, California. The DBM-1 was exactly what I was looking for, but, unfortunately, it was meant to be used with an S-100 system. Since my system was 6502-based and didn't use the S-100 bus (there are a few of us out here), I ended up designing my own board. I call it an EPROM emulator because emulating is what it's doing.

Dual-Port Memory

The emulator gives my software-development system a "window" into whatever system the EPROM is normally plugged into. It does this bit of






Figure 1: *Types of programmable memory. Figure 1a shows the common single-port memory, with a single set of data and address buses. Figure 1b is a block diagram of dual-port memory; it allows access by two separate sets of buses.*

TRS-80* COMPUTING EDITION

©1981 Percom Data Co., Inc. The Percom Peripheral 35 cents

Percom's DOUBLER II™ tolerates wide variations in media, drives

GARLAND, TEXAS — May 22, 1981 — Harold Mauch, president of Percom Data Company, announced here today that an improved version of the Company's innovative DOUBLER® adapter, a double-density plug-in module for TRS-80* Model I computers, is now available.

Reflecting design refinements based on both theoretical analyses and field testing, the DOUBLER II®, so named, permits even greater tolerance in variations among media and drives than the previous design.

Like the original DOUBLER, the DOUBLER II plugs into the drive controller IC socket of a TRS-80 Model I Expansion Interface and permits a user to run either single- or double-density diskettes on a Model I.


With a DOUBLER II installed, over four times more formatted data — as much as 364 Kbytes — can be stored on one side of a five-inch diskette than can be stored using a standard Tandy Model I drive system.

Moreover, a DOUBLER II equips a Model I with the hardware required to run Model III diskettes.

(*Ed. Note*: See "OS-80®: Bridging the TRS-80* software compatibility gap" elsewhere on this page.)

The critical clock-data separation circuitry of the DOUBLER II is a proprietary design *called a ROM-programmed digital phase-lock loop data separator*.

According to Mauch, this design is more tolerant of differences from diskette to diskette and drive to drive, and also provides *immunity to performance degradation caused by circuit component aging*.



Percom DOUBLER II®

Mauch said "A DOUBLER II will operate just as reliably two years after it is installed as it will two days after installation."

The digital phase-lock loop also *eliminates the need for trimmer adjustments typical of analog phase-lock loop circuits*.

"You plug in a Percom DOUBLER II and then forget it," he said.

The DOUBLER II also features a refined Write Precompensation circuit that more effectively minimizes the phenomena of bit- and peak-shifting, a reliability-impairing characteristic of magnetic data recording.

The DOUBLER II, which is fully software compatible with the previous DOUBLER, is supplied with DBLDOS™, a TRSDOS*-compatible disk operating system.

The DOUBLER II sells for ~~$219.95~~, including the DBLDOS diskette. NOW $169.95!

Owners of original DOUBLERs may purchase a DOUBLER II upgrade kit, without the disk controller IC, for $30.00. Proof of purchase of an original DOUBLER is required, and each DOUBLER owner may purchase only one DOUBLER II at the $30.00 price.

The Percom DOUBLER II is available from authorized Percom retailers, or may be ordered direct from the factory. The factory toll-free order number is 1-800-527-1222.

Ed. note: Opening the TRS-80 Expansion Interface may void the Tandy limited 90-day warranty. Circle 281 on inquiry card.

Circuit misapplication causes diskette read, format problems.

High resolution key to reliable data separation

GARLAND, TEXAS — The Percom SEPARATOR® does very well for the Radio Shack TRS-80* Model I computer what the Tandy disk controller does poorly at best: *reliably* separates clock and data signals during disk-read operations.

Unreliable data-clock separation causes format verification failures and repeated read retries.

CRC ERROR–TRACK LOCKED OUT

The problem is most severe on high-number (high-density) inner file tracks.

As reported earlier, the clock-data separation problem was traced by Percom to misapplication of the internal separator of the 1771 drive controller IC used in the Model I.

The Percom Separator substitutes a *high-resolution* digital data separator circuit, one which operates at 16 megahertz, for the low-resolution one-megahertz circuit of the Tandy design.

Separator circuits that operate at lower frequencies — for example, two- or four-megahertz — were found by Percom to provide only marginally improved performance over the original Tandy circuit.

The Percom solution is a simple adapter that plugs into the drive controller of the Expansion Interface (EI).

Not a kit — some vendors supply an untested separator kit of resistors, ICs and other paraphernalia that may be installed by modifying the computer — the Percom SEPARATOR is a fully assembled, fully tested plug-in module.

Installation involves merely plugging the SEPARATOR into the Model I EI disk controller chip socket, and plugging the controller chip into a socket on the SEPARATOR.

The SEPARATOR, which sells for only $29.95, may be purchased from authorized Percom retailers or ordered directly from the factory. The factory toll-free order number is 1-800-527-1222.

Ed. note: Opening the TRS-80 Expansion Interface may void the Tandy limited 90-day warranty. Circle 280 on inquiry card.

All that glitters is not gold

OS-80™ Bridging the TRS-80* software compatibility gap

Compatibility between TRS-80* Model I diskettes and the new Model III is about as genuine as a gold-plated lead Krugerrand.

True, Model I TRSDOS* diskettes can be *read* on a Model III. But first they must be converted and re-recorded for Model III operation.

And you *cannot write* to a Model I TRSDOS* diskette. Not with a Model III. You cannot add a file. Delete a file. Or in any way modify a Model I TRSDOS diskette with a Model III computer.

Furthermore, your converted TRSDOS diskettes cannot be converted *back* for Model I operation.

TRSDOS is a one-way street. And there's no retreating. A point to consider before switching the company's payroll to your new Model III.

Real software compatibility should allow the *direct, immediate* interchangeability of Model I and Model III diskettes. No read-only limitations, no conversion/re-recording steps and no chance to be left high and dry with Model III diskettes that can't be run on a Model I.

What's the answer? The answer is Percom's OS-80® family of TRS-80 disk operating systems.

OS-80 programs allow *direct, immediate* interchangeability of Model I and Model III diskettes.

You can run Model I single-density diskettes on a Model III; install Percom's plug-in DOUBLER® adapter in your Model I, and you can run double-density Model III diskettes on a Model I.

There's no conversion, no re-recording.

Slip an OS-80 diskette out of your Model I and insert it directly in a Model III.

And vice-versa.

Just have the correct OS-80 disk operating system — OS-80, OS-80D or OS-80/III — in each computer.

Moreover, with OS-80 systems, you can add, delete, and update files. You can read *and write* diskettes regardless of the system of origin.

OS-80 is the original Percom TRS-80 DOS for BASIC programmers.

Even OS-80 utilities are written in BASIC.

OS-80 is the Percom system about which a user wrote, in Creative Computing magazine, ". . . the best $30.00 you will ever spend."†

Requiring only seven Kbytes of memory, OS-80 disk operating systems reside completely in RAM. There's no need to dedicate a drive exclusively for a system diskette.

And, unlike TRSDOS, you *can* work at the track sector level, defining and controlling data formats — in BASIC — to create simple or complex data structures that execute more quickly than TRSDOS files.

The Percom OS-80 DOS supports single-density operation of the Model I computer — price is $29.95; the OS-80D supports double-density operation of Model I computers equipped with a DOUBLER or DOUBLER II; and, OS-80/III — for the Model III of course — supports both single- and double-density operation. OS-80D and OS-80/III each sell for $49.95. Circle 282 on inquiry card.

PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE. PRICES DO NOT INCLUDE HANDLING AND SHIPPING.

PERCOM DATA COMPANY, INC. 11220 Pagemill Road Dallas, Texas 75243 (214) 340-7081




Figure 2a: *A schematic diagram of the logic section of the EPROM emulator dual-port memory circuit. The 8131 address comparator generates the signal* $\overline{\text{BOARD SELECT}}$*, used to allow either the development system or the EPROM socket access. See figure 2b for the programmable-memory portion of this circuit.*

Whitesmiths, Ltd. is now shipping Pascal Compilers for 10 (count 'em ten) different operating system families:

ISIS-II*
CP/M, CDOS
Idris/B80
RT-11
RSX-11M, RSTS/E, IAS
Idris/R11, UNIX/V6, UNIX/V7
VERSAdos
Idris/S68K
VMS
UNIX/32V*

*Available in source form only.

Idris is a trademark of Whitesmiths, Ltd. ■ UNIX is a trademark of Bell Laboratories ■ CP/M is a trademark of Digital Research ■ RSX-11M, RSTS/E, RT-11, and VMS are trademarks of Digital Equipment Corporation ■ VERSAdos is a trademark of Motorola Inc.

All implementations support the full ISO Pascal (Level 0). All pass the Tasmanian Validation Suite with flying colors. And all are free of those tempting non-standard extensions—because we added the only extension you need.

Separate Compilation.

You can partition your Pascal program into separately maintainable files. You can write library functions to add to the extensive set we give you (about 100 of them). And you can mix in modules written in other languages, like assembler (if you must) or C (to preserve portability).

In fact, C language support comes with every Pascal Compiler we sell.

Our native Pascal Compilers are only $950, including shipping in the continental U.S. Cross Compilers, for most combinations of host system and target machine, $1350. Interested? Write or call.

Distributors: **Australia,** Fawnray Pty Ltd., Brighton-Le-Sands 522 5574
Japan, Advance Industries, Chiyoda-ku, Tokyo 03-258-0839
United Kingdom, Real Time Systems, Newcastle upon Tyne 0632 733131

Whitesmiths, Ltd.

magic by using *dual-port memory*. This is a block of random-access memory that can be accessed from two separate system buses (or ports). Each port has its own address and data bus, and incorporates logic that switches control between the two ports.

Since normal programmable memory has a single address and data bus, it can be called a single-port device (see figure 1a). To turn that memory into a two-port device, it is necessary to multiplex another data and address bus in by adding some switching logic (see figure 1b).

Number	Type	+5 V	GND
IC1	74LS245	20	10
IC2	74LS244	20	10
IC3	8131	16	8
IC4	74LS157	16	8
IC5	74LS157	16	8
IC6	74LS157	16	8
IC7	74LS04	14	7
IC8	2114	18	9
IC9	2114	18	9
IC10	2114	18	9
IC11	2114	18	9

Physically, the EPROM emulator consists of a circuit board containing the dual-port memory that plugs into the microcomputer development-system bus (see figure 2), and an umbilical cable that leads out to a buffer module and 24-pin header plug (see figure 3). The buffer module is located as close as possible to the 24-pin header plug that is installed in the EPROM socket because it is used to increase the drive capability of the signals between the EPROM socket and the development system. I haven't done any testing to determine what the maximum length of the cable should be before delays and signal degradation cause the system to malfunction. Mine worked fine with a 3-foot long cable. Therefore, I didn't try any other lengths.

As you may have already guessed, the development system hooks into one port of the dual-port memory; the EPROM socket gets connected to the other.

The development system can read from and write to this memory through its port without any idea that there is anything different about it; it appears to be just an ordinary block of programmable memory. Whenever the development system isn't accessing the dual-port memory board, control is passed to the address and data bus of the EPROM socket. Whenever the EPROM socket is accessed, data are read just as if they were in an EPROM plugged into that socket.

As the schematic diagrams of figure 2 and figure 3 show, the design is straightforward. The 8131 address comparator (IC3, figure 2a) can be considered the "brains" of the system because it switches control back and forth between the two ports. When AB15 through AB11 have the same bit pattern as switches SW4 through SW0, the $\overline{\text{BOARD SELECT}}$ line from pin 9 of the 8131 goes low and several things happen simultaneously. The 74LS245 system data-bus buffer (IC1,




Figure 2b: *A schematic diagram of the programmable-memory portion of the EPROM emulator dual-port memory circuit. The entire circuit (figures 2a and 2b) is connected via ribbon cable to the buffer/adapter board of figure 3.*

Circle 217 on inquiry card. ➞


MicroDaSys
68K
MiniFrame Power
MicroDaSys 68K MiniFrame
features:
• Virtual Memory Management
• Motorola 68000 Processor
• 12 Mhz operation
• 32 bit computations
• 4 Billion byte addressing
• LRU demand paging
• Peripheral processor
• UNIX multi-user operating system
Only the world's finest minicomputer offers these features in systems available TODAY. Complete single-user systems start under $10,000. And a 6 user UNIX-based 16 MB virtual system with 512K Bytes RAM and 24M Bytes hard disc costs under $25,000! Want proof? Call or write now for brochures and information on our 68K Seminars. Or send $75 for the complete technical manual set.
MicroDaSys
2811 Wilshire Blvd., Santa Monica, CA 90403
Call (213) 829-6781
TWX: 910-321-2378
A free poster of this ad is available while supply lasts.
UNIX is a trademark of Bell Laboratories
68K MiniFrame is a trademark of MicroDaSys, Inc.




Figure 3: *Schematic diagram of the buffer/adapter board. This segment of the emulator system is used to strengthen the drive capabilities of the EPROM socket to insure that signals are transmitted through the ribbon cable adequately.*

figure 2a) is enabled, as well as the "A" side of the 74LS157 address-line multiplexers (which gives control of the dual-port memory over to the development system), while the EPROM data-bus buffer #1 (IC2, figure 2a) is disabled.

The development system is now in full control of dual-port memory access. If the EPROM socket tried to gain access to the board at the same time, the EPROM data-bus buffer #2 (IC1, figure 3) would be selected. However, since the #1 buffer (IC2, figure 2a) was deselected, no good data would be read. The 74LS32 gate on the buffer board (IC4, figure 3) makes sure that the #2 buffer doesn't get enabled until the EPROM $\overline{CE}$ and $\overline{OE}$ signals (pins 20 and 18) from the target system are both low.


Whenever the $\overline{\text{BOARD SELECT}}$ line is high, the 74LS245 data-bus buffer (IC1, figure 2a) is disabled, while the 74LS244 EPROM data-bus buffer #1 is enabled, along with the "B" side of the 74LS157 address-line multiplexers. This gives the EPROM socket access to the dual-port memory during the times that the development system isn't accessing the board.


Details

This circuit was designed to reside in a 6502-based development system and emulate the Intel 2716 EPROM. The development system is built around the MOS Technology KIM-1 with hardware expansion accessories (48K bytes of memory, an 8-inch floppy-disk drive, and a 15-slot motherboard) from Hudson Digital Electronics (POB 120, Allamuchy, NJ 07820, (201) 362-6574). The emulator was built on a wire-wrap prototyping card (also from Hudson) using normal digital-construction techniques.

The EPROM buffer module in

MACRO OPERATIONS FOR MICRO SYSTEMS





Microcomputer Disk Techniques
by Paul Swanson


Rarely has so much useful information been presented as clearly and logically as it is in *Microcomputer Disk Techniques*. The author shows how sophisticated methods used on larger computers may be implemented on a personal computer. Building from a basic introduction, Paul Swanson goes on to detail random-access, sequential, and key files, parameter-driven subroutines, and, finally, the art of programming itself. This volume will help both novices and experienced computer users squeeze every bit of use out of a disk system.

Price $15.00
ISBN 0-07-062582-4

Microcomputer Operating Systems
by Mark Dahmke

A uniquely helpful volume, *Microcomputer Operating Systems* details the structures and capabilities of the operating systems that link the computer user to the hardware itself. The author explains small systems and their monitors, larger systems with terminals and disk storage, and the function of command languages. Data and memory management, multiprocessing, user interference, multiuser environments, and system design are among the more specific topics included in this comprehensive guide. Two particular operating systems—CP/M and Unix—are covered in appendices.

Price $15.95
ISBN 0-07-033356-4


Please send ______ Microcomputer Disk Techniques $15.00
______ Microcomputer Operating Systems $15.95

Name

Address

City State Zip

BYTE Books 70 Main Street Peterborough, N.H. 03458

Call Toll-Free 800/258-5420

Check Enclosed

Bill Visa/
MasterCard #

Expiration Date

Please add .75 per book to cover shipping cost.

B2

photo 1 is an earlier version designed to emulate the 2708 or the TI or Intel 2716. Since I ended up using only the Intel 2716-style part, I eliminated the switching feature from the design presented here. This simplified the circuitry quite a bit.

A situation may arise where the 2K-byte dual-port memory board may need to reside at a different physical address in the development system than that of the EPROM socket in the target system. In this case, the system assembler must be able to assemble code that runs at one location but actually resides at another.

Say, for example, that the emulator resides at C000 hexadecimal in the development system, while the EPROM socket is located at F800 hexadecimal in the target system. The system assembler must then be able to assemble object code to operate from the F800 address (so that it can run in the target system), but physically reside at C000 (so that it can be assembled into the emulator). This feature is usually called *assembly with offset*. It is included in the assembler from Hudson, as well as most good assemblers. If your assembler doesn't have this feature, you may be able to assemble to disk (or tape) and reload with an offset. Of course, if the emulator is located at the same physical address as the EPROM socket, you don't have to worry about any of these offset problems.

Users of the 6800 system should have little difficulty adapting the emulator to work with their machines. Users of Z80/8080 equipment will only have to redesign the interface to the development-system side of the emulator.


The emulator can easily be expanded to handle the newer 4K-byte EPROMS, with the addition of more memory and another multiplexer.

Another Use for the Emulator

How would you like a programmable character generator for your video board? Just plug the emulator into the character-generator socket (you may have to modify the connection to make it compatible) and load your character set into the dual-port memory. Anytime the video circuit is commanded to display a character, it reads the dual-port memory and displays the character you have programmed.

I also use the board for loading programs into my Rockwell AIM-65, Synertek SYM-1, and Apple II computers. Since the AIM-65 and SYM-1 only have cassette mass storage, I can usually save time and trouble by just saving everything on the floppy disks in the development system.

The EPROM emulator has proven itself to be a worthwhile addition to my arsenal of system-development tools and has paid for itself several times over. ■






Photo 1: *Close-ups of the parts of the EPROM emulator. The top photo is the early version of the buffer module, with its 24-pin header installed in the EPROM socket of the 6502-based single-board computer under development (the* target system*). The bottom photo shows the dual-port memory, built on a wire-wrap card.*

← Circle 411 on inquiry card.

Two Tax Aids

Aardvark Individual Tax Plan and Howardsoft Tax Preparer

Mary Jo Kvam
13 Foliage View
West Lebanon, NH 03784

Before I compare two income-tax programs, the Individual Tax Plan by Aardvark Software and the Tax Preparer by Howard Software, let's take a look at the process of creating a tax return.

Income-tax preparation has three phases that you must complete in order to come up with a finished product by April 15.

Phase 1 is record keeping. You must keep records of all the necessary tax facts and figures for the year.

Phase 2 is planning. It involves making certain key decisions so that when you fill out the forms and schedules, your tax position is optimized. These decisions might include whether to file joint or separate returns, how much stock to sell to maximize your tax advantage on long-term capital gain or loss, whether to use the 10-year averaging method for lump-sum distributions, and other considerations.

Phase 3 is the paperwork of actually filling out the tax return to be submitted to the IRS. This phase is compulsory, of course, but your work here will be supported and strengthened by the completion of the other two noncompulsory phases.

The two tax programs reviewed here have different goals and are aimed at different audiences. The Individual Tax Plan will simplify and speed up your work in Phase 2. The Tax Preparer will assist you through Phase 1 and ease you through Phase 3. Both programs run on Apple II disk systems; see the At a Glance text boxes for the specific requirements.

The Aardvark Individual Tax Plan

The Aardvark Individual Tax Plan (AITP) helps you to determine systematically your best tax alternative. You enter a variety of income and expense items to create different tax situations. AITP does the calculations and allows you to isolate the tax results attributable to the

About the Author

Mary Jo Kvam has worked for eight years in data processing and is currently engaged in consulting and freelance writing.

At a Glance

Name
Individual Tax Plan

Type
Income-tax-planning software

Manufacturer
Aardvark Software Inc.
783 North Water Street
Milwaukee, WI 53202
(414) 289-9988

Price
$250

Format
Two 5¼-inch floppy disks—one program and one data disk

Language Used
Apple Pascal Language System

Computer Needed
Apple II or Apple II Plus with 48K bytes of memory; CP/M System; one or more disk drives (DOS 3.3); printer
(known to work with Anadex 9500 and 9501, Epson MX-80, NEC 5530, Okidata 22, most others)

Documentation
3-ring binder, 44 pages

Audience
Professional tax planners

At a Glance

Name
Tax Preparer

Type
Income-tax record-keeping software for creation of IRS-acceptable forms and schedules

Manufacturer
Howard Software Services
6713 Vista Del Mar
La Jolla, CA 92037
(714) 454-5079

Price
$99

Format
Two 5¼-inch floppy disks—one program and one storage disk

Language Used
Applesoft BASIC

Computer Needed
Apple II Plus with 48K bytes of memory; one or more disk drives (DOS 3.2 or 3.3); printer optional—most parallel-port printers are suitable.

Documentation
3-ring binder, 22 pages

Audience
Individuals and tax professionals

Solve the Great Software Mystery!

You spent a lot of time searching and researching to find just the right computer. But when it comes to compatible software, you're stymied. Where do you turn? What is the key that unlocks the software mystery? The answer is elementary. It takes a company with the expertise and research facilities to discover and develop a wide variety of quality software programs — a company with a staff of experts who understand both software and hardware — a company that is not only reliable but offers unique 24-hour services and — a company dedicated to being your software company.

With all these pluses there's no mystery as to why Westico is so popular with knowledgeable software buyers. But look! There's more.

The Westico 24-Hour Computer Hotline (203) 853-0816

(300 baud) for detailed program information and quick access ordering.

- A full range of professional software.
- Support for a wide variety of CP/M® and other computer systems, including: TRS-80 Model II, Apple, Vector Graphic, Cromemco, North Star, Micropolis, Ohio Scientific, Altos, Dynabyte, IBM, SuperBrain, Xerox, Zenith and more.

Two new solutions from Westico

LEGAL BILLING & TIMEKEEPING

The LBS is designed for law offices with up to 25 attorneys and 35 timekeepers, including paralegals and secretaries. The system distributes all Time and Expenses to client accounts or designated Overhead Accounts, and produces monthly Client Review sheets. After any adjustments it also provides: ready-to-mail itemized bills, monthly Office Management Summary, Aged Receivables Report. An Accounts List is also built into the system.

Complex transactions recording is reduced to a minimum because the LBS system is based on daily timesheets prepared by each timekeeper with a complete system for coding client matters and expenses. The attorney auditing the pre-billing review form can choose various predetermined rates, or bill on retainer, contingency fee or an adjusted basis.

The Office Management Summary provides a financial analysis of each attorney's billings, aging of his accounts receivable and an analysis of the work effort of each timekeeper and total for the firm. The Accounts List summarizes current activity and status of each client.

The LBS is designed so that even first-time computer operators can install the system without expert help.

System/documentation-$895
Demonstration System-$ 75
Documentation alone-$ 40

MICRO-TAX

Micro-Tax provides in-house computerized tax capability for the tax practitioner or serious investor. The system is designed to accept information, summarize data, compute tax and print the returns required by the Internal Revenue Service. The system's immediate response capability gives both tax specialist and clients immediate results of the computation.

The system reduces time required to complete a return while also minimizing the tax obligation of the taxpayer within the limit of the law. Three levels of tax preparation systems are available:

Level 1 — Uses 23 schedules and forms, handles multiple clients, and prints IRS approved forms.

Level 2 — All of Level 1 plus six more schedules and forms, depreciation system, state tax interface, integrated data base for year to year data storage, and batch compute and print functions.


Level 3 — All of Level 1 plus partnership schedules and forms.

State tax computation for the following states is available at additional cost: Arizona, California, Illinois, Ohio, Oregon, Maryland, New York, Utah, Virginia and Washington, D.C.

Other states and municipalities are being added.

Prices:

Level 1 — $250
Level 2 — $1,000
Level 3 — $750
Level 2 plus Level 3 — $1,500
State Tax — Call for prices
Demonstration system — $75



4 WAYS TO ORDER

- Write Westico, Inc., 25 Van Zant Street, Norwalk, CT 06855.
- **Call (203) 853-6880.**
- Telex 643-788.
- Dial-up our 24-hour computer (300 baud) **(203) 853-0816.**

COD, MasterCard and VISA accepted.

Prices do not include shipping and are subject to change. In CT add 7½% sales tax. All sales final.

Manual price may be credited toward purchase of software.

Dealer inquiries invited.

WES-40

Send for **FREE** catalog



25 Van Zant Street • Norwalk, Connecticut 06855
(203) 853-6880 • Telex 643-788

variables entered. By comparing the outcomes, you can determine the most advantageous tax situation.

Step by step, AITP assists you in setting up your tax case. You are prompted for the number of alternatives you want; the maximum is 5 per file. AITP will then prompt you for up to 72 input values (besides spouse entries) to be used in determining the tax due (see table 1). You need not enter all this data, nor even be prompted for all of it. As shortcuts, AITP offers special function keys designed to provide freedom of movement through the data-entry section.

Once you've completed the data-entry section, you give your file a name and save it. It is now an old file, which can easily be reviewed, changed, or deleted. To see all of the tax results for a case, the calculations are performed and the results are displayed on the screen and printed as hard copy. You can set up an additional file that provides more alternatives for the same case by using a different file name. You can create this file from scratch or make changes to an existing file and give the modified file a new name.

System Configuration

AITP requires an Apple II or II Plus with 48K bytes of memory and one or more disk drives using either DOS 3.3 or the Apple Pascal Language system. The disk-controller card must be installed in slot 6 and the printer-interface card in slot 1. Without the printer-interface card

1	Filing Status
2	Exemptions
	Income
3	Wages, Salaries
4	Interest After Exclusion
5	Dividends After Exclusion
6	Short-Term Capital Gain/Loss
7	Short-Term Capital Loss Carryover
8	Short-Term Capital Gain—Sale of Principal Residence
9	Long-Term Capital Gain/Loss
10	Long-Term Capital Loss Carryover
11	Long-Term Capital Gain—Sale of Principal Residence
12	Partnership Income
13	Other Income/Loss—A
14	Other Income/Loss—B
15	Other Income/Loss—C
16	Other Income/Loss—D
17	Adjustments to Income
	Deductions
18	Medical Insurance Premiums
19	Medicine and Drugs
20	Other Medical and Dental Expenses
21	State Income Taxes Withheld
22	Estimated State Income-Tax Payments
23	Other Taxes
24	Interest Expense
25	Charitable Contributions—20%
26	Charitable Contributions—50%
27	Charitable Contributions Carryover—50%
28	Charitable Contributions—30% (Fair Market Value)
29	Charitable Contributions—30% (Enter Gain If 50% Election Is Applicable)
30	Charitable Contribution Carryover—30%
31	Casualty Loss
32	Miscellaneous Deductions—A
33	Miscellaneous Deductions—B
	Additonal Taxes
34	Form 5405
35	Forms 4970, 4972, 5544, and Section 72(m)(5) Penalty Tax
	Credits
36	Political/Elderly/Child Care/Residential Energy Credits
37	Investment Credit
38	Foreign Tax Credit
39	WIN Credit
40	Jobs Credit
	Other Taxes
41	Self-Employment Tax
42	Recapture of Investment Credit
43	Other Taxes
	Payments
44	Federal Income Taxes Withheld
45	Estimated Federal Income-Tax Payments
46	Other Payments
	Schedule G
47	1980 Form 1040, Line 34
48	1979 Form 1040, Line 34
49	1978 Form 1040, Line 34
50	1977 Form 1040, Line 34
51	1980 Exemptions
52	1979 Exemptions
53	1978 Exemptions
54	1977 Exemptions
55	1980 Foreign Income
56	1979 Foreign Income
57	1978 Foreign Income
58	1977 Foreign Income
59	Amounts Received Subject to Section 72(m)(5) Penalty
60	Excess Community Income
	Form 4625—Minimum Tax
61	Tax Preference Items
62	Tax on Premature Redemption of Individual Retirement Bonds
63	1981 Net Operating Loss Carryover to 1982
64	Minimum Tax Deferred from Earlier Years
	Form 4726—Maximum Tax
65	Personal Service Net Income
	Form 6251—Alternative Minimum Tax
66	Foreign Tax Credit Adjusted for Alternative Minimum Tax Calculation
67	Other Credits Allowed Against Alternative Minimum Tax
	Form 4972—10 Year Avg. Method
68	Capital Gain Portion of Lump-Sum Distributions
69	Ordinary Income Portion of Lump-Sum Distributions
70	Current Actuarial Value of Annuity
71	Exclusion
72	Federal Estate Tax Attributable to Lump-Sum Distribution

Table 1: *A list of the 72 input values used in Aardvark's Individual Tax Plan to determine the income tax due.*

Circle 353 on inquiry card. →

in slot 1, AITP will not run. I have no printer at home, so I used a modem card in slot 1 and that worked fine. Aardvark claims that the Individual Tax Plan will interface successfully with most standard printers. A minor hardware modification may be necessary for printers that use the Centronics Parallel Card.

If you have a one-drive system, you will need to make extra copies of the program disk. All of your tax plan cases will be saved on these disks, and Aardvark estimates that between 20 and 30 tax-plan files can be saved on each disk. With a two-drive system you will need to make extra copies of the data disk, as well as a backup of the program disk. Aardvark estimates that between 50 and 75 tax-plan files can be saved on each data disk.

Documentation

The documentaton for AITP is well packaged in a 44-page, 3-ring binder. The sheets are printed on one side only, making them good for notes. The documentation is easy to follow, complete, and concise. I had only to skim through the binder once to become familiar with the layout and feel comfortable with it as a tool.

The documentation has six sections. First, an introduction gives an overview of the program, hardware requirements, etc. The second section teaches you how to use AITP by walking you through two different sample cases. I found this section really helped me become comfortable with the software. It's a kind of "blind faith" approach, because you are setting up cases without knowing a lot about the software, but it works. The third section explains the screen menus, what every choice on every menu will do, and how the menus fit together. Section four describes the auto-entry keys and special function keys, which provide unique shortcuts for entering tax data. The fifth section defines the 72 tax inputs, and the appendixes give input work sheets and illustrations of the inputs and printouts of the two sample cases from section two. Everthing you need to run AITP is included in the documentation. If it weren't for a few minor errors, I would have rated it excellent.

Using the Program

For the most part, AITP is a pleasure to use. The hierarchical menu structure is easy to use and understand. Even during my first session of entering new cases and revising old ones, I knew where I was in relation to the overall program. AITP's error handling is well designed. The program will not crash when given improper input values; it simply refuses to accept them. Screen management is well done too. The screens are crisp and clear, and when there are separate sections on the same screen, they are well partitioned.

AITP could be improved a bit in a few areas. Some menu choices don't really make sense for certain processing paths. When selected, such choices may temporarily cause a slightly jumbled display. This flaw might have been remedied by tailoring the menus to the processing paths. And why prompt for spouse information in cases involving single taxpayers? This situation causes no real harm, but if you're not married you must hit the F (Forward) key a bit more often.

According to Aardvark, this version of AITP will have been superseded by the time this review is published. The new version will reflect the new tax law and include adjustments for tax revisions through 1986. One of the enhancements that the new version will include is a projection capability, so you will be able to determine future tax consequences. You will be able to see the results of your tax planning for the base year plus the next four years.

Also, at an additional cost, you can obtain software designed for state tax planning. Only selected states are available (contact Aardvark for details). Note that the Aardvark Individual Tax Plan is now available to run on CP/M-based microcomputers.

The Howardsoft Tax Preparer

The Howardsoft Tax Preparer (HTP) actually prepares the forms and schedules that comprise the tax return. You enter information for your tax return just as you have always done, but you only need to enter information once. Repetitious inputs and complex procedures are eliminated. HTP takes care of all calculations, and the results are reflected on all lines of all forms where they are needed. An itemization feature allows HTP to be used for tax record keeping throughout the year in preparation for the next filing deadline.

The Process

Howardsoft suggests using the 1040 income-tax form as a guide for structuring your data entry. To create a new tax return, you give your return a name and select the 1040 as the form (file) you want to fill out. You enter data until you reach a line that requires a result from a yet uncompleted form or schedule. At this point, you must go to the end of the 1040 form. You can do this by scrolling or by exiting at the end of a section. After you save the interim results of the 1040, you select the form or schedule that you must complete before continuing with the 1040. Once that form or schedule is completed, you save those results and return to the 1040 form you started by requesting it by file name. This process continues until the 1040 and all other applicable forms and schedules are finished.

Granted, this may not be the fastest way to complete your tax return, but I agree with Howardsoft that it is the most foolproof. Revisions to any form or schedule can be made easily; however, every time you make an adjustment to a form or schedule, you *must* scroll through every other form or schedule that uses that data to ensure proper updating.

HTP creates printed versions of all of the forms and schedules that it handles, and, except for the 1040 form, these can be filed directly with the IRS. Preprinted 1040 forms must be used to meet IRS requirements, and HTP will print directly on the preprinted forms.

The Manager Series* from Microsoft™ turns a personal computer into an executive toolbox.

Better management tools. The Manager Series from Microsoft turns an inexpensive personal computer into an executive's toolbox. Not a computer programmer's toolbox. An executive toolbox. Computerized management tools for non-computer people.

Time, people, projects. The Series is a system of software tools that work together to help you plan, organize, schedule and record your business and personal affairs. Time Manager,* Project Manager* and Personnel Manager* are the first packages in the Series.

Write it once. All programs in the Manager Series allow you to transfer information between programs. That means you can enter information in one program and transfer it for management by another.

Time Manager. The key. Time Manager helps you manage your personal time, appointments and priorities. It can also help you manage expenses, costs and job schedules. Or, keep a running tally of costs and hours by day, week, month or year. And Time Manager can act as an "executive" to manage other programs in the Series.

Project Manager. Describe the components of a project to Project Manager. It will create timing, task and resource charts to help you focus on critical tasks. Change one piece of information and Project Manager will recalculate the entire project. Project Manager even flags overcommitted personnel resources.

Personnel Manager. Manage information about people, companies, customers or prospects. From names and addresses to skills, position, and characteristics. Personnel Manager lets you enter any kind of people-related information. Then, organize and retrieve it almost any way you want.

Management software. Even if you've never used a computer before, you should be able to productively use the Manager Series in a very short time. And, when you've learned to use one in the Series, you've virtually learned them all.

Seeing is believing. Ask your local computer store for a demonstration of the Manager Series. It's a series of management tools that could be your best reason to own a personal computer.

*Trademarks of The Image Producers, Inc.



A Division of Microsoft, Inc.
10700 Northup Way • Bellevue, WA 98004

Circle 222 on inquiry card.

System Requirements

HTP requires an Apple II Plus with 48K bytes of memory and one or two disk drives using DOS 3.2 or DOS 3.3. You'll need a printer to prepare the hard copy forms and schedules. Howard Software informs me that HTP will interface successfully with most standard printers. I used an Integral Data Systems 460G with satisfactory results.

The HTP package contains two disks—a program disk and a storage disk. If you have a one-drive system, your storage disk will need to contain label files in order to avoid the inconvenience of frequent switching between the program disk and the storage disk. A label-copying program is provided as part of HTP. The switching of disks then becomes minimal. In the case of a two-drive system, Howardsoft estimates that the storage disk can hold between 7 and 15 extensive returns.

Documentation

The documentation for HTP is in an attractive, durable package, but its content is only in the fair-to-average range. The documentation provides the information you will need to run HTP properly, but it does not make a very useful reference tool. It is unclear and did not help me much in seeing the whole picture. The manual is split into seven separate chapters, but the material is presented in such a way that I rarely knew where to turn for an answer.

The manual is also a bit sparse—for example, a few more forms and schedules in the appendix would have been a great help. And the documentation should do more than just tell you how to look at the sample case on the program disk. It should contain a walk-through for setting up a sample return from beginning to end. As it stands, the documentation needs rewriting to become a worthwhile resource.

Using the Program

HTP is not the easiest program to use. To some extent, this shortcoming can be traced back to the design of the software, but another reason for the program's complexity is that HTP undertakes quite a bit. The software allows you to enter tax data in its rawest and most familiar form, eliminates duplication of input, performs all calculations, and prints out forms and schedules acceptable to the IRS.

I discovered a flaw in HTP that could cause the tax return to be incorrect. The problem concerns capital gains distributions. The amount is entered on Schedule B, but HTP does not automatically carry this figure over to Form 1040 or to Schedule D. You must enter it again manually on either Form 1040 or Schedule D to properly compute your tax return. I did not hit upon any other critical problems, but the depreciation section was confusing and in need of improvement.

HTP could use quite a bit of tailoring. For example, when data for a new tax return are being entered, you face the same routine used for changing data on an existing return. Every entry must be input as if it were changing old data. This means extra steps for each new entry, a time-consuming process. An adjusted routine for new cases is needed.

Some other refinements are also necessary. HTP lets you exit from a form or schedule by entering an "N" at the end of a section. Since you are apt to be going back and forth between various forms and schedules, this exiting capability should also be made available at those points where it is necessary to switch to another form or schedule. Also, the scrolling method for updating is cumbersome.

HTP screen management needs some work; more often than not, the screen seems cluttered. I would sacrifice the flashing statements and inverse displays for the clarity that some open space would provide.

A good feature of the printing routine is that you can enter as many returns as you want and then walk away after you get it going. You'll appreciate this when you're running off a few forms and schedules at the same time.

By the time this review is published, HTP will have been substantially upgraded, and many of the weak spots will have been corrected, according to Howardsoft. For example, the problem with capital gains distribution should be remedied, and Howardsoft plans to replace the scrolling update method with an automatic update method and improve the documentation. Some general software refining should be evident and a tax-planning facility should be added. In addition, Howardsoft will be offering separate interrelated software for preparing the state income-tax return for certain states.

Comparisons


Neither Aardvark nor Howardsoft provides a warranty on the results of its software. This means the IRS will hold *you* responsible for inaccuracies, not the software houses.

AITP stores uncalculated results. The calculated results are not filed on the disk, but are printed directly from memory, which ensures that the results are consistent with the input. In HTP, calculation results are filed on the disk and all printing is done directly from the disk. Thus, it is possible to change an input and then print an incorrect form because the calculations are based on the old input. The HTP documentation warns against this possibility.

The only way to exit from AITP is to shut off your Apple II. You cannot use Apple system commands or do anything else while you're running AITP. HTP, written in Applesoft BASIC, can be terminated to return control of your Apple II to you. You can use Apple system commands and modify the program if you want.

AITP requires organizational work before you can actually input data, and the bulk of the tax calculations must also be done prior to inputting data. The nonprofessional tax planner may have difficulty in deciding which figures should be included as part of which inputs. On the other hand, nonprofessional tax preparers will *not* find

The Logo Language is Here for the Apple II



```
TO SQUIRAL :ANGLE :DISTANCE
 IF :DISTANCE > 200 THEN STOP
 FORWARD :DISTANCE
 RIGHT :ANGLE
 SQUIRAL :ANGLE :DISTANCE + 3
END
```

SQUIRAL 123 1

Terrapin, the Turtle Company, brings you the Terrapin Logo Language for the Apple II with Turtle graphics, now ready for immediate delivery.

The Terrapin Logo language is a sophisticated and powerful language that is easy for anyone to use. Although originally intended for children, the Logo language is one that the most advanced programmers will enjoy using too. It includes many features common to artificial intelligence research languages permitting programs of great power to be written quickly and easily. Writing comparable programs in other languages is usually much more difficult and time consuming.

The Turtle graphics is fun and easy. With simple commands such as FORWARD, RIGHT, and PENUP you can draw in six hi-res colors. In just a few short sessions you can learn to create figures more complex than the one above whether you know how to program or not.

But the Terrapin Logo language is more than just a graphics language. It supports:

- list structure, allowing easy manipulation of words (strings) and lists
- user defined procedures which can be used exactly as if they were part of the language.
- fully integrated screen editor for procedures and text
- floating point and integer arithmetic
- a total of 120 primitives (commands) including 30 graphics commands
- recursion
- assembly-language interface capability

The Terrapin Logo language was developed by the Artificial Intelligence lab at the Massachusetts Institute of Technology. Terrapin is now authorized by MIT to distribute the results of its 12 years of research to you. To provide quality support for the language, Terrapin has assembled a team that includes two of the three authors who developed the Logo language for the Apple II at MIT, as well as Dr. Feurzeig, the originator of the Logo language.

Every copy of the Terrapin Logo language comes with complete documentation. To run the language, a 48K Apple II with a 16K RAM card or a language card, and one disk drive is required.

Terrapin also offers the robot Turtle, and the following books: *Turtle Geometry, Special Technology for Special Children, Mindstorms, Katie & the Computer,* and *Apple Logo* from Byte Books.

Suggested retail price: $149.95
To order or for more information, call or write:



Terrapin, Inc.
678 Massachusetts Avenue
Cambridge, MA 02139
(617) 492-8816

Form	Description
Form 1040	U.S. Individual Income Tax Return
Schedule A	Itemized Deductions
Schedule B	Interest and Dividend Income
Schedule C	Profit (or Loss) from Business or Profession
Schedule D	Capital Gains and Losses
Schedule E	Supplemental Income Schedule
Schedule F	Farm Income and Expenses
Schedule G	Income Averaging
Schedule R&Rp	Credit for Elderly
Schedule SE	Computation of Social Security Self-Employment Tax
Schedule TC	Tax Computation Schedule
Form 2106	Employee Business Expenses
Form 3468	Computation of Investment Credit
Form 4562	Depreciation
Form 4726	Maximum Tax on Personal-Service Income
Form 4797	Supplemental Schedule of Gains and Losses
Form 5695	Energy Credits
Form 2210	Underpayment of Estimated Tax by Individuals
These additional forms are offered in a special supplement for those who need them.	
Form 2119	Sale or Exchange of Principal Residence
Form 4625	Completion of Minimum Tax—Individuals
Form 6251	Alternative Minimum Tax Computation

Table 2: *A list of all the forms and schedules handled by Howardsoft's Tax Preparer.*

HTP above their level of tax expertise. Inputs need no prior handling if you use the itemization routine, and you make entries as if you were manually completing the return. There is nothing extra to be concerned about and a lot of the bother is taken away. (See table 2 for the forms and schedules which HTP emulates and prints out.)

Both Aardvark and Howardsoft offer updated software to reflect necessary revisions due to changing tax laws. Aardvark makes new versions available to its users within weeks of the passing of tax legislation. Howardsoft publishes its software revisions in January of the next year, because the IRS does not publish the final versions of its new forms and schedules until the end of the calendar year. Both software houses offer these revisions to their customers at a fraction of the cost of the original software. Aardvark and Howardsoft are also periodically expanding and enhancing their software at a reasonable cost.

Conclusions

- Neither Aardvark's Individual Tax Plan nor Howardsoft's Tax Preparer is for the novice. AITP is clearly aimed for use by the tax professional. HTP can be worthwhile for the nonprofessional as well as the professional, but it does require some tax knowledge.
- AITP is a polished product. It is well structured, clear in its documentation, and easy to use. HTP is an ambitious product, but some refinements would make it easier to use.
- AITP and HTP perform as advertised, and the printouts produced are in accordance with the documentation.
- AITP is tax-planning software. HTP does tax record keeping and prepares and prints the tax return. The two programs are not in direct competition. Together they include all phases of tax preparation.■

Acknowledgments
My thanks to Robert Strohsahl of Chips Microcenter, Hanover, New Hampshire, and to C. Bennett Brown, Jr., CPA, of Smith, Batchelder & Rugg, Hanover, New Hampshire, for their kind assistance.

Tax Tips for Computer Owners

Melvyn Feuerman
46-15 Westminster Rd.
Great Neck, NY 11020

Melvyn Moller, CPA
25 West 43rd St.
New York, NY 10036

The Economic Recovery Tax Act of 1981, signed into law by President Reagan on August 13, 1981, provides the largest tax reduction in our nation's history. We will focus on the tax breaks the new law provides to individuals using computer systems in their trade or business.

One of the major objectives of the Tax Act of 1981 was to encourage companies to invest in capital equipment (such as new computer systems) by simplifying and speeding up the depreciation of equipment and by providing a research and development (R&D) tax credit. Some new business deductions became effective retroactively to January 1, 1981. The R&D tax credit went into effect July 1, 1981.

Business Deductions

The new tax law simplifies the method for computing depreciation on equipment, such as computers used in your business. Effective January 1, 1981 (this tax year!) you may use the new Accelerated Cost Recovery System (ACRS) to compute the amount of depreciation you can take each year. For computer

STOP SOFTWARE FAILURES

Using a micro in a product sounds easy... One piece of software can make the difference between success and failure.

What do you do when the software doesn't work? Over the years, we have seen many good products fail, either before or after they reached the market, because the microprocessor software did not do its job.

WHAT WENT WRONG?

Many of the failures occurred because the people programming the micro did not know how to organize a large control program. Those responsible for the product implementation were wizards at hardware design and had easily coded small micro control programs before. But the programming techniques that worked for less than 2K bytes of code simply fell apart as the program grew beyond 4K bytes.

Unfortunately, the loops and tests and flags that work so well for a small program get out of control very rapidly as the program grows. Pretty soon, some of the things the program must do are not being done fast enough. The code gets too complicated, difficult to modify and unreliable. The result: another software failure!

Fortunately, these problems can be avoided by using a program manager. You can divide your complex control program into a number of separate, more manageable programs, called *tasks,* each designed to do one job. For example, a Keyboard Task might handle user input; a Printer Task might generate reports. Each task can be written and tested separately and then combined to form a reliable, finished system.

The program manager, called a *multitasking executive,* supervises the orderly execution of these tasks, assuring that the most important jobs always get done first. Tasks appear to be executing simultaneously. It's almost like having a separate CPU for each task!

That is why professional software designers are now turning to AMX as the starting point for their product and system designs. They know that AMX will shield them from the difficulties of managing the micro, freeing them to concentrate on their application.



AMX is our **multitasking executive** for the 8080, 8085, Z80 and 6809 processors. We're rather proud of it. We made AMX compact, very fast, and ROMable to meet our own application needs. Even though the AMX nucleus is less than 1400 bytes in size, it features multiple task priorities, intertask message passing with priority queuing, external event synchronization, and interval timing with 32-bit precision. Each feature is clearly explained in the AMX Reference Manual.

RELIABILITY BUILT IN

We don't know anyone who can write an executive without errors, so we thoroughly tested AMX in real applications before ever offering it as a product. That is why not one system malfunction has ever been attributed to AMX. That kind of reliability just isn't an accident.

HARDWARE INDEPENDENCE

AMX does not require a particular hardware configuration. Of course, it does need a microprocessor, but even there we offer you a choice. *You* control your environment. *You* pick the I/O method. *You* decide the most optimum interrupt service technique for your system. AMX will support your choice.

High level language interface modules are available separately to allow AMX to be used with most popular programming languages including PASCAL, C, PL/M and FORTRAN. Of course, you can also code in assembly language if required.

Users of the CP/M and FLEX Operating Systems can utilize our AMX interface modules to access information on diskette in real time.

COMPLETE DOCUMENTATION

AMX can be judged by the quality of our documentation. The positive response from our users has exceeded our expectations. Our manuals are especially valuable to those just being introduced to real-time multitasking. More experienced users will appreciate the fact that we deliver AMX source on diskette to permit AMX to be moved to the software development system of your choice.

HOW TO ORDER

A specification sheet and price list are available, free. Your check or money order for $75 will purchase the AMX Reference Manual for immediate evaluation (specify 8080, 8085, Z80 or 6809 processor). Add $25 for postage and handling outside USA and Canada. The standard AMX Multitasking Executive package, including source code, is available for $800 after signing our liberal license agreement.

AMX is the choice of professionals the world over. Make it yours, today.



KADAK Products Ltd.
1847 West Broadway Avenue
Vancouver, B.C., Canada V6J 1Y5
Telephone (604) 734-2796
Telex 04-55670

Circle 168 on inquiry card.

equipment purchased in 1981 the applicable recovery percentages are:

Year 1	15%
Year 2	22%
Year 3	21%
Year 4	21%
Year 5	21%

For example, if you purchased a computer in November 1981 for $5000 you can depreciate $750 ($5000 × 0.15) in 1981. You can also get an investment tax credit of 10 percent ($500) on the purchase of the computer. (It is interesting to note that the so-called "half-year" convention works to the advantage of the taxpayer who buys a computer near the end of 1981. He gets the entire tax deduction and tax credit, although the computer will be used for only a short time in 1981.)

You do not have to use the new ACRS to compute depreciation. You still have the option of computing depreciation using the straight-line method.

The Tax Act did repeal one tax break—the first-year extra depreciation allowance of 20 percent of the cost of the equipment. Equipment that you purchased prior to January 1, 1981 should be depreciated using the same rules that were in effect before the new law.

Hardware and software developers should take note that R&D equipment that they purchased after January 1, 1981 receives special treatment. They get a special tax break that allows them to depreciate R&D equipment over a three-year period. The applicable recovery percentages are:

Year 1	25%
Year 2	38%
Year 3	37%

Beginning in 1982, owners of computers (or any capital equipment) will have the option of deducting up to $5000 for hardware and software purchases made in 1982. This tax break will have the very positive effect of encouraging those budding software and hardware entrepreneurs who work full time and have plenty of W-2 income to purchase a computer system to start their own businesses. This break should be very important to developers of software for the new IBM Personal Computer.

Research and Development Tax Credit

Another perhaps more significant new tax break for software and hardware developers is the Research and Development Tax Credit, which retroactively went into effect July 1, 1981. You won't find too much about this credit in your new 1040 instruction manual from the IRS, but a new Form 6765—Credit for Increasing Research Activities—will help you on lonely nights around April 15, 1982.

The R&D Tax Credit applies if you are launching a new computer product or significantly improving an existing computer product and you are having additional R&D expenses as compared to the last three years. You can get a *tax credit* of 25 percent of the increase in R&D expense. You will also have the option of taking all of the R&D expense in one year.

For example, let's assume that you have a software business and that between July 1, 1981 and December 31, 1981 you spent $15,000 developing a new computer product, such as a new mailing-list program or an improved electronic spreadsheet. Also assume that you spent $10,000 on R&D between July 1, 1980 and December 31, 1980. Then, if your business is a sole proprietorship you can take the $15,000 as a business expense on Schedule C and you can take a tax credit of $1250 (25 percent of the $5000 R&D increase) as an R&D Tax Credit on form 1040.

The R&D Tax Credit is of less value to companies that have had little R&D expense in prior years. For example, the R&D Tax Credit for a new business is only 12.5 percent of R&D expenses.

New Penalties

One final comment on the depreciation and R&D tax credits that we have outlined above. They can be used only if you are using your computer in a trade or business. This can be a part-time business, but it cannot be a hobby!

The Tax Act of 1981 also contains additional penalties for taxpayers who file false information, are negligent in their underpayment of taxes, or "pad" or overstate certain deductions. For example, if you underpay your tax because you took too large a deduction for depreciation, you will have to pay a special penalty. Furthermore, interest payments on money you owe the IRS will accumulate at the prime rate of 20 percent established on October 15, 1981. Clearly it is in your best interest to select a competent and honest tax adviser to help you prepare your tax return!

Conclusion

The Tax Act of 1981 should have a very positive effect on the growth of the computer industry. The Tax Act provides incentives for business to purchase computers, and, perhaps most important, it encourages the development of the "cottage industry" of software developers by providing them with R&D tax credits. ■

About the Authors

Melvyn Feuerman is currently the computer systems coordinator for Damson Oil Corporation, one of the nation's largest independent oil and gas companies. Prior to working for Damson, Feuerman was data-processing director of the E.K. Leaton Company, an insurance and pension consulting company. He was also a computer project manager in charge of developing time-sharing tax and financial planning programs for Peat Marwick and Mitchell & Co. He has a BA from CCNY and an MBA from Baruch College.

Melvyn Moller is a Certified Public Accountant who has his own practice in New York City.

MICRO-SCI IS IN THE GAME FOR ALL THE APPLES...





...WITH A FULL HOUSE OF 5¼″ DRIVES

Micro-Sci has three disk drives and two controllers so you can configure your Apple II™ or Apple II Plus™ system to fit your individual budget and performance requirements.

THE FIRST ACE—A2

The new A2 is the price/compatibility substitute for the Disk II,™ intended as the second drive on an existing controller, or as a full A2 subsystem. The A2 drive or A2 subsystem is an ideal choice when the drives will be primarily used for *entertainment* or prepackaged software programs.

THE SECOND ACE—A40

The A40 is a price/performance alternative to the Disk II. With 40 tracks, you get an additional 20K bytes, and faster track-to-track access. The A40 is intended for use in dedicated DOS, CP/M and Pascal applications, and as a companion drive for the A70. The A40 is Micro-Sci's most cost-effective disk subsystem for the Apple IIs.

THE THIRD ACE—A70

The A70 is the price/capacity alternative. At over a quarter million bytes per drive, the A70 has the capacity of two Disk IIs or an eight-inch floppy, but costs only slightly more than a single Disk II. One A70 supports a DOS file as large as 270K, a CP/M file up to 254K, and 560 blocks in Pascal.

THE PAIR—MICRO-SCI'S CONTROLLERS

The A2 comes with a unique new controller. This controller supports any combination of A2s or Disk IIs, you have complete flexibility.

The A40 and A70 share a common controller. Mix A40s and A70s in any fashion, one A40 with one A70, two A40s or two A70s—all on the same controller.

You can have a Disk II or A2 controller with Disk II or A2 drives and still add an A40 or A70 subsystem. That's full system-level compatibility.

THE PAT HAND

Versatility, reliability, capability are assured when choosing Micro-Sci. Pick the drive, pick the controller, pick the capacity and function. Whatever your need, DOS 3.2, 3.3, Pascal, CP/M, games or pre-packaged software, Micro-Sci has the drive. Start wherever you choose with the knowledge that you can expand without concern. All Micro-Sci products are backed by a full 120-day warranty (parts and labor).

Our complete line of Apple compatible products makes us the dealer's choice. We're always looking for good dealers.

International dealer inquiries:
International Markets Co., Telex: 69-6191.
TELEX CO LSA

μ-SCI

MICRO-SCI

17742 IRVINE BOULEVARD • SUITE 205 • TUSTIN, CALIFORNIA 92680 • 714/731-9461 • TELEX: 910-346-6739

MICRO-SCI IS A DIVISION OF STANDUN CONTROLS, INC.

Book Reviews

Beyond Games: Systems Software for Your 6502 Personal Computer

Ken Skier
BYTE/McGraw-Hill
New York, 1981
433 pages, softcover $14.95

Reviewed by
Bob Katz
248 East 90th St. Apt. 3B
New York, NY 10028

At last! An assembly-language programming book that develops useful, real-world tools, has *no* mathematical routines, and is written in plain English. In fact, *Beyond Games* not only teaches you how to write programs, it's entertaining.

If you own an Apple II, Ohio Scientific Challenger I-P, PET 2001, or Atari 800, you'll be able to make *direct* use of the routines developed in this book. But owners of other 6502-based machines (such as KIM, SYM, AIM, etc.) need not despair—Ken Skier's routines interface directly with a microprocessor's *software*, not with any system-specific hardware.

For example, Skier develops a *text-editing program* step by step. One of the first things this program must do is find the ASCII value of a key that has been pressed. Skier teaches us that calling a subroutine is a sound programming technique to perform the maneuver. He gives this subroutine the name GETKEY. All microcomputers that have keyboards already contain the housekeeping routines used to get the value of a key. Some computers call it GETKEY, others may call it by a different name, e.g., GETCHR for "get character." But essentially this subroutine always reduces to a single ROM (read-only memory) address which may be called from Skier's main program.


Skier has researched this calling address, as well as the addresses of all other necessary subroutines within the Apple II and the other computers. *Beyond Games* contains specific Apple, Atari, PET, and OSI versions of a machine-language text-editor program, visible-monitor program, print utilities, and screen-management utilities. These programs are identical in their assembly-language source-code form, regardless of the computer. Thus, owners of other 6502-based computers who wish to use Skier's programs can look up the addresses of their GETKEY or other routines, then substitute these addresses. The documentation provided with a computer should give the addresses of important ROM subroutines.

You may wish to develop an assembly-language or machine-language program on your own, or alter some of the routines for a specific computer not directly supported by the book. You should have no trouble doing this. Skier teaches how to structure a program using the "top down" technique and how to deal with problems in little pieces—in other words, how to proceed logically through the writing of an assembly-language program.

A word about the specific routines. Skier's text editor is very basic and is *not* designed to be a word processor. It *is* designed to write and edit text for inserting (and deleting) strings of any size into any memory location. Even if you don't need any of the routines he provides, the exercise of reading *Beyond Games* will teach you just how a text-editing program is constructed. That alone is worth the price of the book.

If you do decide to use his routines, Skier provides several means to load them into your computer. The easiest (and most expensive) method is to order a data cassette directly from Skier. The next easiest is to key in the machine-language programs from BASIC by using data statements and Skier's *object-code loader*. The latter program contains checksums to protect you from entering mistakes into memory. With care you can also load routines directly into memory as hexadecimal bytes.

In conclusion, those programmers who wish to learn how to write such mathematical routines as 16-bit arithmetic and logarithms should look elsewhere; those who wish to learn how to turn on the relay that controls their lawn sprinkler should also look elsewhere. But anyone who wants to learn to create logical machine-language programs, debuggable programs, or well-documented programs, should read *Beyond Games*. ■



BYTE'S Best Cellar List

Ciarcia's Circuit Cellar,
Volumes I, II, & III
by Steve Ciarcia

Collections of Steve Ciarcia's perennially popular columns from BYTE Magazine, these three volumes are sure to please home computer users and electronics hobbyists. **Volume I** includes power conversions, programming EPROMs, remote terminal interfacing, touch-input video display, and more. **Volume II,** focusing on projects which interface the personal computer with the home, features useful applications such as a computer-controlled home security system, computerized appliances, input-output expansion for the TRS-80, and even a computer-controlled wood stove. **Volume III** offers low-cost construction projects such as an ultrasonic rangefinder, handheld remote computer control, two speech synthesizers, and a remote-control motorized platform, to name just a few.

Build Your Own Z80 Computer

This complete guide to building a working computer offers engineers, students, and hobbyists an exciting alternative to buying a computer. With clear instructions, Steve Ciarcia fully explains how to build a basic single-board micro-computer based on the Zilog Z80 microprocessor. The finished product features a 1 K-byte operating system, serial and parallel ports, hexadecimal display, audio cassette mass storage, and easy expansion to include a video terminal.

McGraw-Hill

B2

Please send

_____ Ciarcia's Circuit Cellar, Vol. I $8.00
_____ Ciarcia's Circuit Cellar, Vol. II $12.95
_____ Ciarcia's Circuit Cellar, Vol. III $12.95
_____ Build Your Own Z80 Computer $15.95

Call Toll-Free 800/258-5420

Name _____ Check Enclosed _____

Address _____ Bill Visa/ MasterCard # _____

City _____ State _____ Zip _____ Expiration Date _____

BYTE Books 70 Main Street Peterborough, N.H. 03458

Please add .75 per book to cover shipping cost.

Dithertizer II

Joe Tomas
Computer City
1525 South Willow St.
Manchester, NH 03103

The Dithertizer II, a new video-digitizer interface for the Apple II computer, creates high-resolution digitized images that can be printed on any printer that has graphics capability. Most Apple users have probably seen graphics demonstrations with pictures of Winston Churchill, Albert Einstein, or soccer balls. These "pictures" were all created by a video digitizer.

Designed by David Hudson of Computer Stations Inc., the Dithertizer II uses a video camera with external synchronization to load any image that can be captured by the camera into the memory (high-resolution-graphics pages) of an Apple II. The Dithertizer II is a "frame-grabber," direct-memory-access-type (DMA) digitizer, requiring only one frame or 1/60 second to capture a binary image. The software lets you create pictures in either of two ways: (1) as a "dithered" gray scale built from multiple binary (black-and-white) images, or (2) as image-intensity contours, using image subtraction from two frames. The number of frames required to create a dithered image is dependent on the dither matrix size, which is selectable via the software. You must use game paddles to adjust the contrast and density of the image being created and view the results on the monitor.

Installation

I ran into a slight problem when I installed my Dithertizer II. The Dithertizer II interface card, which is inserted into slot 7 of the Apple, has two cables attached to it. The first cable has a 6-pin DIN-type connector that attaches to a Sanyo video-camera cable. The second cable is a two-conductor wire with a "piggy-back" IC (integrated circuit) socket at its end. The instructions told me to remove the 74LS34 IC at location C-14 on the Apple's motherboard and replace it with the adapter socket. The instructions placed great emphasis on the orientation of pin 1 when inserting the adapter socket. Next, I reinserted the 74LS34 IC into the adapter, which completed the installation.

After checking the installation, I was ready to go. I mounted the camera on a tripod, aimed it at myself, and booted the software. According to the instructions, the display monitor should have displayed a dithered image. Unfortunately, Murphy's law prevailed—all I saw on the video display screen was diagonal scan lines. Turning the system off, I double-checked the installation. It seemed odd that when the adapter socket was inserted at location C-14, the two-wire cable should extend out the front of the socket rather than the back, especially since the interface card was located behind the socket. Even though pin 1 was properly oriented, I removed the 74LS34, reversed

At a Glance

Name
Dithertizer II

Use
A high-speed frame-grabber, DMA-type video digitizer designed to create computerized images or pictures.

Manufacturer
Computer Stations Inc.
11610 Page Service Dr.
St Louis, MO 63141

Price
Dithertizer II interface, $300.00; Sanyo VC1610X Video Camera, $410.00; Package System Price, $650.00.

Hardware required
Apple II or Apple II Plus, 48K bytes of user memory,one floppy-disk drive with controller, game paddles, video monitor or TV with RF (radio-frequency) modulator, one of the following printers with appropriate interface: Integral Data Systems models 225, 440G, 445G, 460G, 560G, NEC Spinwriter models 5510 or 5520, Anadex models DP9500 or DP9501.

Software required
Dithertizer software included.

Software options
Computer Stations Enhanced Graphics Software for the appropriate printer. Price: $44.95.

Documentation
17-page hardcover notebook-style manual.

Audience
Home hobbyists, photo studios, attention getter for trade shows, motion detection.

the socket, and replaced the IC. Holding my breath, I again turned the system on and behold: it worked. Obviously, the adapter had been miswired. Fortunately, no damage occurred.

The Dithertizer II software contains machine-language routines for frame-grabbing, dithering, and contouring. It includes a demonstration program, written in BASIC, that shows the use of all three routines. The software is supplied in DOS 3.2.1 format, and I had no problem in MUFFINing it to DOS 3.3 format.




Figure 1: *A "dithered" image of the author, as rendered by the Dithertizer II.*

Implementation

Using the Dithertizer II is very simple. Game paddles are used to adjust the displayed image. Paddle 0 sets the black level, while paddle 1 adjusts the contrast or gray tones. Other options, selectable via single-keystroke commands, allow dithering, contouring, freezing the image, saving image to disk, printing the image, and more. Pressing H (for HELP) will display a menu listing all commands and options.

The documentation is short, but it is complete and easily understood. After reading it, I started experimenting, and it took me only a few minutes to become accustomed to image processing. The only part I had difficulty with was determining the amount of gray scale required to create a well-balanced or shaded image. With a little trial and error, I was soon printing good-quality images.

Focusing the camera is important in order to create a sharp image. The Sanyo camera is not a conventional video camera as used on VCRs (video-cassette recorders), but a commercial camera like those used in closed-circuit systems. Unlike VCR-type cameras, the Sanyo does not have through-the-lens viewing to facilitate focusing. The focusing-adjustment ring on the lens is calibrated reasonably well; however, it is difficult to obtain accurate focusing at close range. To overcome this problem, I attached a cable to the RF (radio-frequency) output connector of the camera and then connected it temporarily to the input of my video monitor. This allowed me to focus the camera acccurately. Then I disconnected the cable and plugged the monitor back into the Apple. Incidentally, you can make close-up shots (as close as two to three inches) by carefully unscrewing the camera lens to change its focal length. Also, use a white background if you plan to do portrait or high-contrast work (see figure 1). A white background allows better resolution and detail.

Despite the fact that the Sanyo camera is designed for black-and-white images, I found that I was able to achieve better gray scale and shading by using a color video monitor. The color monitor displayed some gray shades as "blue over gray." This enabled me to determine differences in gray scale, which ultimately resulted in higher-resolution images. A black-and-white monitor made this slightly more difficult to accomplish.

As supplied, the software does not have print routines installed. Assuming you have a printer with dot-graphics capability, you must either write your own print drivers or purchase Computer Stations' Enhanced Graphics Software. This software is available for Integral Data Systems Paper Tiger printers as well as for the NEC Spinwriter models 5510 and 5520 and Anadex models DP9500 and DP9501. The addendum I received with the

INTRODUCING CALCSTAR.™ ANOTHER INDISPENSABLE BUSINESS PROGRAM FROM MICROPRO,™ THE WORDSTAR™ PEOPLE.

Presenting CalcStar—another standard-setting software product in the WordStar tradition.

CalcStar is MicroPro's new electronic spread sheet and financial modeling program—a sophisticated, yet easy to use, calculating and planning tool for CP/M®-based computers.

The ultimate electronic spread sheet. CalcStar calculates solutions to complex numerical problems in business and finance. Helps you make budget plans and sales forecasts with greater speed and accuracy. And projects figures into the future to answer the "what if" questions you face in business. And CalcStar also has a unique MicroPro advantage: It joins with WordStar to combine spread-sheet and word-processing capabilities in several powerful ways.

CalcStar software eliminates the need to use ledger paper ever again. It turns your video screen into a "window" on a giant electronic ledger sheet, with up to 600 entries arranged the way you want. Then, by inserting formulas into CalcStar, you create financial models that simulate the future numerically. And predict the outcomes of your business decisions.

When you notice what CalcStar can do for your business, you'll wonder how you ever got along without it. (If you're now a WordStar user, you probably already know the feeling.)

The MicroPro bonus. Like WordStar, CalcStar is packed with innovative features that make it versatile and easy to use. Features like Automatic Forms Mode, which lets an inexperienced user enter data into a spread sheet quickly and with less chance of error.

CalcStar's greatest innovation is its ability to join with WordStar. Which means, for example, you can use WordStar's printing options, like boldface and underlining, to dress up financial documents. And you can insert sections of CalcStar's spread sheets into your WordStar documents.

This kind of flexibility should come as no surprise if you're already familiar with the MicroPro software family—a line of programs designed to work together to multiply your problem-solving power. Visit your MicroPro dealer to find out just how big a difference *all* our products can make in your business. We predict you'll discover it's not just CalcStar or WordStar that's indispensable. It's MicroPro.



A glance at CalcStar features

Runs on CP/M version 2.0 or above, with 80-column screen, addressable cursor, and at least 48K memory. 56K or more is recommended for fullest utilization.

Highly user friendly: Call up full screen of help or use help menu. WordStar-like cursor commands. User's guide shows you the basics. Install from menu OR a WordStar file.

Stores formulas and formats along with data, for convenience and less chance of error.

Math functions include average, minimum, maximum, logarithms, exponents, and regression analysis.






1299 Fourth Street, San Rafael, California 94901
(415) 457-8990; Telex: 340-388

CP/M is a trademark of Digital Research, Inc.
Dealer and distributor inquiries invited.

DataStar™ MailMerge™ WordStar™ WordMaster™ SuperSort™ SpellStar™ CalcStar™



Printer Driver Packages

Several software packages allow Apple II high-resolution graphics to be printed out as hard copy. The pictures accompanying this article were printed with Computer Stations' software drivers for the IDS Paper Tiger. Computer Stations also sells the Enhanced Graphics Software package for the Epson MX-80 dot-matrix printer. Pictures can be created with a graphics tablet or with the Dithertizer II and are saved as binary disk files. This package requires an MX-80 equipped with the Graftrax 80 high-resolution option, costs $44.95, and is available from Computer Stations, 11610 Page Service Dr., St Louis, MO 63141.

Progressive Software has released its Graphics Printing System for the Diablo and NEC full-character printers. The program prints the graphic image from the high-resolution screen to the printer via the Apple High Speed Serial Interface card (or equivalent). The picture above of Abraham Lincoln is an example of the Graphics Printing System's output. The package can be used with a Diablo 1620 or 1640 or with a NEC Spinwriter 5510 or 5520, costs $109.95, and is available from Progressive Software, Suite 323-Blue Bell West, Blue Bell, PA 19422.

documentation instructed me to make several changes in the demonstration program to call up the required print routine. Additional information concerning the various machine-language routines used is included to assist you in writing your own special-application programs.



Figure 2: *The cover of BYTE, November 1980. Both figure 1 and figure 2 were created on an Integral Data Systems 460G dot-matrix printer.*

Conclusions

The Dithertizer II is a well-constructed video digitizer that does all that its manufacturer claims. The interface card consists of seven ICs, plus a handful of other components, and is very clean in construction. At first glance, the Dithertizer II seems a little overpriced, considering the number of components on the circuit board. However, when you take the developmental costs into consideration, the price seems quite reasonable.

Preliminary releases of the Dithertizer II had only a seven-page instruction manual; it was easily understood and quite complete. George Baltzell of Computer Stations has informed me that new, expanded documentation is now being shipped with the product.

Practical applications? Aside from hobbyist uses, other applications might include motion detection for security systems, an attention-getter for trade shows, advertising, artwork layout (see figure 2), and photo-studio uses. My primary reason for getting the Dithertizer II was for promotional and publicity-type advertising. (I offer a free portrait to any of my customers.) All in all, I have been quite pleased with the product, and we plan to put it to use not only here, but in the grand openings in several of our new stores. ■

A Guided Tour of Apple Pascal Units and Libraries

Ross M. Tonkens MD
Suite 1185-W
8635 West Third St.
Los Angeles, CA 90048

One of the most powerful features of Apple Pascal is its extensibility via a *unit*. Similar in structure to Pascal programs, units have peculiarities that can render them mysterious to UCSD Pascal newcomers.

To clear up some of these mysteries, we will begin by considering what a unit does and how it differs from both a program and an external procedure or function, and then we'll study two units that have markedly different purposes. Next, we will examine the process of compiling and linking these units and binding them to your SYSTEM.LIBRARY.

In addition, I have provided a listing of a Pascal program that, when saved on the system disk as SYSTEM.STARTUP, places a color test pattern and the system date on the screen when the Apple/UCSD system is booted up (see listing 2). This program uses the CALENDAR unit (discussed later), as well as the Pascal units, TURTLEGRAPHICS and APPLESTUFF, that are already resident in the SYSTEM.LIBRARY.

Anyone who first learned programming in BASIC probably finds the lack of direct access to absolute memory one of the few frustrations of Pascal. For those who are unfamiliar with UCSD Pascal (University of California, San Diego), and Pascal in general, the language cannot express the concept of absolute addressing. (BASIC accomplishes this with the CALL <address> statement.) Even assembled machine-code external procedures called by the Pascal host program are automatically relocated at the time of their linkage to the host. (The host program is the Pascal program that calls an externally compiled or assembled subroutine.)

Some Definitions

Let me clarify two terms that will be used frequently throughout the remainder of this article: *source files* and *object files*. When we refer to a source file, we mean the English-like representation of a program, external subroutine, or unit. The source file is the text you type in through an editor like the one in the Apple Pascal operating system.

If this text file conforms with certain syntax rules, the compiler or assembler will turn this text file into the code form that the computer actually executes at run time. This code file is called the object file; it contains *object code* that is generally not human readable. The object code is called *p-code* (pseudocode) if derived from a UCSD Pascal source file, or 6502 machine language if derived from an assembly-language source file through use of the system's assembler. The important point is that the source file is what *you* write, and the object file is what the computer executes at run time. Both are versions of the same program, external subroutine, or unit.

Most of the time, UCSD Pascal's automatic memory management is convenient and frees the programmer from worrying about such things as overstepping allotted memory boundaries and inadvertently erasing parts of the system program. But what if you have a useful EPROM (erasable programmable read-only memory) with no source file, and many of the machine-language routines on that EPROM could be of tremendous use in your Pascal programs if only they could be accessed? There is no way to specify the absolute address of that EPROM, or of a routine within it, from a standard

About the Author

Dr. Tonkens is a cardiologist with a background in small-computer systems. In 1980 he was engaged in full-time research on computer-assisted image-enhancement techniques for real-time two-dimensional echocardiographic images. He continues to act as a consultant for private industry on medical-image processing and database management.

Pascal host program.

Similarly, the Apple II contains many software "switches" of great use to the BASIC programmer that are available via PEEKs and POKEs, but are inaccessible from Apple Pascal.

The UCSD Pascal operating system allows for extensibility of the language by the user in order to fill special needs (like direct addressing of memory) through the use of units. A unit is a compiled subroutine (or more usually a collection of compiled subroutines) that essentially adds new commands to off-the-shelf UCSD Pascal. For instance, a computer musician might have use for a unit that added commands for producing notes of specified pitch. Indeed, UCSD Pascal was customized for the Apple II, through the use of units, for implementing such special functions as producing high-resolution graphics (TURTLEGRAPHICS) and reading the game paddles and generating sound (APPLESTUFF).

There are also commercial units for sale, and soon you will be able to choose from a selection of "canned" units for specialized programming purposes.

Two sample unit listings are shown in listing 1. The first, called WINDOW, provides access to the Apple II's memory by adding PEEK, POKE, and CALL instructions to your Apple's Pascal vocabulary. The second, called CALENDAR, reads the area of the system disk where the system date is stored and makes it accessible to the programmer.

The Power of a Unit

Let us look a little more closely at a unit. Unlike a standard Pascal procedure or function, a unit can exist separately from the body of the main program text and still be incorporated within a Pascal program's object code at run time. But if this were the whole story, a unit would have no advantage over an external procedure.

The power of a unit lies in its ability to house multiple (hopefully related) procedures or functions, both in Pascal and in assembly language, under one roof. All of these proce-

Text continued on page 234

Listing 1: *Two sample units for Apple Pascal. In listing 1a, WINDOW provides access to the Apple's memory by absolute address through the BASIC-like instructions PEEK, POKE, and CALL. In listing 1b, CALENDAR reads the date from the system disk and makes it accessible to the user.*

listing 1a

```
(****************************************
 *                                      *
 *                                      *
 *         INTRINSIC UNIT WINDOW        *
 *                                      *
 *                                      *
 ****************************************)

       (* ROSS M. TONKENS, M.D. *)

            (*VER.01.09.81*)

                (*$S+*)
   (*SWAPPING ON FOR UNIT COMPILATION*)


 UNIT WINDOW;  INTRINSIC CODE 23 DATA 24;


 INTERFACE

(****************************************
 *PROVIDES A "WINDOW" FROM UCSD/PASCAL *
 *INTO ADDRESSABLE MEMORY.  THIS ALLOWS*
 *MANIPULATION OF DATA AT THE BYTE     *
 *LEVEL AS WELL AS CALLS TO MACHINE    *
 *CODE ROUTINES AT ABSOLUTE LOCATIONS  *
 *(AS IN A ROM) DIRECTLY FROM PASCAL.  *
 *                                     *
 *IN ESSENCE THIS UNIT ADDS THE        *
 *FAMILIAR BASIC COMMANDS:             *
 *                                     *
 *       PEEK, POKE, AND CALL          *
 *                                     *
 *TO UCSD PASCAL.                      *
 ****************************************)


 PROCEDURE POKE(ADDR,DATA:INTEGER);

 (*********************************
  *EMULATES BASIC'S "POKE" COMMAND*
  *                               *
  *INVOCATION => POKE(ADDR,DATA)  *
  *********************************)

 FUNCTION PEEK(ADDR:INTEGER):INTEGER;

 (*********************************
  *EMULATES BASIC'S "PEEK" COMMAND*
  *                               *
  *INVOCATION => DATA:= PEEK(ADDR)*
  *********************************)


 (*********************************
  *BOTH ADDR AND DATA MUST BE     *
  *INTEGER VARIABLES NOT CONSTANTS*
  *                               *
  *ADDR MUST BE IN THE RANGE :    *
  *                               *
  *                  -32767..32767*
  *                               *
  *NOTE THAT THIS UNIT ACCEPTS OUT*
  *OF RANGE DATA (0 > DATA > 255) *
  *BY STORING ==>ABS(DATA MOD 256)*
  *********************************)

 PROCEDURE CALL(ADDR:INTEGER);

 (*********************************
  *EMULATES BASIC'S "CALL" COMMAND*
  *                               *
  *THIS IS A "FRONT END" FOR      *
  *INSTALLING ASSEMBLY LANGUAGE   *
  *         .PROC CALL.ASSY       *
  *                               *
  *IN THIS INTRINSIC UNIT.        *
  *********************************)


 IMPLEMENTATION

 TYPE BYTE  = PACKED ARRAY [0..1] OF 0..255;
      DIRTY = RECORD
               CASE BOOLEAN OF
                TRUE : (INT: INTEGER);
                FALSE: (PTR: ^BYTE);
               END;

  (*THIS DEFINES A VARIANT RECORD WHICH
   WILL MAP TO AN ABSOLUTE HARDWARE
   ADDRESS IN THE APPLE                *)


 VAR TRICK : DIRTY;

 PROCEDURE CHECK(VAR DATA:INTEGER);
  FORWARD;



PROCEDURE POKE;
 BEGIN
  CHECK(DATA);
  TRICK.INT:= ADDR;
  TRICK.PTR^[0]:= DATA
 END;



 FUNCTION PEEK;
 BEGIN
  TRICK.INT:= ADDR;
  PEEK:= TRICK.PTR^[0]
 END;
 PROCEDURE CHECK;

 (*THIS ASSURES ONLY VALID DATA
   WILL GET POKED.          *)
```

Listing 1 continued on page 228

Listing 1 continued:

```
BEGIN
 DATA:= ABS(DATA MOD 256);
END;


PROCEDURE CALL;
 EXTERNAL;



BEGIN
 (*DUMMY INITIALIZATION*)
END.
;
     .TITLE "*PROCEDURE TO EMULATE BASIC'S 'CALL'*"
;
;
;    ROSS M. TONKENS, M.D.
;
;     VER.01.09.81.13
;
;
     .MACRO POP     ;POPS 16 BIT ADDRESS
;
     PLA
     STA          %1
     PLA
     STA          %1+1
     .ENDM
;
;
;
     .MACRO PUSH    ;PUSHES (RETURN) ADDRESS BACK ONTO STACK
;
     LDA          %1+1
     PHA
     LDA          %1
     PHA
     .ENDM
;
;
;
;
     .PROC CALL,1
;
;
;
; PROGRAM TO CREATE A CALL FUNCTION FOR
; PASCAL IN THE APPLE II
;
; USE THIS ASSEMBLY LANGUAGE PROGRAM TO
; CALL PROGRAMS THAT ARE NOT NORMALLY
; ACCESSIBLE FROM PASCAL.
;
; TO USE:  ASSEMBLE THIS PROGRAM
;          AND SAVE THE CODE FILE ON
;          <YOURDISKNAME> AS
;
;              CALL.ASSY.CODE
;
;          THEN
;          EITHER
;            LINK TO INTRINSIC UNIT "WINDOW"
;          OR
;            LINK DIRECTLY TO YOUR HOST PROGRAM
;            AS FOLLOWS:
;
;          1.DEFINE A PROCEDURE IN YOUR
;            PROGRAM:
;
;            PROCEDURE CALL(ADDR);
;            EXTERNAL;
;            (ADDR MUST BE AN INTEGER VARIABLE.)
```

Listing 1 continued on page 230

Listing 1 continued:

```
;
;          2.COMPILE YOUR PROGRAM, AND THEN RUN
;            THE LINKER.
;
;          3.WHEN ASKED FOR THE LIB.NAME, TYPE:
;
;              <YOURDISKNAME>:CALL.ASSY.CODE
;
;
; WARNING: ANY PROGRAM WHICH CHANGES MEMORY
;          LOCATIONS MAY INTERFERE WITH
;          THE PASCAL OPERATING SYSTEM.
;
;
RETURN  .EQU    0
YRCALL  .EQU    2
;
;
;
;
        POP     RETURN ; SAVE PASCAL RETURN ADDRESS;
        POP     YRCALL ; SAVE OUR CALLING ADDR;
        PUSH    RETURN ; PUT BACK ON STACK;
        JMP     @YRCALL; VECTOR TO PASSED ADDRESS PARAMETER

        .END
```

listing 1b

```
(*$S+,R-*)
(*RANGE CHECKING OFF BECAUSE ONLY BYTE #11, WHICH IS UNITREAD  FROM*)
(*BLOCK #2 CAN BE COUNTED ON TO COMPLY WITH RANGE CONSTRAINTS      *)

(****************************************
*                                       *
*        INTRINSIC UNIT CALENDAR        *
*                                       *
****************************************)

       (* ROSS M. TONKENS, M.D. *)

          (*VER.01.19.81.03*)


UNIT CALENDAR; INTRINSIC CODE 25 DATA 26;

INTERFACE

(****************************************
 *PASSES CURRENT SYSTEM DATE INTO THE   *
 *VARIABLES:                            *
 *              THISDATE:       1..31   *
 *              THISMONTH:      1..12   *
 *              THISYEAR:       1..99   *
 *                                      *
 *AND RETURNS DATE AS A STRING WITH     *
 *LEADING AND TRAILING BLANKS AS THE    *
 *GLOBAL VARIABLE, "TODAY," WHICH HAS   *
 *THE FORM:                             *
 *                                      *
 * <SP><MONTH><SP><DAY><, 19><YEAR><SP>*
 *                                      *
 *                  OR                  *
 *                                      *
 *         <SP>JAN 20, 1981<SP>         *
 *                                      *
 *THIS IS ACCOMPLISHED AUTOMATICALLY    *
 *AT RUNTIME FOR ANY PROGRAM USING THIS*
 *UNIT, SO THAT FOR ALL PRACTICAL PUR- *
 *POSES THE PROGRAM "WAKES UP" WITH ALL*
 *THE ABOVE VARIABLES PREINITIALIZED.  *
 ***************************************)
```

Listing 1 continued on page 232

PUT YOUR APPLE TO WORK FOR YOU!
WITH THE THUNDERCLOCK PLUS™

As an APPLE user you already know all the things your APPLE can do. Now Thunderware expands that list with the THUNDERCLOCK PLUS, the complete clock/calendar system for your APPLE! Your programs can read the month, date, day-of-week, hour, minute, and second in any of APPLE'S languages. On-board batteries keep your THUNDERCLOCK running accurately when your APPLE is off - for up to 4 years before battery replacement. But that's just the beginning.

The THUNDERCLOCK PLUS is the most useful and versatile peripheral you can put in your APPLE. It can keep your disk files organized by time-and-date-stamping them, it enhances the usability of many of the new business/professional software packages for accounting, filing, and time management, and it can remotely control lights and appliances for security or display purposes in your business or home.

SOFTWARE PRODUCT COMPATIBILITY

Many of today's important software packages for data-base management, business applications, communications, and time management are designed to use the THUNDERCLOCK PLUS. If you have or plan to purchase any of these packages, a THUNDERCLOCK will greatly enhance their usefulness.

•VISIDEX* (Personal Software) •DB MASTER and MICRO-MEMO (Stoneware) •MICRO-COURIER and MICRO-TELEGRAM (Microcom) •THE CASHIER and THE STORE MANAGER (High Technology) •BUSINESS PLUS and NET-WORKS (Advanced Data Systems) ...and many others!

```
DISK VOLUME 254

*A 006 HELLO              07/07 16:37
*A 006 CLOCK              06/08 09:07
*A 004 FRAME              06/08 09:08
*A 004 DISK INFO          06/17 16:13
*B 003 BACKOFF            06/17 16:13
*B 005 SCREEN             07/24 17:32
*B 002 TCPUTIL            06/17 16:13
*B 004 SDTIME.O           06/17 16:13
*A 007 ADIGCLK            05/19 08:05
*A 011 SET TIME           06/08 09:08
*I 009 IDIGCLK            05/19 08:05
*A 007 TIME               06/08 09:08
*A 003 SLOTFINDER         07/07 16:56
*A 014 DEMO               06/17 16:14
```

THUNDERWARE'S DOS-DATER

Our new DOS-DATER software upgrades the regular DOS on your disks so that DOS will use the THUNDERCLOCK to time-and-date-stamp disk files. Every time a program is saved or a file is modified, the current date and time to the minute are stored in the CATALOG with the file's name. You can tell at a glance when a program was saved or when any file was last modified. And this time/date stamping feature is completely automatic. That means any program which uses DOS will time/date stamp its files!

REMOTE CONTROL

Add Thunderware's X-10 INTERFACE OPTION to your THUNDERCLOCK PLUS and your APPLE can control lights and appliances through your BSR X-10 Home Control System on your pre-defined schedules. Our powerful SCHEDULER software allows you to create and modify schedules easily and execute them in the 'background', while using your APPLE for other tasks in the 'foreground'. Use your APPLE for energy management, display and security lighting, or laboratory/process control.

Our PASCAL Software lets you use all the THUNDERCLOCK'S features in PASCAL and sets the F)iler date whenever you boot.

You get all this versatility in just one peripheral system. Backed by a full one year warranty. See your APPLE dealer for a demonstration, or contact us for more information. We'll give your APPLE the best time around!

Suggested retail prices:

THUNDERCLOCK PLUS $139
X-10 INTERFACE OPTION $49
PASCAL SOFTWARE DISK $29
DOS-DATER/DEMO DISK $29
MANUALS ONLY, each $5

Distributed by Apple Computer, Inc. and Computerland Corp.

THUNDERWARE, INC.
P.O. BOX 13322
Oakland, CA 94661
(415)-652-1737

*Requires software supplied on DOS-DATER/DEMO disk.

Listing 1 continued:

```
VAR

THISDATE        : 1..31;
THISMONTH       : 1..12;
THISYEAR        : 1..99;
TODAY           : STRING[14];

PROCEDURE DUMMY;

(*A PROCEDURE IS EXPECTED BY COMPILER AT END OF ANY INTERFACE SECTION*)
IMPLEMENTATION


TYPE

DATE            = PACKED RECORD
                              MONTH    : 1..12;
                              DAY      : 1..31;
                              YEAR     : 0..99;
                       END;



VAR

BLOCK           : ARRAY[0..10] OF DATE;
MONTHNAME       : STRING[3];
DY,YR           : STRING;



   PROCEDURE DUMMY;

     BEGIN
       (*DUMMY*)
     END;



 BEGIN (*INITIALIZATION*)
   UNITREAD(4,BLOCK,SIZEOF(BLOCK),2);

   (*PACKED ARRAY, "BLOCK," IS MAPPED ONTO FIRST 11 BYTES*)
   (*OF BLOCK 2 ON BOOT DISK IN FILE UNIT #4.  ARRAY HAS *)
   (*SIZE OF 11 BYTES BECAUSE THE DATE IS IN 11TH BYTE OF*)
   (*DISK BLOCK #2, AND WE NEED A WAY OF INDEXING TO THE *)
   (*ELEVENTH BYTE.                                      *)

   WITH BLOCK[10] DO
     BEGIN
       THISMONTH:= MONTH;
       THISDATE  := DAY;
       THISYEAR  := YEAR
     END;
   CASE THISMONTH OF
                         1: MONTHNAME:= 'JAN';
                         2: MONTHNAME:= 'FEB';
                         3: MONTHNAME:= 'MAR';
                         4: MONTHNAME:= 'APR';
                         5: MONTHNAME:= 'MAY';
                         6: MONTHNAME:= 'JUN';
                         7: MONTHNAME:= 'JUL';
                         8: MONTHNAME:= 'AUG';
                         9: MONTHNAME:= 'SEP';
                        10: MONTHNAME:= 'OCT';
                        11: MONTHNAME:= 'NOV';
                        12: MONTHNAME:= 'DEC';
   END;(*CASE*)
   STR(THISDATE,DY);

  STR(THISYEAR,YR);
  TODAY:= CONCAT(' ',MONTHNAME,' ',DY,', 19',YR,' ')
END. (*INITIALIZATION*)
```


APPLE II
16K BECOMES 32K

MPC Peripherals has come up with a product that offers you expandability at a low cost.

Buy 16K memory on our AP-32 module for $159. When your need changes, add 8 chips for $24. You now have a 32K memory module.

A unique combination of flexibility and economy, the equivalent of two Apple Language Cards.

Monitor socket, Display LEDs and all the other advanced features that MPC offers on the AP-16 are incorporated in the AP-32.



Circle 239 on inquiry card.

Text continued from page 226:
dures and functions are available from within a Pascal host program just as if they and their related constants, types, and variables had been declared globally within the host program itself. As a matter of fact, units may even be nested (ie: one unit may employ another unit in its construction).

In order to graft the procedures and functions declared within a unit onto a Pascal host program, you need only include the reserved word USES, followed by the name of the unit, after the program heading (assuming the unit has been installed in SYSTEM.LIBRARY on the system disk; otherwise, see page 69 of the *Apple Pascal Language Reference Manual*).

Units come in two varieties: *regular* and *intrinsic*. While a regular unit becomes incorporated into the code file of the host program at compile time, it must be explicitly linked at the time of compilation. (Linkage can be thought of as the process of grafting an external subroutine onto a Pascal host program.) In this sense a regular unit is quite similar to an external procedure or function, except that it allows you to link many procedures and functions simultaneously. Once linked, a copy of the regular unit's object code actually resides within the host program's object-code file. Thus a regular unit, once linked, need no longer be present in the system at the time the host program is run because a copy has already become part of the host program.

On the other hand, an intrinsic unit must reside in a special file called SYSTEM.LIBRARY on the system disk when a host program calling it is executed. This is because an intrinsic unit is linked to the host program *and loaded into memory with it* at the time the host program is run. (In the latest update of Apple/UCSD Pascal Version 1.1, the programmer can even specify that a portion of a program reside in main memory only while it is actually executing.) The Pascal host program contains no image within it of any intrinsic units it employs, and it expects to find those intrinsic units in SYSTEM.LIBRARY.

The advantage of this is that linkage is accomplished automatically at run time. When you debug a Pascal program, you are continually revising the source code and recompiling. This process can be tedious enough, especially if the program is long, but recurrent relinking can render it unbearable. Even though the RUN command invokes an attempt at automatic relinking of all external procedures and functions, linking still takes a lot of time. Intrinsic units, on the other hand, are essentially "prelinked" and waste not a second at compile time—a real blessing if you do a lot of programming.

In comparison to the hardware domain, an intrinsic unit is like a computer peripheral with a standard plug configuration through which it communicates with the computer. You simply plug it into the computer to make it work. A regular unit is more like a peripheral to which connections from the computer must be individually soldered at the time of interfacing.


A Specific Example

Like a Pascal program, a unit is a set of algorithms draped over an orderly superstructure. This superstructure is illustrated in the WINDOW unit of listing 1. We will study the general structure of units through this example.

First, note that the compiler SWAPPING option must be enabled, (*$S+*), in order to compile any unit. Next, the heading, UNIT WINDOW, identifies this text to the compiler as a unit, as opposed to a program or external procedure.

INTRINSIC designates this as an intrinsic unit; that is, one that is "prelinked." Returning to the hardware analogy, CODE 23 and DATA 24 are a way of specifying which "pins" on a "standard intrinsic unit connector plug" are active. If you wish to write your own unit, or are just curious about how these CODE and DATA segment numbers are assigned, you can refer to the "Program Segmentation" section of the *Addendum to the*

Grab a byte at the 5 & 10



5 or 10 Megabytes in a desk-top micro

If you need 5 Megabyte capacity grab our SuperFive. Grab our **SuperTen** for 10 Megabytes and join the hundreds of users world-wide.

- 12" CRT
- 5 or 10 Mbyte (formatted) 5¼" Winchester type hard disk
- Complete and ready to run with CP/M™ 2.2
- 700K or 350K floppy disk back up
- Dual Z-80A processors with 64K RAM
- 4 MHZ Clock frequency
- Dual RS232 ports
- Full ASCII keyboard, numeric pad, user-programmable function keys

CMC INTERNATIONAL

A Division of Computer Marketing Corporation

10058 Main • Suite 220 • Bellevue, WA 98004 • Phone (206) 453-9777 • Telex: 152556 SEATAC

Call or write for the dealers nearest you. Call Toll-Free 1-800-426-2963

Distributed by:

Compu Data
1 Bala Cynwyd Plaza
Bala Cynwyd, PA 19004
(215) 667-6843

Diversified Data
8043 W. 82nd
Indianapolis, IN 46278
(317) 253-5878

Input SRL
Chile 1830
1227 Buenos Aires, Argentina
Telex: 9191 FINCO

Featherbed (Pty.) Ltd
156 Main Reef Road
Johannesburg, South Africa

Dialog Computer Treuhand
Seeburgstrasse 18
6002 Luzern
Switzerland
Telex: 72227 DCL

Apple Pascal Language Reference Manual.

The interface section of a unit is the only internal detail that is visible from the outside. It is comparable to the socket on the side of a computer peripheral. The interface defines the manner in which the unit can communicate with the UCSD Pascal host program. All the variables in the interface section will be shared with any host program as if they had been declared as global variables within the host. The same holds true for any label, constant, or type declaration within the interface section. If any variables are declared within the interface of an intrinsic unit, a data segment must be declared in addition to an obligatory code segment (see page 76, in the *Apple Pascal Language Reference Manual*).

The procedure and function declarations of the interface are really the core of the unit. The names of these procedures and functions will become, in essence, new words in the vocabulary of any UCSD Pascal host program that uses that unit.

Through the use of units, there is virtually no practical limit on the number of new commands you can teach your system to recognize. The interface's procedure and function declarations are abbreviated to the procedure or function name plus parameters, as if they were FORWARD declarations in a standard Pascal program.

One peculiarity of units is that Apple/UCSD Pascal assumes you are writing the unit for the explicit purpose of declaring procedures and functions in the interface. Therefore, the manuals never mention that the interface must contain at least one procedure or function declaration. (If, like me, you always manage to stumble on the exception to the rule—as in UNIT CALENDAR in listing 1—then you must insert a dummy procedure declaration at the end of the interface.)

The implementation section contains any label, constant, type, variable, procedure, and function declarations that are private to the unit and not intended to be accessible to the Pascal host program. Following this, we find the expansion of the abbreviated (FORWARD-like) procedure and function declarations of the interface section.

Finally, we come to the initialization section, which is similar to the main part of a Pascal program. This section is optional, and, as long as the last END; of the last procedure or function is followed by an additional END. statement (note the period), the compiler will remain quite happy. The usual purpose of the initialization section is to perform some sort of housekeeping or setup task in preparation for use of the unit's new commands by the host program. The initialization is executed first, before any of the host program's own code, as soon as the host program is invoked. An example given in the *Apple Pascal Language Reference Manual* is the table of trigonometric values that the initialization section of the TRANSCEND unit generates in main memory for later reference by the trigonometric functions this unit adds to standard UCSD Pascal.


If included, the text for the initialization section is sandwiched between a BEGIN and the unit's final END. (whose period signals the end of text to the compiler). I have in-



WHY BUY FROM THE BEST?

Service... Support... Software...

NEECO



commodore

16K B (16K RAM-40 Column) - Lim. Qty	$ 995
32K B (32K RAM-40 Clm.) - Lim. Qty	$1295
4016 (16K RAM 4.0 Basic-40 Clm.)	$ 995
4032 (32K RAM 4.0 Basic-40 Clm.)	$1295
8032 (32K RAM 4.0 Basic-80 Clm.)	$1495
8050 Dual Disk (1 Meg Storage)	$1795
4040 Dual Disk (343K Storage)	$1295
8010 IEEE Modem	$ 280
C2N Cassette Drive	$ [illegible]5
CBM - IEEE Interface Cable	$ [illegible]0
IEEE - IEEE Interface Cable	$ 50
VIC 20 Home/Personal Computer	$ 295

CALL NEECO FOR ANY OF YOUR COMMODORE COMPUTER NEEDS

NEC SPINWRITER PRINTERS

5530 (Parallel)	$3055
5510 (Serial)	$3055
5520 (KSR-Serial)	$3415
Tractor Option	$ 225

EPSON PRINTERS

MX-80 PRINTER	$ 645
MX-80 FT	$ 745
MX-100	$ 945
MX-70	$ 459
INTERFACE CARDS	
8141 (RS-232)	$ 75
8150 (2K Buffered RS-232)	$ 150
8161 (IEEE 488)	$ 55
8131 (Apple Card)	$ 85
8230 (Apple Card)	$ 25
8220 (TRS-80 Cable)	$ 35

DIABLO 630 PRINTER

DIABLO 630 - Serial - RS-232	$2710
Tractor Option	$ 250



APPLE

16K APPLE II+	$1330
32K APPLE II+	$1430
48K APPLE II+	$1530
APPLE DISK w/3.3 DOS	$ 650
APPLE DRIVE Only	$ 490
APPLE III 128K - In Stock! w/Monitor + Info Analystpak	$4740



AMDEK MONITORS

Video 100 12" B+W	$ 179
Video 300 12" Green	$ 249
Color I 13" Low Res	$ 449
Color II 13" High Res	$ 999

INTERTEC COMPUTERS

64K Superbrain (360 Disk Storage), CP/M™	$3495
64K QD Superbrain (700K Disk Storage), CP/M™	$3995

*CP/M is a registered trademark of Digital Research.



ATARI COMPUTERS

Atari 400 (16K RAM)	$ 399
Atari 800 (32K RAM) - good thru 8/31	$1080
Atari 410 RECORDER	$ 89.95
Atari 810 DISK DRIVE	$ 599.95

NEECO carries all available ATARI Software and Peripherals.

PROFESSIONAL SOFTWARE

WordPro 1 8K	$ 29.95
WordPro 3 (40 Clm.) 16K	$ 199.95
WordPro 3+	$ 295
WordPro 4 (80 Clm.) 32K	$ 375
WordPro 4+	$ 450

JUST A SAMPLE OF THE MANY PRODUCTS WE CARRY, CALL US FOR OUR NEW 60-PAGE CATALOG.
WE WILL MATCH SOME ADVERTISED PRICES ON CERTAIN PRODUCTS LISTED UNDER SIMILAR "IN STOCK" CONDITIONS.



NEECO

679 HIGHLAND AVE.
NEEDHAM, MA 02194

(617) 449-1760
Telex: 951021

MON-FRI 9:00 - 5:00





MasterCharge and VISA Accepted

Circle 246 on inquiry card.

cluded a dummy initialization section for illustrative purposes in the listing of WINDOW.

Using Units

It is instructive to compare the initialization section of the CALENDAR listing with the dummy version in the WINDOW listing. In CALENDAR, the initialization section is used to read an area of the system disk and load data from this area into public variables declared in the interface section. No procedures or functions are declared in the interface section of this unit (except for a dummy procedure, as described previously). Thus, when any program that employs CALENDAR begins execution, the first action undertaken is a reading of system date information from the system disk and storage of the information in variables that can be accessed immediately by the host program. To the host program, these preinitialized variables look the same as constants since they already contain values before the main program even begins execution.

As an aside, a unit can be built within a skeleton program designed to exercise and test it. Just substitute the expanded unit terminated by an END; (note the semicolon) where the USES <unitname> declaration would normally appear. When the surrounding program runs as expected, the unit may be "shelled" out like a peanut, recompiled (after exchanging the final semicolon for a period), and used as is or bound into a collection of units (called a *library file*) on disk.

This brings us to the task of compiling the listed units and binding them into the SYSTEM.LIBRARY. If you have only one disk drive you would be best served by reading and understanding the following, but also sending for a disk with all of the files on it (see the information in the text box on page 244). This will save an inordinate amount of juggling to fit many obligatory files on one 5-inch disk. If you have two or more drives, and have never had the experience of compiling and linking a unit and installing it in a library, I heartily recommend that you type in all the text from the listings and see the instructions that follow. (You should be seated at a Language-Card-equipped Apple II as you read the remainder of this article.)

To begin, enter the UCSD editor and type in the text file for the INTRINSIC UNIT WINDOW. Compile it, and save both text and code files on disk APPLE2, as U.WINDOW.TEXT and U.WINDOW.CODE. Next, type in the assembly-language listing, CALL, assemble it (by typing A from the command level), and save text and code files on disk APPLE2 as CALL.ASSY.TEXT and CALL.ASSY.CODE.

Now you must link the external procedure, CALL.ASSY.CODE, to the host unit, U.WINDOW.CODE. Type L from the command level to invoke the linker. You should ultimately see the question:

HOST FILE?

Type APPLE2:U.WINDOW.CODE and then hit the Return key (the .CODE suffix may be omitted when using the updated Pascal version 1.1). Next, you will be asked:

LIB FILE?

to which you should answer, CALL.ASSY.CODE and hit the Return key. The question will be repeated. This time you simply hit the Return key. The next question:

MAP FILE?

asks where you wish to send messages concerning the progress of the linking process. You might find it instructive to reply CONSOLE: so you can read the linker messages on the screen. Finally, you will be asked for the name of the object-code file to which you wish the finished, linked version sent with the prompt:

OUTPUT FILE?

Answer with APPLE2:U.WINDOW.CODE, followed by Return. At this

Text continued on page 244

Listing 2: *Apple Pascal program to display a high-resolution color test pattern and the system-disk date.*

```
(****************************************
 *                                      *
 *             STARTUP                  *
 *                                      *
 ****************************************)

               (*$S+*)

     (* ROSS M. TONKENS, M.D. *)

        (*VER.01.24.81.01*)

(****************************************
 *PRODUCES A SIX COLOR HIGH RESOLUTION*
 *COLOR BAR TEST PATTERN WITH THE      *
 *SYSTEM DATE DISPLAYED IN THE CENTER *
 *ALONG WITH ANY GREETING OR MESSAGE  *
 *THE USER MAY DESIRE.                *
 *                                     *
 *WHEN THIS PROGRAM IS SAVED ON THE   *
 *BOOT DISKETTE AS                    *
 *                                     *
 *         "SYSTEM.STARTUP"           *
 *                                     *
 *THE APPLE WILL "WAKE UP" DISPLAYING *
 *A COLOR TEST PATTERN AND WHAT IT    *
 *BELIEVES TO BE THE CORRECT DATE,    *
 *THUS SAVING THE USER FROM HAVING TO *
 *INVOKE THE FILER TO CHECK THE DATE  *
 *AFTER BOOTING.  THIS IS ACCOMPLISHED*
 *BY BLOCKREADING THE AREA OF THE BOOT*
 *DISK WHERE THE SYSTEM DATE IS STORED*
 *AND DISPLAYING THIS INFORMATION ON  *
 *THE HIRES SCREEN.  THE METHOD IS    *
 *THEREFORE VALID BOTH FOR MANUAL     *
 *UPDATE SYSTEMS AS WELL AS FOR THOSE *
 *SYSTEMS CONTAINING A CLOCK WHICH    *
 *AUTOMATICALLY UPDATES THE SYSTEM    *
 *DATE ON THE BOOT DISKETTE.          *
 **************************************)


 USES TURTLEGRAPHICS,APPLESTUFF,CALENDAR;

(*============================================
  YOU SHOULD FIRST BIND THE UNIT, "CALENDAR,"
  TO THE SYSTEM.LIBRARY (SEE ACCOMPANYING
  ARTICLE) BEFORE COMPILING THIS PROGRAM.
  THIS IS BECAUSE "SYSTEM.LIBRARY" IS WHERE
  THE COMPILER EXPECTS TO FIND ALL "INTRINSIC"
  UNITS.
  ===========================================*)


CONST

MINX          =      0; (*HIRES SCREEN BOUNDS*)
MINY          =      0; (*  "      "      "  *)
MAXX          =    279; (*  "      "      "  *)
MAXY          =    191; (*  "      "      "  *)
CHARWD        =      7; (*HIRES CHAR WIDTH   *)
CHARHT        =      8; (*HIRES CHAR HEIGHT  *)


VAR

LEFT,
RIGHT,
TOP,
BOTTOM,
COLOR,
INC      : INTEGER;



  PROCEDURE BAR;


  (*DRAWS THE VERTICAL COLOR BARS ON THE SCREEN*)
  (*ONLY 5 COLORS USED SINCE BORDER AND TEXT   *)
  (*WINDOWS ARE IMPLICITLY BLACK, THE 6TH COLOR*)


  VAR

  COLR: SCREENCOLOR;


    BEGIN
      CASE COLOR OF
                    1: COLR:= WHITE;
                    2: COLR:= BLUE;
                    3: COLR:= ORANGE;
                    4: COLR:= GREEN;
                    5: COLR:= VIOLET
      END;
      VIEWPORT(LEFT,RIGHT,TOP,BOTTOM);
      FILLSCREEN(COLR);
      IF COLOR < 5 THEN
        BEGIN
          LEFT:= LEFT + INC;
          RIGHT:= RIGHT + INC
        END
    END;
```

Listing 2 continued on page 242

More performance than you ever imagined — for $1995. If you're considering a DEC® terminal, C. Itoh now has two reliable alternatives that could easily change your mind.

Take our 132-column CIT 101, for example. Unlike DEC's VT100,® it includes full AVO performance — as standard equipment. You also get a 96 ASCII character set, plus 128 special characters. Characters may appear single-width and double-width, double-height. Reverse video, blinking, half-intensity and underscore may be used in up to 16 combinations. The cursor may be underline or block, blinking or non-blinking, or invisible to the viewer — all under computer control. There's raster graphics too. And 19.2K Baud asynchronous communications. Human engineered features include a non-glare screen and detached selectric-type keyboard. Of course, if all you need is 80-column capability, have we got a terminal for you.


The $1195 80-column terminal that performs like a 132. It's C. Itoh's CIT 80, the DEC VT52® emulator that's packed with features many big-ticket terminals don't offer. Things like smooth scrolling, soft setup mode, line drawing graphics and unidirectional RS 232-C printer port. A 19.2K Baud main port features X/ON-X/OFF protocol as well as full and half-duplex in conversation mode. Video attributes include blinking, underline, half intensity—even reverse video. You get CIT 101-type human engineered features too. Plus socketed firmware for maximum OEM flexibility.

Both terminals are backed by our 90-day warranty, fully field supported and ready for immediate shipment. So if you're thinking of getting a DEC terminal, consider the alternatives: CIT 80 and CIT 101.

For full details, contact our exclusive representative, ACRO Corporation, 18003-L Skypark South, Irvine, CA 92714. (714) 557-5118.

C. ITOH
ELECTRONICS, INC.
One world of quality.

Before you order a VT100, think twice.



*Registered trademark of Digital Equipment Corporation

Listing 2 continued:

```
    PROCEDURE MESSAGE;


    (*"LOADS" PROCEDURE SAYIT WITH USER MESSAGE STRING*)


    VAR

    MSSG            : STRING;
    VTAB            : 1..24;
    CH              : CHAR;
  (*TODAY           : STRING;     PREDECLARED IN "UNIT CALENDAR"*)

  PROCEDURE SAYIT;

  (*CALCULATES COORDINATES FOR CENTERING USER*)
  (*MESSAGE ON THE HIRES SCREEN AND PRINTS IT*)

  VAR

  X,Y: INTEGER;



    BEGIN
      X:= ROUND((280 - LENGTH(MSSG) * CHARWD)/2);
      Y:= MAXY - VTAB * 8;
      VIEWPORT(X -  CHARWD,X + LENGTH(MSSG) * CHARWD + 2 * CHARWD,
               Y - CHARHT,Y + 2 * CHARHT);
      FILLSCREEN(BLACK);
      MOVETO(X,Y);
      WSTRING(MSSG);
    END;



  (*============================================
    SUBSTITUTE YOUR MESSAGES AND VTABS FOR THE
    ONES BELOW.  OF COURSE YOU WILL WANT TO KEEP
    THE DATE WHICH IS STORED IN THE PREDECLARED
    STRING VARIABLE "TODAY" FROM "UNIT CALENDAR."
    ============================================*)


  BEGIN
    MSSG:= ' GOOD DAY, DR. TONKENS! ';
    VTAB:=  8; SAYIT;
    MSSG:= ' WELCOME TO APPLE/UCSD PASCAL 1.1 ';
    VTAB:= 10; SAYIT;
    MSSG:= CONCAT(' THE DATE IS',TODAY);
    VTAB:= 12; SAYIT;
    MSSG:= ' DIGIT ALICE AT YOUR DISPOSAL ';
    VTAB:= 16; SAYIT;
    MSSG:= ' HIT <RETURN> WHEN READY ';
    VTAB:= 22; SAYIT;
    VIEWPORT(MINX,MAXX,MINY,MAXY)
  END;




BEGIN (*STARTUP*)
  INITTURTLE;
  LEFT:= 0;RIGHT:= ROUND(MAXX/5) - 1;
  TOP:= MINY; BOTTOM:= MAXY;
  INC:= RIGHT + 1;
  FOR COLOR:= 1 TO 5 DO
    BAR;
  MESSAGE;
  REPEAT UNTIL KEYPRESS;
  TEXTMODE
END. (*STARTUP*)
```

ALL YOU DO IS PLUG IT IN!

SYSTEMS FROM $3,775

A SIGMA SYSTEM is *COMPLETE:*
Computer, terminals, printers, interfaces, operating system, manuals and documentation, etc. *All you do is plug it in.*

A SIGMA SYSTEM *WORKS:*
It is assembled, tested, burned-in, *tested,* configured, *tested,* burned-in again, and retested. *All you do is plug it in.*

A SIGMA SYSTEM is *FLEXIBLE:*
Each system is configured for an exact need, be it a 64K stand-alone with a small matrix printer or a 512K multi-user, multi-processor with several 600LPM line printers—or anything in between. *All you do is plug it in.*

A SIGMA SYSTEM is *EXPANDABLE:*
Each system is designed to grow with your customer's needs. Usually only an additional board is required for expansion. *All you do is plug it in.*

A SIGMA SYSTEM is *SUPPORTED:*
SIGMA's Engineering Department provides technical support, parts and training, while the SIGMA Marketing Department offers in-market sales and marketing support. We design our dealer/agency program to fit your needs.

Below are 4 of more than 80 fully integrated systems:

SIGMA SYSTEM I
A single user stand-alone system: • 64K RAM • 2 x 5¼" QD Floppy Drives (700KB) • 12" CRT with full ASCII Keyboard • Printer-100 cps (data processing) and 50 cps (letter quality) plus graphics capability • CP/M Operating System • Fully integrated and tested • Expandable
Total Price: $3,775

SIGMA SYSTEM II
A multi-user (2) system: • 64K RAM per user • 5¼" Floppy Drive (500KB) • 5MB Hard Disk Drive • 2 CRT Terminals with detachable keyboards • High speed 180 cps printer • MP/M Operating System • Fully integrated and tested • Expandable
Total Price: $8,675

SIGMA SYSTEM III
A four user (4) system: • 64K RAM per user • 2 x 8" Floppy Disk Drives (1.2MB) • 11MB Hard Disk Drive • 4 CRT's with detachable keyboards • Printer —200 cps (data mode), 60 cps (letter quality mode) plus graphics • MP/M Operating System • Fully integrated and tested • Expandable
Total Price: $14,459

SIGMA SYSTEM IV
An eight user (8) multi-processing system: • 512K RAM • 8" Floppy Disk Drive (1.2MB) • 18MB Hard Disk Drive • 8 CRT's with detachable keyboards • Printer—180 cps data printer • Printer—55 cps letter quality • CP/M compatible multi-user system • Data Base Management System • Fully integrated and tested • Expandable up to 16 users
Total Price: $32,997

(The above systems include charge for integration. If integration is not desired, please inquire about additional discounts.)

U.S. Domestic/Canada
Sigma Digital Systems, Inc.
14433 N. 73rd Street
Scottsdale, Arizona 85260
Telephone: (602) 998-4987



International
Sigma International Trading Corp.
P.O. Box 1118
Scottsdale, Arizona 85252
Telephone: (602) 998-9004
Telex: 165-745 SIGMA

DEALERSHIPS/AGENCIES AVAILABLE IN SELECTED AREAS
"PLUG INTO SIGMA'S DISTRIBUTION NETWORK"

Circle 323 on inquiry card.

Text continued from page 238:

point, WINDOW (currently saved as APPLE2:U.WINDOW.CODE) is ready to be bound to SYSTEM.LIBRARY.

However, before installing WINDOW in SYSTEM.LIBRARY you should enter and compile CALENDAR from its listing and save the text and code files as APPLE2:U.CALENDAR.TEXT and APPLE2:U.CALENDAR.CODE.

At this point a few words are in order about a library file. All object-code files in UCSD Pascal can be visualized as residing within a "cabinet" having sixteen shelves. Each shelf can hold only one item, called a segment. A segment represents one stand-alone piece of object code. A unit, even one which invokes external assembly-language subroutines, still represents only one segment, since the subroutine, once linked to the unit, becomes an integral part of that unit's object code. The only time a unit occupies more than one "shelf" in the cabinet is when that unit is an intrinsic unit with both code and data segments. (This subject was briefly examined in the discussion of WINDOW.) Pascal programs use only one shelf. This is because any program, no matter how lengthy, is still one stand-alone piece of object code. There are exceptions to this rule if the program is so lengthy that it has to be broken up into pieces, but this subject is beyond the scope of our current discussion (see the "Program Segmentation" section of the *Addendum to the Apple Pascal Language Reference Manual*).

A library is merely one of these "cabinets" whose shelves contain useful collections of precompiled subroutines instead of a program. If we wish to fill two of the empty "shelves" in SYSTEM.LIBRARY with the WINDOW and CALENDAR units, we begin by executing APPLE3:LIBRARY from the command level. To the prompt:

OUTPUT CODE FILE ->

reply APPLE1:SYSTEM.LIBRARY followed by Return. When

LINK CODE FILE ->

appears, again reply, APPLE1:SYSTEM.LIBRARY and hit Return. Now, when

SLOT TO LINK INTO?

appears, reply = to initiate automatic copying of all the old units into the new library.

Be sure to watch the screen during this process, as you can actually see a dynamic depiction of units being stored in the new library's code slots. You will again be prompted:

SLOT TO LINK INTO?

to which you should reply: N (for new file). Again, you will also be asked:

LINK CODE FILE ->

which you answer with APPLE2:U.WINDOW.CODE Return. Type the following: 1 7 2 8 N. You will see the by now familiar prompt:

LINK CODE FILE ->

Reply, APPLE2:U.CALENDAR.CODE Return. Now to the question:

SLOT TO LINK INTO?

reply as follows: 1 9 2 10 Q.

You will be prompted with the question:

NOTICE?

so that, if you wish, you may type in a copyright or the current date on which you appended this library. This message will then be embedded in the library file on disk for later retrieval through the LIBMAP utility on disk APPLE3. The next Return (with or without a NOTICE) will terminate execution of LIBRARY, returning you to the command level, and replace the old copy of SYSTEM.LIBRARY on disk APPLE1 with your new, appended verison.

If you want a copy of the interface sections of the units in the new SYSTEM.LIBRARY, simply execute APPLE3:LIBMAP. Answer Y to all (Y/N)? prompts after specifying APPLE1:SYSTEM.LIBRARY when asked to:

ENTER LIBRARY NAME:

Answer, PRINTER: or CONSOLE:, Return, to the request:

MAP OUTPUT FILE NAME:

and hit Return when asked again, in order to return to the command level.

Conclusion

The extensibility of UCSD Pascal through units is one of its most powerful features, one that is similar in concept to using one of a genii's three magic wishes to ask for more magic wishes.

I hope this article will encourage readers to explore the power of the unit and investigate some of its mysteries.■

Acknowledgments

The author wishes to acknowledge the work of Daniel D. Sokol (see "Notes on Absolute Location Interfaces to Apple Pascal," September 1980 BYTE, *page 324), from which many of the programming examples in this article were taken.*

For those with only one disk drive (or an aversion to typing) a disk is available with copies of the following files:

- *U.WINDOW.TEXT and U.WINDOW.CODE*
- *CALL.ASSY.TEXT and CALL.ASSY.CODE*
- *U.CALENDAR.TEXT and U.CALENDAR.CODE*
- *STARTUP.TEXT and STARTUP.CODE*
- *SYSTEM.LIBRARY with WINDOW and CALENDAR installed*

To obtain a copy of this disk, send a check or money order for $14.95 (add 6% sales tax if you are a California resident), plus $1 shipping and handling, to RMT UNITS, Suite 1185-W, 8635 West Third St., Los Angeles, CA 90048.

The first-ever Database Word Processor System.

Sequitur. There's never been anything like it.

Compare it to the low end of the database market, like Condor and dBase II, and you'll find it does far more. Put it against the high end, like Oracle or Ingres, and you'll be surprised how close it comes.

Except it's a whole lot easier to use.

It adapts to you, not the other way around.

Thanks to its clear data display and its graphic query language, Sequitur is easy for the beginning user, but powerful enough for the sophisticated user.

It's so friendly that the most timid beginner can pick up the operating manual, sit down at a terminal and start right in entering data, generating reports, writing form letters, managing documents and doing everything else you can do once you combine a database system with a word processor.

Editing without pain or fear.

The word processor feature lets you edit any part of a table. Once you edit it, Sequitur makes the change all through the system. But the edit doesn't destroy what you started with. If you change your mind, you can bring back earlier versions with a keystroke.

When you give a command like "JOIN," Sequitur doesn't create a duplicate file. This means the system works faster, uses less disk space and, most important, any update goes to the correct file—because it's the only file.

As we said, there's nothing else like it at any price.

The price. It's the nicest surprise.

Today you can run Sequitur with the multi-user Unix Version 7 operating system or with Unix look-alikes on 16-bit machines like the Onyx or Plexus.

You can install Sequitur on your computer for as little as $3495. If you've checked into serious Unix software, you know how good that price is.

Come see Sequitur in action. For a complete demonstration, write Pacific Software, 2608 Eighth Street, Berkeley CA 94710. Or call us at (415) 540-0616.

Sequitur™

Pacific Software Manufacturing Company

Unix is a trademark of Bell Laboratories.

Circle 275 on inquiry card.

DYNACOMP

Quality software for:*

ATARI — **TRS-80 (Level II)****
PET — **NORTH STAR**
APPLE II Plus — **CP/M Disks/Diskettes**

(see Availability box)

CARD GAMES

BACCARAT (Atari only) — **Price: $18.95 Cassette/$22.95 Diskette**
This is the European card game which is the favorite of the Monte Carlo jet set. Imagine yourself at the gaming table with 007 to your left and Goldfinger to your right. Learn and play BACCARAT at your leisure on the Atari. Contains full high resolution color graphics and matching sound. Runs in 16K. Requires one joystick.

GIN RUMMY (Apple only) — **Price: $18.95 Cassette/$22.95 Diskette**
This is the best micro computer implementation of GIN RUMMY existing. The computer plays exceptionally well, and the HIRES graphics are superb. What else can be said?

POKER PARTY (Available for all computers) — **Price: $17.95 Cassette/$21.95 Diskette**
POKER PARTY is a draw poker simulation based on the book, POKER, by Oswald Jacoby. This is the most comprehensive version available for microcomputers. The party consists of yourself and six other (computer) players. Each of these players (you will get to know them) has a different personality in the form of a varying propensity to bluff or fold under pressure. Practice with POKER PARTY before going to that expensive game tonight! Apple cassette and diskette versions require a 32 K (or larger) Apple II.

CRIBBAGE 2.0 (TRS-80 only) — **Price: $14.95 Cassette/$18.95 Diskette**
This is simply the best cribbage game available. It is an excellent program for the cribbage player in search of a worthy opponent as well as for the novice wishing to improve his game. The graphics are superb and assembly language routines provide rapid execution. See the software review in 80 Software Critique.

THOUGHT PROVOKERS

MANAGEMENT SIMULATOR (Atari, North Star and CP/M only) — **Price: $19.95 Cassette/$23.95 Diskette**
This program is both an excellent teaching tool as well as a stimulating intellectual game. Based upon similar games played at graduate business schools, each player or team controls a company which manufacturers three products. Each player attempts to outperform his competitors by setting selling prices, production volumes, marketing and design expenditures etc. The most successful firm is the one with the highest stock price when the simulation ends.

FLIGHT SIMULATOR (Available for all computers) — **Price: $17.95 Cassette/$21.95 Diskette**
A realistic and extensive mathematical simulation of take-off, flight and landing. The program utilizes aerodynamic equations and the characteristics of a real airfoil. You can practice instrument approaches and navigation using radials and compass headings. The more advanced flyer can also perform loops, half-rolls and similar aerobatic maneuvers. Although this program does not employ graphics, it is exciting and very addictive. See the software review in COMPUTRONICS. Runs in 16K Atari,

VALDEZ (Available for all computers) — **Price: $15.95 Cassette/$19.95 Diskette**
VALDEZ is a computer simulation of supertanker navigation in the Prince William Sound/Valdez Narrows region of Alaska. Included in this simulation is a realistic and extensive 256 × 256 element map, portions of which may be viewed using the ship's alphanumeric radar display. The motion of the ship itself is accurately modelled mathematically. The simulation also contains a model for the tidal patterns in the region, as well as other traffic (outgoing tankers and drifting icebergs). Chart your course from the Gulf of Alaska to Valdez Harbor! See the software reviews in 80 Software Critique and Personal Computing.

BACKGAMMON 2.0 (Atari, North Star and CP/M only) — **Price: $14.95 Cassette/$18.95 Diskette**
This program tests your backgammon skills and will also improve your game. A human can compete against a computer or against another human. The computer can even play against itself. Either the human or the computer can double or generate dice rolls. Board positions can be created or saved for replay. BACKGAMMON 2.0 plays in accordance with the official rules of backgammon and is sure to provide many fascinating sessions of backgammon play.

CHECKERS 3.0 (PET only) — **Price: $16.95 Cassette/$20.95 Diskette**
This is one of the most challenging checkers programs available. It has 10 levels of play and allows the user to change skill levels at any time. Although providing a very tough game at level 4-8, CHECKERS 3.0 is practically unbeatable at levels 9 and 10.

CHESS MASTER (North Star and TRS-80 only) — **Price: $19.95 Cassette/$23.95 Diskette**
This complete and very powerful program provides five levels of play. It includes castling, en passant captures and the promotion of pawns. Additionally, the board may be preset before the start of play, permitting the examination of "book" plays. To maximize execution speed, the program is written in assembly language (by SOFTWARE SPECIALISTS of California). Full graphics are employed in the TRS-80 version, and two widths of alphanumeric display are provided to accommodate North Star users. See review in onComputing.

LEM LANDER (32K Apple Disk only) — **Price: $16.95 Diskette**
Pilot your LEM LANDER to a safe landing on any of nine different surfaces ranging from smooth to treacherous. The game paddles are used to control craft attitude and thrust. This is a real-time high res challenge!

FOREST FIRE! (Atari only) — **Price: $16.95 Cassette/$20.95 Diskette**
Using excellent graphics and sound effects, this simulation puts you in the middle of a forest fire. Your job is to direct operations to put out the fire while compensating for changes in wind, weather and terrain. Not protecting valuable structures can result in startling penalties. Life-like variables are provided to make FOREST FIRE! very suspenseful and challenging. No two games have the same setting and there are 3 levels of difficulty.

SPACE EVACUATION! (Apple, Atari and TRS-80 only) — **Price: $15.95 Cassette/$19.95 Diskette**
Can you colonize the galaxy and evacuate the Earth before the sun explodes? Your computer becomes the ship's computer as you explore the universe to relocate millions of people. This simulation is particularly interesting as it combines many of the exciting elements of classic space games with the mystery challenge of ADVENTURE.

MONARCH (Atari only) — **Price: $11.95 Cassette/$15.95 Diskette**
MONARCH is a fascinating economic simulation requiring you to survive an 8-year term as your nation's leader. You determine the amount of acreage devoted to industrial and agricultural use, how much food to distribute to the populace and how much should be spent on pollution control. You will find that all decisions involve a compromise and that it is not easy to make everyone happy. Runs in 16K Atari.

CHOMPELO (Atari only) — **Price: $11.95 Cassette/$15.95 Diskette**
CHOMPELO is really two challenging games in one. One is similar to NIM; you must bite off part of a cookie, but avoid taking the poisoned portion. The other game is the popular board game REVERSI. It fully uses the Atari's graphics capability, and is hard to beat. This package will run on a 16K system.

SPACE LANES (Available for all computers) — **Price: $10.95 Cassette/$14.95 Diskette**
SPACE LANES is a simple but exciting space transportation game which involves up to four players (including the computer). The object is to form and expand space transportation companies in a competitive environment. The goal is to amass more net worth than your opponent. The economics include stock purchases and company mergers. Watch your wealth grow!

AVAILABILITY

DYNACOMP software is supplied with complete documentation containing clear explanations and examples. Unless otherwise specified, all programs will run within 16K program memory space (ATARI requires 24K). Except where noted, programs are available on ATARI, PET, TRS-80 (Level II) and Apple (Applesoft) cassette and diskette as well as North Star single density (double density compatible) diskette. Additionally, most programs can be obtained on standard (IBM 3740 single density/double density compatible format) 8" CP/M floppy disks for systems running under MBASIC (for example, Altos, Xerox 820 and many others). 5¼" CP/M diskettes are available for the North Star and Osborne computer systems.

**ATARI, PET/CBM, NORTH STAR, CP/M, IBM, OSBORNE and XEROX are registered tradenames and/or trade marks.*

***Except where noted, all TRS-80 Model I software is available on cassette (only) for the TRS-80 Model III. Exceptions: VALDEZ, CRIBBAGE, GRAFIX, CHESSMASTER. TRS-80 diskettes are not supplied with either DOS or BASIC.*

DYNACOMP OFFERS THE FOLLOWING

- Widest variety
- Guaranteed quality
- Fastest delivery
- Friendly customer service
- Free catalog
- 24 hour order phone

AND MORE...

STARTREK 3.2 (Available for all computers) — **Price: $11.95 Cassette/$15.95 Diskette**
This is the classic Startrek simulation, but with several new features. For example, the Klingons now shoot at the Enterprise without warning while also attacking starbases in other quadrants. The Klingons also attack with both light and heavy cruisers and move when shot at! The situation is hectic when the Enterprise is besieged by three heavy cruisers and a starbase S.O.S. is received! The Klingons get even! See the software reviews in A.N.A.L.O.G., 80 Software Critique and Game Merchandising.

BLACK HOLE (Apple only) — **Price: $14.95 Cassette/$18.95 Diskette**
This is an exciting graphical simulation of the problems involved in closely observing a black hole with a space probe. The object is to enter and maintain, for a prescribed time, an orbit close to a small black hole. This is to be achieved without coming so near the anomaly that the tidal stress destroys the probe. Control of the craft is realistically simulated using side jets for rotation and main thrusters for acceleration. This program employs Hi-Res graphics and is educational as well as challenging.

SPACE TILT (Apple and Atari only) — **Price: $10.95 Cassette/$14.95 Diskette**
Use the game paddles to tilt the plane of the TV screen to "roll" a ball into a hole in the screen. Sound simple? Not when the hole gets smaller and smaller! A built-in timer allows you to measure your skill against others in this habit-forming action game.

ESCAPE FROM VOLANTIUM (Atari only) — **Price: $15.95 Cassette/$19.95 Diskette**
Bring the action and excitement of an arcade into your home with ESCAPE FROM VOLANTIUM! To escape you must maneuver your space ship around obstacles and laser blast the dragon (without being eaten). If he is killed with a direct shot (not just a leg lopped off), a door opens to the outside. However, the door does not stay open indefinitely. If you fail to escape in time, the door closes and a new dragon appears. Sometimes you can smash through the door by repeatedly chipping away at it. Other times it is impervious. At the higher levels of play more obstacles and dragons appear, adding to the excitement. Uses high resolution graphics and sound. Runs in 16K.

ALPHA FIGHTER (Atari only) — **Price: $14.95 Cassette/$18.95 Diskette**
Two excellent graphics and action programs in one! ALPHA FIGHTER requires you to destroy the alien starships passing through your sector of the galaxy. ALPHA BASE is in the path of an alien UFO invasion; let five UFO's get by and the game ends. Both games require the joystick and get progressively more difficult the higher you score! ALPHA FIGHTER will run on 16K systems.

THE RINGS OF THE EMPIRE (Atari only) — **Price: $16.95 Cassette/$20.95 Diskette**
The empire has developed a new battle station protected by rotating rings of energy. Each time you blast through the rings and destroy the station, the empire develops a new station with more protective rings. This exciting game runs on 16K systems, employs extensive graphics and sound and can be played by one or two players.

INTRUDER ALERT (Atari only) — **Price: $16.95 Cassette/$20.95 Diskette**
This is a fast paced graphics game which places you in the middle of the "Dreadstar" having just stolen its plans. The droids have been alerted and are directed to destroy you at all costs. You must find and enter your ship to escape with the plans. Five levels of difficulty are provided. INTRUDER ALERT requires a joystick and will run on 16K systems.

MIDWAY (Atari only) — **Price: $14.95 Cassette/$18.95 Diskette**
MIDWAY is an exciting extension of the game of Battleship. It mixes the challenges of strategy and chance. Your opponent can be another human or the computer. Color graphics and sound are both included. Runs in 16K.

TRIPLE BLOCKADE (Atari only) — **Price: $14.95 Cassette/$18.95 Diskette**
TRIPLE BLOCKADE is a two-to-three player graphics and sound action game. It is based on the classic video arcade game which millions have enjoyed. Using the Atari joysticks, the object is to direct your blockading line around the screen without running into your opponent(s). Although the concept is simple, the combined graphics and sound effect lead to "high anxiety".

GAMES PACK I (Available for all computers) — **Price: $10.95 Cassette/$14.95 Diskette**
GAMES PACK I contains the classic computer games of BLACKJACK, LUNAR LANDER, CRAPS, HORSERACE, SWITCH and more. These games have been combined into one large program for ease in loading. They are individually accessed by a convenient menu. This collection is worth the price just for the DYNACOMP version of BLACKJACK.

GAMES PACK II (Available for all computers) — **Price: $10.95 Cassette/$14.95 Diskette**
GAMES PACK II includes the games CRAZY EIGHTS, JOTTO, ACEY-DUCEY, LIFE, WUMPUS and others. As with GAMES PACK I, all the games are loaded as one program and are called from a menu. You will particularly enjoy DYNACOMP's version of CRAZY EIGHTS.

Why pay $7.95 or more per program when you can buy a DYNACOMP collection for just $10.95?

MOON PROBE (Atari and North Star only) — **Price: $11.95 Cassette/$15.95 Diskette**
This is an extremely challenging "lunar lander" program. The user must drop from orbit to land at a predetermined target on the moon's surface. You control the thrust and orientation of your craft plus direct the rate of descent and approach angle. Runs in 16K Atari.

SPACE TRAP (Atari only, 16K) — **Price: $14.95 Cassette/$18.95 Diskette**
This galactic "shoot'em up" arcade game places you near a black hole. You control your spacecraft using the joystick and attempt to blast as many of the alien ships as possible before the black hole closes about you.

CHIRP INVADERS (PET/CBM only) — **Price: $14.95 Cassette/$18.95 Diskette**
CHIRP INVADERS is an addictive game using action graphics. A Federation space station must be reached before the Chirps conquer the Earth. Stationary obstacles, moving meteors, and the attacking Chirps must all be avoided for a successful journey. Good luck.

ADVENTURE

CRANSTON MANOR ADVENTURE (North Star and CP/M only) — **Price: $29.95 Diskette**
At last! A comprehensive Adventure game for North Star and CP/M systems. CRANSTON MANOR ADVENTURE takes you into mysterious CRANSTON MANOR where you attempt to gather fabulous treasures. Lurking in the manor are wild animals and robots who will not give up the treasures without a fight. The number of rooms is greater and the associated descriptions are much more elaborate than the current popular series of Adventure programs, making this game the top in its class. Play can be stopped at any time and the status stored on diskette. Not available in 5¼" CP/M format.

GUMBALL RALLY ADVENTURE (North Star only, 48K) — **Price: $21.95 Diskette**
Take part in this outlaw race from the east coast to the west coast. The goal is to find your way to the finish line while maintaining the highest possible speed. You may choose one of five cars available at the garage. The choice will affect your speed and range. Remember to take spare parts and don't get caught speeding!

UNCLE HARRY'S WILL (North Star only, 40K) — **Price: $24.95 Diskette**
Uncle Harry has died and has left you everything. However, he has neglected to mention where everything is! Instead, his will consists of a poem which contains clues. You will have to travel all over the United States both by car and on foot to solve the puzzle, and there are over 300 locations to probe. Be careful and watch out for red herrings!

SPEECH SYNTHESIS

DYNACOMP is now distributing the new and revolutionary TYPE-'N-TALK™ (TNT) speech synthesizer from Votrax. Simply connect TNT to your computer's serial interface, enter text from the keyboard and hear the words spoken. TNT is the easiest-to-program speech synthesizer on the market. It uses the least amount of memory and provides the most flexible vocabulary available anywhere!

List price $375. DYNACOMP'S price $329.95. Please add $5.00 for shipping and handling.

TALK TO ME (T'N'T Atari only, 24K) — **Price: $14.95 Cassette/$18.95 Diskette**
This program presents a superb tutorial on speech synthesis using the Atari 800 and TYPE 'N TALK™. TALK TO ME will illustrate normal word generation as well as phoneme generation. The documentation includes many helpful programming tips.

MISCELLANEOUS

CRYSTALS (Atari only) — **Price: $ 9.95 Cassette/$13.95 Diskette**
A unique algorithm randomly produces fascinating graphics displays accompanied with tones which vary as the patterns are built. No two patterns are the same, and the combined effect of the sound and graphics are mesmerizing. CRYSTALS has been used in local stores to demonstrate the sound and color features of the Atari. Runs in 16K Atari.

NORTH STAR SOFTWARE EXCHANGE (NSSE) LIBRARY
DYNACOMP now distributes the 23 volume NSSE library. These diskettes each contain many programs and offer an outstanding value for the purchase price. They should be part of every North Star user's collection. Call or write DYNACOMP for details regarding the contents of the NSSE collection.

Price: $9.95 each/$7.95 each (4 or more)
The complete collection may be purchased for $149.95

Circle 114 on inquiry card.

BUSINESS and UTILITIES

MAILMASTER (Atari diskette only) — Price: $39.95 Diskette
MAILMASTER is a very versatile software package for managing and manipulating mail lists and mini data bases. Each disk can hold over 700 customer entries containing name, address, three 3-letter key words and a phone number. The display is marked so that entries may be made and edited with ease. The status (e.g., disk space left, options, etc.) is shown at all times. Labels may be printed 1, 2 or 3 up, and all sorting (zip code and alphabetic) is performed by a fast machine language program.

SORTIT (North Star only) — Price: $29.95 Diskette
SORTIT is a general purpose sorting program written in 8080 assembly language. This program will sort sequential data files generated by NORTH STAR BASIC. Primary and optional secondary keys may be numeric or one to nine character strings. SORTIT is easily used with files generated by DYNACOMP's MAIL LIST program and is very versatile in its capabilities for all other BASIC data file sorting.

PERSONAL FINANCE SYSTEM (Atari and North Star only) — Price: $39.95 Diskette
PFS is a single diskette, menu-oriented system composed of ten different programs. Besides recording your expenses and tax deductible items, PFS will sort and summarize expenses by payee, and display information on expenditures by any of 26 user defined codes by month or by payee. PFS will even produce monthly bar graphs of your expenses by category! This powerful package requires only one disk drive, minimal memory (24K Atari, 32K North Star) and will store up to 600 records per disk (and over 1000 records per disk by making a few simple changes to the programs). You can record checks plus cash expenses so that you can finally see where your money goes and eliminate guesswork and tedious hand calculations. Contains high speed machine language sort.

FAMILY BUDGET (Apple and Atari only) — Price: $34.95 Diskette
FAMILY BUDGET is a very convenient financial record-keeping program. You will be able to keep track of cash and credit expenditures as well as income on a daily basis. You can record tax deductible items and charitable donations. FAMILY BUDGET also provides a continuous record of all credit transactions. You can make daily cash and charge entries to any of 21 different expense accounts as well as to 5 payroll and tax accounts. Data are easily retrieved giving the user complete control over an otherwise complicated (and unorganized!) subject.

INTELINK (Atari only) — Price: $49.95 Diskette
This software package contains a menu-driven collection of programs for facilitating efficient two-way communications through a full duplex modem (required for use). In one mode of operation you may connect to a data service (e.g., The SOURCE or MicroNet) and quickly load data such as stock quotations onto your diskette for later viewing. This greatly reduces "connect time" and thus the service charge. You may also record the complete contents of a communications session. Additionally, programs written in BASIC, FORTRAN, etc. may be built off-line using the support text editor and later "uploaded" to another computer, making the Atari a very smart terminal. Even Atari BASIC programs may be uploaded. Further, a command file may be built off-line and used later as controlling input for a time-share system. That is, you can set up your sequence of time-share commands and programs, and the Atari will transmit them as needed; batch processing. All this adds up to saving both connect time and your time.

TEXT EDITOR II (CP/M) — Price: $29.95 Diskette/$33.45 Disk
This is the second release version of DYNACOMP's popular TEXT EDITOR I and contains many new features. With TEXT EDITOR II you may build text files in chunks and assemble them for later display. Blocks of text maybe appended, inserted or deleted. Files may be saved on disk/diskette in right justified/centered format to be later printed by either TEXT EDITOR II or the CP/M ED facility. Futher, ASCII CP/M files (including BASIC and assembly language programs) may be read by the editor and processed. In fact, text files can be built using ED and later formatted using TEXT EDITOR II. All in all, TEXT EDITOR II is an inexpensive, easy to use, but very flexible editing system.

DFILE (Atari and North Star diskettes only) — Price: $19.95
This handy program allows North Star and Atari disk users to maintain a specialized data base of all files and programs in the stack of disks which invariably accumulates. DFILE is easy to set up and use. It will organize your disks to provide efficient locating of the desired file or program.

FINDIT (North Star only) — Price: $19.95
This is a three-in-one program which maintains information accessible by keywords of three types: Personal (eg: last name), Commercial (eg: plumbers) and Reference (eg: magazine articles, record albums, etc). In addition to keyword searches, there are birthday, anniversary and appointment searches for the personal records and appointment searches for the commercial records. Reference records are accessed by a single keyword or by cross-referencing two or three keywords.

SHOPPING LIST (Atari only) — Price: $12.95 Cassette/$16.95 Diskette
SHOPPING LIST stores information on items you purchase at the supermarket. Before going shopping, it will remind you of all the things you might need, and then display (or optionally print) your shopping list and the total cost. Adding, deleting, changing and storing data is very easy. Runs with 16K.

TAX OPTIMIZER (North Star only) — Price: $59.95 Diskette
The TAX OPTIMIZER is an easy-to-use, menu oriented software package which provides a convenient means for analyzing various income tax strategies. The program is designed to provide a quick and easy data entry. Income tax is computed by all tax methods (regular, income averaging, maximum and alternate minimum tax). The user may immediately observe the tax effect of critical financial decisions. TAX OPTIMIZER has been thoroughly field tested in CPA offices and comes complete with the current tax tables in its data files. TAX OPTIMIZER is tax deductible!

UTIL (Apple only, 48K) — Price: $19.95 Diskette
UTIL is a disk-oriented utility system which permits examining and changing of the contents of DOS 3.2 and 3.3 diskettes at the bit (nibble or byte) level. With UTIL you can easily examine the contents of a diskette sector by sector, restructure the sector pointers, reallocate sectors (e.g. bad sectors may be "hidden"), and perform many other sophisticated operations. For the experienced programmer.

TURNKEY AND MENU (Atari only) — Price: $17.95 Diskette
TURNKEY is a utility program which allows you to create autoboot/autorun diskettes easily. Simply load and run TURNKEY, load the program diskette to be modified, and answer the questions! The TURNKEY diskette also comes with DOS 2.0 and includes another program, MENU. MENU lists the contents of your diskette alphabetically, and permits the running of any BASIC program on the diskette by typing a single key. TURNKEY and MENU provide you with the ability to run any program on your diskette by simply turning on the computer and pressing a single key.

STOCKAID (Atari only) — Price: $29.95 Diskette
STOCKAID provides a powerful set of tools for stock market analysis. With STOCKAID you can display point and figure charts, as well as bar charts with oscillators. You can also examine long term moving averages and on-balance volume features. STOCKAID allows you to input daily data with a single diskette storage capability of 239 days × 16 stocks. Included are stock dividend and split adjustment capabilities. A very professional package!

EDUCATION

HODGEPODGE (Apple only, 48K Applesoft or Integer BASIC) — Price: $19.95 Cassette/$23.95 Diskette
Let HODGE PODGE be your child's teacher. Pressing any key on your Apple will result in a different and intriguing "happening" related to the letter or number of the chosen key. The program's graphics, color and sound are a delight for children from ages 1½ to 7. HODGE PODGE is a non-intimidating teaching device which brings a new dimension to the use of computers in education. See review in Infoworld.

TEACHER'S AIDE (Atari only) — Price: $13.95 Cassette/$17.95 Diskette
TEACHER'S AIDE consists of three basic modules contained in one program. The first module provides addition and subtraction exercises of varying levels of difficulty. The second module consists of multiplication problems in which the student may be tested both on the final answer and/or on the subtotal answers in the long hand procedure. Several levels of complexity are provided here as well. The third module consists of division problems; one particularly nice feature of the division module is that the long hand division steps can be displayed along with the remainder in order to clearly demonstrate the procedure by which the remainder is derived. Using TEACHER'S AIDE is not merely a drill, but rather a learning experience.

ORDERING INFORMATION

All orders are processed and shipped within 48 hours. Please enclose payment with order and include the appropriate computer information. If paying by VISA or Master Card, include all numbers on card. Purchase orders accepted.

Shipping and Handling Charges
Within North America: Add $2.00
Outside North America: Add 15% (Air Mail)

Delivery
All orders (excluding books) are sent First Class.

Quantity Discounts
Deduct 10% when ordering 3 or more programs. Dealer discount schedules are available upon request.

8" CP/M Disks
Add $2.50 to the listed diskette price for each 8" floppy disk (IBM soft sectored CP/M format). Programs run under Microsoft MBASIC or BASIC-80.

5¼" CP/M Disks
All software available on 8" CP/M disks is also available on 5¼" disks, North Star format.

Ask for DYNACOMP programs at your local software dealer. Write for detailed descriptions of these and other programs from DYNACOMP.

DYNACOMP, Inc. (Dept. B)
1427 Monroe Avenue
Rochester, New York 14618
24 hour order phone: (716)442-8731 recording
Office phone (9AM-5PM EST): (716)442-8960

VISA




New York State residents please add 7% NYS sales tax.

STATISTICS and ENGINEERING

DIGITAL FILTER (Available for all computers) — Price: $39.95 Cassette/$43.95 Diskette
DIGITAL FILTER is a comprehensive data processing program which permits the user to design his own filter function or choose from a menu of filter forms. The filter forms are subsequently converted into non-recursive convolution coefficients which permit rapid data processing. In the explicit design mode the shape of the frequency transfer function is specified by directly entering points along the desired filter curve. In the menu mode, ideal low pass, high pass and bandpass filters may be approximated to varying degrees according to the number of points used in the calculation. These filters may optionally also be smoothed with a Hanning function. In addition, multi-stage Butterworth filters may be selected. Features of DIGITAL FILTER include plotting of the data before and after filtering, as well as display of the chosen filter functions. Also included are convenient data storage, retrieval and editing procedures.

DATA SMOOTHER (Not available for Atari) — Price: $19.95 Cassette/$23.95 Diskette
This special data smoothing program may be used to rapidly derive useful information from noisy business and engineering data which are equally spaced. The software features choice in degree and range of fit, as well as smoothed first and second derivative calculation. Also included is automatic plotting of the input data and smoothed results.

FOURIER ANALYZER (Available for all computers) — Price: $19.95 Cassette/$23.95 Diskette
Use this program to examine the frequency spectra of limited duration signals. The program features automatic scaling and plotting of the input data and results. Practical applications include the analysis of complicated patterns in such fields as electronics, communications and business.

TFA (Transfer Function Analyzer) — Price: $19.95 Cassette/$23.95 Diskette
This is a special software package which may be used to evaluate the transfer functions of systems such as hi-fi amplifiers and filters by examining their response to pulsed inputs. TFA is a major modification of FOURIER ANALYZER and contains an engineering-oriented decibel versus log-frequency plot as well as data editing features. Whereas FOURIER ANALYZER is designed for educational and scientific use, TFA is an engineering tool. Available for all computers.

HARMONIC ANALYZER (Available for all computers) — Price: $24.95 Cassette/$28.95 Diskette
HARMONIC ANALYZER was designed for the spectrum analysis of repetitive waveforms. Features include data file generation, editing and storage/retrieval as well as data and spectrum plotting. One particularly unique facility is that the input data need not be equally spaced or in order. The original data is sorted and a cubic spline interpolation is used to create the data file required by the FFT algorithm.

FOURIER ANALYZER, TFA and HARMONIC ANALYZER may be purchased together for a combined price of $49.95 (three cassettes) and $59.95 (three diskettes).

REGRESSION I (Available for all computers) — Price: $19.95 Cassette/$23.95 Diskette
REGRESSION I is a unique and exceptionally versatile one-dimensional least squares "polynomial" curve fitting program. Features include very high accuracy; an automatic degree determination option; an extensive internal library of fitting functions; data editing; automatic data, curve and residual plotting; a statistical analysis (eg: standard deviation, correlation coefficient, etc.) and much more. In addition, new fits may be tried without reentering the data. REGRESSION I is certainly the cornerstone program in any data analysis software library.

REGRESSION II (PARAFIT) (Available for all computers) — Price: $19.95 Cassette/$23.95 Diskette
PARAFIT is designed to handle those cases in which the parameters are imbedded (possibly nonlinearly) in the fitting function. The user simply inserts the functional form, including the parameters (A(1), A(2), etc.) as one or more BASIC statement lines. Data, results and residuals may be manipulated and plotted as with REGRESSION I. Use REGRESSION I for polynomial fitting, and PARAFIT for those complicated functions.

MULTILINEAR REGRESSION (MLR) (Available for all computers) — Price: $24.95 Cassette/$28.95 Diskette
MLR is a professional software package for analyzing data sets containing two or more linearly independent variables. Besides performing the basic regression calculation, this program also provides easy to use data entry, storage, retrieval and editing functions. In addition, the user may interrogate the solution by supplying values for the independent variables. The number of variables and data size is limited only by the available memory.

REGRESSION I, II and MULTILINEAR REGRESSION may be purchased together for $51.95 (three cassettes) or $63.95 (three diskettes).

ANOVA (Not available on Atari cassette or for PET/CBM) — Price: $39.95 Cassette/$43.95 Diskette
In the past the ANOVA (analysis of variance) procedure has been limited to the large mainframe computers. Now DYNACOMP has brought the power of this method to small systems. For those conversant with ANOVA, the DYNACOMP software package includes the 1-way, 2-way and N-way procedures. Also provided are the Yates 2^{K-P} factorial designs. For those unfamiliar with ANOVA, do not worry. The accompanying documentation was written in a tutorial fashion (by a professor in the subject) and serves as an excellent introduction to the subject. Accompanying ANOVA is a support program for building the data base. Included are several convenient features including data editing, deleting and appending.

BASIC SCIENTIFIC SUBROUTINES, Volumes I and 2 (Not available for Atari)
DYNACOMP is the exclusive distributor for the software keyed to the popular texts *BASIC SCIENTIFIC SUBROUTINES, Volumes 1 and 2* by F. Ruckdeschel (see advertisements in BYTE magazine). These subroutines have been assembled according to chapter. Included with each collection is a menu program which selects and demonstrates each subroutine.

Volume 1
Collection #1: Chapters 2 and 3 - Data and function plotting; complex variables and functions.
Collection #2: Chapter 4 - Extended matrix and vector operations.
Collection #3: Chapters 5 and 6 - Random number generators (Poisson, Gaussian, etc.); series approximations.
Price per collection: $14.95 Cassette/$18.95 Diskette
All three collections are available for $39.95 (three cassettes) and $49.95 (three diskettes).

Volume 2
Collection #1: Chapter 1 - Linear, polynomial, multidimensional, parametric least squares.
Collection #2: Chapter 2 - Series approximation techniques (economization, inversion, reversion, shifting, etc.).
Collection #3: Chapter 3 - Functional approximations by iteration and recursion.
Collection #4: Chapter 4 - CORDIC approximations to trigonometric, hyperbolic, exponential and logarithmic functions.
Collection #5: Chapter 5 - Table interpolation, differentiation and integration (Newton, LaGrange, splines).
Collection #6: Chapter 6 - Methods for finding the real roots of functions.
Collection #7: Chapter 7 - Methods for finding the complex roots of functions.
Collection #8: Chapter 8 - Optimization by steepest descent.
Price per collection: $14.95 Cassette/$18.95 Diskette
All eight collections are available for $99.95 (eight cassettes) and $129.95 (eight diskettes).
Because the texts are a vital part of the documentation, *BASIC SCIENTIFIC SUBROUTINES, Volumes 1 and 2* are available from DYNACOMP:

BASIC SCIENTIFIC SUBROUTINES, Vol 1 (319 pages): $19.95 + 75¢ postage
BASIC SCIENTIFIC SUBROUTINES, Vol 2 (790 pages): $23.95 + $1.50 postage

See reviews in KILOBAUD and Dr. Dobbs.

ROOTS (Available for all computers) — Price $10.95 Cassette/$14.95 Diskette
In a nutshell, ROOTS simultaneously determines all the zeroes of a polynomial having real coefficients. There is no limit on the degree of the polynomial, and because the procedure is iterative, the accuracy is generally very good. No initial guesses are required as input, and the calculated roots are substituted back into the polynomial and the residuals displayed.

ACTIVE CIRCUIT ANALYSIS (ACAP) (48K Apple only) — Price: $25.95 Cassette/$29.95 Diskette
ACAP is the analog circuit designer's answer to LOGIC SIMULATOR. With ACAP you may analyze the response of an active or passive component circuit (e.g., a transistor amplifier, band pass filter, etc.). The circuit may be probed at equal steps in frequency, and the resulting complex (i.e., real and imaginary) voltages at each component juncture examined. By plotting the magnitude of these voltages, the frequency response of a filter or amplifier may be completely determined with respect to both amplitude and phase. In addition, ACAP prints a statistical analysis of the range of voltage responses which result from tolerance variations in the components. ACAP is easy to learn and use. Simply describe the circuit in terms of the elements and their placement, and execute. Circuit descriptions may be saved onto cassette or diskette to be recalled at a later time for execution or editing. ACAP should be part of every circuit designer's program library.

LOGIC SIMULATOR (Apple only; 48K RAM) — Price: $24.95 Cassette/$28.95 Diskette
With LOGIC SIMULATOR you may easily test your complicated digital logic design with respect to given set of inputs to determine how well the circuit will operate. The elements which may be simulated include multiple input AND, OR, NOR, EXOR, EXNOR and NAND gates, as well as inverters, J-K and D flip-flops, and one-shots. The response of the system is available every clock cycle. Inputs may be clocked in with varying clock cycle lengths/displacements and delays may be introduced to probe for glitches and race conditions. At the user's option, a timing diagram for any given set of nodes may be plotted using HIRES graphics. Save your breadboarding until the circuit is checked by LOGIC SIMULATOR.

NUMBERKRUNCHER (TRS-80 only) — Price: $69.95 Cassette/$73.95 Diskette
This program is the most complete numerical analysis system available for the TRS-80. It can handle up to 255 data sets, each set having a six character name. It includes complete data editing facilities and convenient data input/output capability. The analyses available are multiple linear regression and correlation determination of residuals, data transformations and extensive graphics generation, including axis naming, and more. The supporting documentation is extremely well written and well organized, and includes appendices which describe the numerical procedures used in the program.

STATSORT (TRS-80 only) — Price: $39.95 Cassette/$43.95 Diskette
STATSORT consists of several menu selected programs which allow the user to create (build, edit, merge), format and print files, (machine) sort them on any field, and numerically analyze (maximum, minimum, average, variance, standard deviation) tabulated data. STATSORT is well documented and easy to use. The cassette version can also be employed to create a data type which can be read by the Radio Shack Advanced Statistical Package.

STATTEST (TRS-80 only) — Price: $19.95 Cassette/$23.95 Diskette
This is a statistical inference package which helps you make wise decisions in the face of uncertainty. In an interactive fashion, you can build and edit data files and test the differences in means, variances and proportions. STATTEST will alsoperform data analysis as well as do linear correlation and regression. This menu-directed statistical workhorse is rounded out with a chi-square contingency test and a (uniform and normal) random sample generator. The documentation is written by a college professor who guides you through the various tests.

ABOUT DYNACOMP

DYNACOMP is a leading distributor of small system software with sales spanning the world (currently in excess of 50 countries). During the past three years we have greatly enlarged the DYNACOMP product line, but have maintained and improved our high level of quality and customer support. The achievement in quality is apparent from our many repeat customers and the software reviews in such publications as COMPUTRONICS, 80 Software Critique, A.N.A.L.O.G., Creative Computing and Kilobaud. Our customer support is as close as your phone. It is always friendly. The staff is highly trained and always willing to discuss products or give advice.

Circle 114 on inquiry card.

Technical Forum

A Fast Approximation for Fast Fourier

Mark H. Polczynski
Eaton/CCSD
901 South 12th St.
Watertown, WI 53094

Two articles in BYTE have presented approximations for rapidly calculating $M=\sqrt{a^2+b^2}$. Richard Lord in "Fast Fourier for the 6800" (February 1979 BYTE, page 108) approximates M by $M'=L+S$, where L is the larger of the quantities a and b, and S is the smaller. Bob Leedom in a "Technical Forum" (June 1979 BYTE, page 188) points out that the approximation can be greatly improved by letting $M'=L+KS$ and choosing K to minimize the error of approximation, $E=M-M'$.

The optimum value of K depends on the user's requirements. Four strategies for optimizing K suggest themselves:

1. minimize the peak-to-peak error
2. minimize the average magnitude of the error
3. set the average positive error equal to the average negative error
4. set the average error equal to zero




Figure 1: *Generalized error curve for $E = 1 - \cos(\phi) - K \sin(\phi)$.*





Figure 2: *Constructing $E = M - M'$.*

MODEL GB75©
Typewriter Interface

Apple to IBM Electronic 50, 60, 75 Typewriters Interface
- Reads IBM keyboard in parallel with Apple keyboard
- Supports the IBM code functions using an escape sequence
- Types at about 13 characters per second
- Prints from Integer or Applesoft programs
- Supports the "Control I Number N" parallel line length mode sequence
- Has switch selectable upper/lower case I/O. 60, 66, 78 continuous form feed page lengths, 40+video, 80, 95, 132 character line lengths

Suggested price **$195.00**


PROM DEVELOPMENT SYSTEM©



- Menu driven program development monitor
- Programs 2708, 2716, 2532, 2732 and 48016 EPROMS
- Simulates PROM from RAM
- Data and address interface for operator location and control
- Complete user documentation

Suggested price **$295.00**

MODEL A800©
Double Density 8" Controller



- High speed DMA transfer of data (1 micro-second/byte)
- Complete documentation provided — includes theory of operation, source code for DOS enhancement utilities, schematics and diskette
- Uses all standard Apple DOS commands (OPEN, CATALOG, LOCK, DELETE, LOAD, etc.) except for INIT which has been improved and enhanced in a Vista format routine
- Compatible with Apple DOS 3.2/3.3, Pascal 1.1 and CPM 2.2 (with the Z80 soft card by Microsoft)
- 2K x 8 PROM contains Autoboot functions and all eight-inch floppy driver code allowing complete compatibility with Apple DOS 3.2/3.3

Suggested price **$595.00**

MODEL 150©
Type Ahead Buffer



- Up to 40 character type ahead capability
- Enter commands or data while your Apple is processing previous instructions
- Compatible with all Apple computers, keyboards and software
- No cuts — no jumpers — no software patches required
- Includes complete instructions for quick and easy installation

Suggested price **$49.95**


you have one apple.™ now get a whole orchard

of apple add-ons from

Vista COMPUTER COMPANY, inc.
1317 East Edinger
Santa Ana, CA 92705
714-953-0523
800-854-8017

Available through your local computer dealer.


VISION 80©
Video Display Card



- Full upper and lower case character capability with 3 dot descenders
- 9x10 dot matrix per line U.S. (9x11 Europe)
- 128 ASCII character set
- BASIC, FORTRAN and Pascal languages supported
- Z80™ and CP/M™ compatible
- Compatible with all standard Apple™ peripherals
- Shift and lock for upper and lower case
- Source switches between 40x24 and 80x24 software and hardware
- Rated #1 video card by **Softalk** and **Call Apple**

Suggested price **$375.00**

VISION 40©



Softscreen programmable character/generator card for the Apple II computer
- Allows use of DOS tool kit upper/lower case character sets in Apple 40 column mode
- Permits creation of new alpha/numeric and graphic characters under Aminatrix
- Ideal for non-English language applications
- Compatible with most popular word processing software packages

Suggested price **$165.00**

TIMECARD III©

Multi-function time utility for the APPLE III computer system. Contains the year of the century, the month, the date, the day of week, the hour, the minute, the second.
- A countdown timer with a range of one millisecond to 999 hours, 59 minutes, 59 second, 999 milliseconds
- Selectable 12 or 24 hour time formats
- Diagnostic error reporting
- Fully compatible with the APPLE SOS operating system

Suggested price **$149.00**

MUSIC MACHINE 9©

- State-of-the-art, LSI sound generator technology (General Instruments AY-3-8910)
- Full eight octave range (32-7990 Hertz)
- Built-in stereo capability
- Complete computer control of tone/noise generators, stereo mixing, output amplitude and sound envelope generation
- Utilities provided allow use of popular computer music albums and related software

Suggested price **$129.95**

Circle 370 on inquiry card.




Figure 3: *Possible flowchart for strategy five.*




Figure 4: *Error curve for strategy five.*

Strategy	K	Peak to Peak Error (%)	Average Magnitude of Error (%)
1	.4142	8.23	5.48
2	.3157	11.9	3.24
3	.2811	13.3	3.09
4	.2673	13.9	3.11
-	3/8	9.57	4.24
-	1/4	14.7	3.20
-	1/8	21.2	5.64
5	1/8, 1/4, 3/8	8.98	2.09

Table 1: *Solutions and errors for various strategies and values of K.*

Equations for analytically deriving values of K which satisfy these strategies can be developed with the aid of the generalized error curves for $E=M-M'$ shown in figure 1. The error curves are developed by constructing the diagram in figure 2 and observing that $E=1-\cos\phi-K\sin\phi$. The equations which describe strategies one through four are:

1. minimize: $E(\phi=\Theta)$; $\sqrt{2}-1<K<1$
   $E(\phi=\pi/4)-E(\phi=\Theta)$; $0<K<\sqrt{2}-1$

2. $\frac{d}{dK}\left(\int_{\alpha}^{\pi/4} E d\phi - \int_0^{\alpha} E d\phi\right) = 0$

3. $\frac{1}{(\pi/4-\alpha)}\int_{\alpha}^{\pi/4} E d\phi = \frac{-1}{\alpha}\int_0^{\alpha} E d\phi$

4. $\int_0^{\pi/4} E d\phi = 0$

Solutions to these equations are given in table 1. Note that for strategy one, the solution for K is $\sqrt{2}-1$.

As Leedom points out, the problem with these strategies is that multiplication by the optimized value of K is still rather time-consuming. The process can be speeded up if K is set equal to values such as 1/4, 3/8, or 1/8. This allows the multiplication to become a simple shift (and possibly add) process. A decrease in accuracy accompanies the increase in speed, as shown in table 1.

A fifth strategy exists which is slightly more lengthy than a straightforward shift and add, but which is more accurate than any of the other strategies. For this approach, the value of K used in the approximation depends on the relative magnitudes of L and S. The algorithm is as follows:

$$L/2<S\leq L;\ K=3/8$$
$$L/4<S\leq L/2;\ K=1/4$$
$$S\leq L/4;\ K=1/8$$

The other strategies require that a decision be made as to which of the quantities a or b is larger. This strategy requires that two additional decisions be made, but since S is compared to $L/2$ and $L/4$, the decisions are based on the result of simple shift operations. Note also that once the decisions are made, multiplication by K is a shift and add operation. A possible flowchart for this strategy is shown in figure 3. The error curve for strategy five is shown in figure 4, and the improved accuracy for this strategy is demonstrated in table 1. ■

Technical Forum is a feature intended as an interactive dialog on the technology of personal computing. The subject matter is open-ended, and the intent is to foster discussion and communication among readers of BYTE. We ask that all correspondents supply their full names and addresses to be printed with their commentaries. We also ask that correspondents supply their telephone numbers, which will not be printed.

NOW. OASIS-16: STRICTLY BUSINESS.

The 16 bit operating system designed specifically for *business micro-computing.*
Application software?—it's here, NOW!

OASIS-16*: the operating system designed for business. Not just a hobby or development system rewritten for business use, it is the natural evolution of OASIS**: the multi-user system with a world-wide reputation as *the* standard for those who take business seriously.


And here's more good news: there's no waiting for *application software* because what now runs on OASIS is upward compatible to run on OASIS-16. That means plenty of proven software, *available immediately*.

OASIS-16 puts it all in one package. *For manufacturers:* one source for operating systems, languages, tools; custom implementation to maximize hardware potential; international support & training; flexible licensing agreements. *For software developers:* complete portability keeps application software machine independent; integrated tool set makes development easier, faster. *For end-users:* user-friendliness; data security; portability simplifies system expansion; plus an extensive application software library.

Computing professionals have long told us 'OASIS makes micros run like minis' —with OASIS-16, it's truer than ever. And that's strictly good business.

*For 8086, 68000, Z8000, LSI-11, & others.
**For Z80.

THE OASIS-16 PACKAGE CONTAINS: Operating System; EXEC JCL Language; Editor; Script Output Text Formatter; Assembler; Linkage Editor; Diagnostic & Conversion Utilities; BASIC Interpreter & Compiler; 'C' Compiler.



OASIS16
STRICTLY BUSINESS

FEATURES: File & Automatic Record Locking; Logon, Password & Privilege Level; User Accounting; Re-Entrant BASIC Interpreter & Compiler; ISAM, Keyed, Direct & Sequential Files; and more. Plus some of the best, most extensive documentation in the industry.

OPTIONS: COBOL; PASCAL; FORTRAN; RDBMS; 2780/3780 Bisync; Networking; and others.

PHASE ONE SYSTEMS, INC.
7700 Edgewater Drive, Suite 830
Oakland, CA 94621-3051
Telephone 415/562-8085 TWX 910-366-7139

I'm serious about my business—
please send me quick:
☐ OASIS-16 Manual, $75
☐ OASIS Manual, $60
☐ Free Application Software Directory and put me on your mailing list.
(Add $3 for shipping. California residents add sales tax.)

Name ______
St. (No Box#) ______
City ______ State ____ Zip ____
☐ Check enclosed ☐ UPS C.O.D.
☐ VISA ☐ Mastercharge
Card No. ______ Exp. date ______
Signature ______

Circle 284 on inquiry card.

Omniterm: Smart Terminal Program for the TRS-80

Bob Liddil
POB 66
Peterborough, NH 03458

The addition of communications capabilities to a computer inaugurates a new concept in personal computing. With a modem, a telephone, and an intelligent terminal program, a microcomputer becomes an instrument for external data collection or transmission. With these tools, you can communicate with similarly equipped computers throughout the world.

The most critical of these tools is the terminal program. True, an inferior modem or faulty telephone line can cause problems, but the terminal program can open endless possibilities or cause severe limitations, depending on its features (or lack of them).

At a Glance

Name
Omniterm

Type
Intelligent terminal program

Author
David Lindbergh

Manufacturer
Lindbergh Systems
49 Beechmont St.
Worcester, MA 01609

Price
$95

Language
Z80 machine code

Format
5-inch floppy disk

Documentation
40-page softbound book

Computer
TRS-80 Models I and III disk systems with 32 K RAM minimum

Audience
Any computer owner who needs to communicate with another computer

Omniterm, a new product from a small company in Massachusetts, has most of the possible features of a smart terminal program. But even a novice user, normally overwhelmed by complex programs, can easily adjust to Omniterm.

A popular use of terminal programs is the bulletin board network, which consists of approximately 400 automatically answered, electronic-message centers around the country. You can dial any of these numbers and leave a message for someone in that area or take advantage of local features such as receiving public-domain programs or sending electronic mail.

Since all bulletin board systems do not operate on the same type of computer, your terminal program should be able to adjust to different system requirements.

Omniterm seems equal to the demands placed on it. As long as I stayed on TRS-80-based bulletin board systems, I had no difficulty with elementary tasks when using the inexpensive ($24.95) terminal program from Instant Software called Terminal 80. But when I tried Modem Over Manhattan, an interesting service in New York, or ABBS (Apple Bulletin Board System) in Cleveland, or even the TRS-80-based Big Byte system in Cincinnati, Terminal 80 fell apart. Omniterm worked flawlessly with all these services.

Omniterm's command mode, accessible any time during its use, gives fingertip control of everything you need when communicating with another system. One-keystroke entries make it easy.

★ MOTOROLA SEMICONDUCTORS ★

20% DISCOUNT WHEN USING SPECIAL COUPON WITH YOUR ORDER

MICROPROCESSOR'S • MEMORIES
INTERFACE • MECL 10K

Datasheets Available at S.50

6800 SERIES NMOS MICROPROCESSOR FAMILY

TYPE NO.	DESCRIPTION	PRICE
MC6800CL	*Microprocessor, Ceramic*	$24.30
MC6800CP	*Microprocessor, Plastic*	10.89
MC6800L	*Replaced by MC6800S*	18.85
MC6800P	*Microprocessor, Plastic*	8.73
MC6800S	*Microprocessor, Ceramic*	14.66
MC6801L1	*Microprocessor with Lilbug*	34.21
MC6802CL	*Microprocessor, Clock and RAM, Ceramic*	27.23
MC6800CP	*Microprocessor, Clock and RAM, Plastic*	12.71
MC6802L	*Microprocessor, Clock and RAM, Ceramic*	18.57
MC6802P	*Microprocessor, Clock and RAM, Plastic*	10.13
MC6803G	*Microprocessor, Plastic*	16.06
MC6803L	*Microprocessor, Ceramic*	27.23
MC6803L-1	*Microprocessor, 1.25 MHz, Ceramic*	36.45
MC6805P2L1	*Microprocessor with ROM*	22.69
MC6805P2P1	*Microprocessor with ROM, Plastic*	13.83
MC6805R2L1	*8 Bit MCU A/D Evaluation Program*	41.55
MC6805R2P1	*8 Bit MCU A/D Evaluation Program*	30.03
MC6805U2L2	*8 Bit MCU Evaluation Program*	34.21
MC6805U2P2	*8 Bit MCU A/D Evaluation Program*	22.69
MC6808P	*Microprocessor and Clock, Plastic*	13.90
MC6809EL	*8 Bit Microprocessor, External Clock, Ceramic*	30.16
MC6809EP	*8 Bit Microprocessor, External Clock, Plastic*	18.85
MC6809L	*8 Bit Microprocessor, External Clock, Ceramic*	30.16
MC6809P	*8 Bit Microprocessor, External Clock, Pl.*	18.85
MC6821CL	*PIA, Plastic*	22.34
MC6821CP	*PIA, Plastic*	5.94
MC6821L	*Replaced by MC6B21S*	12.99
MC6821P	*PIA, Plastic*	4.54
MC6821S	*PIA, Ceramic*	9.78
MC6828L	*Priority Interrupt Controller*	30.65
MC6828P	*Priority Interrupt Controller*	26.98
MC6840CL	*PTM, Ceramic*	20.81
MC6840CP	*PTM, Plastic*	10.47
MC6840L	*Replaced by MC6840S*	16.76
MC6840P	*PTM, Plastic*	8.73
MC6840S	*PTM, Ceramic*	13.27
MC6843L	*Replaced by MC6843P*	41.83
MC6843P		34.21
MC6844L	*Replaced by MC6844P*	35.47
MC6844P		24.44
MC6845CL		39.45
MC6845L	*CRT Controller, Ceramic*	31.42
MC6845P	*CRT Controller, Plastic*	19.90
MC8846L1	*Combo with Mikbug 2.0 Ceramic*	48.88
MC8846P1	*Combo with Mikbug 2.0 Plastic*	38.40
MC8846P3	*Combo with TV Bug*	60.75
MC8847L	*VDG, Ceramic*	23.74
MC6847P	*VDG, Plastic*	16.06
MC6847YP	*VDG, Interface*	16.06
MC8850CL	*ACIA, Ceramic*	15.01
MC8850CP	*ACIA, Plastic*	5.45
MC6850L	*Replaced by MC6B50S*	11.31
MC5850P	*ACIA, Plastic*	4.40
MC6850S	*ACIA, Cerdip*	6.98
MC6852CL	*SSDA, Ceramic*	16.20
MC6852CP	*SSDA, Plastic*	7.26
MC6852L	*Replaced by MC6852S*	12.22
MC6852P	*SSDA, Plastic*	5.45
MC6852S	*SSDA, Cerdip*	8.73
MC6854CL	*ADLC, Ceramic*	24.79
MC6854CP	*ADLC, Plastic*	13.62
MC6854L	*ADLC, Ceramic*	19.55
MC6845P	*ADLC, Plastic*	11.87
MC6859S	*DATA Security Device*	90.77
MC6860L	*Replaced by MC6860S*	14.52
MC6860P	*0-600 BPS Modem, Plastic*	12.92
MC6860S	*0-600 BPS Modem, Ceramic*	14.38
MC6862L	*Replaced by MC6862S*	20.95
MC6862P	*2400 BPS Modulator, Plastic*	15.36
MC6862S	*2400 BPS Modulator, Ceramic*	18.85

LINEAR INTERFACE

TYPE NO.	DESCRIPTION	PRICE
MC6875AL	*Linear-Microprocessor Clock Generator*	$36.03
MC6875L	*Linear-Microprocessor Clock generator*	13.49
MC6880AL	*Linear-Quad Bux Transceiver*	2.42
MC6880AP	*Linear-Quad Bux Transceiver*	2.10
MC6882AL	*Linear-Octal Buffer/Latch*	6.13
MC68828L	*Linear-Octal Buffer/Latch*	6.34
MC6885L	*Linear-Hex Bus Buffer*	2.31
MC6885P	*Linear-Hex Bus Buffer*	2.00
MC6886L	*Linear-Hex Bus Buffer*	2.31
MC6886P	*Linear-Hex Bus Buffer*	2.00
MC6887L	*Linear-Hex Bus Buffer*	2.31
MC6887P	*Linear-Hex Bus Buffer*	2.00
MC8888L	*Linear-Hex Bus Buffer*	2.31
MC8888P	*Linear-Hex Bus buffer*	2.00
MC6889L	*Linear Quad Bus Transceiver*	2.42
MC6889P	*Linear-Quad Bus Transceiver*	2.10

DIGITAL BIPOLAR LSI

TYPE NO.	DESCRIPTION	PRICE
MC8500L	*CRCC Generator*	$51.47
MC8500P	*CRCC Generator*	46.78
MC8501L	*Error Pattern Reg. EPR*	46.19
MC8501P	*Error Pattern Reg. EPR*	41.94
MC8502L	*LRCC/Data Register*	51.47
MC8502P	*LRCC/Data Register*	46.78
MC8503L	*Universal Polynomial Generator*	29.03
MC8503P	*Universal Polynomial Generator*	26.10
MC8504L	*Universal Pres. Polynomial Generator (4 Bit)*	17.60
MC8504P	*Universal Pres. Polynomial Generator (4 Bit)*	16.13
MC8506L	*Polynomial Generator (16 Bit)*	29.03
MC8506P	*Polynomial Generator (16 Bit)*	26.10
MC8507L	*Priority Interrupt Controller*	30.65
MC8507P	*Priority Interrupt Controller*	26.98
MC8520L	*Deskew/Quege Register*	109.68



P.O. BOX 2208Y, CULVER CITY, CA 90230

STORES DO NOT ACCEPT MAIL ORDERS **MAIL ORDER**

PHONE ORDERS: (213) 641-4064

Minimum Order $10.00. Add $2.00 to cover postage and handling. Master Charge and VISA welcomed. Please include your charge card number, interbank number and expiration date. Some items are subject to prior sale. Not responsible for typos. Store pricing may vary from Mail Order pricing. We reserve the right to substitute manufacturer.

PHASED LOCKED LOOPS

TYPE NO.	DESCRIPTION	PRICE
MC12000L	*Mixer Translator*	$19.88
MC12000P	*Digital Mixer/Translator*	18.96
MC12002L	*Analog Mixer*	9.53
MC12002P	*Analog Mixer*	8.20
MC12009L	*2 Modulus Prescaler*	20.35
MC12009P	*2 Modulus Prescaler*	17.24
MC12011L	*2 Modulus Prescaler*	20.35
MC12011P	*2 Modulus Prescaler*	17.24
MC12012L	*2 Modulus Prescaler*	25.82
MC12012P	*2 Modulus Prescaler*	21.89
MC12013L	*Divide by 10/Divide by 11*	20.35
MC12013P	*Divide by 10/Divide by 11 2 Modulus Prescaler*	17.24
MC12014L	*Counter Controller Logic*	7.30
MC12014P	*Counter Controller Logic*	6.16
MC12020L	*Offset Control*	2.67
MC12020P	*Offset Control*	2.21
MC12021L	*Offset Programmer*	4.27
MC12021P	*Offset Programmer*	3.58
MC12040L	*Phase Frequency Detector*	14.17
MC12040P	*Phase Frequency Detector*	11.99
MC12060L	*Crystal Oscillator*	6.83
MC12060P	*Crystal Oscillator (100 KHz-2 MHz)*	5.75
MC12061L	*Crystal Oscillator (2 MHz-20 Mhz)*	6.83
MC12061P	*Crystal Oscillator (2 MHz-20 MHz)*	5.75
MC12071P	*High Speed Prescaler*	15.76
MC12072P	*High Speed Prescaler*	11.82

LINEAR INTEGRATED CIRCUIT

TYPE NO.	DESCRIPTION	PRICE
MC13001P	*Monomax B/W TV Subsystem*	$14.89

CMOS MICROPROCESSOR FAMILY

TYPE NO.	DESCRIPTION	PRICE
MC146805E2L	*CMOS Microprocessor*	$42.94
MC146805E2P	*Exp. Microprocessor CMOS*	31.42
MC146805E2S	*Exp. Microprocessor CMOS*	38.40
MC146805E2Z	*CMOS Microprocessor*	42.94
MC146818P	*CMOS RTC Plus RAM*	17.46

LINEAR INTEGRATED CIRCUITS

TYPE NO.	DESCRIPTION	PRICE
MC55107L	*Dual Line Receiver*	$7.44
MC55108L	*Dual Line Receiver*	7.44
MC55325L	*Memory Driver*	10.52

OPTOELECTRONIC COUPLERS

TYPE NO.	DESCRIPTION	PRICE
MCA230	*Darlington Optoelectronic Coupler*	$1.76
MCA231	*Darlington Optoelectronic Coupler*	2.20
MCA255	*Darlington Optoelectronic Coupler*	1.76

4K x 1 DYNAMIC MOS RAMS

TYPE NO.	DESCRIPTION	PRICE
MCM4027AC1	*4K x 1 Dynamic MOS RAM (120ns)*	$9.71
MCM4027AC2	*4K x 1 Dynamic MOS RAM (150ns)*	9.01
MCM4027AC3	*4K x 1 Dynamic MOS RAM (200ns)*	8.59
MCM4027AC4	*4K x 1 Dynamic MOS RAM (250ns)*	8.03

64K x 1 DYNAMIC RAMS

TYPE NO.	DESCRIPTION	PRICE
MCM6664L20	*64K x 1 Dynamic RAM (200ns with Pin 1)*	$21.44
MCM6664L25	*64K x 1 Dynamic RAM (250ns with Pin 1)*	20.95
MCM6665L20	*64K x 1 Dynamic RAM (200ns)*	19.20
MCM6665L25	*64K x 1 Dynamic RAM (250ns)*	18.92

NMOS MICROPROCESSOR FAMILY

TYPE NO.	DESCRIPTION	PRICE
MCM6810CP	*128 x 8 Static RAM (450ns), Plastic*	$6.01
MCM6810L	*128 x 8 Static RAM (450ns), Ceramic*	11.52
MCM6810P	*128 x 8 Static RAM (450ns), Plastic*	5.31
MCM6810S	*128 x 8 Static RAM (450ns), Cerdip*	8.03

NMOS EPROMS

TYPE NO.	DESCRIPTION	PRICE
MCM68708C	*Cerdip EPROM*	$17.04
MCM68708L	*Replaced by MCM68708C*	27.93
MCM68764L	*64K EPROM*	76.81
MCM68766L	*64K EPROM with Outputs En.*	76.81
MCM68766L35	*64K EPROM with Outputs En. (350ns)*	98.59

TTL MEMORY

TYPE NO.	DESCRIPTION	PRICE
MCM93415DC	*1024 x 1 TTL RAM (OC)*	$10.19
MCM93415DM	*1024 x 1 TTL RAM (OC)*	29.77
MCM93415PC	*1024 x 1 TTL RAM (OC)*	10.19
MCM93425DC	*1024 x 1 TTL RAM (TS)*	10.19
MCM93425DM	*1024 x 1 TTL RAM (TS)*	29.77
MCM93425PC	*1024 x 1 TTL RAM (TS)*	10.19

MEMORY KITS

TYPE NO.	DESCRIPTION	PRICE
MCM6665KIT	*64K RAM Evaluation Kit*	$199.50
MCMEPROMKIT	*16K, 32K, 64K EPROM Evaluation Kit*	134.34



TMOS POWER FET's

N-CHANNEL ENHANCEMENT MODE
SILICON GATE TMOS POWER
FIELD EFFECT TRANSISTOR

★ SPECIAL WITH COUPON ★
50 pcs mixed 25% Off   100 pcs mixed 30% Off

Datasheet S.50 each

TYPE NO.	DESCRIPTION	PRICE	TYPE NO.	DESCRIPTON	PRICE
MTM1N95	*TMOS Metal TO-3*	$22.35	MTM815	*TMOS Metal TO-3*	$16.41
MTM1N100	*TMOS Metal TO-3*	24.59	MTM1034	*TMOS Metal TO-3*	14.31
MTM2N85	*TMOS Metal TO-3*	16.41	MTM1035	*TMOS Metal TO-3*	16.41
MTM2N90	*TMOS Metal TO-3*	18.95	MTM1224	*TMOS Metal TO-3*	14.31
MTM2P45	*TMOS Metal TO-3*	14.31	MTM1225	*TMOS Metal TO-3*	16.41
MTM2P50	*TMOS Metal TO-3*	16.41	MTP2N85	*TMOS Plastic TO-220*	16.41
MTM3N55	*TMOS Metal TO-3*	14.31	MTP2N90	*TMOS Plastic TO-220*	18.95
MTM3N60	*TMOS Metal TO-3*	16.41	MTP2P45	*TMOS Plastic TO-220*	14.31
MTM6N55	*TMOS Metal TO-3*	36.03	MTP2P50	*TMOS Plastic TO-220*	16.41
MTM6N60	*TMOS Metal TO-3*	41.25	MTP3N55	*TMOS Plastic TO-220*	14.31
MTM7N45	*TMOS Metal TO-3*	36.03	MTP3N60	*TMOS Plastic TO-220*	16.41
MTM7N50	*TMOS Metal TO-3*	41.25	MTP8N12	*TMOS Plastic TO-220*	10.79
MTM8N12	*TMOS Metal TO-3*	10.79	MTP8N15	*TMOS Plastic TO-220*	12.38
MTM9N15	*TMOS Metal TO-3*	12.38	MTP474	*TMOS Plastic TO-220*	14.31
MTM9N35	*TMOS Metal TO-3*	36.03	MTP475	*TMOS Plastic TO-220*	16.41
MTM8N40	*TMOS Metal TO-3*	41.25	MTP564	*TMOS Plastic TO-220*	14.31
MTM15N35	*TMOS Metal TO-3*	79.18	MTP565	*TMOS Plastic TO-220*	16.41
MTM15N40	*TMOS Metal TO-3*	90.74	MTP814	*TMOS Plastic TO-220*	14.31
MTM474	*TMOS Metal TO-3*	14.31	MTP815	*TMOS Plastic TO-220*	16.41
MTM475	*TMOS Metal TO-3*	16.41	MTP1034	*TMOS Plastic TO-220*	14.31
MTM564	*TMOS Metal TO-3*	14.31	MTP1035	*TMOS Plastic TO-220*	16.41
MTM565	*TMOS Metal TO-3*	16.41	MTP1224	*TMOS Plastic TO-220*	14.31
MTM814	*TMOS Metal TO-3*	14.31	MTP1225	*TMOS Plastic TO-220*	16.41

ANCRONA P.O. Box 2208Y, Culver City, CA 90230

★SPECIAL★ COUPON

Bring this **Coupon** into one of our stores or mail to our Mail Order address shown below and receive the **Special Discounts** listed on this page with purchases of $50.00 or more.
Offer EXPIRES on March 31, 1982

NAME ______________________

ADDRESS ______________________

CITY ____________ STATE ____________

ZIP ____________ PHONE ____________

Coupons accepted only with full name and address filled in.

MECL 10K INTEGRATED CIRCUITS

TYPE NO.	PRICE L	LD	P	PO	DESCRIPTION
MC10100	$1.10	$1.99	$ .92	$1.73	*Quad 2-I NOR with Strobe*
MC10101	1.10	1.99	.92	1.73	*Quad OR/NOR with Strobe*
MC10102	1.10	1.99	.92	1.73	*Quad 2-I NOR Gate*
MC10103	1.10	1.99	.92	1.73	*Quad 2-I OR Gate*
MC10104	1.10	1.99	.92	1.73	*Quad 2-I AND Gate*
MC10105	1.10	1.99	.92	1.73	*Triple 2-3-2 I OR/NOR*
MC10106	1.10	1.99	.92	1.73	*Triple 4-3-3 I NOR Gate*
MC10107	1.17	2.11	1.00	1.85	*Triple Exc. OR/NOR*
MC10109	1.10	1.99	.92	1.73	*Dual 4-5 I OR/NOR Gate*
MC10110	1.10	1.99	.92	1.73	*Dual OR Line Driver*
MC10111	1.10	1.99	.92	1.73	*Dual NOR Line Driver*
MC10113	1.17	2.11	1.00	1.85	*Quad Exc. OR Gate*
MC10114	1.17	2.11	1.00	1.85	*Triple Line Receiver*
MC10115	1.10	1.99	.92	1.73	*Quad Line Receiver*
MC10116	1.10	1.99	.92	1.73	*Triple Line Receiver*
MC10117	1.10	1.99	.92	1.73	*Dual 2-W 2-3 I OA/OAI*
MC10118	1.10	1.99	.92	1.73	*Dual 2-W 3-1 OR/AND Gate*
MC10119	1.17	2.11	1.00	1.85	*4-W 4-3-3-3 I OR/AND Gate*
MC10121	1.17	2.11	1.00	1.85	*4-W OA/OAI Gate*
MC10123	2.39	3.49	1.51	2.93	*Triple 4-3-3 I Bus Driver*
MC10124	3.01	4.22	2.52	3.61	*Quad TTL to MECL Trans.*
MC10125	3.01	4.22	2.52	3.61	*Quad MECL to TTL Trans.*
MC10128	9.49	11.85	-	-	*Dual Bus Driver*
MC10129	9.49	11.85	-	-	*Quad Bus Driver*
MC10130	3.01	4.22	2.52	3.61	*Dual D Latch*
MC10131	3.64	4.81	3.04	4.08	*Dual D M-S Flip Flop*
MC10132	3.51	4.81	3.04	4.22	*Dual MUX w/Latch & Reset*
MC10133	3.51	4.81	3.04	4.22	*Quad Latch*
MC10134	3.51	4.81	3.04	4.22	*Dual MUX with Latch*
MC10135	3.75	4.96	3.04	4.08	*Dual J-K MS Flip Flop*
MC10136	15.10	18.04	13.74	16.42	*Universal Hex. Counter*
MC10137	15.10	18.04	13.74	16.42	*Universal Decade Counter*
MC10138	9.50	11.85	8.80	11.00	*Bi-Quinary Counter*
MC10141	9.75	12.14	9.05	11.29	*4-Bit Univ. Shift Register*
MC10153	3.64	4.96	3.04	4.22	*Quad Latch*
MC10158	4.77	6.28	4.14	5.51	*Quad 2-I MUX (Non-Inv.)*
MC10159	4.77	6.28	4.14	5.51	*Quad 2-I MUX (Inv.)*
MC10160	4.77	6.28	4.14	5.51	*12-Bit Parity Gen./Ckr*
MC10161	4.77	6.28	4.14	5.51	*Binary to 1-8 Decimal (Low)*
MC10162	4.77	6.28	4.14	5.51	*Binary to 1-8 Decimal (High)*
MC10163	9.75	12.14	8.93	11.14	*Error Det. Correction Cir.*
MC10164	5.38	7.01	4.77	6.25	*8 Line Multiplexer*
MC10165	7.63	9.68	6.94	8.80	*8-I Priority Encoder*
MC10166	7.87	9.94	7.19	9.09	*5-Bit Comparator*
MC10168	3.64	4.96	3.21	4.43	*Quad Latch, Common Clk*
MC10170	6.01	7.74	5.53	7.16	*9+2 Bit Parity Ckr*
MC10171	4.77	6.28	4.31	5.72	*Dual Binary to 1-4 Dec (Low)*
MC10172	4.77	6.28	4.31	5.72	*Dual Binary to 1-4 Dec (High)*
MC10173	5.38	7.01	4.88	6.39	*Quad 2-I MUX/Latch*
MC10174	5.38	7.01	4.88	6.39	*Dual 4-to-1 Multiplexer*
MC10175	4.52	5.98	4.06	5.43	*Quint Latch*
MC10176	6.76	8.48	6.26	7.86	*Hex D Master-Slave Flip Flop*
MC10177	7.63	9.68	-	-	*Triple MECL 10K to NMOS Trans.*
MC10178	9.50	11.88	8.18	10.27	*Binary Counter*
MC10170	6.86	8.62	5.35	7.77	*Look-Ahead Carry Block*
MC10180	11.36	14.08	10.20	12.76	*Dual 2-Bit Adder/ Sub.*
MC10181	18.52	22.58	16.91	20.53	*4-Bit ALU/Function Generator*
MC10182	22.58	27.27	21.26	25.66	*2-Bit ALU/Function Generator*
MC10183	49.68	59.24	-	-	*4x2 Multiplier*
MC10186	6.63	8.36	5.94	7.48	*Hex D M-S FF with Reset*
MC10189	3.27	4.52	2.82	3.96	*Hex Buffer with Enable*
MC10189	3.27	4.52	2.82	3.93	*Hex Inv. with Enable*
MC10190	7.01	8.92	6.31	8.07	*Quad MST to MECL 10K Trans.*
MC10191	7.01	8.92	6.31	8.07	*Hex MECL 10K to MST Trans.*
MC10192	4.60	6.45	4.36	6.16	*Quad Bus Driver*
MC10193	8.16	10.00	8.18	11.44	*Error Det. Correction Cir.*
MC10194	3.89	5.25	3.31	4.55	*Dual Bus Transceiver*
MC10195	2.52	3.64	2.07	3.08	*Hex Inverter/ Buffer*
MC10197	2.52	3.34	2.07	2.78	*Hex AND Gate*
MC10198	23.63	28.74	22.51	27.13	*One-Shot Multivibrator*
MC10210	1.83	3.05	1.36	2.41	*Hi-speed Dual Line Driver-OR*
MC10211	1.93	3.05	1.36	2.41	*Hi-Speed Dual Line Driver-NOR*
MC10212	1.93	3.05	1.36	2.41	*Hi-Speed Dual Line Dvr OR/NOR*
MC10216	1.83	3.05	1.36	2.41	*Hi-Speed Triple Line Receiver*
MC10231	6.38	8.04	5.81	7.33	*Hi-Speed Dual D M-S Flip Floo*
MC10287	28.81	34.58	21.07	25.40	*Hi-Speed 2x1 Bit Array Multi.*

LINEAR INTEGRATED CIRCUITS - MECL Compatible

TYPE NO.	DESCRIPTION	PRICE
MC10318L	*8 Bit Hi-Speed MECL D/A Converter*	$58.65
MC10318L9	*Linear-MECL D/A Converter (9 Bit Acc.)*	98.59

MECL 10K MEMORIES

TYPE NO.	DESCRIPTION	PRICE
MCM10139L	*32 x 8 Field PROM*	$17.74
MCM10143L	*8 x 2 Multiport Register File*	21.56
MC10144L	*256 x 1 MECL 10K RAM (10410)*	14.22
MCM10145L	*16 x 4 MECL 10K RAM*	1.29
MCM10146L	*1K x 1 MECL 10K RAM (10415)*	22.58
MCM10147L	*128 x 1 MECL 10K RAM (10405)*	16.79
MCM10148L	*64 x 1 MECL 10K RAM*	16.79
MCM10149L	*256 x 4 MECL 10K PROM*	21.56
MCM10152L	*256 x 1 MECL 10K RAM*	19.43
MCM10422L	*256 x 4 MECL RAM*	47.66
MCM10470L	*4096 x 1 MECL RAM*	65.99

VISIT A STORE NEAR YOU TODAY - We stock a large selection of Technical Books, Discrete Components, Integrated Circuits, Test Equipment and Electronic Supplies.

ATLANTA	CULVER CITY	HOUSTON	PORTLAND	SANTA ANA	SUNNYVALE	TUCSON
3330 Piedmont Rd. N.E.	11080 Jefferson Blvd.	2649 Richmond	1125 N.E. 82nd Ave.	1300 E. Edinger Ave.	1054 E. El Camino Real	4518 E. Broadway
Atlanta, GA 30305	Culver City, CA 90230	Houston, TX 77098	Portland, OR 97220	Santa Ana, CA 92705	Sunnyvale, CA 94087	Tucson, AZ 85711
(404) 261-7100	(213) 390-3595	(713) 529-3489	(503) 257-9464	(714) 547-8424	(408) 243-4121	(602) 881-2348

Circle 21 on inquiry card.

```
OMNITERM COMMAND MODE—HIT <BREAK> TO QUIT

P  PRINTER                  IS:   OFF   X  SYSTEM COMMANDS
R  SCREEN REFORMATTING      IS:    54   T  CHANGE/EXAMINE TABLES
C  CR SUPPRESSION           IS:   OFF   U  CHANGE UART SETTINGS
L  LF SUPPRESSION           IS:    ON   A  SEND CONTROL-A & QUIT
D  DUPLEX                   IS:  FULL   @  SEND "AT" SYMBOL & QUIT
E  ECHO                     IS:   OFF   B  SCROLL BACK DISPLAY
G  CR/LF GROUPING           IS:   OFF   Z  ZERO REAL-TIME CLOCK
I  INPUT TO BUFFER          IS:   OFF   F  FILL BUFFER FROM DISK
O  OUTPUT FROM BUFFER       IS:   OFF   S  SAVE BUFFER TO DISK

BAUD RATE =         150          PARITY ERRORS :              0
DATA BITS  =          8          FRAMING ERRORS:              0
STOP BITS  =          2          OVERRUN ERRORS:              0
PARITY     =       NONE          BUFFER:       0 OF 27,339 USED
```

Figure 1: *The command menu as it appears on the screen in Omniterm. The menu is displayed by pressing the @ key twice. Return to the active telecommunications mode is accomplished by pressing the <break> key. Displaying the menu does not interrupt the flow of data through the program.*

The printer is accessible during communications. While using one service, I activated the printer while the instructions were coming on the screen; this gave me a reference sheet, saving valuable long-distance time. In the command mode, a status indicator lets you know whether the printer function is on or off. A buffer lets the printer fall behind the screen if it is not fast enough to keep up. Omniterm buffers 2048 characters of data before it runs out of room.

Some bulletin board or "information utility" systems are not set up for the TRS-80 64-column screen. Apple or Atari 40-column and Videotext 32-column units can cause problems with the video display. Omniterm allows you to reformat the screen from the command table. This gives you a 64-column screen, regardless of what your computer is receiving. The status of this function is displayed in the command mode.

For additional screen-format control, you can select carriage-return suppression, line-feed suppression, and carriage-return/line-feed grouping.

Omniterm also lets you determine the communications protocol (baud rate, bits per data word, stop bits, parity,

full or half duplex, and automatic character echo). This gives you much flexibility for dealing with the various bulletin board and information services available.

Superior file handling separates Omniterm from less "intelligent" terminal programs. File capabilities include sending, receiving, and saving to and retrieving from disk. Omniterm has a file-transfer buffer of 27,644 bytes. You can input to the buffer from the remote computer and save to disk, or input to the buffer from the disk and output to the remote computer. It's easy to use these functions. To test them, I loaded a simple program from Forum-80 in Nashua, New Hampshire, saved it to disk, and executed it afterward to make sure it ran. I sent a BASIC adventure game to a youngster in Massachusetts; I received a BASIC adventure he had written for me, saved it to disk, and communicated via the keyboard and screen in between file transfers. It worked, even though I'm no professional.

Other useful command features are the special system commands that, among other things, allow you to save any communications protocol permanently to disk, to be called from the command mode whenever you need it. Another unique feature is the ability to backtrack into a special buffer and reconstruct what has appeared on the screen before a disconnect—useful for retrieving and reviewing pertinent data without using the printer or making another telephone call.

A novel item is a graphics "bell" that appears on the screen when a control-G is received. If an audio amplifier is attached to the system via the cassette port, you'll also get an audible beep.

Omniterm comes with a 61-page instruction book, punched to fit in a binder. It is written so the beginner can understand the workings of the program. However, it is not too simplistic; there are technical explanations for the expert.

David Lindbergh has obviously spent much time and care on this project. His knowledge of the subject and professional presentation enhance the product considerably. Its $95 price tag places Omniterm in competition with Lance Micklus's ST80 series of terminal programs, including ST80III, currently regarded by many as the standard for this type of program.

Conclusions

The program is very easy to use and works well. Most of the information you need is available on the menu, which can be displayed at any time without breaking connections to the host computer.

All the screen-formatting controls and communications conventions are software selectable, which means you can use the program with a wide variety of host computer systems.

The clearly written instructions and documentation are complete.

These features, coupled with its competitive price, make Omniterm a contender for the title of best in its class. ■

RUSH THIS POSTAGE-PAID CARD FOR YOUR FREE CATALOG

NO SALESMAN WILL CALL

NEW!

- Computer electronics with new TRS-80 Model III state-of-the-art computer
- TV/Audio/Video servicing with choice of computerized color TV, RCA videocassette recorder, or stereo system
- Complete communications electronics with microprocessor-based 2-meter transceiver
- Electronic Design Technology with design lab program for creative circuit and equipment design



Name (Please Print) Age

Street

City State Zip

Accredited by the Accrediting Commission of the National Home Study Council


170-022

CHECK ONE:

- ☐ Microcomputers and Microprocessors
- ☐ Color TV, Audio, and Video System Servicing
- ☐ Digital Electronics
- ☐ Electronics Design Technology
- ☐ Communications Electronics • FCC Licenses • Mobile • Aircraft • Marine
- ☐ Basic Electronics
- ☐ Small Engine Servicing
- ☐ Appliance Servicing
- ☐ Automotive Servicing
- ☐ Auto Air Conditioning
- ☐ Air Conditioning, Heating, Refrigeration, & Solar Technology
- ☐ Building Construction

All career courses approved under GI Bill. ☐ Check for facts.

Electronics Div. Card #1



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 10008 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY ADDRESSEE

NRI Schools
McGraw Hill Continuing
Education Center
3939 Wisconsin Avenue
Washington, D.C. 20016

New from NRI! The first at-home training in videocassette recorder repair with exclusive videotaped lessons.

Learn Video/Audio Servicing...includes RCA state-of-the-art VCR, NRI Action Video lessons, plus full training in color TV and audio repair.

Now, you can learn the hottest, most wanted skill in home entertainment electronics... servicing and repairing videocassette recorders and video disc players. Well over 2 million units have already been sold and the demand is just starting! Already, qualified VCR technicians are in short supply...people are waiting up to a month for VCR repair. Good jobs at good pay are going begging. And NRI can get you in on the action with convenient and effective at-home training.

Choice of Specialized Training

NRI offers you three Master Courses in Video/Audio Servicing, each complete, each with equipment and training for the specialty you want. Each course thoroughly prepares you for color TV plus audio and video equipment. Then, you take the specialized hands-on training on the equipment you select.



Learn as you work with equipment you keep.

You can get specialized audio experience as you build your own AM/FM stereo system complete with speakers. Or gain real bench experience with hands-on TV training as you build a 25" (diagonal) fully-computerized, programmable color TV and professional test instruments. Or train with your own RCA videocassette recorder and NRI's exclusive Action Video servicing lessons on videotape.

State-of-the-Art VCR

This modern VCR features high-technology design with electronic pushbutton tuning, remote control, three recording speeds with up to 6-hour capacity, high-speed visual search, built-in clock/timer, memory rewind and audio dubbing capability. Direct drive motors and azimuth recording give outstanding picture reproduction.

It's yours to keep, as part of your training. You'll not only use it to learn operation and servicing techniques, but to play the absorbing NRI Action Video lessons that come as part of your specialized training. In word and picture, you'll learn theory, construction, and service procedures, see them explained in graphic closeups. And you get this unique training only with NRI!

Learn at Home at Your Convenience

No need to quit your job or tie up your evenings at night school. No time away from your family or expensive travel. NRI comes to you. You are a class of one, getting both theory and practical hands-on training backed up by our staff of experienced educators.

NRI the Pros' Choice

More than 65 years and a million and a half students later, NRI is still the first choice in home-study schools. A national survey of successful TV repairmen shows that more than half have had home-study training, and among them, it's NRI 3 to 1 over any other school.

That's because you can't beat the training and you can't beat the value. Only NRI combines exclusive fast-track training techniques with modern state-of-the-art equipment to give you the skills you need for success quickly and easily. Only NRI offers such complete training with so many timely options for specialized bench experience. Send for our free catalog and get all the facts on these exciting Master Courses in Video/Audio servicing.

Free Catalog... No Salesman Will Call

Mail the postage-paid card today for your free copy of our 100-page look into tomorrow. It shows all the equipment you get, describes each lesson in detail. And it tells you about other important career opportunities in Microcomputers and Microprocessors, Digital and Communications Electronics, Electronic Design Technology, and more. Send today and get started on a big new future for yourself. If card has been removed, please write to us.



NRI SCHOOLS
McGraw-Hill Continuing Education Center
3939 Wisconsin Ave.,
Washington, D.C. 20016

We'll give you tomorrow.

Voice Synthesis for the Color Computer

Third in a Series

William Barden Jr.
28122 Orsola
Mission Viejo, CA 92692

Would you believe that using three resistors, an inexpensive integrated circuit (IC), two capacitors, a plug, a $1.59 microphone, and some software you can record and play back your voice on a TRS-80 Color Computer with 16K bytes of RAM? What if I told you that the quality is better than that of Texas Instruments' Speak & Spell?

In this article I'll show you how to take any sound input, digitize it, store it in memory, and play it back on request, all with the few components mentioned above! The catch is that the 16K bytes of RAM will allow you to record only about 1⅓ seconds of sound. However, by sacrificing some reproduction fidelity you may be able to extend the recording time to 13 seconds or more. This article is meant primarily to show you how to capture the sounds, record them, and play them back. I'll leave the improvements up to you. [*This is the third in a series of articles describing hardware and software projects for the Radio Shack TRS-80 Model I, Model III, and Color Computer. For a list of previous titles in the series, see the references at the end of this article . . .* **Ed.**]

About the Author

William Barden Jr. has written many books on microcomputer programming and design. He is a member of the Association for Computing Machinery (ACM) and the Institute of Electrical and Electronics Engineers (IEEE).

Voice-Frequency Parameters

The range of hearing for humans is from 20 to 20,000 hertz (Hz), or cycles per second. In fact, the upper limit for most people is considerably lower than 20,000 Hz. The average telephone circuit has an upper frequency limit of 3500 Hz, and voice clarity suffers surprisingly little. Amateur radio operators, to increase their transmitters' average power output, restrict audio frequencies even further, to 3000 Hz or so. To reproduce acceptable voice, therefore, I need to design circuits capable of playing back frequencies up to 3500 Hz. First, of course, I have to *capture* the voice data. A fundamental rule of digital recording is that the sampling rate must be at least twice the maximum frequency to be recorded. Voices, then, must be recorded at rates of 7000 Hz or better. In other words, the voice input must be converted to digital form at a rate of 7000 samples per second or better.

Analog-to-Digital Conversion

To convert the voice signal to digital form, I will use an analog-to-digital converter (ADC), which takes the analog voice input and converts it to a digital value (see figure 1). The larger the number of bits in the sample, the finer the resolution in the digital representation of the analog value. If the ADC offers six bits of data, for example, each digital value will be within 2^{-6}, or $1/64$, of the analog input value. A 5-bit ADC will produce values within $1/32$ of the analog input value, and so on. When the digitized form of the input is replayed, the output waveform will approximate the original by a series of square waves. The higher the sampling rate and the resolution of the ADC, the more the output will resemble the original, as shown in figure 2.

For hardware reasons explained later, I'll use a 6-bit ADC. To avoid wasting bits, I could pack four 6-bit values into three 8-bit bytes. However, it's less trouble and faster simply to put a 6-bit ADC value in each byte and ignore the two unused bits, as shown in figure 3. A sampling rate of 7000 Hz, therefore, will fill 7000 bytes of memory for each second of recorded sound.

Circle 260 on inquiry card. →

Introducing The Grappler™:

The only interface that makes computer graphics easy as Apple pie.



ACTUAL APPLE II™ PRINTOUT USING GRAPPLER™ AND EPSON MX-100.


Orange Micro offers the only universal parallel interface card that simplifies high resolution graphics for Apple™ computers. No longer does the user need to load clumsy software routines to dump screen graphics—it's all done by the Grappler's exclusive E-PROM chip. There are versions to accommodate the Anadex, Epson MX-100, MX-80* and MX-70, IDS PaperTigers, Centronics 739, NEC 8023 and C. Itoh Prowriter, and future graphics printers. The Grappler™ accepts 18 simple software commands accessible through the keyboard or user program, making it the most intelligent Apple Interface available. Order The Grappler™ through Orange Micro direct, or authorized dealers.

*Requires Graftrax-80

FEATURES—User Benefits

GRAPHICS SCREEN DUMP—Choice of Hi-Resolution Graphics page 1 or page 2.
INVERSE GRAPHICS—Provides reverse graphics of black-on-white or white-on-black.
EMPHASIZED GRAPHICS—Allows high density graphics on certain printers.
DOUBLE SIZE PICTURE—Doubles the graphic screen representation vertically & horizontally.
90° *ROTATION*—Rotates the screen picture 90°.
CENTER GRAPHICS—Accomplished through setting left margin thereby centering the graph.
CHART RECORDER MODE—Successive horizontal pictures are combined continuously simulating a chart recorder.
BLOCK GRAPHICS—For printers with block graphics (e.g. Epson MX-80, Okidata M80), the high order bit can be controlled.
BELL—For printers with a bell, bell characters are deleted during user program listings.
MARGINS—Set left and right margins.
SKIP-OVER-PERF—Set page length; printer will automatically skip 6 lines between each page.
VARIABLE LINE LENGTH—For user program listings, sets line length and wraps around with breakpoint at nearest blank.
TEXT SCREEN DUMP—The text from a user report or page of program listing can be dumped directly from the screen.
WORKS WITH PASCAL & CPM

The Grappler™



Dealer inquiries welcome to:

Waybern Corporation
(714) 554-4520

CompuCable Corporation
(714) 635-7330

Kal Tronics
(312) 291-1220

Orange Micro inc.

3150 E. La Palma, Suite G, Anaheim, CA 92806

(800) 854-8275 TOLL FREE
(714) 630-3322 CA, AK, HI




Figure 1: *An ADC converts an electrical analog, such as voltage, to a binary value.*




Figure 2: *The sampling rate and number of bits in the ADC determine how closely the input signal can be reproduced.*

In commercial voice-synthesis integrated circuits, many techniques are used to reduce the amount of storage required for audio data. Texas Instruments, National Semiconductor, and other companies produce hardware that can synthesize voices using only a few hundred bytes of data per second of speech. In these circuits, the voice-reproduction processor uses silent periods, symmetry of waveforms, and replication of patterns to compress the data. Fourier waveform analysis and other advanced techniques are used as well. The result of all this processing is a compact, specially encoded form of the voice data for the special hardware involved. However, I'll stick with the "brute force" approach for the time being. Later in the article, I'll discuss ways to cut down on the storage requirements.

To play back digitized sounds, I need the inverse of an ADC, a digital-to-analog converter (DAC). The DAC will take in as data each digitized value and produce as output a voltage level proportional to that value. A sequence of all these voltage levels will simulate an analog waveform. If the data was originally captured by a 6-bit ADC, then a 6-bit DAC is required to reproduce each sample.

In theory this brute-force voice capture and synthesis process is simple: take an analog voltage as input from the audio source, sample it 7000





Figure 3: *Although 25 percent of the storage space is wasted in storing 6-bit ADC values in 8-bit bytes, it is efficient in terms of storage speed.*

RM/COBOL™[1] MAKES IT ACROSS!




...FROM ONE OPERATING SYSTEM TO ANOTHER!
A VITAL WAY TO PROTECT YOUR SOFTWARE INVESTMENT FOR THE FUTURE!!

The RM/COBOL ™[1] language runs on more different Operating Systems and more different-sized computers than any other similar language. For starters, it runs on NCR and TI minicomputers and, in the micro field, on the CP/M[2], MP/M[2], CP/M-86[2], MP/M-86[2], TRSDOS[3], OASIS[4], MOASIS[4], and UNIV[5], (ONYX version) Operating Systems...to mention only a few.

RM/COBOL™[1] and CRT!™[6] from CYBERNETICS ARE GOING STEADY...





...AND YOU'RE GONNA LOVE 'EM TOO!!

Use your computer to program itself. CRT! ™[6] (Cobol Reprogramming Tool!) from Cybernetics is a program generator for RM/COBOL ™[1] that produces error-free RM/COBOL ™[1] source programs for data input, file maintenance, and report printing programs.

A full feature interactive program generator, not a sub-set! Call Now! 714/848-1922.

Until now, serious business software of the scope and flexibility seen in the minicomputer world has not been available on micros. RM/COBOL ™[1] now allows transfer of such software with a minimum of fuss.

We have participated in such a mini-to-micro transfer of a major set of general business software...using RM/COBOL ™[1] as the transfer mechanism, of course. Running on literally thousands of minicomputers, these refined, enhanced, and proven software packages cover A/R, A/P, G/L, P/R, Order Entry (with Invoicing and Inventory Control) as well as Sales Analysis. The Packages define a new level of achievement for features and flexibility in micro applications software and offer top quality at a reasonable price.

For immediate information, call 714/848-1922 for your complete product descriptions.

Trademarks of:
1-Ryan McFarland Corp.; 2-Digital Research, Inc.; 3-Tandy Corp.; 4-Phase One Systems, Inc.; 5-Bell Telephone Laboratories, Inc.; 6-Cybernetics, Inc.



8041 NEWMAN AVE., SUITE 208
HUNTINGTON BEACH, CA 92647
714/848-1922

times per second with an ADC, store the digitized ADC output values in the memory of a digital computer, and then play back the values from memory with a DAC. The process is illustrated in figure 4.

Color Computer Hardware

The Color Computer has a built-in 6-bit DAC and ADC circuit (see reference 2). Under normal use, the DAC synthesizes sine waves for recording cassette data and generating musical tones. The ADC exists partially in hardware and partially in software and is used to perform analog-to-digital (A/D) conversion on the joystick positions.

Color Computer DAC. The DAC (figure 5) is a 6-bit circuit that operates as fast as data can be output to it. I'll have to use assembly-language coding, however, to get the required output rates of 7000 or more bytes per second. BASIC would only allow several hundred operations per second, far too few for my purpose.

Each 6-bit digitized value can be output to hexadecimal address $FF20, the PIA (peripheral interface adapter) for the DAC. [*In accordance with 6809 microprocessor conventions, numbers in hexadecimal form are prefixed with a dollar sign . . .* **Ed.**] The value will be held in the PIA until overwritten by the next value. The output of the DAC is very rapid (less than a microsecond), and so it appears that the DAC is no problem in my timing scheme. The output of the DAC goes to a radio-frequency/audio modulator that converts the signal to a television picture with audio. Audio from the DAC, therefore, will be heard through the audio circuits of the television used with the Color Computer.

Color Computer ADC. The ADC is shown in figure 6. It uses a comparator IC, which compares two inputs. The output of the comparator is either 1 or 0 depending upon whether the plus input is lower or higher than the minus input. The output rate of the comparator is extremely fast. To get the comparator output, I read address $FF00 and look at bit 7 of that value.




Figure 4: *Brute-force voice synthesis samples input to digitize it, stores the ADC values in memory, and then outputs the values from memory to a DAC.*

Why use their flexible discs:

Athana, BASF, Control Data, Dysan, IBM, Maxell, Nashua, Scotch, Shugart, Syncom, 3M, Verbatim or Wabash

when you could be using

MEMOREX

for as low as $1.94 each?

Find the flexible disc you're now using on our cross reference list... then write down the equivalent Memorex part number you should be ordering.

Product Family	Product Description	Memorex PartNumber (32gt-)	CE quant. 100 price perdisc($)	Athana	BASF	Dysan	IBM	Maxell	Nashua	Scotch 3M	Shugart	Syncom	Verbatim	Wabash	Control Data
Flexible Disc 1s Single-Headed Drives Single-Density Media	IBM Compatible (128 B/S, 26 Sectors)	3060	1.99	473071	53428	800506	2305830	FD1-128	FD-1	740-0	S/A 100	15002	FD34-9000	F111111X	421602
	IBM Compatible (128 B/S, 26 Sectors) w/ W P N	3062	2.04	–	–	–	–	–	–	740-0	–	–	FD34-9000	–	–
	IBM Compatible (128 B/S, 26 Sectors) w/ W P N & HubRing	3064	2.39	–	–	–	–	–	–	–	–	–	FD34-9000	–	–
	IBMCompatible (128 B/S, 26 Sectors) REVERSIBLE	1729	3.19	473072	54431	–	–	–	FD-2	740/2-0	–	15150	FF34-9000	F171111X	–
	IBM System 6 Compatible	3066	2.04	473077	54561	800509	1669959	–	–	740-0 0S6	–	15003	FD60-9000	F116111X	–
	IBM Compatible (256 B/S, 15 Sectors)	3109	1.99	473073	–	800584	2305845	–	–	740-3600	–	15005	FD36-9000	F112111X	–
	IBM Compatible (512 B/S, 8 Sectors)	3110	1.99	473074	–	800585	1669954	–	–	–	–	15004	FD60-9000	F113111X	–
	Shugart Compatible, 32 Hard Sector	3015	1.99	470901	53802	101/1	–	FH1-32	FD-132	740-32	S/A-101	15025	FD32-9000	–	421322
	Wang Compatible, 32 Hard Sector w/HubRing	3087	2.49	–	54491	–	–	–	–	740-32RH	–	–	–	F37A411X	–
	CPI 8000 Compatible	3045	2.69	–	–	–	–	–	–	–	–	15226	–	–	–
Flexible Disc 1d Single-Headed Drives Double-Density Media	IBMCompatible (128B/S, 26 Sectors)	3090	2.69	474071	54568	3740/1D	–	FD1-128/M210D	FD-1D	741-0	–	–	FD34-8000	F131111X	423002
	SoftSector (128B/S, 26 Sectors) REVERSIBLE	3093	3.69	–	–	–	–	–	–	–	–	–	–	–	–
	Shugart Compatible, 32Hard Sector	3091	2.69	470801	54596	101/1D	–	FH1-32D	–	741-32	S/A-103	15075	FD32-8000	F33A411X	423322
	WangCompatible, 32 Hard Sector w/Hub Ring	3088	3.09	–	–	–	–	–	–	–	–	–	–	–	–
Flexible Disc 2s Double-HeadedDrives Single-Density Media	SoftSector (128 B/S, 26 Sectors)	3113	3.09	–	54428	800814	1766870	–	–	–	S/A-150	15153	FD10-4026	F121111X	–
	Soft Sector (256 B/S, 15 Sectors)	3106	3.09	473477	54226	800815	2736700	FD2-256D	–	742-0	–	15154	FD10-4015	F122111X	424612
Flexible Disc 2d Double-Headed Drives Double-Density Media	SoftSector (Unformatted)	3102	3.09	473485	–	DY150	–	FD2-XDM	FD-2D	743-0	–	15103	DD34-4001	–	425002
	SoftSector (128B/S, 26 Sectors)	3115	3.09	–	–	–	–	–	–	–	S/A-150	–	–	–	–
	SoftSector (256B/S, 26 Sectors)	3103	3.09	473471	54325	800817	1766872	FD2-256D	–	743-0/256	–	15101	DD34-4026	F144111X	425602
	Soft Sector (512 B/S, 15 Sectors)	3114	3.09	473472	54479	800818	1669044	–	–	743-0/512	–	15100	DD34-4015	F145111X	425612
	Soft Sector (1024 B/S, 8 Sectors)	3104	3.09	473473	54485	800819	1669045	–	–	743-0/1024	–	15102	DD34-4008	F147111X	425622
	32 Hard Sector	3105	3.09	470851	–	101/2D	–	FH2-32D	–	743-32	S/A-151	15125	DD32-4000	F34A411X	425322
	Burroughs B-80 Compatible, 32 Hard Sector	3092	3.09	–	–	–	–	–	–	–	–	–	–	F34A611X	–
	SoftSector (1024 B/S, 8 Sectors) w/Hub Ring	3116	3.49	–	–	–	–	–	–	–	–	–	–	–	–
	Shugart Compatible, 32 Hard Sector	3181	3.39	–	–	–	–	–	–	–	–	–	DD32-4000	–	–
Flexible Disc FD Memorex 651 or Equiv Drive Compatible	FD VI (Vinyl Jacket)	30712003	2.69	470651	–	FDIV	–	–	FD-165	511-0	–	15026	FD65-1000	F61A111X	–
Mini Flexible Disc 1s 5¼" Single-Headed Drives Single-Density Media	Soft Sector (Unformatted)	3401	1.94	475001	54256	104/1	–	MD1	MD 1	744-0	S/A-104	15300	MD525-01	M11A211X	441002
	10 Hard Sector	3403	1.94	475010	54257	107/1	–	–	MD 110	744-10	S/A-107	15325	MD525-10	M41A211X	441102
	16 Hard Sector	3405	1.94	475016	54258	105/1	–	MH1	MD 116	744-16	S/A-105	15326	MD525-16	M51A211X	441162
	Soft Sector (Unformatted) w/HubRing	3431	2.14	–	–	–	–	–	–	–	–	–	MD525-01	–	–
	10 Hard Sector, w/Hub Ring	3433	2.14	–	–	–	–	–	–	–	–	–	MD525-10	–	–
	16Hard Sector, w/HubRing	3435	2.14	–	–	–	–	–	–	–	–	–	MD525-16	–	–
Mini Flexible Disc 1d 5¼" Single-Headed Drives Double-Density Media	SoftSector (Unformatted)	3417	2.14	–	54646	104/1D	–	–	–	–	–	–	MD525-01	–	–
	10 Hard Sector	3418	2.14	–	54649	107/1D	–	–	–	–	–	–	MD525-10	–	–
	16 Hard Sector	3419	2.14	–	54652	105/1D	–	–	–	–	–	–	MD525-16	–	–
	SoftSector (Unformatted) w/Hub Ring	3481	2.34	–	–	–	–	–	–	–	–	–	MD525-01	–	–
	10HardSectorw/Hub Ring	3483	2.34	–	–	–	–	–	–	–	–	–	MD525-10	–	–
	16 Hard Sector w/HubRing	3485	2.34	–	–	–	–	–	–	–	–	–	MD525-16	–	–
Mini Flexible Disc 2d 5¼" Double-Headed Drives Double Density Media	Soft Sector (Unformatted)	3421	2.59	–	54624	104/2D	–	–	–	–	S/A-154	–	MD550-01	–	–
	10 Hard Sector	3423	2.59	–	54627	107/2D	–	–	–	–	S/A-157	–	MD550-10	–	–
	16 Hard Sector	3425	2.59	–	54630	105/2D	–	–	–	–	S/A-155	–	MD550-16	–	–
	SoftSector (Unformatted) w/HubRing	3491	2.79	–	–	–	–	–	–	–	–	–	MD550-01	–	–
	10 HardSectorw/HubRing	3493	2.79	–	–	–	–	–	–	–	–	–	MD550-10	–	–
	16 Hard Sector w/HubRing	3495	2.79	–	–	–	–	–	–	–	–	–	MD550-16	–	–

Memorex Flexible Discs...The Ultimate in Memory Excellence

Quality

Memorex means quality products that you can depend on. Quality control at Memorex means starting with the best materials available. Continual surveillance throughout the entire manufacturing process. The benefit of Memorex's years of experience in magnetic media production, resulting, for instance, in proprietary coating formulations. The most sophisticated testing procedures you'll find anywhere in the business.

100 Percent Error Free

Each and every Memorex Flexible Disc is certified to be 100 percent error free. *Each* track of *each* flexible disc is tested, individually, to Memorex's stringent standards of excellence. They test signal amplitude, resolution, low-pass modulation, overwrite, missing pulse error and extra pulse error. They are torque-tested, and competitively tested on drives available from almost every major drive manufacturer in the industry including drives that Memorex manufactures. Rigid quality audits are built into every step of the manufacturing process and stringent testing result in a standard of excellence that assures you, our customer, of a quality product designed for increased data reliability and consistent top performance.

Customer-Oriented Packaging

Memorex's commitment to excellence does not stop with a quality product. They are proud of their flexible discs and they package them with pride. Both their packaging and their labeling have been designed with your ease of identification and use in mind. The desk-top box containing ten discs is convenient for filing and storage. Both box labels and jacket labels provide full information on compatibility, density, sectoring, and record length. Envelopes with multi-language care and handling instructions and color-coded removable labels are included. A write-protect feature is available to provide data security.

Full One Year Warranty — Your Assurance of Quality

Memorex Flexible Discs will be replaced by Memorex if they are found to be defective in materials or workmanship within one year of the date of purchase. Other than replacement, Memorex will not be responsible for any damages or losses (including consequential damages) caused by the use of Memorex Flexible Discs.

Quantity Discounts Available

Memorex Flexible Discs are packed 10 discs to a carton and 10 cartons to a case. Please order only in increments of 100 units for quantity 100 pricing. We are also willing to accommodate your smaller orders. Quantities less than 100 units are available in increments of 10 units at a 10% surcharge. **Quantity discounts** are also available. Order 500 or more discs at the same time and deduct 1%; 1,000 or more saves you 2%; 2,000 or more saves you 3%; 5,000 or more saves you 4%; 10,000 or more saves you 5%; 25,000 or more saves you 6%; 50,000 or more saves you 7% and 100,000 or more discs earns you an 8% discount off our super low quantity 100 price. Almost all Memorex Flexible Discs are immediately available from **CE**. Our warehouse facilities are equipped to help us get you the quality product you need, when you need it. If you need further assistance to find the flexible disc that's right for you, call the Memorex compatibility hotline. Dial 800-538-8080 and ask for the *flexible disc hotline* extension 0997. In California dial 800-672-3525 extension 0997.

Buy with Confidence

To get the fastest delivery from CE of your Memorex Flexible Discs, send or phone your order directly to our Computer Products Division. Be sure to calculate your price using the CE prices in this ad. Michigan residents please add 4% sales tax. Written purchase orders are accepted from approved government agencies and most well rated firms at a 10% surcharge for net 10 billing. All sales are subject to availability, acceptance and verification. All sales are final. Prices, terms and specifications are subject to change without notice. Out of stock items will be placed on backorder automatically unless **CE** is instructed differently. Minimum order $50.00. International orders are invited with a $20.00 surcharge for special handling in addition to shipping charges. All shipments are F.O.B. Ann Arbor, Michigan. No COD's please. Non-certified and foreign checks require bank clearance.

Mail orders to: **Communications Electronics**, Box 1002, Ann Arbor, Michigan 48106 U.S.A. Add $8.00 per case or partial-case of 100 8-inch discs or $6.00 per case of 100 5¼-inch mini-discs for U.P.S. *ground* shipping and handling in the continental U.S.A. If you have a Master Card or Visa card, you may call anytime and place a credit card order. **Order toll-free** in the United States. Call anytime 800-521-4414. If you are outside the U.S. or in Michigan, dial 313-994-4444. **Dealer inquiries invited.** All order lines at **Communications Electronics** are staffed 24 hours.










Order Toll-Free!
(800) 521-4414

In Michigan (313) 994-4444



For Data Reliability—Memorex Flexible Discs



Computer Products Division

854 Phoenix □ Box 1002 □ Ann Arbor, Michigan 48106 U.S.A.
Call TOLL-FREE (800) 521-4414 or outside U.S.A. (313) 994-4444

One of the inputs to the comparator is from the external joystick connector. This should be a voltage level from 0 to +5 volts (V). The joystick input can be a voltage from the joystick potentiometer, or it can be any voltage in that range from any external device including an audio amplifier. The second input to the comparator is from the DAC and is also 0 to +5 V. A/D conversion is accomplished by rapidly changing the DAC output and checking the comparator output until I find the two values that bracket the voltage from the joystick input.

The Color BASIC ROM (read-only memory) provides a machine-language subroutine to accomplish this. It uses a type of binary search to converge on the joystick input value (for details, see reference 2). However, the subroutine processes *four* input values: right joystick X and Y and left joystick X and Y. In addition, the routine compares the current value of each channel with the previous one until they match. All of this overhead allows sampling rates of only 600 to 700 per second, too slow for my needs. I need a high-speed ADC!

Voice-Synthesis Software

INPUT Routine. The software for such a high-speed ADC is shown in the text box with listing 1. It may not be the fastest ADC routine around, but it *does* allow conversion of about 7733 samples per second. One technique used in the routine is "linear coding" without loops, eliminating the loop overhead. The logic is explained in detail in the text box.

The INPUT routine takes 6 × 19.1 + 14.6 microseconds (μs) for each ADC conversion, allowing 7733 samples per second. Note that during each 129.2-μs conversion, the input voltage may change and the final value may be off by 25 percent or more, as shown in figure 7. In the majority of cases, however, the result is fairly close for these high sampling rates of audio frequencies.

The RAM buffer is 10,300 bytes long, providing for about 1⅓ seconds' worth of recording.

OUTPUT Routine. The OUTPUT routine (listing 2) is considerably





Figure 5: *The Color Computer uses a 6-bit DAC to convert the six values from output port $FF20 to an analog voltage. In this project, output is routed to an RF (radio-frequency) modulator.*

BOY, IS THIS COSTING YOU.



It's really quite basic: time is money.

And BASIC takes a lot more time and costs a lot more money than it should every time you write a new business software package.

Especially when you could speed things up with dBASE II.

dBASE II is a complete applications development package.

Users tell us they've cut the amount of code they write by up to 80% with dBASE II.

Because dBASE II is the high performance relational database management system for micros.

Database and file handling operations are done automatically, so you don't get involved with sets, lists, pointers, or even opening and closing of files.

Instead, you write your code in concepts.

And solve your customers' problems faster and for a lot less than with BASIC (or FORTRAN, COBOL or PL/I).

dBASE II uses English-like commands.

dBASE II uses a structured language to put you in full control of your data handling operations.

It has screen handling facilities for setting up input and output forms.

It has a built-in query facility, including multi-key and sub-field searches, so you can DISPLAY some or all of the data for any conditions you want to apply.

You can UPDATE, MODIFY and REPLACE entire databases or individual characters.

CREATE new databases in minutes, or JOIN databases that already exist.

APPEND new data almost instantly, whether the file has 10 records or tens of thousands.

SORT the data on as many keys as you want. Or INDEX it instead, then FIND whatever you're looking for in seconds, even using floppies.

Organize months worth of data in minutes with the built-in REPORT. Or control every row and column on your CRT and your printer, to format input and output exactly the way you want it.

You can do automatic calculations on fields, records and entire databases with a few keystrokes, with accuracy to 10 places.

Change your data or your entire database structure without re-entering all your data.

And after you're finished, you can protect all that elegant code with our run-time compiler.

Expand your clientbase with dBASE II.

With dBASE II, you'll write programs a lot faster and a lot more efficiently. You'll be able to write more programs for more clients. Even take on the smaller jobs that were out of the economic question before. Those nice little foot-in-the-database assignments that grow into bigger and better bottom lines.

Your competitors know of this offer.

The price of dBASE II is $700 but you can try it free for 30 days.

Call for our Dealer Plan and OEM run-time package prices, then take us up on our money-back guarantee. Send us your check and we'll send you a copy of dBASE II that you can exercise on your CP/M system any way you want for 30 days.

Then send dBASE II back and we'll return all of your money, no questions asked.

During that 30 days, you can find out exactly how much dBASE II can save you, and how much more it lets you do.

But it's only fair to warn you: business programmers don't go back to BASIC's.

Ashton-Tate, 9929 Jefferson, Los Angeles, CA 90230. (213) 204-5570.





simpler than the input routine. The routine points to the beginning of the buffer, delays about 1/7000 second, fetches a value from memory (LDA,X+), outputs the value to the DAC (STA $0FF20), tests for the end of the buffer (BUFEND), and then returns for the next value if there are more data remaining.

SELECT Routine. The SELECT routine connects the right joystick X channel to the ADC and routes the DAC output to the television's built-in speaker. SELECT is executed once at the beginning of both INPUT and OUTPUT.

BASIC Driver. The 6809 assembly-language subroutines shown in listings 1 and 2 are *relocatable*, that is, they can be placed and run anywhere in memory and still operate properly. Listing 3 shows the same

Figure 6: *The Color Computer ADC uses a comparator, the DAC, and software to bracket the joystick input value.*

Listing 1: *The INPUT routine is coded in 6809 assembly language with a minimum of branch instructions to maximize execution speed. The routine performs 7733 A/D conversions per second.*

```
172B                      ORG    $172B
                 *********************************************
                 * SPEECH SYNTHESIS PROGRAM                  *
                 * ACCUMULATES 1 1/3 SECONDS WORTH OF INPUT  *
                 * PLAYS BACK ON REQUEST                     *
                 * ENTER AT INPUT TO RECORD                  *
                 * ENTER AT OUTPUT TO PLAY BACK              *
                 *********************************************
                 *
           17C4    BUFFER   EQU    $4000-10300
           3FFF    BUFEND   EQU    $3FFF   END OF BUFFER
172B 17    0065    INPUT    LBSR   SELECT  SELECT RIGHT,X
172E 108E FF00              LDY    #$0FF00 LOAD INPUT PIA ADDRESS
1732 8E    17C4             LDX    #BUFFER LOAD BUFFER PNTR ADDRESS
1735 C6    80      INP005   LDB    #$80       LOAD START VALUE
1737 F7    FF20             STB    $0FF20       OUTPUT FIRST VALUE
173A A6    A4               LDA    ,Y           INPUT COMPARATOR
173C 2B    04               BMI    INP015       GO IF TOO LOW
173E C0    40               SUBB   #$40         SUBTRACT DELTA
1740 20    04               BRA    INP020       GO TO SECOND ITERATION
1742 CB    40      INP015   ADDB   #$40         ADD DELTA
1744 20    00               BRA    INP020       GO TO SECOND ITERATION
1746 F7    FF20    INP020   STB    $0FF20       OUTPUT SECOND VALUE
1749 A6    A4               LDA    ,Y           INPUT COMPARATOR
174B 2B    04               BMI    INP025       GO IF TOO LOW
174D C0    20               SUBB   #$20         SUBTRACT DELTA
174F 20    04               BRA    INP030       GO TO THIRD ITERATION
1751 CB    20      INP025   ADDB   #$20         ADD DELTA
1753 20    00               BRA    INP030       GO TO THIRD ITERATION
1755 F7    FF20    INP030   STB    $0FF20       OUTPUT THIRD VALUE
1758 A6    A4               LDA    ,Y           INPUT COMPARATOR
175A 2B    04               BMI    INP035       GO IF TOO LOW
175C C0    10               SUBB   #$10         SUBTRACT DELTA
175E 20    04               BRA    INP040       GO TO FOURTH ITERATION
1760 CB    10      INP035   ADDB   #$10         ADD DELTA
1762 20    00               BRA    INP040       GO TO FOURTH ITERATION
1764 F7    FF20    INP040   STB    $0FF20       OUTPUT FOURTH VALUE
1767 A6    A4               LDA    ,Y           LOAD COMPARATOR
1769 2B    04               BMI    INP045       GO IF TOO LOW
176B C0    08               SUBB   #8           SUBTRACT DELTA
176D 20    04               BRA    INP050       GO TO FIFTH ITERATION
176F CB    08      INP045   ADDB   #8           ADD DELTA
1771 20    00               BRA    INP050       GO TO FIFTH ITERATION
1773 F7    FF20    INP050   STB    $0FF20       OUTPUT FIFTH VALUE
1776 A6    A4               LDA    ,Y           INPUT COMPARATOR
1778 2B    04               BMI    INP055       GO IF TOO LOW
177A C0    04               SUBB   #4           SUBTRACT DELTA
177C 20    04               BRA    INP060       GO TO SIXTH ITERATION
177E CB    04      INP055   ADDB   #4           ADD DELTA
1780 20    00               BRA    INP060       GO TO SIXTH ITERATION
1782 F7    FF20    INP060   STB    $0FF20       OUTPUT SIXTH VALUE
1785 A6    A4               LDA    ,Y           INPUT COMPARATOR
1787 2B    04               BMI    INP065       GO IF TOO LOW
1789 C0    02               SUBB   #2           SUBTRACT DELTA
178B 20    04               BRA    INP070       GO FOR NEXT VALUE
178D CB    02      INP065   ADDB   #2           ADD DELTA
178F 20    00               BRA    INP070       GO FOR NEXT VALUE
1791 E7    80      INP070   STB    ,X+        STORE VALUE
1793 8C    3FFF             CMPX   #BUFEND    TEST FOR END OF BUFFER
1796 26    9D               BNE    INP005     GO IF NOT END
1798 39                     RTS             END-RETURN
```

The INPUT Routine

For those of you not acquainted with assembly language, the input routine shown in listing 1 is not as imposing as it looks. The datum on the extreme left of the listing is the hexadecimal location in memory where the instruction is found. The next two columns represent the machine code of the instruction in hexadecimal. The fourth column is simply a line number. The remaining four columns are the assembly-language program containing the optional label, the op-code mnemonic, the operand, and comments, respectively. The dollar sign ($) is used to signify a hexadecimal value. The pound sign (#) indicates that the operand is an "immediate" value to be used by the op code, rather than a variable in memory.


Six sections of the code are virtually identical. Each one starts with STB $0FF20 and ends with BRA INP*xxx*.


In each section the value in the B register is output to the DAC by STB $0FF20. The DAC immediately changes this value to a voltage level. The output of the comparator is then loaded into the A register by LDA ,Y. The Y register was previously loaded with the address of the comparator output, $0FF00. If the value in A has bit 7 set, a branch on minus (BMI) is done, and a delta value (one-half of the present range) is added to the value in the B register. If the value in A has bit 7 reset, the SUBB #$*xx* is done to subtract the delta value.

The six sections taken together constitute a binary search to find the input value. At INP070, the B register holds the final value. It is stored in the next memory location pointed to by the X register. The ",X+" form of the instruction automatically increments the X register by 1 to point to the next location after the current store. The X register is then compared to BUFEND, the last location for storing digitized values. If there is space left, the routine branches back to INP005 to sample the next value.



Circle 346 on inquiry card.








Figure 7: *By the time the software has bracketed a given voltage sample, the true voltage has often changed significantly, as shown in this sequence. However, as long as the sampling rate is at least twice the highest frequency to be measured, the magnitude of the error will be acceptable.*




Figure 8: *The Color Computer's joystick inputs allow four channels of data. Only the X input of the right channel is used in this project.*


Gain instant access to over 1,200 information and communication services for as little as $4.25 an hour.

They're all at your fingertips when you join The Source,SM America's Information Utility.

The Source can improve your efficiency, speed your work, and reduce expenses in your organization by giving you access to personal and business services that run the gamut. From electronic mail and discount buying services to stock reports and hotel reservations. And in most cases, you can reach The Source with a local phone call using any standard microcomputer, communicating word processor, or data terminal.

SourceMailSM... faster than U.S. Mail, cheaper than most long distance calls.

SourceMail is an electronic mail system that lets you send messages to other Source subscribers, anywhere in the country. Use it to communicate with your field offices or traveling sales representatives. Create your own network to clients, associates, outlets or suppliers. Store information for later retrieval when needed. The Source can even correct spelling errors.



Best of all, communicating through The Source can be cheaper than any other method... including long-distance phone, Telex, facsimile, express mail, or messenger.

Streamline your business operations.

Just feed The Source your figures and it will calculate your taxes, cash flows, equity capital, lease vs. equipment purchase, loan amortizations, annual interest rate on installment loans, depreciation schedules. Use its Model 1 service for financial planning, simulation, and analysis.

You can use The Source's powerful mainframe computers to write and store your own programs, with computer languages like BASIC, COBOL, FORTRAN, RPGII and assembly language. Naturally, we give you a private access code so your programs and data inputs are secure.

Your electronic travel agent.

Plan your trips with instant national and international flight schedule information. Use The Source Travel ClubSM to arrange airline tickets, rent a car, and make hotel reservations. Use The Source to check the weather ahead or find the best place to eat using our electronic Mobil Restaurant Guide.

Instant access to the stock market.

Whatever your investments — stocks, bonds, mutual funds, T-bills, commodities, futures or others — The Source will give you updated investment information 22 hours a day. We go beyond mere market quotes to add economic, business, and financial commentary by noted economists and securities analysts.

Get news, hot off the UPI wire.

Around the world or around the corner, find out about the latest news straight from United Press International. You can select only the news, business reports, sports or features you want... geographically, by date, or subject matter. Get the latest update within 2½ minutes of a filed report, or go back to earlier coverage.

That's just the beginning.

There's so much more. The Source has an electronic personnel search network. It lets you barter your goods and services with other businesses. Orders hard-to-find technical and business books direct from the publisher. Gives you a daily review of Washington activities. Lets you order thousands of business and consumer items at discount prices. Maintains your stock portfolio. And we're improving and adding to our subscriber services every day.

Anyone can use The Source.

You don't have to know computer languages or have programming skills. The Source operates on simple, logical English commands. It comes with a complete user's manual, categorized directory, and private sign-on codes.

The Source isn't limited to your office. You can access it from home, or on the road, 22 hours a day. Use it to catch up with office work, or for self-improvement and family fun. The Source will play bridge with you, coach your children in foreign languages, help select dinner wines, give you the latest movie reviews, and more. It's amazingly versatile.

The value with the guarantee.

For all the communications and information services, you pay only a $100, one-time subscription fee and $18 per hour during the business day when you are actually using it. From 6 P.M. to midnight and on weekends and holidays The Source is just $5.75 an hour. From midnight to 7 A.M. the rate drops to $4.25. Minimum monthly usage charge is only $10.

What's more, we're so sure you'll find The Source just what you need, we offer a 30-day money-back guarantee. If you're not completely satisfied, write us and cancel. We'll refund your $100 hookup fee in full, without question. You pay only for time actually used.

See your dealer, or mail card for free brochure

To learn more about The Source, visit one of the more than 800 computer stores that offer The Source. Or rush the postage-paid card to get your 16-page color brochure and index of over 1,200 Source services.

Find out how much The Source can do for you.

THE SOURCE
AMERICA'S INFORMATION UTILITY

Department M56
1616 Anderson Road
McLean, VA 22102

____Please send me your free 16-page color brochure without obligation.

(name) (Please Print)

(telephone)

(Company if for business use)

(address)

(city/state/zip)

____Do you own a microcomputer, terminal or communicating word processor?

If yes: ____________
(make/model)

Listing 2: *The OUTPUT routine is coded in 6809 assembly language. It retrieves values stored in memory and reproduces the original input by outputting the data at the original input rate. Data is output to the television audio modulator.*

```
1799 8D    18      00710 OUTPUT  BSR    SELECT   SELECT DAC OUTPUT
179B 86    3C      00720         LDA    #$3C     LOAD INITIALIZATION VALUE
179D B7    FF23    00730         STA    $0FF23   INIT IALIZE PIA FOR OUTPUT
17A0 8E    17C4    00740         LDX    #BUFFER  POINT TO BUFFER
17A3 86    13      00750 OUT010  LDA    #19        DELAY COUNT
17A5 4A            00760 OUT020  DECA                DELAY LOOP
17A6 26    FD      00770         BNE    OUT020       DELAY
17A8 A6    80      00780         LDA    ,X+        GET VALUE
17AA B7    FF20    00790         STA    $0FF20     OUTPUT TO DAC
17AD 8C    3FFF    00800         CMPX   #BUFEND    TEST FOR END OF DATA
17B0 26    F1      00810         BNE    OUT010     GO IF NOT END
17B2 39            00820         RTS             END-RETURN
17B3 B6    FF01    00830 SELECT  LDA    $0FF01   GET PIA CONFIGURATION
17B6 84    F7      00840         ANDA   #$0F7    RESET LSB OF MUX SELECT
17B8 B7    FF01    00850         STA    $0FF01   STORE
17BB B6    FF03    00860         LDA    $0FF03   GET PIA CONFIGURATION
17BE 84    F7      00870         ANDA   #$0F7    RESET MSB OF MUX SELECT
17C0 B7    FF03    00880         STA    $0FF03   STORE
17C3 39            00890         RTS             RETURN
           0000    00900         END
```

Listing 3: *A BASIC program that loads the INPUT and OUTPUT routines into memory, defines them as external USR calls, and allows the user to store and play back up to 1½ seconds of speech.*

```
100 PCLEAR 1:CLEAR 10,&H1720
110 REM VOICE SYNTHESIS PROGRAM IN BASIC FORM
120 DATA 247,255,32,166,164,43,4,192,0,32,4,203,0,32,0
130 DATA 23,0,133,16,142,255,0,142,23,196,198,128
140 DATA 231,128,140,63,255,38,157,57,141,24,134,60,183,255,35
150 DATA 142,23,196,134,19,74,38,253,166,128,183,255,32
160 DATA 140,63,255,38,241,57,182,255,1,132,247,183,255,1,182,255,3
170 DATA 132,247,183,255,3,57
180 FOR J=0 TO 5
190 RESTORE
200 FOR I=&H1737+J*15 TO &H1745+J*15
210 READ A
220 POKE I,A
230 NEXT I
240 POKE &H173F+J*15,2^(6-J)
250 POKE &H1743+J*15,2^(6-J)
260 NEXT J
270 FOR I=&H172B TO &H1736
280 READ A
290 POKE I,A
300 NEXT I
310 FOR I=&H1791 TO &H17C3
320 READ A
330 POKE I,A
340 NEXT I
350 DEFUSR0=&H172B:DEFUSR1=&H1799
360 INPUT "RECORD (R) OR PLAY (P)?";A$
370 IF A$="R" THEN A=USR0(0) ELSE IF A$="P" THEN A=USR1(0) ELSE GOTO 360
380 GOTO 360
```

Double your disk storage capacity. . .



simply by switching to Omni's new reversible disk.

If you have an Apple, TRS-80, Zenith, North Star or any other single-sided 5¼" disk drive, you can double disk capacity by simply switching to the Flip/Floppy disk from Omni. It works just like your present disks, except you can flip it over and record on the reverse side. So you can consolidate programs and files that used to require two disks. You can halve your disk requirements. And save money.

Each disk comes with some impressive specifications: They're certified error-free at more than twice the error-threshold of your system. Rated for more than 12 million passes without disk-related errors or significant wear. And precision fabricated with such standard features as reinforced hub rings.

Call Omni toll-free today. Get premium disks. Twice the capacity. A full money-back guarantee. Unbeatable price. And if you order a ten pack now, a free $5.00 storage case as well.

OMNI

Omni Resources Corporation
4 Oak Pond Avenue, Millbury, MA 01527
(800) 343-7620 In Mass. (617) 799-0197

Dealer inquiries invited.
Software Houses: We also offer duplicating and formatting services.

$26.00-Five pack

(Equivalent to 10 single-sided disks)

$50.00-Ten pack

(Equivalent to 20 single-sided disks)



Free

Protective plastic storage case with each 10 pack ordered by 3/1/81

Order toll-free (800) 343-7620.
In Mass. (617) 799-0197.

Send the following Flip/Floppy disks.
I understand they have a full 90 day money-back guarantee if I'm not completely satisfied.

System & model # ____________

____ Five packs @ $26.00 $________
____ Ten packs @ $50.00* $________
* includes plastic case
Shipping and handling $ 1.50
5% sales tax (Mass. only) $________
Total $________

____ Check (to Omni Resources) ____ C.O.D.
____ Master Card ____ Visa

Card # ____________ Exp.________
Name ____________
Address ____________
____
Tel ____________

Circle 256 on inquiry card.

programs converted to DATA values in an Extended Color BASIC program. This BASIC program stores DATA values into memory locations $172B through $17C3. To condense the number of DATA values, the loop from 180 through 260 replicates the six sections of the INPUT routine six times. Values of 64, 32, 16, 8, 4, and 2 are POKEd for the delta values in two places. The following loops move the remaining values.

There are two entry points to the code, one at INPUT and one at OUTPUT. In this fixed location for the program, INPUT is at location $172B and OUTPUT is at location $1799. USR0 calls the INPUT routine and USR1 calls the OUTPUT routine.

Building the Input Device

The normal joystick inputs are shown in figure 8. Each joystick plug is a 5-pin DIN jack. On each DIN jack, one pin is connected to the X




Figure 9: *An op-amp serves as a "× 10" amplifier to up the output from the crystal microphone to the voltage range of 0 to 4.6 V.*

Circle 190 on inquiry card.

Circle 335 on inquiry card. →

NOW TWO LOCATIONS
SAVE TIME • SAVE SHIPPING



800™ $699

410 Recorder	$59.00
810 Disc Drive	$444.00
822 Printer	$359.00
825 Printer	$629.00
830 Modem	$159.00
820 Printer	$269.00
850 Interface	$159.00
New DOS 2 System	$21.00
CX30 Paddle	$18.00
CX40 Joy Stick	$18.00
CX853 16K RAM	$89.00
Microtek 16K RAM	$75.00
Microtek 32K RAM	$159.00
One year extended warranty	**$50.00**

ATARI 400
16K.... $329
32K.... $478
48K.... $555

ATARI SOFTWARE

CX404 Word Processor	$119.00
CX404 PILOT	$68.00
CX413 Microsoft Basic	$68.00
CX4101 Invitation To Programing I	$17.00
CX4102 Kingdom	$13.00
CX4103 Statistics	$17.00
CX4104 Mailing List	$17.00
CX4105 Blackjack	$13.00
CX4106 Invitation to Programing 2	$20.00
CX4107 Biorythm	$13.00
CX4108 Hangman	$13.00
CX4109 Graph It	$17.00
CX4110 Touch Typing	$20.00
CX4008 SPACE INVADERS	$32.00
CX4112 States & Capitals	$13.00
CX4114 European Countries & Capitals	$13.00
CX4115 Mortgage & Loan Analysis	$13.00
CX4116 Personal Fitness Program	$59.00
CX4117 Invitation To Programing 3	$20.00
CX4118-20 Conversational Languages (ea.)	$45.00
CX4121 Energy Czar	$13.00
CXL4001 Educational Master	$21.00
CX6001-17 Talk & Teach Series (ea.)	$23.00
CX8106 Bond Analysis	$20.00
CX8107 Stock Analysis	$20.00
CX8101 Stock Charting	$20.00
CXL4002 Basic Computing Language	$46.00
CXL4003 Assembler Editor	$46.00
CXL4004 Basketball	$24.00
CXL4005 Video Easel	$24.00
CXL4006 Super Breakout	$30.00
CXL4007 Music Composer	$45.00
CXL4009 Chess	$30.00
CXL4010 3-D Tic-Tac-Toe	$24.00
CLS4011 STAR RAIDERS	$39.00
CXL4012 MISSLE COMMAND	$32.00
CXL4013 ASTEROIDS	$32.00
CXL4015 TeleLink	$20.00
Visicalc	$149.00
Letter Perfect (Word Processor)	$109.00
Source	$89.00
CX481	$75.00
CX482	$109.00
CX483	$54.00
CX484	$319.00

PRINTERS

Centronics 739-1	$649.00
Diablo 630 Special	$1799.00
Epson	
MX70	$359.00
MX80	$469.00
MX80FT	Call
MX100	Call
NEC	
8023	$639.00
7730	Call
7720	Call
7710	Call
Okidata	
82A	$499.00
83A	$769.00
84	$1129.00
Citoh Starwriter	
25 CPS-P	$1329.00
45 CPS-P	$1699.00
Paper Tiger	
445G	$699.00
460G	$899.00
560G	$1129.00
Talley	
8024-7	$1399.00
8024-L	$1629.00
Xerox 820	
System I 5½"	$2450.00
System II 8"	$2950.00
CPM 5¼	$169.00
Word Processing	$429.00
Super Calc	$269.00



computer mail order saves

RAM SALE!

Atari	
Microtek 16K	$64.00
32K	$129.00
Intec 32K	$139.00
48K	$219.00
Ramcrom 128K	$519.00
Apple	
Microtek 16K	$94.00
32K	$129.00
Commodore	
64K upgrade	$389.00
Hewlett Packard	
16K upgrade	$249

TI-99/4A $379

32K Expansion	$329.00
PHP Printer Solid State	$319.00
PHC 004 TI-99/4 Home Computer	$399.00
PHP 1600 Telephone Coupler	$169.00
PHP 1700 RS-232 Accessories Interface	$169.00
PHP 1800 Disk Drive Controller	$239.00
PHP 1850 Disk Memory Drive	$389.00
PHP 2200 Memory Expansion (32K RAM)	$319.00
PHA 2100 R.F. Modulator	$43.00
PHP 1100 Wired Remote Controllers(Pair)	$31.00

Texas Instruments

PHM 3006 Home Financial Decisions	$26
PHM 3013 Personal Record Keeping	$43
PHD 5001 Mailing List	$60
PHD 5021 Checkbook Manager	$18
PHM 3008 Video Chess	$60
PHM 3010 Physical Fitness	$26
PHM 3009 Football	$26
PHM 3018 Video Games I	$26
PHM 3024 Indoor Soccer	$26
PHM 3025 Mind Challengers	$22
PHM 3031 The Attack	$35
PHM 3032 Blasto	$22
PHM 3033 Blackjack and Poker	$22
PHM 3034 Hustle	$22
PHM 3036 Zero Zap	$18
PHM 3037 Hangman	$18
PHM 3038 Connect Four	$18
PHM 3039 Yahtzee	$22
PHM 3017 Terminal Emulator I	$39
PHM 3026 Extended Basic	$88
PHM 3035 Terminal Emulator II	$45

HOW TO ORDER: Phone orders invited or send check or money order and receive free shipping in the continental United States. PA residents add 6% sales tax.

computer mail order west
800-648-3351

IN NEVADA, CALL (702) 588-5654
P.O. BOX 6689, STATE LINE, NEVADA 89449

Circle 74 on inquiry card.

TO SAVE YOU MORE!


COSTS • SAVE SALES TAX



NEW! HP•125	$2999.00
HP•83	$1699.00
HP•85 16K Memory Module	$249.00
5¼" Dual Master Disc Drive	$2129.00
Graphics Plotter (7225B)	$2079.00

NOW IN STOCK!
The new HP41CV Calculator
$259

Call for HP Software Prices & Information
Call for Calculator prices.



HP•85 $2479

you more money & time!



CBM 8032
$1069



8032	$1069.00
4032	$969.00
4016	$769.00
8096	$1569.00
Super Pet	$1599.00
2031	$529.00
8050	$1299.00
4022	$599.00
C2N	$63.00
Word Pro 4 Plus	$299.00
Word Pro 3 Plus	$199.00

SOFTWARE

WordPro3 Plus	$299.00
WordPro4 Plus	$329.00
Commodore Tax Package	$399.00
Visicalc	$149.00
BPI General Ledger	$329.00
OZZ Information System	$289.00
Dow Jones Portfolio	$129.00
Pascal	$239.00
Legal Time Accounting	$449.00
Word Craft 80	$289.00
Power	$89.00
Socket-2-Me	$20.00
Jinsam	$Call
MAGIC	$ Call
The Manager	$209.00
Softrom	$129.00

Terminals

'elevideo	
910	$579.00
912C	$699.00
920C	$749.00
950	$939.00
Call for computers	
'enith 719	$749.00
ʌdds	$549.00

Monitors

ʌmdex 12" B&W	$149.00
12" Green	$169.00
13" Color	$349.00
ʌanyo 12" B&W	$259.00
12" Green	$269.00
13" Color	$449.00
I 10" Color	$349.00
lodems	
Novation Auto	$239.00
D Cat	$169.00
Cat	$159.00
Ayes	
Smart	$239.00
ioneer Lazer Disk	$599.00
SR X-10 Systems	
PK 500	$84.00
LM 501	$16.00
AM611	$17.00
AM286	$17.00



VIC 20 $259 COMPLETE

Vic-TV Modual	$19.00
Vic Cassette	$69.00
Vic 6 Pack Program	$44.00
VIC1530 Commodore Datassette	$69.00
VIC1540 Disk Drive	$499.00
VIC1515 VIC Graphic Printer	$399.00
VIC1210 3K Memory Expander	$32.00
VIC1110 8K Memory Expander	$53.00
VIC1011 RS232C Terminal Interface	$43.00
VIC1112 VIC IEEE-488 Interface	$86.00
VIC1211 VIC 20 Super Expander	$53.00

VIC1212 Programmers Aid Cartridge	$45.00
VIC1213 VICMON Machine Language Monitor	$45.00
VIC1901 VIC AVENGERS	$23.00
VIC1904 SUPERSLOT	$23.00
VIC1906 SUPER ALIEN	$19.00
VIC1907 SUPER LANDER	$23.00
VIC1908 DRAW POKER	$23.00
VIC1909 MIDNIGHT DRIVE	$23.00
VT106A Recreation Pack A	$44.00
VT107A Home Calculation Pack A	$44.00
VT164 Programmable Character/Gamegraphics	$12.00
VT232 VICTerm I Terminal Emulator	$9.00

d 3% for VISA or MC. Equipment subject to price change and availability without notice.

computer mail order east

800-233-8950

IN PA. CALL (717) 327-9575
501 E. THIRD ST., WILLIAMSPORT, PA 17701

channel, one to the Y channel (up/down), one to ground, one to +5 V DC, and one to a push-button switch on the joystick. The joysticks are dual potentiometers with resistances varying according to the X/Y position of the joystick. The output of each potentiometer varies from 0 to about +5 V.

In this application I'll be using only the X channel of the right joystick. I'd like to convert an audio signal, which is essentially an AC voltage, to a level of 0 to 5 V DC. This level can then be sampled, digitized, and stored in memory by the ADC hardware and software.

Figure 9 shows a simple voice-input circuit for connection to the Color Computer's right joystick jack. To convert the sound to an analog voltage, I use a crystal microphone. Its output is on the order of tenths of a volt. A simple "op amp" (operational amplifier) ups this voltage to the desired 0 to 5-V range. The amplifier's resting voltage, or bias, is about 2.3 V. As sound is applied, this voltage fluctuates in the 0 to 5-V range.

Since the amplifier I'm using requires less than 0.004 amperes, I can power it with the 5-V DC supply available from pin 5 on the Color Computer's DIN jack. The only side effect this will produce is a 0.4-V drop across the 100-ohm resistor on the 5-V lead.

The easiest way to construct the amplifier is to mount the parts on a prototype board, as shown in figure 10. This board, which Radio Shack sells for $6.49 (catalog number 276-175), consists of 23 rows of 12 holes each. The outer vertical columns on the left and right can be used for ground and power buses.

Figure 10 shows the arrangement of the components on the prototype board. The resistor and capacitor leads can be cut to length and then pushed into the proper holes without soldering or wire wrapping. The LM3900N op amp can also be pushed into the board—the holes are properly spaced.

The microphone used in this project is really a crystal microphone cartridge, available from Radio Shack for $1.59 (catalog number 270-095). Two wires must be soldered to the cartridge. Then the other ends of the wires are coated with solder and plugged into the board as shown.

Three wires go from the board directly into the Color Computer's right joystick DIN jack, as shown in figure 10. One wire attaches to ground (pin 3), one attaches to +5 V (pin 5), and one attaches to the X channel (pin 1).

All parts are available from Radio Shack or other electronics stores and should cost under $10. See table 1 for a parts list.

Operation of the Voice System

Now to see (er, *hear*) some results. Plug the completed circuit into the right joystick jack. Turn on the Color Computer and *quietly* execute the





Figure 10: *The project uses an inexpensive prototype circuit board, which allows the six components to be connected without soldering or wire-wrapping.*

NEW PRINTERS. NEW PERIPHERALS. SAME OLD RELIABLE QUALITY AND VALUE.

1982 will find more OEM's, businesses, dealers and personal computer users turning to MICROTEK than ever before.

TekWriter-1



80 Column Dot Matrix Printer
(Formerly BYTEWRITER-1)

The Tekwriter-1 printer is, dollar for dollar, the finest value in the industry. And we've proved it by comparing the Tekwriter-1 to the Epson MX-80. Our print speed is 14 lines per minute faster, our life expectancy is longer, the character sets are the same, and the interface, warranty and printhead replacement cost are all identical.* But the biggest difference is the price. The Tekwriter-1 is about $300 less.


Our extensive testing has proved that the Tekwriter-1 interfaces problem-free to most parallel Centronics and serial (RS-232) computers.

The Tekwriter-1 is tough to beat for performance and quality.

*Data Source: Epson MX-80 Operation Manual

Parallel $349
Serial $389

TekWriter-2



NEW! 80/132 Column Dot Matrix Printer


The Tekwriter-2 is perfectly suited to personal, business or OEM applications. Tekwriter-2 is designed to accept single sheet, roll or pin feed paper. It has a 9-wire dot matrix impact print head which produces crisp characters and has underlining capability. The printer is manufactured to run extremely quietly even while operating at peak output levels.

Tekwriter-2 is especially well suited to handle an abundance of text entry because of its data buffer expansion capability to 25K. This ability makes it an efficient graphics generator.

Parallel interface (Centronics type). Interfaces all models of TRS-80, Apple, and Atari 400/800, and most computers with Centronics printer interface.

$695

Peripherals



16K Apple Memory Board
Expands Apple II to 64K RAM Memory. Works with MICROSOFT Z-80 Softcard, Apple PASCAL and Visicalc software.

16K-32K Atari Memory Board
4116 RAM (200NS) Compatible with Atari 400/800


Parallel/Serial Data Buffer Converter
Interfaces with most computers and printers on the market today. Switch selectable parallel or serial input/parallel or serial output. Data buffer 2K standard — expandable to 62K. Serial I/O BAUD rates switch independently selectable.

Atari Parallel or Serial Printer Cables
Pre-tested. Centronics or (RS-232) compatible.

APPLE PARALLEL INTERFACE CARD

Quantity and OEM discounts available.

Continuing our quest for excellence.



TRS-80 is a trademark of Radio Shack, Inc.
Apple II is a trademark of Apple Computer, Inc.
Atari 400/800 are trademarks of Atari, Inc.
Microsoft is a trademark of Microsoft Consumer Products, Inc.
Z-80 is a trademark of Zilog, Inc.
Visicalc is a trademark of Personal Software, Inc.

MICROTEK
9514 Chesapeake Drive
San Diego, CA 92123
(714) 278-0633
Outside CA call
Toll Free (800) 854-1081
TWX. 910-335-1269

Circle 227 on inquiry card.

following program:

```
100  PRINT JOYSTK (0)
110  GOTO 100
```


You should now see a continuous display of a number close to 30. The number displayed represents the voltage input from the microphone circuit, in units of 4.6/64 V. Thirty multiplied by 4.6/64 is approximately 2.3, which is the correct voltage when you are *not* talking into the microphone. Actually, values from 26 to 34 indicate an acceptable bias level. If the displayed numbers are out of this range, the audio signals will be clipped on either the top or bottom, as shown in figure 11, resulting in distorted sound. If the value is greater than 34, decrease the value of R3 in figure 9; if it is less than 26, increase the value of R3.

Talk into the microphone while running the program. You should see the values change, although the pattern isn't predictable. Look for lows close to 0 and highs close to 63.

If everything looks satisfactory, load the program shown in listing 3 and execute it. When the message "RECORD (R) OR PLAY (P)?" is displayed, type R. At the same time, speak loudly into the microphone element while holding it close to your mouth. Speaking off to the side eliminates voice "pops." You have about 1⅓ seconds to record the message. (Sorry, Texans, you'll have to adopt a speedy California vocal attitude here.) You'll have time for such messages as "Help! computer failure!" "Twas brillig and the slithy . . . ," and "Input error, dummy!"

The program will record the audio and then return to the prompt message again. Enter P to play back the message through the television audio. You can play back a recorded message repeatedly by looping back to the P USR call.

The fidelity of the sound played back is excellent, even though its duration is short. (Short but sweet, to coin a phrase . . . .)



Part	Number Required
Crystal microphone cartridge (Radio Shack Cat. No. 270-095 or equivalent)	1
LM3900N operational amplifier (Radio Shack Cat. No. 276-1713 or equivalent	1
0.1-μF capacitor—C1, C2	2
100-kΩ resistor—R1	1
1-MΩ resistor—R2	1
2-MΩ resistor—R3	1
Prototype circuit board (Radio Shack Cat. No. 276-175 or equivalent)	1

Table 1: *Parts list for the microphone input circuit.*




Figure 11: *Clipping off the top or bottom of the waveforms may result from an improper bias setting. Bias should be set to approximately 2.3 V.*

Condensing the Data

That's the basic hardware and software for acquiring and playing back the data. Now comes the problem of condensing the data. Three approaches can be used here: altering the sampling parameters during acquisition of the data, processing the data after acquisition, and a combination of the two.

Altering the Sampling Parameters. The program just described records data at about 7700 samples per second. The rate can be reduced by putting in a time delay after the "STB ,X+" in the INPUT routine. A simple routine like the one shown in listing 4 would do the trick. It would delay the acquisition of data by about 5.62 × Xμs. Sampling rates for various values of X are shown in table 2. The

X	Samples per Second
1	7410
2	7114
3	6841
4	6587
5	6414
10	5390
20	4137
30	3357

Table 2: *The sampling rate of the input routine can be reduced by adding a time delay loop after the STB ,X+ in INPUT (listing 1). A simple loop is described in the text. Rates as low as 6000 samples per second should still produce intelligible speech.*

TASC™. The Applesoft* Compiler. It turns your Apple into a power tool.

Step up to speed. TASC, the Applesoft Compiler, converts a standard Applesoft BASIC program into super-fast machine code. By increasing program execution speed up to 20 times, Microsoft gives you a power tool for Applesoft BASIC programming.

Highest capacity available. TASC will compile and run larger programs than any other Applesoft Compiler. As a disk-based system, it doesn't require the simultaneous presence of compiler and program in memory. The memory you save allows you to compile significantly bigger programs.

Power without bulk. Code expansion of up to 100% severely restricts other compilers. TASC's special code compression schemes typically limit code expansion to only 25%. You'll really appreciate that with complex programs or programs that utilize Apple's hi-res graphic pages.

More BASIC power. TASC's powerful new commands increase Applesoft BASIC programming capability. Chain with COMMON allows compiled programs to share variables, so a main menu supports several programs in a single runtime environment.

TASC's True Integer Arithmetic and Integer FOR ... NEXT capabilities maximize the execution speed of compiled programs. TASC's near total compatibility with Applesoft speeds compilation of existing programs with little or no modification.

What about mistakes? You perfect your programs interactively with Applesoft. If something does slip by, TASC recovers from errors discovered in compilation and traps all runtime errors. It even permits graceful interruptions during compilation.

See for yourself. Ask for a demonstration of TASC at your Microsoft dealer. Discover the software package that turns your Apple into a power tool.



A Division of Microsoft Inc.
10700 Northup Way • Bellevue, WA 98004

*Applesoft is a trademark of Apple Computer, Inc.

Circle 223 on inquiry card.

Listing 4: *A simple routine that puts a time delay after the "STB ,X+" in the INPUT routine.*

```
         LDA    #X       CONSTANT
LOOP     DECA            DECREMENT
         BNE    LOOP     LOOP IF NOT ZERO
```







Figure 12: *One method of data compression is to keep only the top or bottom half of the waveform; the other half can be synthesized by the OUTPUT program at the proper time.*





LEGITIMATE A/D-CONVERTER VALUE
LEGITIMATE A/D-CONVERTER VALUE
FLAG WORD (WASTED BITS NOT 0)
DELAY COUNT
LEGITIMATE A/D-CONVERTER VALUE
LEGITIMATE A/D-CONVERTER VALUE

Figure 13: *Another method of compressing the data involves recognizing dead space between words. Instead of storing these silent periods, a flag-word may be stored in the data sequence, followed by a delay count to be used during the output process.*



PLAN80™ is a new system that takes the big business, big computer approach to computer modeling and adapts it to smaller computers, which are inherently more friendly and responsive.

If you are not already familiar with the world of financial modeling you will soon wonder how you managed without a system like PLAN80. If you are familiar with the art you will find it incredible that a microcomputer can do so much of what has previously been the domain of million dollar machines.

PLAN80 WILL DO 99% OF THE JOBS DONE BY COMPUTER MODELING SYSTEMS COSTING $50,000

Circle 178 on inquiry card.

Check your interests:

- ☐ Profit Planning
- ☐ Cash Management
- ☐ Acquisition Analysis
- ☐ Market Simulation
- ☐ Resource Allocation
- ☐ Lease vs. Purchase Analysis
- ☐ Purchase Price Trends
- ☐ Balance Sheet Projection
- ☐ Cost Center Budgeting
- ☐ Productivity Trend Analysis
- ☐ Sales Projection and Analysis
- ☐ Marketing Strategy Development
- ☐ Capital Project Evaluation
- ☐ Headcount Analysis and Control
- ☐ Cost and Variance Analysis
- ☐ R&D Project Evaluation
- ☐ Energy Accounting
- ☐ Cost Estimating
- ☐ Consolidations
- ☐ Tax Planning

- ☐ Please send more information about PLAN 80
- ☐ Please send a free Software Desk Reference™

Dealer, Distributor, and OEM inquiries invited

Please note: All Lifeboat Associates microcomputer software requires SB-80™ or other CP/M-80® compatible operating system.

NAME

TITLE

PHONE

COMPANY


STREET

CITY STATE ZIP

For More Information, contact

LIFEBOAT ASSOCIATES
1651 Third Avenue
New York, New York 10028
Tel: (212) 860-0300
TWX: 710-581-2524 (LBSOFT NYK)
Telex: 640693 (LBSOFT NYK)

2020






Figure 14: *Data that repeat or change only minutely may be compressed by using 4-bit values. The values are added to the current ADC value to generate a new DAC output value.*

program must be reassembled if this change is made, because the displacement values for the branches in some cases are no longer valid. Judging from the quality of the speech at the 7700 samples-per-second rate, sampling rates as low as 6000 per second will probably be acceptable.

Another parameter that can be varied in acquisition is the resolution of the ADC. I used a 6-bit ADC, allowing for 64 different levels. Certainly one or two bits could be deleted from this resolution without too much degradation. If two bits were deleted, twice as much data could be stored in memory by packing two nibbles per byte in memory. This would call for a little more overhead in the INP070 area as the values were stored, but the net effect would probably be to maintain the same sampling rate (or better), since the instructions from INP050 through INP070 could be deleted.

Data Processing after Acquisition. In most compression methods, the ADC values are post-processed by an analysis program. The waveforms are symmetrical about the horizontal axis. Therefore, I can keep one half and throw the other away, as shown in figure 12. The trick here is recognizing repetitions of the cycle.

Another possibility is to delete the dead time between words. In a string of words, large areas where there is no sound are a waste of storage. For such cases, the dead space could be stored as a special flag value, indicating that a delay of *n* milliseconds could be performed based on the value following the flag value, as shown in figure 13.

A third compression technique is to look for portions of the data that change slowly. Certain sounds, such as vowels, have a much lower level than consonants like "P" that almost explode over a wide dynamic range. If the change is small enough, it can be held in four bits instead of eight, further reducing memory requirements. Again, a flag value can be used on output to get into this "slow change" mode, as shown in figure 14.

I hope I've stimulated your imagination with this article. Half the battle is getting the data digitized. The rest is mere programming! ■

References

1. Barden, William, Jr. "Color Computer from A to D," December 1981 BYTE, page 134.
2. Barden, William, Jr. "Build a Joystick A-to-D Converter for the TRS-80 Model I or III," January 1982 BYTE, page 160.

Circle 238 on inquiry card.

NEW FROM NETRONICS

AUTO-PATCH HARD DISK

With plug-in multi-user ports Automatically Installs Itself Into Your Present CP/M® 2.2 Operating system & Floppy Disk Hardware. It's Exclusive!

6 megabytes . . . $2995.00 12 megabytes . . . $3495.00



What's the big concern of S100 owners when they consider adding Hard Disks? They worry that it will be difficult to install, that it won't be compatable with their present software and hardware, and that it may cause down-time on their S100 system.

Worry no more — Netronics new AUTOPATCH Hard Disks Systems are here. AUTOPATCH installs in just one-two-three: (1) plug in the hard disk S100 card; (2) run three short programs supplied on disk; (3) disable the boot on your floppy controller and enable the boot on your hard disk controller (this step not required if you wish to continue to boot to your floppy drives).

And thats it: The AUTOPATCH feature automatically finds the end of your existing BIOS and then self relocates and patches itself into the existing BIOS. A virgin copy of CCP and BIOS are loaded into memory, a customized SBOOT is added to the front of CCP and the whole memory image is written to the reserved tracks on your hard disk. You can add up to 4 hard disks to the controller supplied. The new BIOS will automatically rename any old devices as B: and C: and define the hard disk as drive A:. All with the lift of one finger!!! If your BIOS is large you may have to re-sysgen your system down 1 or 2 k. If this is necessary the AUTOPATCH program will prompt you to do so.

AUTOPATCH Hard Disk Systems are available in 6 and 12 megabyte models. Included in the system: 6 or 12 megabyte Hard Disk Drive . . . Controller for up to 4 Hard Disk drives . . . S100 Hard Disk card with provisions for adding 8 additional I/O ports to be used when adding a multi-user operating system . . . Power Supply . . . Deluxe Steel Cabinet . . . All necessary cables . . . AUTOPATCH Programs supplied on either 8" or 5¼" IBM formatted single density diskettes (specify style required) . . . Complete installation instructions . . . Fully wired and tested, ready to go.

SPECIFICATIONS
Unformatted Recording Capacity: 6.4 or 11.6 MB . . . **No. of tracks:** 612 or 1380 . . . **Data Transfer Rate:** 3 ms . . . **Bytes/sector format:** 512 . . . **Communication Port:** DO (other ports available on special order) . . . Programs supplied on 5½" or 8" single density IBM formatted diskettes (North Star CP/M* version available on special order)

10 DAY MONEY BACK OFFER
Continental U.S.A. Credit Card Buyers Outside Conn.

CALL TOLL FREE 800-243-7428
To Order From Connecticut Or For Tech. Assist. Call (203) 354-9375

NETRONICS R&D LTD. Dept.
333 Litchfield Road, New Milford, CT 06776


Please send the items checked below:
- ☐ **AUTOPATCH/6 Hard Disk System . . . $2995.00**
- ☐ **AUTOPATCH/12 Hard Disk System . . . $3495.00**
- ☐ **Additional 6-megabyte drive with power supply, cabinet, cables and necessary software . . . $1995.00**
- ☐ **Additional 12-megabyte drive with power supply, cabinet, cables and necessary software . . . $2495.00**

All plus $15.00 P&I (postage & insurance). For Canadian orders, double the postage ($30.00). Conn. res. add sales tax.

Total Enclosed $ ________
☐ Personal Check ☐ Cashier's Check/M.O.
☐ VISA ☐ MasterCard (Bank No. ______)
Acct. No. ________ Exp. Date ________
Signature ________
Print Name ________
Address ________
City ________ State ________ Zip ________

Big sale on K's!

16K . . . $149.95
32K . . . $199.95
48K . . . $249.95
64K . . . $299.95



New JAWS-IB
The Ultrabyte Memory Board

Due to the tremendous success of our JAWS I, we were able to make a special purchase of first-quality components at below-cost prices for JAWS-IB. And we are sharing our cost saving with you. But don't be surprised if the next time you see this ad the prices have gone up substantially. Better yet, order now, and get the best memory on the market at the best price on the market.

ONE CHIP DOES IT ALL
Jaws-IB is the Rolls-Royce of all the S100 dynamic boards. Its heart is Intel's single chip 64K dynamic RAM controller. Eliminates high-current logic parts . . delay lines . . . massive heat sinks . . . unreliable trick circuits. JAWS-IB solves all these problems.

LOOK WHAT JAWS-IB OFFERS YOU
Hidden refresh . . . fast performance . . . low power consumption . . . latched data outputs . . . 200 NS 4116 RAM's . . . on-board crystal . . . RAM Jumper selectable on 8K boundaries . . . fully socketed . . . solder mask on both sides of board . . . phantom line . . . designed for 8080, 8085, and Z80 bus signals . . . works in Explorer, Sol, Horizon, as well as all other well-designed S100 computers.

10-DAY MONEY-BACK TRIAL: Try a fully wired and tested board for 10 days —then either keep it, return it for kit, or simply return it in working condition.



Continental U.S.A. Credit Card Buyers Outside Connecticut:
TO ORDER CALL TOLL FREE 800-243-7428
From Connecticut Or For Assistance:
(203) 354-9375

Please send the items checked below:

JAWS-IB kit:
- ☐ 16K . . . $149.95*
- ☐ 32K . . . $199.95*
- ☐ 48K . . . $249.95*
- ☐ 64K . . . $299.95*

JAWS-IB Fully Assembled, Wired & Tested:
- ☐ 16K . . . $179.95*
- ☐ 32K . . . $239.95*
- ☐ 48K . . . $299.95*
- ☐ 64K . . . $359.95*

☐ EXPANSION KIT, 16K RAM Module, to expand JAWS-IB in 16K blocks up to 64K. **$59.95**

**All prices plus $2 postage and insurance ($4.00 Canada). Connecticut residents add sales tax.*

Total enclosed: $ ________
☐ Personal Check ☐ Money Order or Cashier's Check
☐ VISA ☐ Master Card (Bank No. ______)
Acct. No. ________ Exp. Date ________
Signature ________
Print Name ________
Address ________
City ________
State ________ Zip ________

NETRONICS R&D Ltd.
333 Litchfield Road, New Milford, CT 06776

Now with added words! *

ELECTRIC MOUTH

Now available for TRS-80 Model III

ELF II VERSION

for S100, Elf II, Apple TRS-80, Level II* From **$99.95** kit

Now — teach your computer to talk, increasing interaction between you and your machine.

That's right: the ELECTRIC MOUTH actually lets your computer talk! Installed and on-line in just minutes, it's ready for spoken-language use in office, business, industrial and commercial applications, and in games, special projects, R&D, education, security devices — there's no end to the ELECTRIC MOUTH's usefulness. Look at these features:

- Supplied with 143 letters/words/phonemes/numbers, capable of producing hundreds of words and phrases.
- Expandable on-board up to thousands of words and phrases with additional speech ROMs (see new speech ROM described below).
- Four models, that plug directly into S100, Apple, Elf II and TRS-80 Level II computers.
- Get ELECTRIC MOUTH to talk with either Basic or machine language (very easy to use, complete instructions with examples included).
- Uses National Semiconductor's "Digitalker."*
- Includes on-board audio amplifier and speaker, with provisions for external speakers.
- Installs in just minutes.

Principle of Operation: The ELECTRIC MOUTH stores the digital equivalents of words in ROMs. When words, phrases and phonemes are desired, they simply are called for by your program and then synthesized into speech. The ELECTRIC MOUTH system requires none of your valuable memory space except for a few addresses if used in memory mapped mode. In most cases, output ports (user selectable) are used.

SPOKEN MATERIAL INCLUDED (Vox I)

one	eighteen	at	dollar	inches	number	ss	c	t
two	nineteen	cancel	down	is	of	second	d	u
three	twenty	case	equal	it	off	set	e	v
four	thirty	cent	error	kilo	on	space	f	w
five	forty	400hertz tone	feet	left	out	speed	g	x
six	fifty	80hertz tone	flow	less	over	star	h	y
seven	sixty	20ms silence	fuel	lesser	parenthesis	start	i	z
eight	seventy	40ms silence	gallon	limit	percent	stop	j	
nine	eighty	80ms silence	go	low	please	than	k	
ten	ninety	160ms silence	gram	lower	plus	the	l	
eleven	hundred	320ms silence	great	mark	point	time	m	
twelve	thousand	centi	greater	meter	pound	try	n	
thirteen	million	check	have	mile	pulses	up	o	
fourteen	zero	comma	high	milli	rate	volt	p	
fifteen	again	control	higher	minus	re	weight	q	
sixteen	ampere	danger	hour	minute	ready	a	r	
seventeen	and	degree	in	near	right	b	s	

ADDITIONAL VOCABULARY NOW AVAILABLE (VOX II)

abort	complete	fifth	light	put	station
add	continue	fire	load	quarter	switch
adjust	copy	first	lock	range	system
alarm	correct	floor	longer	reached	temperature
alert	crease	fourth	more	receive	test
all	"de"	forward	move	record	"th"
ask	deposit	from	next	reverse	thank
assistance	dial	gas	no	red	third
attention	door	get	normal	repair	this
blue	east	going	north	repeat	turn
brake	"ed"	green	not	replace	under
button	emergency	hale	notice	room	use
buy	enter	heat	open	safe	waiting
call	entry	hello	operator	second	warning
called	"er"	help	or	secure	was
caution	"eth"	hurts	pass	select	water
celsius	evacuate	hold	per	send	west
centigrade	exit	hot	power	service	wind
change	fail	in	press	side	window
circuit	failure	incorrect	pressure	slow	yellow
cigar	fahrenheit	intruder	process	slower	yes
close	fast	key	pull	smoke	zone
cold	faster	level	push	south	

**Registered Trademarks*

Continental U.S.A. Credit Card Buyers Outside Connecticut

TO ORDER
Call Toll Free: 800-243-7428
To Order From Connecticut, or For Technical Assistance, call (203) 354-9375

NETRONICS R&D LTD.
333 Litchfield Road, New Milford, CT 06776

Please send the items checked below:
- ☐ S100 "Electric Mouth" kit w/Vox I . . . $ 99.95
- ☐ Elf II "Electric Mouth" kit w/Vox I . . . $ 99.95
- ☐ Apple "Electric Mouth" kit w/Vox I . . . $119.95
- ☐ TRS-80 Level II "Electric Mouth" kit w/Vox I . . . $119.95
- ☐ VOX II (Second Word Set) . . . $ 39.95

Add $20.00 for wired tested units instead of kits. VOX II postage & insurance $1.00, all others $3.00 postage and insurance. Conn. res. add sales tax.

Total Enclosed $ ________
☐ Personal Check ☐ Cashier's Check/Money Order
☐ Visa ☐ Master Charge (Bank No. ______)
Acct. No. ________ Exp. Date ________
Signature ________
Print Name ________
Address ________
City ________
State ________ Zip ________

Pascal NOW

Let Pascal Balance Your NOW Account

Thomas E. Doyle
5222 Big Bow Rd.
Madison, WI 53711

Pascal NOW sounds like an impassioned plea to adopt the Pascal language. While that would be a worthwhile topic, it is not the subject of this article. NOW (Negotiable Order of Withdrawal) is a term used to describe a wide variety of interest-bearing checking accounts.

Pascal NOW is a Pascal program designed to help manage one of these accounts. This article describes the program and some of the features of Pascal. I also provide a few hints to help a person who already knows BASIC begin to "think in Pascal." Such a person resembles one who knows the English system of weights and measures but wants to learn the metric system. The metric system is often learned as a translation system—one thinks in the English system, then converts to metric units. This is entirely different from "thinking in metric." The same problem can arise in learning Pascal. To capitalize on the features of Pascal, one must begin to "think in Pascal" rather than "think in BASIC" and then translate to Pascal.

The difference between a regular checking account and a NOW account is that the latter earns interest. A personal finance program must include the capability of handling this additional income correctly. My first impulse was to modify a BASIC program I've been using to manage my checking accounts. I've also received several suggestions for improvements to the program, so I decided to rewrite the program in Pascal, incorporating those improvements.

About the Author

Thomas E. Doyle has taught computer programming at the technical college level for seven years.

Using the Program

Above all, a checkbook program should be easy to use. The program should provide the following functions:

- add items to the file
- remove items from the file
- sort the items by date
- dump the updated file to disk
- load the file from disk
- print the file contents
- balance the account and print totals by item category
- quit (return to operating system)

Each of the eight functions is specified by typing the first letter of the function name: A, R, S, D, L, P, B, or Q (upper or lowercase).

Each item in the file has five descriptors:

1. item number
2. dollar amount
3. date
4. description of item
5. item category

For checks, the item number would be the check number. You can assign sequential numbers to items such as deposits, NOW interest, or electronic funds transfers. Since most checks start numbering at or above 100, at least 99 numbers would remain for that purpose. This method works best if item numbers for noncheck transactions are recorded right in the checkbook.

Modification

The exact nature of the item category list will vary depending on your expenditures. Almost everyone

will have the common expense categories of food, shelter, transportation, and clothing. The program listing shows possible categories, but I'm sure everyone will want to modify it to reflect specific needs.

If you want to change specific category titles, modify the assignment statements in the procedure "initialize" (see listing 1). The program is set up for a total of 50 categories. To change the total number of categories, modify the assignment statement in the constant declaration statement that sets "max_codes" to 50. The first ten category codes are set up for items that will *add* to the balance; the remaining codes are reserved for items that will reduce it. If you want more codes for income categories, change the constant declaration that sets "max_add_code" to 10. The item category is accessed and stored by number, which speeds item entry and minimizes storage space requirements. If you need instructions, the program will list the item categories and their descriptions.

One important aspect of selecting item categories is deciding how specific to make the categories. For example, consider automobile expenses. Your first thought might be to lump all auto-related expenses together. Another method would be to classify auto expenses in more specific categories: insurance, repairs, monthly payments, etc. By using the second method, it's easier to do other types of analysis. For instance, if you wanted to know how much you were spending on insurance policies, you could group auto with health, life, and other types of insurance. A good way to determine the exact nature of your expense categories is to review the checks you've written in the last year or two.

The specific data file name "A:tom81" is set in the constant

Text continued on page 304

Listing 1: *The source listing for Pascal NOW written in Pascal/MT+, version 5.2.*

```
PROGRAM checks;
{ Pascal/MT+ Version }

CONST max_items = 300;
      max_codes = 50;
      max_add_code = 10;
      disk_file = 'A:tom81';

TYPE
    item_data = RECORD
                   item_number : INTEGER;
                   month : INTEGER;
                   day : INTEGER;
                   year : INTEGER;
                   amount : REAL;
                   description : STRING[30];
                   code : INTEGER;
                END;


VAR command : CHAR;
    code_description : ARRAY [1..max_codes] OF STRING[15];
    items : ARRAY [1..max_items] OF item_data;
    item_last : 1..max_items;
    data_file : FILE of item_data;
    lines_printed : 0..80;
    code_amount : ARRAY [1..max_codes] OF REAL;
    entry_year : INTEGER;
    swaped : BOOLEAN;
    answer : CHAR;
    result : INTEGER;
```

Listing 1 continued on page 294

Tired Of Your GENERAL LEDGER?




- ★ THE ULTIMATE PERSONAL CHECK REGISTER
- ★ A PROFESSIONAL ACCOUNTING SYSTEM
- ★ A PERSONAL FINANCIAL MANAGER
- ★ A SMALL BUSINESS ACCOUNTING SYSTEM
- ★ A COMPLETE GENERAL LEDGER

FOR YOUR TRS-80 MODEL I, II, III or COLOR COMPUTER • APPLE II • I.B.M. • XEROX • ATARI
ALL MICROSOFT BASIC COMPUTERS

HOW IT WORKS . . . .

VERSALEDGER is a complete accounting system that grows as you or your business grows. To start, your VERSALEDGER acts as a simple method of keeping track of your checkbook. Just enter your check number, date and to whom the check is made out to. As you or your business grows, you may add more details to your transactions . . . . account number, detailed account explanations, etc.



- VERSALEDGER can give you an instant cash balance at anytime. **(IF YOU WANT IT TO)**
- VERSALEDGER can be used as a small personal checkbook register. **(IF YOU WANT IT TO)**
- VERSALEDGER can be used to run your million dollar corporation. **(IF YOU WANT IT TO)**
- VERSALEDGER prints checks. **(IF YOU WANT IT TO)**
- VERSALEDGER stores all check information forever. **(IF YOU WANT IT TO)**
- VERSALEDGER can handle more than one checkbook. **(IF YOU WANT IT TO)**
- VERSALEDGER can be used to replace a general ledger. **(IF YOU WANT IT TO)**
- VERSALEDGER HAS AN ALMOST UNLIMITED CAPACITY . . . .
  - (300 checks per month on single density 5¼" disk drives such as the TRS-80 Model-I)
  - (500 checks per month on the Apple II)
  - (2400 checks per month on the TRS-80 Model III)
  - (6000 checks per month on the TRS-80 Model II)
  - (3000 checks per month on single density 8" CP/M)
- VERSALEDGER will soon have an add-on payroll package. **(IF YOU NEED IT)**

INTRODUCTORY PRICE
$99.95

— CAN BE USED WITH 1 or MORE DISK DRIVES —

VERSALEDGER HAS BEEN CREATED WITH THE FIRST TIME COMPUTER USER IN MIND

COMPUTRONICS INC.
MATHEMATICAL APPLICATIONS SERVICE™

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

ADD $3.00 FOR SHIPPING IN UPS AREAS
ADD $4.00 FOR C.O.D. OR NON-UPS AREAS
ADD $5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE U.S., CANADA & MEXICO



HOUR ORDER LINE
(914) 425-1535



NEW TOLL-FREE ORDER LINE
(OUTSIDE OF N.Y. STATE)
(800) 431-2818

*** ALL PRICES & SPECIFICATIONS SUBJECT TO CHANGE ***

Circle 139 on inquiry card.

Listing 1 continued:

```
PROCEDURE initialize;
{ set initial values }
VAR count : 0..max_items;
BEGIN
    item_last := 1;
    FOR count := 1 TO max_codes DO
      code_description[count] := '                    ';
    code_description[1]  := 'Balance forward';
    code_description[2]  := 'Deposit        ';
    code_description[3]  := 'NOW interest   ';
    code_description[11] := 'House payment  ';
    code_description[12] := 'Car payment    ';
    code_description[13] := 'Gas & Electric ';
    code_description[14] := 'Gasoline       ';
    code_description[15] := 'Credit cards   ';
    code_description[16] := 'Auto insurance ';
    code_description[17] := 'Entertainment  ';
    code_description[18] := 'Telephone      ';
    code_description[19] := 'Auto maint.    ';
    code_description[20] := 'Subscriptions  ';
    code_description[21] := 'Clothing       ';
    code_description[22] := 'Computer parts ';
    code_description[23] := 'Travel         ';
    code_description[24] := 'Contributions  ';
    code_description[25] := 'Misc. auto     ';
    code_description[26] := 'Investments    ';
    code_description[27] := 'Education      ';
    code_description[28] := 'Water & sewer  ';
    code_description[29] := 'Taxes          ';
    code_description[30] := 'Books          ';
    code_description[31] := 'Food           ';
    code_description[32] := 'Drugs          ';
    code_description[33] := 'Medical service';
    code_description[34] := 'Tyme withdrawl ';
    code_description[35] := 'Misc. insurance';
    code_description[36] := 'Dental         ';
    code_description[37] := 'Professional   ';
    code_description[38] := 'Sewing/knitting';
    code_description[50] := 'Misc. expenses ';
END;

PROCEDURE newpage;
{ print form-feed and 2 blank lines }
BEGIN
    WRITELN(CHR(12));
    WRITELN;
    WRITELN;
    lines_printed := 0;
END;

PROCEDURE instructions;
{ print description of program operation }
VAR answer : CHAR;
    count : INTEGER;
BEGIN
    newpage;
    WRITELN(' Checkbook program - T.E. Doyle ');
    WRITELN(' Version 1.23 ');
    WRITELN;
    WRITE(' Want instructions ? ');
```

Listing 1 continued on page 296

EPSON

PRINTERS & ACCESSORIES

Common Features of the MX80, MX80FT & MX100 Printers

- 80 characters per second
- Replaceable print head by user
- User programable from BASIC
- Bi-directional logic seeking printhead
- 96 ASCII characters
- Programable tabs (vert./horz.)
- Cartridge ribbons
- Self-test mode
- Tractor/pin feed paper flow
- Extreme reliability
- 12 type fonts under software control
- 9x9 & 9x18 matrix
- Programable form feeds
- Compressed/expanded letters
- Parallel interface standard
- Double strike & emphasized modes

MX80....The Printer that started it all. All of the above features plus extreme ease of use. Complete TRS80 block graphics set as well as user selectable international symbols. Gives correspondence quality printing in several user selectable modes. Dip switch pins may be set for dedicated applications. Complete forms programability from BASIC software.

MX80FT....All the features of the MX80 but with FRICTION feed as well for the use of single sheets of paper or roll paper. An exceptional buy for the user needing the single sheet capability. In the compressed mode 132 characters can be printed across the width of a page which means it can be used for any printouts that normally need a 15 inch wide printer.

MX100... An exceptional printer with a extra quiet printhead and extra heavy duty construction for the intense use of a business environment. Does not have the TRS80 graphic blocks but comes standard with Bit-Image graphics which allow the user control of individual dots for designing specialized graphs, symbols, etc. A best buy for business use.

MX70....For the budget minded a excellent entry level printer. It has most all of the features mentioned above including Bit-Image graphics in place of the TRS80 graphic blocks set. The Printer is unidirectional only. Expandable text can be printed but not compressed. Only single density printings is supported on the MX70. An inexpensive heavy duty printer.

$CALL for BEST prices on Epson Printers All Printers & accessories in STOCK now!!!

If you buy your EPSON somewhere else you'll probably pay too much!

EPSON ACCESSORIES, INTERFACES & CABLES

GRAFTRAX 80 option (bit-image & italics)..$79
CABLE Model I interface & Model III..........$35*
* $25 if purchased with printer
CABLE & INTERFACE to Model I Keyboard..$85
APPLE interface & cable..........$89
PET IEEE interface & cable (Pet)..........$79
SERIAL RS232 unbuffered int.card.......$65
SERIAL RS232 2k buffered int.card........$149
Epson to Color Computer card/cable.....$59
All RIBBONS and CARTRIDGES in Stock



800-433-5184

Radio Shack LINE PRINTERS

Daisy Wheel II......................$1695
Line Printer V......................$1580
Line Printer VI...................$988
Line Printer VII..................$325
Line Printer VIII.................$699

CUSTOM SOFTWARE FROM TCS

Completely Integrated **BINARY SEARCH TREE** programs now available. This series of programs fully implements the B-TREE structures including INSERTION, DELETION, EDITING & TRAVERSAL. No more sorting or long data file searches and yet files can be larger than memory. Duplicate keys are fully supported. Files can be retrieved in sorted order via B-TREE Traversal. Each of the programs come with fully commented source code so that you can use the modules in your own programming. A Screen oriented Input routine is also included in each module. The following *B-TREE* programs are now available and each includes all of the mentioned modules and full documentation:

B-TREE Library (organize your home library keyed by author)..........................$39.95
B-TREE Video (organize your video cassette library, prints labels, etc).............$39.95
B-TREE Mailing List (keyed by name or zip,label printing,etc)........................$49.95

EPSON PACK A Utility Software package for MX80 & 80FT.

MX80/CMD will send all printer commands from DOS. BIGLETT/BAS prints large Graphic Letters. EPSON/SUB merges with BASIC programs allowing 2 letter mneumonic commands to be sent to printer. JKL Patchs allow JKL in NEWDOS 80 1.0 & NEWDOS 2.1 to send graphics properly. DEMO/BAS tutorial program of use of printer. LABEL/BAS custom label making program with graphics. DEFSTATE/SUB allows one word *BASIC* commands for centered titles, titles with borders, etc. A great program package for EPSON fans.
SPECIAL DEAL: $24.95 with printer $34.95 seperately. Specify Model 1 or III..disk only

EPSON PACK 2 - GRAFTRAX

version for MX80, 80FT & MX100. This package includes updated versions of modules in original Epson Pack. A screen oriented BIT IMAGE GRAPHICS generator utility is provided. Create your special characters, symbols, etc. directly on your monitor and then send to printer. Printout includes code to generate graphics and will save needed code as BASIC program line to disk. Then MERGE these into your BASIC program. Also demo programs showing use of Bit-Image graphics. Full documentation.
INTRO *SPECIAL*: $24.95 with printer or GRAFTRAX. $34.95 separately. $7.50 for update of old Epson Pack

ZAP3 - Direct read/write access to any TRSDOS 1.2 or 1.3 sector. Disable Passwords & access levels. Self prompting. Modify any sector in HEX or ASCII. Includes many patches to TRSDOS 1.2 & 1.3. Also COPYIT to allow backups of SCRIPSIT, VISICALC, etc. Just....$24.95

SDIR - Super directory manipulation for TRSDOS 1.2 or 1.3. Alpha 4 column directory & free space. Display a range of programs by extension. Change name and date. Generate report of location of any program on diskette. Just....$14.95

SPECIAL DEAL: Buy ZAP3 & SDIR together for $29.95

CASIO ELECTRONIC ORGANS have arrived!!!

The fantastic CASIO Electronic Organs are here in force. Fully equal to any $2000 traditional Organ with dozens of exciting NEW features not seen on other musical instruments:

CASITONE CT—403 (25 instruments,16 rythms,chord memory,etc.)..................$519
CASITONE CT-701 (programable, barcode reader,51 keys,etc.,etc.)..................$835

TEXAS COMPUTER SYSTEMS

Offers Lowest Prices on

TRS-80

Model II 64K

$3288

The best buy for small business needs and yet completely expandable as your business grows. Easy to use for the beginning operator. We have in STOCK all accessories and disk expansions as well as printers and software. **IMPORTANT**: We also have CP/M for the Model II plus a large amount of support software. All of these items at our fabulous DISCOUNT prices. We ship from DFW by air and fully insured for FAST safe delivery.

HARD DISK SUPPORT FOR THE MODEL II...NOW!

5, 10 or 20 Megabytes (up to 80 Megabytes) for the Model II. Full CP/M support. Also full support for TRSDOS and all TRSDOS software. Multiple computers (multi-user) can be connected to these hard disk systems and can share and access common data bases under both CP/M and TRSDOS. The same common data base can even be accessed simultaneously by several users. We use top of the line CORVUS Hard Disk Drives which have a proven track record and have outsold all of their competitors combined in the microcomputer market. Model I and III are also supported by these Hard Disk Systems. $Call for our LOW prices.

COLOR COMPUTERS

Orginal mfg.warranty on these items:		TCS 180 day Limited warranty on TCS items:	
4K Level 1	$308	16K Level 1	$369
16K Level 1	$439	16K Extended Basic	$439
16K Extended Basic	$459	32K Extended Basic	$499
32K Extended Basic	$569	32K Upgrade Kit (TCS)	$79
Color Disk 0...$499 Disk 1...$349		EPSON/COLOR Int.& cable	$59

TRS80 MODEL III COMPUTER SYSTEMS

The following with Radio Shack Warranty:		The following with quality TCS memory & our own 180 day limited warranty:	
Model III 16k	$825	Model III 32K	$909
Model III 32k	$979	Model III 48K	$969
Model III 48k	$1089		
Model III 48k 2 Drives RS232	$2069		

MODEL III DISK EXPANSION KITS

We use the highest quality fiberglass **CONTROLLER BOARDS** with double sided glass epoxy board and gold plated contacts in our TCS systems. The finest switching **POWER SUPPLY** available is also provided. The aluminum **MOUNTING HARDWARE** has slotted holes for easy installation of the drives and includes all the power and data cables necessary to install the controller, drives and power supply.

Our **DISK DRIVES** are made by Tandon the same company that makes the drives used by Radio Shack. These drives are 40 track, double density, 5 millisecond stepping rate and are fully burned in for 48 hours. These drives have the same specifications as the drives used by Radio Shack. No soldering or modifications to existing circuitry is necessary. The following kits are available:

KIT 1 Controller, Power Supply & Mounting Hardware............... $379
KIT 2 Controller, Power Supply, Hardware & 1 Disk Drive........... $595
KIT 3 Controller, Power Supply, Hardware & 2 Disk Drives.......... $819
KIT 4 One Tandon Disk Drive (bare drive only)........................... $219
KIT 5 16K of High Quality TCS Memory chips............................. $49.95
KIT 6 32k of High Quality TCS Memory chips..............................$79.95

MODEL III 48K 2 DISK DRIVES KIT....$1753

Yes, you read it right. A complete 48k 2 Disk Drive Model III computer system for just $1753. Here's what you get: one TRS80 Model III 16k Computer in factory carton, one CONTROLLER, POWER SUPPLY & HARDWARE kit (kit 1), two Tandon Disk Drives and 32K of TCS Memory. You also receive several important extras that make this a complete super kit. These extras include a complete illustrated instruction and trouble shooting manual, a TRSDOS 1.3 operating system and manual and a special diagnostic Diskette for testing the unit after you have put it together. The only tool necessary is a screwdriver. EVERYTHING is included in this kit and the price is right..$1753

MODEL III 48k 2 DISK DRIVES ... $1895

Above KIT fully assembled, with 48 hour burn-in test & 180 day TCS Limited Warranty!!

DEALER INQUIRIES ARE INVITED ON THE ABOVE TCS KITS

For fast, efficient service. **Heart of** we can air freight from Dallas

TEXAS COMPUTER SYSTEMS

P.O. Box 1327 Arlington, Texas 76004-1327

Toll Free Number 800 433-5184

Texas Residents 817 274-5625

Payment: Money order, cashiers or certified check. Prices above reflect 3% cash Discount Call for Visa/MC card prices.

- Prices subject to change at any time
- No Tax out-of-state. Texans add 5%.
- Many items shipped FREE. Call for quote.

Circle 357 on inquiry card.

```
    READ(answer);
    WRITELN;
    IF (answer = 'Y') OR (answer = 'y') THEN
      BEGIN
        newpage;
        WRITELN(' -- Commands --');
        WRITELN;
        WRITELN(' A  -  Add an item');
        WRITELN(' R  -  Remove an item');
        WRITELN(' P  -  Print all items');
        WRITELN(' B  -  Print balance');
        WRITELN(' S  -  Sort by date');
        WRITELN(' D  -  Dump to disk');
        WRITELN(' L  -  Load from disk');
        WRITELN(' Q  -  Quit');
        WRITELN;
        WRITELN;
        WRITELN('Code          Description');
        FOR count := 1 TO 27 DO
          WRITE('-');
        WRITELN;
        FOR count := 1 TO 50 DO
          IF code_description[count] <> '               ' THEN
            WRITELN(count:3,'         ',code_description[count]);
      END;
END;


PROCEDURE heading;
{ print heading for new page of item printout }
VAR  count : 0..79;
BEGIN
    WRITE(' Item     Date       Amount                Description');
    WRITE('                     Code');
    WRITELN;
    FOR COUNT := 1 TO 79 DO WRITE('-');
    WRITELN;
END;

PROCEDURE item_print( count : INTEGER);
{ print data on one item }
BEGIN
    WITH items[count] DO
    BEGIN
    WRITE(item_number:5);
    WRITE(month:5,'/');
    IF day < 10 THEN
       WRITE('0',day:1)
    ELSE
       WRITE(day:2);
    WRITE('/',year:2);
    WRITE(amount:11:2);
    WRITE('   ',description);
    WRITE('    ',code_description[code]);
    END;
END;

PROCEDURE print_all;
{ print data for all items in file }
VAR count : INTEGER;
BEGIN
  newpage;
```

Listing 1 continued on page 298

1-UPMANSHIP.



We opened our doors with two basic goals:

To distribute as many software packages to as many dealers as possible.

And to make money doing so.

Our success on both counts is the result of hard work, a positive business attitude and a recognition that you, as a retailer, have a right to be treated fairly and honestly by your distributor.

We're 1-up for three good reasons:

1. We always offer a wide selection of the latest and best microcomputer software packages available anywhere. (Why should you have to hunt for what you need?)
2. Our dealer discounts start with quantities of 1. (Remember all those times you just wanted one or two to see how they'd sell?)
3. We don't play The BackOrder Game. (If we can't ship your order within 48 hours we'll let you know, instead of hanging you out to dry.)

If there's anything else we can do for you, just let us know. Because we're 1-up and we intend to stay that way.

Software Distributors, 9929 Jefferson Blvd., Culver City, CA 90230. Telex 4990032 BVHL, ATT: SOFT

For our dealer info package, call (213) 668-0238 today.

SOFTWARE DISTRIBUTORS

We won't leave you holding the bag.

Circle 329 on inquiry card.

Listing 1 continued:

```
   heading;
     FOR count := 1 TO item_last-1 DO
     BEGIN
     IF lines_printed = 55 THEN
       BEGIN
        newpage;
        heading;
       END;
     item_print(count);
     WRITELN;
     END;
   WRITELN;
 END;

 PROCEDURE balance;
 { Print totals by categories and net balance }
 VAR item : 1..max_items;
     balance : REAL;
 BEGIN
   FOR item := 1 TO max_codes DO
     code_amount[item] := 0.00;
   balance := 0.00;
   FOR item := 1 TO item_last-1 DO
     WITH items[item] DO
     code_amount[code] := code_amount[code] + amount;
   FOR item := 1 to max_add_code DO
     balance := balance + code_amount[item];
   FOR item := max_add_code+1 TO max_codes DO
     balance := balance - code_amount[item];
   newpage;
   WRITELN('   Category                  Amount');
   FOR item := 1 TO 32 DO
     WRITE('-');
   WRITELN;
   FOR item := 1 to max_codes DO
     IF code_amount[item] <> 0.00 THEN
       WRITELN(code_description[item],'  -',code_amount[item]:14:2);
   FOR item := 1 TO 32 DO
     WRITE('-');
   WRITELN;
   WRITELN('Balance              -',balance:14:2);
   WRITELN;
 END;

 PROCEDURE remove;
 { remove item from file }
 VAR remove : CHAR;
     found,item : INTEGER;
     item_remove : INTEGER;
 BEGIN
   found :=0;
   WRITELN;
   WRITE(' Remove item number - ');
   READ(item_remove);
   FOR item := 1 TO item_last-1 DO
     IF items[item].item_number = item_remove THEN
       found := item;
   WRITELN;
   IF found <> 0 THEN
     BEGIN
       heading;
       item_print(found);
```

Listing 1 continued on page 300

Qume® Data Trak™ Floppy Disk Drives

Distributed by:




The Data Trak™ 5

double-sided double-density drive uses state-of-the-art technology to give you superior data integrity through improved disk life, data reliability, and drive serviceability using 5¼" media.

Qume's independent head load yields wear characteristics far superior to competitive drives. This superior wear performance produces savings on both diskette usage and drive maintenance.

Improved data reliability, resulting from superior amplitude and bit shaft characteristics, optimizes operator efficiency and reduces processing time for end-users.

And Data Trak's unique modular design means simplified field servicing for you and your customers.



Design Features

Expanded storage capacity • Two-sided, double-density

Proven head carriage assembly • Ceramic head with tunnel erase • Dual-head flex mounting arrangement • Superior head load dynamics

Precise lead screw actuator • Fast access time — 12 ms track-to-track • Low friction and minimum wear • Low power dissipation

Additional features • Industry standard 5¼" media format • ISO standard write protect • Door lock out for media protection • Requires DC voltage only • Daisy Chain up to 4 drives • Heads load on command independent of loading media

Product Specifications

Performance Specifications • Capacity: Unformatted: 437.5K or 500K bytes; Qume Formatted: 286.7K or 327.7K bytes • Recording Density: 5456 BPI • Track Density: 48 TPI • Cylinders: 35 or 40 • Tracks: 70 or 80 • Recording Method: FM or MFM • Rotational Speed: 300 RPM • Transfer Rate: 250K bits/second • Latency (avg.): 100 ms • Access Time: Track-to-track 12 ms; Settling 15 ms • Head Load Time: 50 ms

---


The Data Trak™ 8

double-sided double-density drive uses state-of-the-art technology to give you superior data integrity through improved disk life, data reliability, and drive serviceability.

Qume's innovative approach to controlling head load dynamics yields wear characteristics far superior to competitive drives. In independent evaluation, Data Trak 8 is setting industry standards for tap test performance. This superior wear performance produces savings on both diskette usage and drive maintenance.

Improved data reliability, resulting from superior amplitude and bit shift characteristics, optimizes operator efficiency and reduces processing time for end-users.

And Data Trak's unique modular design means simplified field servicing for you and your customers.



Design Features

Expanded storage capacity • Two-sided, double-density

Fully IBM compatible • IBM 3740 and System 32 drives • IBM 3600 and 4964 drives • IBM System 34 drives

Proven head carriage assembly • Ceramic head with tunnel erase • Dual-head flex mounting arrangement • Superior head load dynamics

Fast, precise steel belt drive • Fast access time — 3 ms track-to-track • Low friction and minimum wear • Low power dissipation

Additional features • ISO standard write protect • Programmable door lock • Negative DC voltage not required • Daisy Chain up to 4 drives • Side-by-side mounting in standard 19" RETMA rack • Compatible with Shugart SA850/SA851

Product Specifications

Performance Specifications • Capacity: Unformatted: 1.6 Mbytes/disk; IBM Format: 1.2 Mbytes/disk • Recording Density: 6816 BPI • Track Density: 48 TPI • Cylinders: 77 • Tracks: 154 • Recording Method: MFM • Rotational Speed: 360 RPM • Transfer Rate: 500Kbits/second • Latency (avg.): 83 ms • Access Time: Track-to-track 3 ms; Settling 15 ms; Average 91 ms • Head Load Time: 35 ms • Disk: Diskette 2D or equivalent

---



1198 E. Willow, Signal Hill, CA 90806

Call Toll Free (800) 421-7701

AUTHORIZED DISTRIBUTOR FOR QUME
CALL FOR PRICE AND DELIVERY

(213) 595-6431 or (714) 891-2663 In California

Circle 34 on inquiry card.


Listing 1 continued:

```
      WRITELN;
      WRITELN;
      WRITE(' Remove ? ');
      READ(remove);
      IF (remove = 'Y') OR (remove = 'y') THEN
        BEGIN
          FOR item := found TO item_last-1 DO
            items[item] := items[item+1];
          item_last := item_last-1;
        END;
    END;
  IF found = 0 THEN
    WRITELN(' Item not in list ....');
END;

PROCEDURE entry;
{ console entry of check/deposit data }
VAR ch : CHAR;
BEGIN
  REPEAT
   WITH items[item_last] DO
     BEGIN
       description := '                              ';
       WRITELN;
       WRITE(' Item number ? ');
       READLN(item_number);
       WRITE(' Month ? ');
       READ(month);
       WRITE(' Date ? ');
       READ(day);
       WRITE(' Amount ? ');
       READ(amount);
       WRITELN('               ______________________________');
       WRITE(' Description ? ');
       READLN(description);
       WHILE LENGTH(description) <> 30 DO
         description := CONCAT(description,' ');
       WRITE(' Code ? ');
       READ(code);
       year := entry_year;
       WRITELN;
     END;
   heading;
   item_print(item_last);
   WRITELN;
   WRITELN;
   WRITE(' Correct ? ');
   READ(ch);
  UNTIL (ch = 'y') OR (ch = 'Y');
  items[item_last+1] := items[item_last];
  items[item_last+1].item_number := 0;
  item_last := item_last+1;
  WRITELN;
END;

PROCEDURE swap_items(item : integer ; VAR swaped : BOOLEAN);
{ exchange file data at location with location+1 }
BEGIN
  items[max_items] := items[item];
  items[item] := items[item+1];
```

Listing 1 continued on page 302



I learned that I could get *specific advantages* when purchasing from A.E.I.

A.E.I. has valuable knowledge gained from selling millions of dollars of computer equipment, and will take the time to discuss which equipment is right for me.

Based on its vast experience, A.E.I. sells only reliable equipment.

A.E.I. can test and configure equipment to match my system.

A.E.I. will initalize my software to match my system, saving me valuable time.

A.E.I. stocks repair parts and can answer my technical questions, and expedite repairs to my equipment when necessary.

A.E.I. is price competitive even when compared to No-Service sales companies.

I learned that 40% of all A.E.I. sales are to public and semi-public institutions, such as the Universities of Nebraska, Virginia, Kentucky, California, M.I.T., the U.S. Air Force, Princeton; as well as scores of major corporations.

Calling A.E.I. is the *smart* thing to do.

*A.E.I. does not wish to imply that any of these fine organizations endorse A.E.I., merely that A.E.I. is proud to have them as customers.

A PARTIAL LIST OF PRODUCTS AVAILABLE AT A.E.I.



TELEVIDEO COMPUTER

	List	Sell
TS-800 User Station	1795	1450
TS-801 Computer	3295	2650
TS-802 Comput/Terminal	3495	2796
TS-802H Comput/Termin.	6995	5596
TS-806 Multi User Proc.	7195	5749

TELEVIDEO TERMINALS

	List	Sell
910 Terminal	699	575
912 Terminal	925	659
920 Terminal	995	725
925 Terminal	995	750
950 Terminal	1195	900

NEC PRINTERS

	List	Sell
3510-1 30CPS Serial	2450	2050
7710-1 55CPS Serial	CALL	CALL
7720-1 KSR Serial	CALL	CALL
5510-1 55CPS Serial	3055	2495
5520-1 KSR Serial	3415	2895



NORTHSTAR HORIZON PRODUCTS

	List	Sell
HRZ-2Q-64K	4495	3149
HRZ-2Q-64K-HD5	6695	4999
HRZ-2Q-64K-HD18	9270	6749


NorthStar is discontinuing many of their horizon products. Call for availability and price of any product not listed.

NORTHSTAR SOFTWARE

	List	Sell
Northword D/Q	399	295
Mailmanager D/Q	299	235
Infomanager D/Q	499	365
General Ledger D/Q	599	475
A/R D/Q	599	475
A/P D/Q	599	475

TEXAS INSTRUMENTS PRINTERS

	List	Sell
TI-810 BASIC	1645	1398
TI-810 Full ASCII	1745	1479
TI-810 Package	1945	1649
TI-820 R/O BASIC	1995	1625
TI-820 KSR Package	2395	1950



NORTHSTAR ADVANTAGE COMPUTER

	List	Sell
ADV-2Q-64K	3995	CALL
S10 Board	175	CALL
P10 Board	200	CALL
FPB Board	399	CALL
Graphics Option	299	CALL


MODEMS

	List	Sell
Cat Modem	189	140
D-Cat	199	150
Auto-Cat	249	190
Apple-Cat	389	310
DC Hayes Micro-100	379	330
DC Hayes Smart Modem	279	240

EPSON PRINTERS

	List	Sell
MX-80	645	CALL
MX-80 FT	745	CALL
MX-100	995	CALL

Call for pricing on interfaces and cables



MORROW DECISION COMPUTER

	List	Sell
Decision 1 BASIC	1725	1350
Decision 2	CALL	CALL
65 K Static Ram	1000	780
Switchboard I/O	259	210

Select drives from Morrow disc systems for desired configuration.


MORROW DISC SYSTEMS

	List	Sell
Discus 2D 1 Drive	1095	849
Discus 2D 2 Drive	1875	1389
Discus 2+2 1 Drive	1395	1075
Discus 2+2 2 Drive	2495	1859
M26 Hard Disc	4495	3395

CP/M & Microsoft Basic Included

LINE PRINTERS

	List	Sell
Okidata 82A	719	550
Okidata 83A	1195	899
Anadex 9500	1650	1285
Anadex 9501	1650	1285



SYSTEMS GROUP

	List	Sell
2800 Computer	5035	3595
DM-6400 Memory	760	585
DMB-6400 Memory	995	735
CPC-2813 CPU + I/O	460	365
FDC-2801 Controller	465	370

MICROPRO SOFTWARE

	List	Sell
Wordstar	495	330
Apple Wordstar	375	275
Spellstar	250	190
Mailmerge	150	100
Datastar	350	250
Supersort	250	190

DISC-CABLES

	List	Sell
Memorex 5" 1D	47	27
Memorex 5" 2D	55	36
Memorex 8" 1D	65	40
Memorex 8" 2D	70	50
RS-235 5' Cable	30	20
RS-232 10' Cable	40	25

—SEE THESE PRODUCTS AND MORE IN OUR SHOWROOM—
PRICES CHANGE DAILY—CALL OR VISIT FOR CURRENT PRICING



AUTOMATED EQUIPMENT, INC.
18430 WARD STREET, FOUNTAIN VALLEY, CALIFORNIA 92708
(714) 963-1414
(800) 854-7635

Listing 1 continued:

```
  items[item+1] := items[max_items];
  swaped := TRUE
END;

PROCEDURE date_sort;
{ sort data file by date }
VAR finish , item : 0..max_items;
    date_first , date_second : REAL;
    item_first , item_second : INTEGER;
BEGIN
  finish := item_last-2;
  REPEAT
    swaped := FALSE;
    FOR item := 1 TO finish DO
      BEGIN
        WITH items[item] DO
          BEGIN
            date_first := year * 10000.0 + month * 100.0 + day;
            item_first := item_number;
          END;
        WITH items[item+1] DO
          BEGIN
            date_second := year * 10000.0 + month * 100.0 + day;
            item_second := item_number;
          END;
        IF date_first > date_second THEN
          swap_items(item,swaped);
        IF (date_first = date_second) AND (item_first > item_second) THEN
            swap_items(item,swaped);
      END;
    IF finish > 2 THEN
      finish := finish -1;
  UNTIL NOT swaped
END;
PROCEDURE dump;
{ write file of item information to disk }
VAR count : INTEGER;
BEGIN
  ASSIGN(data_file,disk_file);
  REWRITE(data_file);
  FOR count := 1 TO item_last DO
    BEGIN
      data_file^ := items[count];
      PUT(data_file);
    END;
  CLOSE(data_file,result);
END;

PROCEDURE read_disk;
{ load data from disk to file }
BEGIN
  WRITELN;
  ASSIGN(data_file,disk_file);
  RESET(data_file);
  item_last := 1;
  REPEAT
    items[item_last] := data_file^;
    GET(data_file);
    WRITE('.');
    IF item_last MOD 10 = 0 THEN
      WRITELN;
```

Listing 1 continued:

```
    item_last := item_last + 1;
  UNTIL items[item_last -1].item_number = 0;
    item_last := item_last -1;
    WRITELN;
    CLOSE(data_file,result);
END;

PROCEDURE prog_commands;
{ console entry of program command }
BEGIN
    WRITELN;
    WRITE(' Command ? ');
    READ(command);
    CASE command OF
      'A','a' : entry;
      'B','b' : balance;
      'P','p' : print_all;
      'R','r' : remove;
      'S','s' : date_sort;
      'D','d' : dump;
      'L','l' : read_disk;
      ELSE
      IF (command = 'Q') OR (command = 'q') THEN
        WRITELN(' Leaving Program')
      ELSE
        WRITELN(' Invalid command .....')
    END;
END;

{ mainline program }
BEGIN
    initialize;
    instructions;
    WRITELN;
    WRITE(' Enter year " 2-digit " for new entries - ');
    READ(entry_year);
    WRITELN;
    WRITELN;
    read_disk;
    REPEAT
      prog_commands;
    UNTIL (command = 'q') OR (command = 'Q');
    WRITELN;
    WRITE(' Save file ? ');
    READ(answer);
    IF (answer = 'Y') OR (answer = 'y') THEN
      dump;
END.

A>
```

Text continued from page 292:

declaration section. Change this statement to your specific file name. If you're keeping track of several NOW accounts, you'll find it more convenient to compile separate versions of the program for each account and maintain each version on a different disk. The program is set up to load the data file automatically when the program is run. This poses a problem the first time you run it. How do you load a file that doesn't exist? The best way to handle this problem is to first compile a version of the program without the "read_disk" statement in the mainline section. Run this version, add one item to the file, and do a write to disk. Recompile the program with the "read_disk" statement in the mainline section and use that version thereafter. This may take a little extra effort initially, but it makes the program much more convenient.

Go with McGraw-Hill's


TAKE ANY 3 BOOKS FOR ONLY $1.00 EACH when you join the COMPUTER PROFESSIONALS' BOOK CLUB (Values up to $75.00)*



THE PASCAL HANDBOOK. By Jacques Tiberghien. *471 pp.* A single reference manual that tames this unruly language. Every feature of Pascal is explained in a brilliantly organized format that covers the major Pascal dialects, including Jensen and Wirth's original definition, with the CDC implementation . . . the proposed ISO Standard . . . UCSD Pascal . . . Pascal 1000 (HP1000) . . . OMSI Pascal-1 . . . and Pascal/Z.
582365-98 $27.50
(Counts as 2 of your 3 books)

MICROPROCESSOR APPLICATIONS MANUAL. By Motorola Semiconductor Products, Inc. *720 pp., illus., 8½ x 11 format.* With nuts-and-bolts practicality, this manual by the Motorola people (who should know) gives you detailed applications information on microprocessors. Assumes no prior knowledge on your part about MPUs.
435/2788 $42.50
(Counts as 2 of your 3 books)

COMPUTER CAPACITY. By Melvin J. Strauss. *288 pp., tables and charts.* The key purpose of the book is to provide both senior management and DP practitioners with a methodology for identifying and quantifying issues of capacity and demand within the data center without becoming entrapped by language problems
582317-9 $24.95



ENCYCLOPEDIA OF COMPUTER SCIENCE. Edited by Anthony Ralston and C. L. Meek. *1,500 pp., 60 illus., 100 charts, 7 x 10 format.* This first and only in-depth coverage of the entire field of computer science in a single volume is comprehensive and completely up to date.
769/01X A $60.00
(counts as 3 of your 3 books)

BUILD YOUR OWN Z80 COMPUTER. By Steve Ciarcia. *330 pp., diagrams, softbound.* Written for people who don't need an introductory electronics handbook. Its admirably achieved objective is to present a practical, step-by-step analysis of digital computer architecture and the construction details for a complete and functional microcomputer.
109/621 $12.75

DATA STRUCTURES USING PASCAL. By Aaron M. Tenenbaum and Moshe J. Augenstein. *544 pp., illus.* With its emphasis on structured design and programming techniques, this definitive work takes you on a trailblazing journey through Pascal. Separate chapters are devoted to the stack, recursion, queues and lists, Pascal list processing, trees, graphs and their applications.
582230-X $23.95

HOW TO BUILD YOUR OWN WORKING MICROCOMPUTER. By Charles K. Adams. *308 pp., 214 illus. and tables.* Everything you need to know to build your own microcomputer with a handful of chips! The author takes you through the hardware . . . assembly and running of the system . . . and details the instruction set and mechanics of programming.
582267-9 $14.50

APPLE PASCAL: A Hands-On Approach. By Arthur Luehrmann & Herbert Peckham. *426 pp., spiral-bound.* Finally, a how-to-use-PASCAL book for Apple computer users that makes a complex language as easy as (forgive us!) applesauce. Takes you from "total ignorance" all the way up to very impressive competence in the use of that rather complex language, PASCAL.
491/712 $10.95

MICROPROCESSORS/MICROCOMPUTERS/SYSTEM DESIGN. By Texas Instruments Learning Center *and the Engineering Staff of* Texas Instruments, Inc. *634 pp., illus., outsized 7¼ x 10¼ format.* The book takes you through the development of memory-to-memory architecture, shows you the components, and details programming methods and techniques.
637/58X $24.50

MINICOMPUTER SYSTEMS: Organization, Programming, and Applications. By Richard H. Eckhouse, Jr. and L. Robert Morris. *2nd Ed., 491 pp., illus.* Updated, revised, and expanded, this is a book for every systems programmer, systems designer, computer scientist, and application specialist who wants to know more about microcomputer hardware, software, and design.
787/026 $21.95

AUTOMATIC DATA PROCESSING HANDBOOK. Edited by The Diebold Group. *976 pp., 269 illus.* Written by a staff of internationally recognized authorities on ADP, this comprehensive handbook explains systems, programming and the languages, communications processes, and the design and installation of today's computers.
168/0758 $49.95
(Counts as 2 of your 3 books)

SOFTWARE DEBUGGING FOR MICROCOMPUTERS. By Robert C. Bruce. *351 pp., illus.* Takes you through the fundamental methods for finding errors, glitches, and faults in programs . . . goes on to techniques for tracking down and exterminating program bugs . . . then combines these techniques into a complete debugging plan.
582075-7 $18.95

COMPUTER PROFESSIONALS' BOOK CLUB

MEMERSHIP ORDER CARD

Please enroll me as a member and send me either the ENCYCLOPEDIA OF COMPUTER SCIENCE, billing me only $3.00, or any 3 other books, billing me only $1.00 each, plus local tax, postage and handling. If not satisfied, I may return the books within 10 days and my membership will be cancelled. I agree to purchase a minimum of four additional books during the next 2 years as outlined under the club plan described in this ad. Membership in the club is cancelable by me any time after the four book purchase requirement has been fulfilled.

- ☐ Check here if you want ENCYCLOPEDIA OF COMPUTER SCIENCE (769/01X).
- ☐ Check here if you prefer three other volumes, and indicate below by number the books you want. A few expensive books (noted in the descriptions) count as more than one choice.

☐ ☐ ☐

Orders from outside the U.S. must be prepaid with international money orders in U.S. dollars.

Name ____________________

Address/Apt. # ____________________

City, State, Zip ____________________

Corporate Affiliation ____________________

This order subject to acceptance by McGraw-Hill. All prices subject to change without notice. Offer good only to new members. A postage and handling charge is added to all shipments.

BYTE P39530

PRINTED IN USA

COMPUTER PROFESSIONALS' BOOK CLUB

MEMERSHIP ORDER CARD

Please enroll me as a member and send me either the ENCYCLOPEDIA OF COMPUTER SCIENCE, billing me only $3.00, or any 3 other books, billing me only $1.00 each, plus local tax, postage and handling. If not satisfied, I may return the books within 10 days and my membership will be cancelled. I agree to purchase a minimum of four additional books during the next 2 years as outlined under the club plan described in this ad. Membership in the club is cancelable by me any time after the four book purchase requirement has been fulfilled.

- ☐ Check here if you want ENCYCLOPEDIA OF COMPUTER SCIENCE (769/01X).
- ☐ Check here if you prefer three other volumes, and indicate below by number the books you want. A few expensive books (noted in the descriptions) count as more than one choice.

☐ ☐ ☐

Orders from outside the U.S. must be prepaid with international money orders in U.S. dollars.

Name ____________________

Address/Apt. # ____________________

City, State, Zip ____________________

Corporate Affiliation ____________________


This order subject to acceptance by McGraw-Hill. All prices subject to change without notice. Offer good only to new members. A postage and handling charge is added to all shipments.

BYTE

P39531







NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY CARD


FIRST CLASS PERMIT NO. 42 HIGHTSTOWN, N.J. 08520

POSTAGE WILL BE PAID BY ADDRESSEE

Computer Professionals' Book Club

P.O. Box 582
Hightstown, New Jersey 08520





NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY CARD


FIRST CLASS PERMIT NO. 42 HIGHTSTOWN, N.J. 08520

POSTAGE WILL BE PAID BY ADDRESSEE

Computer Professionals' Book Club

P.O. Box 582
Hightstown, New Jersey 08520

EXPERIENCE!



THE DEVIL'S DP DICTIONARY. By Stan Kelley-Bootle. *160 pp., softbound.* This devilishly clever little book is guaranteed to fill anyone who has ever slaved over a hot terminal with savage delight. Some 500 computer words and terms are misdefined, from **abacus** to **your program.**
340/226 $7.50

MICROCOMPUTER INTERFACING. By Bruce Artwick. *352 pp., 117 illus.* In this up-to-date, *complete* design guide you'll find the detailed descriptions and explanations necessary to enable you to select, build, and interface microcomputer systems to virtually all applications. Advanced interface devices and methods are thoroughly examined and illustrated.
789/436 $24.95

PERSONAL COMPUTING: Hardware and Software Basics. Electronics Book Series. *224 pp., 175 illus., 8½ x 11 format.* Gives you comprehensive guidance to the present state of the art in personal computers—an overall survey of the technology and methods available to perform various tasks, facts about the work others are doing—and just how they are doing it.
191/514 $24.50

PROGRAMMING AND INTERFACING THE 6502—With Experiments. By Marvin L. De Jong. *414 pp., heavily illus., softbound.* This guide not only teaches you all you must know about programming and interfacing the 6502, but it also carries you to a high level of understanding and proficiency quickly and painlessly.
582080-3 $15.95

Z80 USERS MANUAL. By Joseph Carr. *326 pp., with diagrams, charts and tables.* Takes you through every opportunity the ZAP can offer. It covers Z80 pin definitions, CPU control signals, support ships, interfacing peripherals, and much more. It also includes a 177-page Z80 instruction set so you can study the instructions on a one-by-one basis.
582336-5 $13.95

ELECTRONIC GAMES: Design, Programming, and Troubleshooting. By W. H. Buchsbaum and R. Mauro. *335 pp., 338 illus.* Information you need to design, program, and troubleshoot electronic games is right here in this widely popular hands-on guide.
087/2108 $26.95
(Counts as 2 of your 3 books)

PROGRAMMING LANGUAGES. By Allen B. Tucker, Jr. *439 pp., illus.* Gives you not only the *principles* of design but the *applications* of six major programming languages. Shows you their strengths and weaknesses in solving various representative "benchmark" problems.
654/1588 $28.50
(Counts as 2 of your 3 books)

BIT-SLICE MICROPROCESSOR DESIGN. By John Mick and Jim Brick. *398 pp.* All in one place—the crucial information you've been needing about the 2900 family of bit-slice microprocessor components. This remarkable "first" designs right before your eyes not just one but *two* complete 16-bit machines!
417/814 $24.00

Be sure to consider these important titles as well!

6502 SOFTWARE DESIGN. By L. J. Scanlon
582138-9 $10.50

THE GIANT HANDBOOK OF COMPUTER PROJECTS. By the Editors of 73 Magazine
582012-9 $15.95

SYNTAX OF PROGRAMMING LANGUAGES: Theory and Practice. By R. C. Backhouse
582064-18 $25.95
(Counts as 2 of your 3 books)

STRUCTURED PROGRAMMING: Theory and Practice. By R.C. Linger, H.D. Mills, & B.I. Witt
788/537 $20.95

THE BYTE BOOK OF PASCAL. Edited by B. W. Liffick
789/6738 $25.00
(Counts as 2 of your 3 books)

COMPILER DESIGN AND CONSTRUCTION. By A. Pyster
582026-9 $24.50

THE Z-80 MICROCOMPUTER HANDBOOK. By W. Barden, Jr.
784/914 $8.95

COMPUTER PERIPHERALS FOR MINICOMPUTERS, MICROPROCESORS AND PERSONAL COMPUTERS. By L.C. Hohenstein
294/518 $19.50

16-BIT MICROPROCESSOR ARCHITECTURE. By T. Dollhoff
582003-X $24.95

PRINCIPLES OF INTERACTIVE COMPUTER GRAPHICS. By W. M. Newman & R. Sproull
463/3878 $28.95
(Counts as 2 of your 3 books)

*** If you join now for a trial period and agree to purchase four more books—at handsome discounts—over the next two years. (Publishers' prices shown)**

Why YOU should join now!

• **BEST BOOKS IN YOUR FIELD**—Books are selected from a wide range of publishers by expert editors and consultants to give you continuing access to the latest books in your field.

• **BIG SAVINGS**—Build your library and save money too! We guarantee savings of at least 15% off publishers' list prices on every book. Usually 20%, 25%, or even higher!

• **BONUS BOOKS**—You will *immediately* begin to *participate* in our Bonus Book Plan *that allows* you savings between 70–80% off the publisher's price of many books.

• **CONVENIENCE**—14 times a year you receive the Club Bulletin FREE, fully describing the Main Selection and alternate selections, together with a dated reply card. If you want the Main Selection, you simply do nothing—it will be shipped automatically. If you want an alternate selection—or no book at all—you simply indicate it on the regular reply card and return it by the date specified. You will have at least 10 days to decide. If because of late mail delivery of the Bulletin you should receive a book you do not want, just return it at the Club's expense.

As a Club member, you agree only to the purchase of four more books over a two-year period.

MAIL THIS COUPON TODAY

McGraw-Hill Book Clubs
Computer Professionals' Book Club
P.O. Box 582, Hightstown, New Jersey 08520

Please enroll me as a member and send me either the ENCYCLOPEDIA OF COMPUTER SCIENCE, billing me only $3.00, or any three other books, billing me only $1.00 each, plus local tax, postage, and handling. If not satisfied, I may return the books within 10 days and my membership will be canceled. I agree to purchase a minimum of four additional books during the next two years as outlined under the Club plan described in this ad. Membership in the Club is cancelable by me any time after the four-book purchase requirement has been fulfilled.

☐ Check here if you want ENCYCLOPEDIA OF COMPUTER SCIENCE (769/01X).

☐ Check here if you prefer three other volumes, and indicate below by number the books you want.
A few expensive books (noted in the description) count as more than one choice.

Name ______________________

Address/Apt. ______________________

City/State/Zip ______________________

Corporate Affiliation ______________________

This order subject to acceptance by McGraw-Hill. All prices subject to change without notice. Offer good only to new members. A postage and handling charge is added to all shipments.

Orders from outside the U.S. cannot be accepted.

P39546

Managing Data

An interesting aspect of data management programs is that, in most cases, a number of specific descriptors may refer to the same item. In the Pascal NOW program, five descriptors refer to each item. Four are numerical, and the fifth, "description," is a string of characters.

Consider these descriptors as having two identities. The first consists of belonging to a group of similar descriptors (e.g., an item number belonging to the group of all item numbers). Most languages have the capability for this type of grouping through the use of arrays. Membership in a group of descriptors referring to a specific item, such as a check, forms the second identity. BASIC and many other languages do *not* have ways to indicate this type of grouping.

In BASIC, you can indicate a general relationship of this sort by considering that array members with like index numbers refer to the same item. To illustrate, assume that the first element in the item-number array and that in the date array refer to the same check. This sort of grouping is an illusion. One realizes this when swapping items during a sorting. You cannot simply include a line in a BASIC program that will swap all the descriptors referring to one item with all the descriptors referring to another.

One way of circumventing this problem is to group all the descriptors into a long string, then pick out certain fields within the string to obtain the specific descriptor information. This enables the program to reference all descriptors that relate to a specific item. Unfortunately, the item descriptors lose their identity as being members of the similar descriptors' group. BASIC programs using this technique become cluttered with MID$ statements.

Enter Pascal

Pascal has the RECORD data type to handle this problem. The easiest way to visualize the RECORD data type is to consider how most BASIC programs store descriptor information on disk. Descriptor information for a specific item is stored in a common record in the disk file. The commonality is lost when the data is read from the disk and the specific descriptor information is sent to the array. In Pascal, it is possible to maintain the relationship between descriptors through the use of a RECORD data type.

The Pascal NOW program defines "item_data" as a RECORD that consists of seven descriptors referring to a common item. There are actually seven descriptors, rather than the five mentioned earlier, because the date is broken down into month, day, and year. We then define a variable "items" as an array of "item_data". Notice that "items" is not simply seven arrays but is an array of

Text continued on page 318

NEW 256KB IBM PERSONAL COMPUTER MEMORY!

SINGLE BOARD 256KB IBM PERSONAL COMPUTER MEMORY

Designed Specifically for IBM's PERSONAL COMPUTER is Chrislin Industries newest CI-PCM Memory Module.

FEATURES INCLUDE:

- On-board parity generator checker
- Addressable as a contiguous block in 64K byte increments through 1 megabyte
- Access time of 225 NSEC
- Requires only one I/O expansion slot for 256K bytes memory
- Power requirements are +5V at 1.0A max.
- Cycle time of 400 NSEC

SEE YOUR LOCAL COMPUTER STORE FOR DETAILS OR CALL US.

DON'T ASK WHY WE CHARGE SO LITTLE, ASK WHY THEY CHARGE SO MUCH.



Chrislin Industries, Inc.

31352 Via Colinas • Westlake Village, CA 91362 • 213-991-2254
TWX 910-494-1253 (CHRISLIN WKVG)

Circle 59 on inquiry card.

Listing 2: *The changes needed in order to run Pascal NOW under Pascal/Z, version 3.0. Substitute listing 2a for all the material from TYPE until (but not including) the "initialize" in listing 1. Substitute 2b, 2c, and 2d for equivalent procedures within listing 1.*

(2a)

```
TYPE
    item_data = RECORD
                   item_number : INTEGER;
                   month : INTEGER;
                   day : INTEGER;
                   year : INTEGER;
                   amount : REAL;
                   description : STRING 30;
                   code : INTEGER;
                END;

    $STRING0 = STRING 0;
    $STRING255 = STRING 255;

VAR command : CHAR;
    code_description : ARRAY [1..max_codes] OF STRING 15;
    items : ARRAY [1..max_items] OF item_data;
    item_last : 1..max_items;
    data_file : FILE of item_data;
    lines_printed : 0..80;
    code_amount : ARRAY [1..max_codes] OF REAL;
    entry_year : INTEGER;
    swaped : BOOLEAN;
    answer : CHAR;
    result : INTEGER;

FUNCTION LENGTH(x:$STRING255) : INTEGER; EXTERNAL;
```

(2b)

```
PROCEDURE heading;
{ print heading for new page of item printout }
VAR  count : 0..79;
BEGIN
    WRITE(' Item     Date          Amount                  Description');
    WRITE('                    Code');
    WRITELN;
    FOR COUNT := 1 TO 79 DO WRITE('-');
    WRITELN;
END;

PROCEDURE item_print( count : INTEGER);
{ print data on one item }
BEGIN
    WITH items[count] DO
    BEGIN
    WRITE(item_number:5);
    WRITE(month:5,'/');
    IF day < 10 THEN
       WRITE('0',day:1)
    ELSE
       WRITE(day:2);
    WRITE('/',year:2);
    WRITE(amount:14:2);
    WRITE(' ',description);
    WRITE('  ',code_description[code]);
    END;
END;
```

Listing 2 continued on page 310

Computer Exchange

National Sales Dept. of CUSTOM COMPUTER 927
P.O. Box 1380, Jacksonville, OR 97530

Apple II +

48K or 64K	CALL
Disk II W/3.3 DOS	CALL
Disk II only	CALL

All 48K's are 1981 models with Apple RAM.

APPLE ///	CALL
Apple III Profile Hard Disk	CALL, IN STOCK





HARDWARE for Apple II/II+

Direct Substitute for Apple Drives

NEW

Micro-Sci A2 is a direct substitute for Apple II drives. Save $300 on a dual disk system. The A2 does not include DOS software.

Micro-Sci 5" Drives for Apple II		SAVE
A2, 143K, 5" Drive	$ 395	18%
A2 Controller Card for A2 Drive	$ 85	15%
A 70, 286K, 5" Drive	$ 489	20%
A 40, 160K, 5" Drive	$ 369	18%
Controller Card for A70 or A40	$ 79	21%

NEW! **320K RAM substitute for Disk System**

AXLON,		
RAMDISK 320K Memory System	$1145	20%
MONITORS:		
NEC 12" Color	$ 359	24%
12" Green	$ 169	22%
SANYO: 9" B&W	$ 149	31%
NEW 9" Green	$ 159	31%
NEW 12" B&W	$ 219	30%
NEW 12" Green	$ 229	30%
13" Color	$ 399	28%
NEW 13" RGB Color	$ 899	25%
ZENITH 12" Green	$ 119	20%
DISKETTES, 5", box of 10:		
Apple	$ 44	21%
Maxell	$ 39	33%
Memorex	$ 25	45%
80 COLUMN VIDEO CARDS:		
Apple, Smarterm	$ 269	26%
Videx Videoterm	$ 249	18%
M&R Sup R Term	$ 319	19%
ALS: Smarterm	$ 269	30%
MISCELLANEOUS:		
Apple: Graphics Tablet	$ 695	13%
1 Yr Extended Warranty	$ 175	20%
IEEE-488 Card	$ 339	25%
CCS: Serial Interface 7710A	$ 139	22%
Parallel Interface 7720A	$ 99	20%
Hayes: Micromodem II	$ 299	26%
Smartmodem	$ 249	11%
Keyboard Company: Joystick II	$ 45	10%
Game Paddle	$ 25	17%
Numeric Keypad	$ 119	21%
M&R: RF Modulator	$ 25	27%
SUP R FAN	$ 39	25%
★ **Microsoft:**		
Z80 Softcard	$ 279	33%
16K RAM Card	$ 159	20%
Mountain: CPS Multifunction Card	$ 209	13%
Clock/Calendar	$ 239	15%
Orange Micro Grappler	$ 129	21%
SSM AIO Serial/Para. Interface	$ 159	20%
★ ALS: Smarterm 80 Col Card	$ 269	30%
Z-Card (Z-80)	$ 209	22%
Addram 16K Card	$ 119	20%
Synergizer Package	$ 549	27%
PRINTERS:		
Apple, Silentype w/Interface	$ 329	17%
Qume Letter quality printer		
Sprint 9 45RO	$ 2295	20%
Sprint 5 45RO	$ 2395	20%

SOFTWARE for Apple II/II+

Apple Software:		SAVE
Pascal Software	$ 189	25%
Apple Fortran	$ 149	25%
Apple Pilot	$ 119	27%
Apple Plot	$ 49	30%
Apple Writer	$ 59	21%
DOS 3.3	$ 49	20%
DOS Tool Kit	$ 59	22%
Dow Jones News & Quotes	$ 69	28%
Dow Jones Portfolio Eval.	$ 45	10%
Microcourier	$ 189	24%
Broderbund Software		
Payroll	$ 269	30%
General Ledger	$ 349	30%
Apple Panic	$ 21	30%
Many Others	CALL	CALL
★ **Central Point Software:**		
Copy II Plus	$ 35	10%
Will copy most copy protected software for your backup in 45 seconds! NEW!		
Epson, MX 80 Graphics Dump	$ 9	30%
Hayden, Sargon II (chess)	$ 29	22%
Info. Unlim. Easywriter (PRO)	$ 199	13%
★ **Insoft:**		
Electric Duet NEW!	$ 25	20%
ALD System II or III	$ 110	10%
TransFORTH II or III	$ 110	10%
Accounting Software	$ 355	66%
A full professional quality integrated GL, A/R, A/P, Payroll package. Hotline support available. Send for free sample printouts. Requires Z80 and 16K RAM card.		
★ **Micro Pro**		
Word Star	$ 239	36%
Super Sort	$ 129	36%
Mail Merger	$ 79	36%
Data Star	$ 189	36%
Spell Star	$ 159	36%
Microsoft (on disks):		
A.L.D.S.	$ 110	10%
BASIC Compiler	$ 299	25%
Cobol 80	$ 559	25%
Fortran 80	$ 149	25%
Olympic Decathlon	$ 24	24%
TASC Compiler	$ 159	22%
Typing Tutor II	$ 19	30%
Peachtree Software	CALL	CALL
Personal Software:		
Desktop Plan II	$ 159	21%
Visicalc 3.3	$ 159	25%
Visiplot	$ 129	28%
Visitrend Visiplot	$ 199	31%
Visidex	$ 159	30%
Visiterm	$ 109	27%
Visifile	$ 199	30%
Software Publishing:		
PFS Filing/Data Base	$ 69	28%
PFS: Report	$ 69	28%
Stoneware, DB Master (new version)	$ 179	22%

Oregon Order Desk
(503) 772-3803


IBM

3101-10 Terminal $ 1295

HEWLETT PACKARD

		SAVE
HP-85A Microcomputer with built-in printer and monitor	$ 1995	27%
HP-125 New! Microcomputer 64K CPU/Terminal/Keyboard/Monitor	$ 3095	18%
HP-41CV New! 2.2K Memory Calculator	$ 245	25%
HP-41C Calculator	$ 185	26%
Memory module for HP41C	$ 25	25%

Call for other HP equipment, software and accessories!



		SAVE
Plotter with automatic 3 color. 11" wide. For Apple and Visicalc.	$ 795	15%
Interface to Apple II	$ 79	15%
Visicalc/Apple II software, Insoft	CALL	CALL
Serial RS 232 Interface	$ 209	15%

ATARI

ATARI® 800 16K $759 SAVE 30%

		SAVE
Atari 820 Printer	$ 249	17%
Atari 810 Disk Drive	$ 425	29%
Atari 410 Program Recorder	$ 59	34%
Atari 16K RAM Module	$ 83	27%
Atari 850 Interface	$ 149	32%
Atari/Epson Cable	$ 29	22%
Atari Software	CALL	CALL

INTERTEC DATA SYSTEMS® SUPERBRAIN

While They Last — SAVE 60% $ 1995

★ **Superbrain 64K DD**

Superbrain 64K QD $ 2895 28%

EPSON

		SAVE
MX80	$ 495	36%
MX 80 F/T	$ 629	20%
MX100 F/T w/graphics	$ 779	22%
MX 80/100 Apple Interface and Cable	$ 95	15%
MX 80 Friction feed adapter	$ 59	22%
MX 80 Graftrax	$ 79	20%
MX 80/100 Atari Cable	$ 29	22%
MX 80/100 TRS 80 Cable	$ 29	22%

NEC Microcomputer

32K Computer PC8001	$ 989	25%
286K Total Dual Drive PC8031	$ 989	25%
32K addon and I/O Unit PC8012	$ 589	25%
NEC PC Software	CALL	CALL

Corvus

		SAVE
★ 5 Meg Hard Disk NEW	$ 2995	21%
10 Meg Hard Disk	$ 4345	20%
20 Meg Hard Disk	$ 5245	20%
Omni-Net	CALL	CALL
Constellation	CALL	CALL
Mirror	CALL	CALL
Other Accessories in stock	CALL	CALL

XEROX® 820 System II

		SAVE
Complete system includes monitor, keyboard, CPU and two disk drives		
With 5¼ inch dual drives	$ 2495	18%
With 8 inch dual drives	$ 3095	19%

Above prices for mail orders only. Our store showroom is 126 NE "F" St., Grants Pass, OR. Store prices, which include software service, differ from mail order prices. No mail order sales at store. CALL ORDER DESK.

ORDERING INFORMATION:

Minimum order $100. Money Orders, Cashier Checks or Bank Wire welcomed. Visa and MC orders add 3%. Personal or company checks are accepted (allow 20 days to clear). Add 3% for shipping, handling and insurance; UPS ground is standard. 6% total for UPS Blue or 10% total for foreign orders or US Parcel Post. Include your telephone number. No COD's. Prices are subject to change without notice. Order desk hours are 8 to 5 PST, 10 to 3 Saturdays. APO is sent by US Post.

REFERENCES:

Custom computer has been an Apple dealer since 1978. Our bank reference is First Interstate Bank (503) 776-5620. We belong to the Chamber of Commerce. (503) 772-6293.

VISA — master charge

Technical Hotline (503) 772-3803
(CUSTOMERS ONLY-PLEASE, HAVE INVOICE # OR PACKING SLIP #)

We are an authorized dealer and repair center and will repair all Apple equipment regardless of where you purchased it, in or out of warranty. Normally our turn-around time on repairs is 24 hours. Call before sending equipment.

Repair Department
(503) 772-4401

★ STAR INDICATES SPECIAL VALUE

NO SALES TAX
For specific software not listed, CALL
TOLL FREE
NATIONAL ORDER DESK
(800) 547-1289

Circle 72 on inquiry card.

Listing 2 continued:

(2c)

```
PROCEDURE entry;
{ console entry of check/deposit data }
VAR ch : CHAR;
BEGIN
  REPEAT
   WITH items[item_last] DO
     BEGIN
       description := '                              ';
       WRITELN;
       WRITE(' Item number ? ');
       READLN(item_number);
       WRITE(' Month ? ');
       READ(month);
       WRITE(' Date ? ');
       READ(day);
       WRITE(' Amount ? ');
       READ(amount);
       WRITELN('                ______________________________');
       WRITE(' Description ? ');
       READLN(description);
       WHILE LENGTH(description) <> 30 DO
         APPEND(description,' ');
       WRITE(' Code ? ');
       READ(code);
       year := entry_year;
       WRITELN;
     END;
```

(2d)

```
PROCEDURE dump;
{ write file of item information to disk }
VAR count : INTEGER;
BEGIN
  REWRITE(disk_file,data_file);
  FOR count := 1 TO item_last DO
    WRITE(data_file,items[count]);
END;

PROCEDURE read_disk;
{ load data from disk to file }
BEGIN
  WRITELN;

  RESET(disk_file,data_file);
  item_last := 1;
  REPEAT
    READ(data_file,items[item_last]);
    WRITE('.');
    IF item_last MOD 10 = 0 THEN
      WRITELN;
    item_last := item_last + 1;
  UNTIL items[item_last -1].item_number = 0;
    item_last := item_last -1;
    WRITELN;
END;

PROCEDURE prog_commands;
{ console entry of program command }
BEGIN
    WRITELN;
    WRITE(' Command ? ');
```

Listing 2 continued on page 314

Grow Or Die.

You are what you know. And if you don't know the ins and outs of microprocessor software, you aren't what you *CAN* be. We publish plain-talk, easy-to-understand books on all aspects of microcomputer software — to help you grow!

If you use or sell microprocessor systems, design with microprocessors, or train microcomputer users, you'll find our Advanced Technology Books well worth the small investment. Fill out the order coupon or call us direct at (707) 422-1465 and use your credit card.

NEW! MICROPROCESSOR OPERATING SYSTEMS

Designed for microprocessor system users and anyone who must select, evaluate, or design operating systems to support applications software, this book contains descriptions of the most important systems currently available. Edited by John Zarrella, each chapter is written by an industry leader involved in the development or implementation of the operating system. This wealth of user-oriented technical details makes it easy for you to compare systems.

Contents: ○ The BLMX-80 Operating System, by Norm Rhodes. ○ The iRMX 80/88 Operating System, by Janice Cleary. ○ The iRMX 86 Operating System, by Bruce Schafer. ○ The MP/OS Operating System, by Jim Isaak. ○ The RIO/CP Operating System, by Eric Benhamou and Chris Riggins. ○ The Rx Operating System, by Rex Jackson. ○ The UNIX Operating System, by Bob Marsh, Grant Munsey, Kip Myers, and Craig Forney. ○ The VERSAdos Operating System, by Jay Glaser. ○ The ZRTS Operating System, by Stephen Savitzky.
Cat. #033 166 pp. Price $11.95

THE MICROPROCESSOR SOFTWARE ENGINEERING CONCEPTS SERIES
These easy-to-read books explain software concepts, techniques, and terminology. Concise and up-to-the-minute, these books show you how to formulate software requirements, evaluate existing systems, and design new ones.

OPERATING SYSTEMS: Concepts and Principles
Used by Intel, Zilog, and Harris for software training. The most important component of system software is the operating system. This book provides an introduction to current operating systems technology. Operating systems concepts, capabilities, and terminology are explained.

Contents: ○ Real Time, Multitasking, and Multiuser systems. ○ The concept of a Process or Task. ○ How tasks communicate and synchronize. ○ Context switching, Swapping and Paging. ○ Priority scheduling. ○ Memory Management, File Systems and System Security
Cat. #009 152 pp. Price $8.95

WORD PROCESSING AND TEXT EDITING
Besides providing an introduction to word processing and text editing functions and features, this book offers an in-depth treatment of editing, printing and programming. Business managers will learn how to compare systems and select one which best fits their needs. Software and hardware designers will find the advanced topics invaluable in designing word processing and text-editing systems.

Contents: ○ The office of the future. ○ Information networks. ○ Proportional spacing. ○ Daisy wheel, thermal, and dot matrix printer selection. ○ Justified and flushed text. ○ Programming word processors. ○ CRT display techniques.
Cat. # 017 156 pp. Price $8.95

SYSTEM ARCHITECTURE
This book presents the fundamental concepts on which modern 16- and 32- bit microprocessor architectures are based. A boon to anyone who must select or design a microprocessor or minicomputer system, the book also illustrates the impact of computer architecture on software efficiency and reliability.

Contents: ○ Object architecture and capability-based addressing. ○ Virtual memory, segmentation, and paging. ○ Data structures and representations. ○ Bus systems and communication protocols. ○ Microprogramming. ○ Addressing modes. ○ Software support.
Cat. #025 240 pp. $10.95

Buy these books at your technical bookstore or local computer store — or phone us your Visa/Master Card order — or mail this coupon today. Inquire about our quantity pricing.

Circle 216 on inquiry card.



MICROCOMPUTER APPLICATIONS™

Dept B9 P.O. Box E
Suisun City, CA 94585
(707) 422-1465

I want to grow with software know-how. Please send me:

QTY	TITLE	UNIT PRICE	TOTAL
	MICRO OP SYS	$11.95	
	WORD PROC	$ 8.95	
	OPER SYS	$ 8.95	
	SYSTEM ARCH	$10.95	
		SUBTOTAL	
	Calif. residents add 6% sales tax		
	Add ☐ $1.00/book — 4th class book. ☐ $1.75/book — UPS ☐ $9.00/book — Overseas air.		
	Payment must accompany order		
		TOTAL ENCLOSED:	

☐ Please send free brochure.

Charge my ☐ MC ☐ Visa

CARD # ______________ EXP. DATE ______

SIGNATURE ______________


Or I'm enclosing a check or money order.
(Payment must be in U.S. funds drawn on a U.S. Bank.)

NAME ______________

ADDRESS ______________

CITY ______________

STATE ______________ ZIP ______



SYSTEMS WITH SPICE from CALIFORNIA COMPUTER SYSTEMS

FOR APPLE II™ USERS

Synchronous Serial Interface
Part Number 7712A .... Price: $149.00
Programmable Timer
Part Number 7440A .... Price: $ 95.00
Asynchronous Serial Interface
Part Number 7710A .... Price: $139.00
Calendar/Clock Module
Part Number 7424 .... Price: $ 99.00
3½ Digit BCD A-to-D Converter
Part Number 7470A .... Price: $ 95.00
12K ROM/PROM Module
Part Number 7114A .... Price: $ 85.00
Parallel Interface
Part Number 7720A .... Price: $125.00
Arithmet c Processor
Part Number 7811A .... Price: $349.00
Centronics Printer Interface
Part Number 7728A .... Price: $125.00

FOR S-100 USERS

32K Static RAM Board
Part Number 2032C .... Price: $610.00
16K Static RAM Board
Part Number 2116C .... Price: $290.00
64K Dynamic RAM Board
Part Number 2065C .... Price: $550.00
Z-80A CPU Board
Part Number 2810A .... Price: $265.00
Floppy Disk Controller
Part Number 2422A .... Price: $365.00
CP/M™ Version 2.2 Free With Purchase
S-100 Mainframe
Part Number 2200A .... Price: $475.00
2201A (220VAC) $475.00
S-100 Motherboard
Part Number 2501A .... Price: $150.00
4-Port Serial I/O Interface
Part Number 2710A .... Price: $245.00
2-Serial, 2-Parallel I/O Board
Part Number 2719A .... Price: $275.00
4-Port Parallel I/O Board
Part Number 2720A .... Price: $195.00

DISKETTES from ASAP

Verbatim

5¼" DISKETTES

Part #	Sectoring	Price
MD525-01	Soft	10/$27.50
MD525-10	Hard 10	10/$29.50
MD525-16	Hard 16	10/$29.50

8" DISKETTES

Part #	Sectoring	Price
FD32-1000	Hard	10/$35.00
FD34-1000	Soft	10/$35.00

Memorex

5¼" DISKETTES

Part #	Sides/Density	Sectoring	Price
MEM 3403	1/Single	Hard 10	10/$25.00
MEM 3405	1/Single	Hard 16	10/$25.00

8" DISKETTES

Part #	Sides/Density	Sectoring	Price
MEM 3060	1/Single	Soft	10/$35.00
MEM 3101	2/Single	Soft	10/$45.00
MEM 3090	1/Double	Soft	10/$45.00
MEM 3102	2/Double	Soft	10/$55.00

Dysan

5¼" DISKETTES

Part #	Sides/Density	Sectoring	Price
D-0130	1/Single	Soft	10/$35.00
D-0226	1/Double	Soft	10/$40.00
D-0235	2/Double	Soft	10/$45.00

8" DISKETTES

Part #	Sides/Density	Sectoring	Price
D-0506	1/Single	Soft	10/$45.00
D-0605	2/Double	Soft	10/$65.00

Scotch 3M

5¼" DISKETTES

Part #	Sides/Density	Sectoring	Price
744-0	1/Single	Soft	10/$33.00
744-10	1/Single	Hard 10	10/$33.00
744-16	1/Single	Hard 16	10/$33.00
745-0	2/Double	Soft	10/$59.00
745-10	2/Double	Hard 10	10/$59.00
745-16	2/Double	Hard 16	10/$59.00

Maxell

5¼" DISKETTES

Part #	Sides/Density	Sectoring	Price
MD1	1/Single	Soft	10/$35.00
MD2D	2/Double	Soft	10/$49.00
MH1	1/Single	Hard 16	10/$39.00
MH2D	2/Double	Hard 16	10/$55.00

8" DISKETTES

Part #	Sides/Density	Sectoring	Price
FD1-128	1/Single	Soft	10/$45.00
FH1-32	1/Single	Soft 32	10/$45.00
FD2-XD	2/Double	Soft	10/$55.00

Elephant Memory Systems

Part #	Sides/Density	Sectoring	Price
EMS-1	1/Single	Soft	$25.00

SRW

MEDIA STORAGE CASES

Part #	Size	Price
SRW-5	5¼"	$2.50 ea.
SRW-8	8"	$3.25 ea.

MICROBYTE Z80A/ I-O CPU BOARD

- A complete single board Z80A CPU with serial/parallel interface (2) Ser. (3) Parallel
- Fully compatible with the proposed IEEE S-100 Bus Standard
- Z80A CPU (4MHz version of the Z80)

$329.00 Assembled & Tested

Optional Monitor Program $30.00

*CP/M $150.00 Available (Optional)

MICROBYTE 64K DYNAMIC RAM BOARD

- Fully S-100 bus compatible (4 MHz)
- 64K x 8 bit dynamic RAM
- Low power:
  +8VDC @ 700 mA
  +16VDC @ 100 mA
  -16VDC @ 25 mA
- Built-in capacity with LED indicator and vector interrupt

$499.00 Assembled & Tested

MICROBYTE FLOPPY DISK CONTROLLER

- DMA to within 16 Mbyte of memory
- State-of-the-art NEC765 LSI Controller
- IEEE S-100 compatible
- DMA arbitration allows use of multiple boards within a system

$329.00 Assembled & Tested

MICROBYTE 4-PORT I/O BOARD

- Quad RS-232C serial ports. One 20 mA current loop port
- Fully IEEE S-100 Bus compatible
- Asynchronous Communications with Z80A-DART™ or synchronous communications with Z80A-SIO/0™
- Full set of modem control signals, including RI (Ring Indicator)
- Easily configurable to any type of terminal interface

$265.00 Assembled & Tested
Cables Available (Optional)
*CP/M® Trademark of Digital Research, Inc.

Printers

Okidata Dot Matrix Printer

82A — 80 column printer W/Tractor
Throughput @ 80 characters per line: 76 lines per minute
Print Speed: 120 CPS
83A — 136 column printer W/Tractor
Throughout @ 136 characters per line: 76 lines per minute
Print Speed: 120 CPS
84A — 136 Column Printer W/Tractor
Throughput @ 136 characters per line: 114 lines per minute
Print Speed: 200 CPS
Centronics & RS232C interfaces standard on all models

The Epson MX-80

80 Column Dot Matrix Printer
PRINTING CHARACTERISTICS
Character set: full 90-character ASCII with descenders.
Graphics characters: 64 block characters
INTERFACES
Standard: Centronics-style 8-bit parallel
Optional: Apple, TRS-80, RS232
NEW
MX80 FT/Friction Feed
MX-100/132 Column
CALL FOR PRICE & DELIVERY

Apple Parallel Interface: AEI-1 W/Cable $69.95

- Standard Interface
- Compatible with Epson & Okidata printers
- On-board firmware (2708)
- Optional cables: $25.00
- AEC-2/Atari to Epson printer
- TREC-2/TRS-80 to Epson/Okidata printer
- RSC-1/RS232 (male to male)

Serial Interface SEI-1 .... $55.00

- Asynchronous 300, 1200, 2400 or 9600 BPS
- Compatible with Epson printers
- 75 to 9600 BPS

Manufacturer/Model #	Price
Anacom-150	$1095.00
Anadex-9501 W/2K buffer	$1295.00
Diablo-630R0	$2150.00
C.Itoh Starwriter 45	$1925.00
Texas Instruments-810	$1650.00

Modems

Manufacturer	Model #	Price
Novation	CAT	$ 149.00
Novation	d-CAT	$ 160.00
Novation	Auto-Cat	$ 229.00
DC Hayes	Smart Modem	$ 245.00
DC Hayes	Micro Modem II (Apple)	$ 320.00
DC Hayes	Micro Modem 100	$ 335.00
Lexicon	Lex-11	$ 139.00
Livermore	LIV-Star 20M	$ 149.00
UDS	UDS 103	$ 185.00
UDS	UDS 202	$ 245.00

Monitors

Manufacturer	Model #	Price
Amdek	100/12" B&W	$ 139.00
Amdek	100-80	$ 169.00
Amdek	100G/12" Grn.	$ 169.00
Amdek	Color-1 13"	$ 375.00
APF	TVM-10/10" B&W	$ 149.00
Sanyo	DM 5109CX/9" Grn.	$ 175.00
Sanyo	DM 5012/12" B&W	$ 270.00
Sanyo	DM 5112ex/12" Grn.	$ 290.00
Sanyo	DM C6013/13" Color	$ 450.00
Zenith	ZVM-121/12" Grn.	$ 115.00

Terminals

Manufacturer	Model #	Price
Ampex	Dialogue 80	$ 899.00
Lear Siegler	ADM-5	Call for price
Lear Siegler	ADM-3A	Call for price
Lear Siegler	ADM-3A+	Call for price
Lear Siegler	ADM-31	Call for price
Lear Siegler	ADM-32	Call for price
Lear Siegler	ADM-42	Call for price
Televideo	TVI 910	$ 625.00
Televideo	TVI 912C	$ 725.00
Televideo	TVI 950C	$ 925.00

Components

4116's (200 nS)/5290-3

Apple, TRS-80, Heath .... 8/$16.00
16-49 .... $1.85 each
50-99 .... $1.75 each
100 up .... $1.50 each

2114 L-2/200 nS

Low-Power 1K x 4 Static RAM
1-16 .... $2.80 each
17-49 ...... $2.70 each
50-99 ...... $2.60 each
100 up ..... $2.45 each

Components

74LS240 ... $1.25 each 74LS373 ... $1.25 each
74LS241 ... $1.10 each 74LS374 ... $1.25 each
74LS244 ... $1.25 each 8T245 ..... $1.50 each

2708/450 nS

1K x 8 EPROM .... $3.00 each or 8/$22.00

2716/5 Volt

2K x 8 EPROM .... $4.95 each

Support Chips

8080A-CPU .... $ 2.50 Z80A-SIO $22.00
Z80A-CPU .... $ 8.95 8255AC5 ..... $ 6.95
Z80A-CTC .... $ 8.95 8257AC5 ..... $15.00
Z80A-DART ... $13.95

Regulators

320T5 .... $ .80 320T12 .... $ .80
340T5 .... $ .70 340T12 .... $ .75

Connectors

	1-9	10-24	25 up
DB25P	$2.25	$2.15	$2.00
DB25S	$3.25	$3.10	$2.90
DB25C	$ .95	$ .85	$ .75

100 Pin IMSAI

Gold/S-100 Soldertail Connectors
$2.60 each or 10/$2.40 each

Capacitors

1 @12 Volt Ceramic ..... 8c each or 100/$7.00

DIP Sockets — Low Profile Tin Soldertail

Description	1-9	10-49	50-99	100 up
14 pin tin st	$ .15	$ .13	$ .12	$ .11
16 pin tin st	$ .16	$ .14	$ .13	$ .12
18 pin tin st	$ .19	$ .18	$ .16	$ .14
20 pin tin st	$ .25	$ .23	$ .21	$ .20
24 pin tin st	$ .26	$ .24	$ .22	$ .20
28 pin tin st	$ .32	$ .30	$ .29	$ .27
40 pin tin st	$ .42	$ .40	$ .38	$ .34

ASAP offers a 30-day buyer protection policy: full money-back guarantee if not totally satisfied.

Ordering Information: name, address, phone, ship by: UPS or Mail. Shipping charge: add $2.50 up to 1 lb. for UPS blue; add $1.50 for U.S. Mail (U.S. only) ($25.00 minimum order). Call for larger shipments.

Terms: We accept cash, check, money orders, Visa & Master Charge (U.S. Funds only). Tax: 6% Calif. res. COD's and terms available on approval (school PO's accepted).



1198 E. Willow St., Signal Hill, CA 90806

Toll free outside California:
(800) 421-7701
Inside California:
(213) 595-6431
(714) 891-2663

Circle 33 on Inquiry card.

Circle 155 on inquiry card.

Listing 2 continued:

```
     READ(command);
     CASE command OF
       'A','a' : entry;
       'B','b' : balance;
       'P','p' : print_all;
       'R','r' : remove;
       'S','s' : date_sort;
       'D','d' : dump;
       'L','l' : read_disk;
       ELSE :
       IF (command = 'Q') OR (command = 'q') THEN
         WRITELN(' Leaving Program')
       ELSE
         WRITELN(' Invalid command .....')
     END;
END;
```

Listing 3: *A sample run of the Pascal NOW program.*

```
Checkbook program - T.E. Doyle
Version 1.23

Want instructions ? y

 -- Commands --

 A  -  Add an item
 R  -  Remove an item
 P  -  Print all items
 B  -  Print balance
 S  -  Sort by date
 D  -  Dump to disk
 L  -  Load from disk
 Q  -  Quit


Code          Description
---------------------------
  1          Balance forward
  2          Deposit
  3          NOW interest
 11          House payment
 12          Car payment
 13          Gas & Electric
 14          Gasoline
 15          Credit cards
 16          Auto insurance
 17          Entertainment
 18          Telephone
 19          Auto maint.
 20          Subscriptions
 21          Clothing
 22          Computer parts
 23          Travel
 24          Contributions
 25          Misc. auto
 26          Investments
 27          Education
```

Listing 3 continued on page 316


The NO Compromise on P³* S-100 Plug-Ins

*(Performance, Power, Price)

THE FIRST DOUBLE MODULE S-100/IEEE-696

ONE MEGABIT STATIC RAM . . .

*AND FOR LESS THAN 1¢ PER BIT** (Regular Price $1295.00)*



128K x 8/64K x 16 organization
2K x 8 150nsec. Max. RAM devices (70, 90 or 120 nsec, optional)
Pin compatible with Intel 2716 type EPROMS
Dynamic 16 or 8 bit configuration selection
24 bit extended address or 16 bit S-100 Std.
Physical board address on 16K/8K boundaries
Memory Management functions. (Software or hardware selectable)
- Bank select / deselect
- Bank write protect
- Bank readdress

(32K / 16K Banks)
- Phantom select/override
- Wait cycle select/deselect

- I/O Port selection independent of Memory address (2 out of 256)
- MWRITE & PHANTOM logic selection
- Error signal on write attempts into write protected areas
- Battery back-up capability
- Low input power requirements: 600Ma. Max. active 8VDC in. 30Ma. Avg. battery back-up
- Modular construction — Module can be easily and quickly disassembled for maintenance (no solder connections between boards)
- Single Bus Connector Interface
- Dimensions — 5.125"H x 10.0"W x 1.25"D
- Weight — 1.5 lbs.
- Comprehensive Users Manual
- On-board Test circuit
- Plus more...

PART 52748-650-128 (Assembled and Tested)
Inquire about other versions

Please ship _______ Megaram Boards as described above @ $1024.00 each. **Offer expires April 30, 1982.

☐ CHECK ☐ VISA OR MASTERCARD


CARD # ______________________ EXP. ________

NAME ______________________

STREET ______________________

CITY, STATE, ZIP ______________________


MULTI-FUNCTION I/O BOARD



The multiple on-board functions allow for complete software and hardware I/O task(s) control. **Features:** Two independent SYNC/ASYNC serial ports (Software programmable with status read interface: RS-232-C or current loop — 20 or 60ma — or TTL with handshaking. Dedicated output connectors for each port) ■One strobed 8-bit parallel port with handshaking (Software status read) ■Three 8-bit parallel ports undedicated & user configured (Software programmable for input, output, plus input/output/bidirectional with handshaking or combinations thereof. Software status read for handshake logic) ■Three independent 16-bit timers (software programmable for 5 operating modes. Indiv. clock source input & gate control — int. or ext. Uninterrupted read. Two buffered outputs) ■Eight level priority interrupt controller (Software programmable highest interrupt level. 8080/Z80 auto restart command) ■Two software programmable baud rate generators with crystal controlled frequencies ± .01% ■Large prototyping area with access to regulated +5, +12, — 12VDC.

Assembled and Tested — P/N 52748-100-101 — $325, Kit P/N 52748-100 — $225, Bare Board P/N 52748-1XX — $85


PROTOTYPING BOARD



Provides flexibility and saves hours of power busing layout time.
Features: Bus-bar power distribution ■Allows wire-wrap or soldering of sockets and discrete components ■Accepts all std. sockets on .30" & .60" centers ■3 regulators (+5V ±12V) with filter and decoupling capacitors ■Accepts edge connectors or components on .10" centers.

Kit includes: 3 regulators w/3 heat-sinks/filter capacitors/2 bus bars and manual **P/N 52748-400** **$49.95**

STATIC RAM BOARD



The **32K x 8/16K x 16** STATIC RAM BOARD uses low power and its fast device access time of 200 nsec (max.) allows for operation @4MHz without any wait cycles. **Features:** IEEE-696 compatibility with extended addressing ■Memory address may start and stop on any 4K/2K boundary ■Special Memory Management and Control Functions (selectable via output port control word(s): Bank select/deselect 8K/4K, Bank write protect 8K/4K, Bank readdress 8K/4K ■Software page select/override ■Software wait cycle select (if slower devices utilized by user) ■External power source back-up capability for Memory Array ■Low input power requirements (full memory array - 150 MA max. @8VDC IN — support logic-500 ma typ @8VDC IN) ■Socketed RAMs and support logic IC's for easy maintenance ■Comprehensive Manual.
Assembled and Tested — P/N 52748-500-100 $485, Bare Board P/N 52748-5XX $95.

MasterCard VISA

CA residents add 6% tax
U.S. Domestic Price, FOB Factory

I/O TECHNOLOGY



POST OFFICE BOX 2119
CANYON COUNTRY, CA 91351
(805) 252-7666

Circle 424 on inquiry card.

Listing 3 continued:

```
28          Water & sewer
29          Taxes
30          Books
31          Food
32          Drugs
33          Medical service
34          Tyme withdrawl
35          Misc. insurance
36          Dental
37          Professional
38          Sewing/knitting
50          Misc. expenses

Enter year " 2-digit " for new entries - 81


..

Command ? p



Item      Date        Amount                Description                  Code
-----------------------------------------------------------------------------------
  1      2/02/81     100.00    Balance from 1980                 Balance forward

Command ? a
Item number ? 2
Month ? 3
Date ? 3
Amount ? 18.00
              ______________________________
Description ? Subscription to BYTE
Code ? 20

Item      Date        Amount                Description                  Code
-----------------------------------------------------------------------------------
  2      3/03/81      18.00    Subscription to BYTE              Subscriptions

Correct ? y

Command ? b


   Category                Amount
----------------------------------
Balance forward    -       100.00
Subscriptions      -        18.00
----------------------------------
Balance            -        82.00


 Command ? a
 Item number ? 1
 Month ? 1
 Date ? 1
 Amount ? 12.34
               ______________________________
 Description ? Movie tickets
 Code ? 17
```

Listing 3 continued on page 318

Listing 3 continued:

```
Item      Date         Amount              Description                     Code
--------------------------------------------------------------------------------------
   1     1/01/81       12.34    Movie tickets                            Entertainment

Correct ? y

Command ? p


Item      Date         Amount              Description                     Code
--------------------------------------------------------------------------------------
   1     2/02/81      100.00    Balance from 1980                        Balance forward
   2     3/03/81       18.00    Subscription to BYTE                     Subscriptions
   1     1/01/81       12.34    Movie tickets                            Entertainment

Command ? s
Command ? p


Item      Date         Amount              Description                     Code
--------------------------------------------------------------------------------------
   1     1/01/81       12.34    Movie tickets                            Entertainment
   1     2/02/81      100.00    Balance from 1980                        Balance forward
   2     3/03/81       18.00    Subscription to BYTE                     Subscriptions

Command ? b


   Category                 Amount
-----------------------------------
Balance forward    -        100.00
Entertainment      -         12.34
Subscriptions      -         18.00
-----------------------------------
Balance            -         69.66

 Command ? w Invalid command .....

 Command ? q Leaving Program

 Save file ? y
```

Text continued from page 306:

records, with each element consisting of seven items. This concept is similar to multidimensional arrays. There's a major limitation to BASIC multidimensional arrays that would preclude their use in this application: they must have all elements of the same type. Integers, reals, and strings cannot be grouped into one array in BASIC.

Another advantage over multidimensional arrays is how elements are referenced. If you want to reference all the descriptors for a specific item, indicate "items[index]". To reference a specific descriptor of the item (e.g., the item's dollar amount), indicate "items[index].amount". You are thus able to reference all descriptors of a specific item as a group or to access a single descriptor. Pascal also allows use of long variable names, so statement meanings are usually apparent. It's fairly clear, for instance, that

YOUR COMPUTER HEADQUARTERS



apple®
BUSINESSMAN'S SPECIAL
- Apple II plus 48K
- Apple Disc Drive II w/interface DOS 3.3
- 12" High Resolution Green Monitor
- Visicalc 3.3 Software

$2039.00

apple®
PREPARE NOW FOR THE TAX BITE!
- Apple II plus 48K
- Apple II Disc w/interface DOS 3.3
- 12" High Resolution Monitor
- IUS Orig. Easywriter
- Howard Tax Preparer 1982

$2000.00

apple®
WORD PROCESSOR SYSTEM
- Apple II plus 48K
- Apple Disc Drive II with DOS 3.3
- 12" High Resolution Monitor
- IUS Orig. Easywriter
- OKIDATA Microline 80 Printer
- TYMAC Cable w/interface

$2459.00


apple®
"THE HOME ACCOUNTANT PACKAGE"
- Apple II plus 48K
- Apple II Disc Drive with DOS 3.3
- 12" High Resolution Monitor Green
- The Home Accountant

$1949.00

apple®
FAMILY SYSTEM
Only
$2100.00

apple®
"THE TELE COMMUNICATION SYSTEM"
- Apple II plus 48K
- Apple II Disc Drive with DOS 3.3
- 12" High Resolution Monitor Green
- DC Hayes Micromodem II
- "The Source" Tele Communications

$2259.00



ACCESSORIES FOR APPLE

VIDEX Videoterm - 80 Col	$279.50
VIDEX Keyboard Enhancer Rev. 7	$109.50
DC Hayes Micromodem II	$298.00
Microsoft Z-80 CP/M Card	$289.00
Microsoft 16K Ram Card	$159.95
Saturn 32K Ram Card	$200.00
VC Expand for Saturn Card	$85.00
Mountain CPS Multifunction Card	$189.00
Mountain Clock	$239.95
ABT Keypad	$109.95
Apple Language System with Pascal	$405.00
Apple High Speed Serial Interface	$158.95
Dan Paymar Lower Case Chip	$39.95

WORD PROCESSORS FOR APPLE

IUS - Pro Easywriter	$200.00
Orig. Easywriter	$79.95
IUS - Datadex Apple Pie (word Proc. 40 Col)	$100.00
LJK Letter Perfect	$129.95
Supertext II	$129.95
Superscribe II	$104.95
Executive Secretary	$200.00
Magic Window	$85.00

GAME & HOBBY SOFTWARE FOR APPLE

Temple of Asphai	$34.95	ABM	$22.00
Hellfire Warrior	$34.95	Robot War	$36.00
Rescue at Rigel	$34.50	Castle Wolfenstein	$26.00
Crush, Crumple & Chomp	$25.00	Zork	$36.00
Jabber Talky	$26.00	Falcons	$28.00
Major League Baseball	$26.95	Beer Run	$31.00
Alien Rain	$21.50	Outpost	$26.00
Apple Panic	$26.00	Raster Blaster	$26.00
Snoggle (joystick)	$28.00	Space Eggs	$28.00
Space Quarks	$26.00	Gorgon	$35.00
Genetic Drift	$26.00	Cops and Robbers	$31.00
Red Alert	$26.00	Tigers in the Snow	$35.00
Ultima	$34.95	The Battle of Shiloh	$35.00
Star Thief	$26.00	The Shattered Alliance	$50.00
Bug Attack	$26.00	Computer Baseball	$35.00
Sargon II	$31.00	Computer Quarterback	$35.00
Pool 1.5	$30.00	Phantoms Five	$26.00
Shuffle Board	$26.00	Sneakers	$28.00
Trick Shot	$35.00	TG Joystick	$49.95
Dog Fight	$28.00	TG Game Paddles	$34.00
Olympic Decathlon	$28.00	Three Mile Island	$36.00

SOFTWARE FOR APPLE

MICROSOFT

Fortran 80	$154.50
A.L.D.S.	$99.95
Basic Compiler	$295.00
TASC Compiler	$149.95
Cobol - 80	$595.00
Context Connector	$145.00

MICRO PRO

Wordstar 3.0	$269.95
Spell Star	$170.50
Mail Merge	$95.00
Super Sort-1	$139.00

SOFTWARE Microlab

Data Factory	$120.00
Invoice Factory	$159.95

HOWARD SOFTWARE

Tax Preparer New 1982	$120.50
Real Estate Analyzer	$129.95

PERSONAL SOFTWARE

Visicalc 3.3	$159.95
Visiplot	$149.95
Visidex	$159.95
Visitrend/Visiplot	$215.00
Visiterm	$120.00
Visifile	$199.95
Desktop Plan II	$159.95
The Source	$90.00

STONEWARE

DB Master Vers. 3	$179.95
Utility Pack I	$90.00
Z-Term (CP/M)	$80.00
ASC II Express 3.3	$55.00
Brodebund Payroll	$300.00

EDUCATIONAL FOR APPLE

Edu-Ware Math/Fractions	$34.95
Math/Decimals	$34.95
Arithmetic Skills	$43.00
Algebra I	$34.95
Compuspell System	$28.50
Data Disc Lev. 4-5-6-7-8 (Requires System)	ea. $18.00
CMA Teacher Plus	$44.95
CMA Teacher Plus Pack	$65.00

commodore

COMMODORE PERSONAL COMPUTER

VIC 20 (5K) w/RF Modulator (Expands up to 32K)	$262.95
DATA TAPE RECORDER (f/Cassette Programs)	$69.95
VIC 1210 3K Memory Expands	$39.95
VIC 1110 8K Memory Expands	$59.95
VIC 1906 Super Alien (Cartridge, Plugs Directly into VIC 20 Computer)	$27.95
VIC 1907 Jupiter Lander (Cartridge, Plugs Directly into VIC 20 Computer)	$27.95
VT 106A Recreational Program A Consisting of A 6 Pack of (Cassettes) (1) Biorythem (2) Car Chase (3) Black Jack (4) Space Game (5) Math (6) Slither	$58.95
VT 107 Cassette Six Pack (1) Personal Filing System 1 (2)PFS 2 (3) VIC Typing Tutor (4) Expense Calendar (5) Mortgage & Loan (6) Home Inventory	$58.95
"Introduction To Basic & Computers" (Book)	$22.00
2 Atari Joysticks (for Games Requiring Them)	$19.50
Bizcomp Modem for VIC 20	$149.95



Texas Instruments
New! 99/4A *Computer*

Orig. 950.00 Now $369.95

Disc Drive Control	224.95
Disc Memory Drive	349.95
Solid State Printer	295.00
RF Modulator	39.95

TI 59 Programmable	169.95
TI 58C Programmable	74.95
PC 100C Printer for 58/59	149.95

Solid State Speach Synthesizer	119.50
Telephone Coupler (modern)	174.50
RS-232 Accessories Interface	172.50
Memory Expansion by 32-K	295.00
10" Color Monitor	324.50

A limitless learning environment for children
NOW IN STOCK
TI LOGO
...from Texas Instruments.

HEWLETT PACKARD

The HP-85 is a powerful Basic language computer, complete with keyboard, CRT display, printer and tape drive all in one 20 pound unit. 16K RAM, expandable to 32K.

Only $2495.00

HP-125 CPU Terminal
Reg. 3,750 Our Price $2,995

7225B Graphics Plotter
OPT. 002 Reg. 2,450 .. $1939

82901M 5¼" Dual Master Flex. Disc Drive
Reg. 2,500 .... $1939

2631B Impact Printer
OPT. 885 Reg. 3,950
Our Special Price $2,500

Limited Quantities

ATARI 800 with 18K
$749.50

810 Disc Drive
$449.95

ATARI 410 PROGRAMMABLE RECORDER $64.95

PRINTERS

QUME SPRINT

NEC Spinwriter 3500 Series . CALL

CENTRONICS 739 ... $699.00

DIABLO-XEROX

630 (RS-232) Daisywheel prntr $2399

Forms Tractor Bi Direct $250

SANYO MONITORS

VM-4509 9" B&W	169.95
DM-5112CX 12" Green	269.95
DMC-6013 13" Color	449.95

OKIDATA

82A Graphics, 120 CPS, Bidirectional, Friction and Pin Feed, 80/132 Columns 519.95

83A Graphics, 120 CPS, Bidirectional, Friction and Tractor, 136 Col., Takes 15" paper ... 795.00

Tractor Feed Optional ... 55.00

EPSON PRINTERS

MX-80, MX-80 FT, MX-100 FT
CALL FOR LOW PRICES

OPEN SUNDAYS

CORPORATE ACCOUNTS WELCOME

47st. photo®

Cameras • Electronics • Audio • Video • Computers • Darkroom • Accessories

©1982

67 West 47th Street, New York, N.Y. 10036
115 West 45th Street, New York, N.Y. 10036
MAIL ORDER ADDRESS: 36 E. 19th St. New York, N.Y. 10003



(212) 260-4410

TOLL FREE OUT OF STATE

800-221-7774
800-221-5858
800-223-5661

Items on sale for limited time only, and are subject to limited availability. Not responsible for typographical errors. This ad supersedes all other ads prior to Feb. '82. All orders subject to verification and acceptance. Minimum shipping and handling $4.95.

"items[index].year" refers to the year for the specific item.

Program Operation

There are a few differences in operation between the Pascal/Z and Pascal/MT+ programs. Pascal/MT+ version 5.2 offers the choice of BCD or floating-point format for real numbers. For this program, I used BCD numbers. Pascal/Z version 3.0 offers only floating-point format; therefore, an error of a penny or two will show up occasionally. Input of data from the keyboard is a little different in Pascal than in BASIC. If there's a variable with the type CHAR, it can hold a single character. A READ statement awaiting this variable will be satisfied when a single character is typed in. Pascal/MT+ does not require a carriage return to indicate that the character has been typed. So, when a key is pressed for a single-character command, the program will process the command immediately. Keyboard input in Pascal/Z is handled like keyboard input in BASIC. After you enter a single-character command, the program will wait for a carriage return. This variation has an interesting effect when entering the item description (a string with a maximum length of 30 characters).

In both versions of the program, typing a carriage return will terminate this string. In the Pascal/MT+ version, if the description is greater than 30 characters, the program will terminate the string when the 30th character is entered and then go on. In the Pascal/Z version, the string input is not processed until the carriage return is pressed. If the string entered is over 30 characters, Pascal/Z detects an error and abruptly terminates the program.

Observations: Basic vs. Pascal

One of the first things the BASIC user notices when using Pascal or other compiled languages is that compiling takes time. For example, when using Pascal/Z, the program must be compiled, assembled, and linked. For the Pascal NOW program, this process takes almost 8 minutes. When using Pascal/MT+, the program must be compiled and linked, a process

that requires nearly 4 minutes. Both times are for a Z80-based system operating at 4 MHz.

In seven years of teaching computer programming, I've noticed a definite improvement in the quality of programs written by people using compiled languages. When working with BASIC, it's very tempting to write programs using the cut-and-try technique: if a program doesn't work, throw in a few GOTO statements to patch it up, then try it again. BASIC program changes can be incorporated and evaluated very quickly. This characteristic almost encourages an inelegant technique.

With a compiled language like Pascal, you're more apt to think through a problem because of the relatively long time required to incorporate changes. The available versions of Pascal are evolving, so I'd encourage you to make a very careful comparison of each version's features before making a selection. ■

Pascal Standards

One of the problems plaguing BASIC is the lack of a standard. Pascal has a slightly different problem—it has several standards. At present, there appear to be three main "standards" for Pascal: the Jensen and Wirth standard, the UCSD standard, and the ISO standard. Some of the differences among these are very subtle, but other differences can hamper program transport between systems. I won't attempt to say which of these standards is "The Standard," but I will offer observations on the differences between some versions of Pascal.

While this program was being written, I had access to three versions of Pascal: Pascal/MT+, version 5.2, Pascal/Z, version 3.0, and UCSD Pascal, version 1.0 (pseudocode). The first two compilers are native code compilers, compiling the Pascal source code directly to 8080/Z80 machine code. The UCSD version is a pseudocode (p-code) compiler, compiling the Pascal source to an intermediate code (p-code) which is then interpreted. I ran a prime number program under all three versions as a benchmark and measured execution times. Because the p-code version took almost five times as long as the native code versions, I only wrote versions of the program in Pascal/MT+ and Pascal/Z.

The main difference between Pascal/MT+ and Pascal/Z lies in how they handle character strings. Jensen and Wirth define strings in a very limited sense and do not define any string functions or procedures. UCSD Pascal has set a de facto standard for strings, and Pascal/MT+ has incorporated these UCSD string functions and procedures into its version of Pascal. Pascal/Z defines its own string functions and procedures, which are not directly compatible with those of UCSD Pascal.


Disk input/output (I/O) is another area where Pascal/MT+ and Pascal/Z differ. Pascal/MT+ has incorporated full file buffer↑, GET, and PUT I/O and has kept its file I/O as close as possible to ISO and Jensen and Wirth standards. Pascal/Z has not implemented standard file buffer↑, GET, or PUT I/O, and as a result, the procedures that read and write to external files are a bit different. When printing real numbers, the field width specification for Pascal/Z did not work properly. Consequently, the sections of the program that print headings and real numbers were modified. By the time this article is published, the problem should be remedied.

The CASE statement, as defined by Jensen and Wirth, does not allow for exceptions. Both versions of Pascal incorporate extensions to handle exceptions. Pascal/MT+ uses the statement ELSE as it is used in IF-THEN-ELSE statements to identify the exceptions. Pascal/Z uses ELSE: to identify exceptions. It considers the ELSE as another case and, as a result, follows it with a colon.

BETA COMPUTER DEVICES

AVAILABLE NOW ... SYSTEM 2800 FROM SYSTEMS GROUP

FEATURES



Model 2812/14/24

- IEEE S-100 Bus Compatible Systems, Z80A Based
- Two 8-Inch Drives: Single or Double Sided, Double Density Floppy Disk Drives or 10MB Winchester Hard Disk Drive
- 20MB Winchester and Tape Backup
- 8-Slot Shielded and Terminated Motherboard
- System Software Selection includes CP/M*, MP/M* or OASIS**
- Single-User or Multi-User Systems, Expandable to 6 Users
- Table Top or Rack Mountable
- Two Switched AC Outlets on Rear Panel
- One Year Warranty on Entire System

2812 CP/M, 2 Single Sided Floppies.......$3775.00
2814 CP/M, 2 Double Sided Floppies..... 4425.00
2819 CP/M, 1 10 MB Winchester & 1 Double Sided Floppy....... 6675.00
2824 MP/M, 2 Double Sided Floppies.... 5235.00
2829 MP/M, 1 10 MB Winchester & 1 Doubled Sided Floppy.... 7500.00


Model 2819/29


S-100 PRODUCTS



QUALITY RAM FROM SYSTEMS GROUP

- Z-80 4MHZ operation with no wait states
- IEEE compatible timing - 200 NS 4116's
- Factory assembled, tested & burned in

DMB6400 64K (Bank Select, shown)......$ 740.00
DM6400 64K.................................. 540.00
DM4800 48K.................................. 510.00
DM3200 32K.................................. 475.00



CONFIGURE A COMPLETE S-100 SYSTEM WITH 2nd GENERATION* PRODUCTS FROM SYSTEMS GROUP.

- CPC 2810 (shown) Z-80A processor board (4MHZ) with 4 serial & 2 parallel ports.......................................$369.00
- CPC2813 - same as CPC2810 but 2 serial ports only.................................$345.00
- FDC2801/8 - 8" floppy disk controller board, up to 4 single/double sided drives, single or double density.................$349.00
- INO-2804 - 4 channel serial I/O...... 329.00
- CRA-100 - Cromix* adaptor board.. $55.00

CALL US FOR OUR MOST CURRENT PRICES!

*2nd Generation is a trademark of Measurement Systems and Controls, Inc. Cromix is a trademark of Cromemco, Inc. CP/M and MP/M are trademarks of Digital Research. OASIS is a trademark of Phase One Systems.

PAPER TIGER PRINTERS

IDS 460G 9x9 Dot Matrix Printer...........$890.00
IDS 560G Wide Carriage Printer............ 1099.00

TERMINALS

ADDS Viewpoint $569.00
TeleVideo 910 .... 579.00
TeleVideo 912C 679.00
TeleVideo 920C 729.00
TeleVideo 950 .... 929.00

8" DISK DRIVES

Shugart 801R................................ $399.00
NEC FD1160 (double sided).............. 525.00

DYNAMIC RAMS

4116 (200ns) .... set of 8 .... $24.00
4164 (64Kx1) $18.00

wabash®


8" or 5¼" flexible diskettes certified 100% error free with manufacturer's 5-year limited warranty on all 8" media. Soft-sectored in boxes of 10. 5¼" available in 10-sector.

(Add $3.00 for plastic library cases)

8" single sided, single density................$27.50
8" single sided, double density............... 35.50
8" double sided, double density............ 45.50
5¼" single sided, single density............ 27.50
5¼" single sided, double density............ 29.50

6502 PRODUCTS

6502DM



BETA 32K BYTE EXPANDABLE RAM FOR 6502 AND 6800 SYSTEMS

AIM 65 KIM SYM PET S44-BUS

- Plug compatible with the AIM-65/SYM expansion connector by using a right angle connector (supplied).
- Memory board edge connector plugs into the 6800 S44 bus.
- Connects to PET using an adaptor cable.
- Uses +5V only, supplied from the host computer.
- Full documentation. Assembled and tested boards are guaranteed for one full year. Purchase price is fully refundable if board is returned undamaged within 14 days.

Assembled with 32K RAM...................$349.00
& Tested with 16K RAM.................. 329.00
Bare board, manual & 6 hard-to-get parts. 99.00
PET interface kit. Connects the 32K RAM board to a 4K or 8K PET............................$ 69.00


AIM Professional Enclosure...$175.00

TERMS: Minimum order $15.00. Minimum shipping and handling $3.00. Calif. residents add 6% sales tax. Cash, checks, Mastercard, Visa and purchase orders from qualified firms are accepted. (Please allow two weeks for personal checks to clear before shipment.) Product availability and pricing subject to change without notice.

INTERNATIONAL ORDERS: *Add 15% to purchase price for all orders. Minimum shipping charge is $20.00. Orders with insufficient funds will be delayed. Excess funds will be returned with your order. All prices are U.S. only.*







Collector Edition

BYTE COVERS

The Byte covers shown below are available as beautiful Collector Edition Prints. Each full color print is 11" × 14", including 1½" border, and is part of an edition strictly limited to 500 prints. The artist, Robert Tinney, has personally inspected, signed and numbered each print. A Certificate of Authenticity accompanies each print guaranteeing its quality and limited number.

The price of a Collector Edition Byte Cover is $25, plus $3 per shipment for postage and handling ($8 for overseas airmail). Collector Prints 9, 10, 11 and 12 can be purchased as a set for $80, as can Prints 13, 14, 15 and 16.

Collector Edition Byte Covers are also available in the beautiful mat and frame shown above for $60 each (if Set 9-12 or Set 13-16 is ordered framed and matted, the price per set is $200). The mat is a neutral gray which blends with most decors, and the black 12" × 16" frame is trimmed in silver. The print is mounted under non-glare glass.

Framed and matted prints are shipped UPS—no delivery to P.O. boxes. Because of expense and breakage, no framed prints are shipped overseas. Please allow 4-6 weeks delivery for framed prints.

To order use the coupon below; Visa and Master Charge orders may call Toll Free.

Set 13-16, $80




FUTURE COMPUTERS
Print 13 - $25



SMALLTALK
Print 14 - $25



SOFTWARE
Print 15 - $25




CHIP BUILDING
Print 16 - $25

Set 9-12, $80




SOFTWARE PIRACY
Print 9 - $25


THE PROGRAMMING ROUTE
Print 10 - $25




FORTH
Print 11 - $25




FUTURE PAST
Print 12 - $25



TOTAL ECLIPSE
Print 6 - $25




COMPUTER HARDWARE
Print 7 - $25




PERSPECTIVES
Print 8 - $25



COMPUTER CHESS
Oct. 1978
$7.95



THROUGH THE TRAP DOOR
Mar. 1979
$35.00



BREAKING THE SOUND BARRIER
Sept. 1977
$35.00

ALSO AVAILABLE are the prints shown at left. "Computer Chess" is an 18" X 22" full color poster.

"Through the Trap Door" and "Breaking the Sound Barrier" are limited editions of 750 prints each, signed and numbered by the artist. Each print is 18" X 22", and is accompanied by its own Certificate of Authenticity. **If both "Door" and "Barrier" are ordered, a special price of $55 applies.**

All three prints shown at left are shipped first class in heavy duty mailing tubes.

Please send me the following Prints:

QTY	TITLE	AMOUNT
____	____________	$____
____	____________	$____
____	____________	$____
____	____________	$____
____	____________	$____
____	Frames — $35 each	$____
____	☐ Set 9-12 or ☐ 13-16 — $80.	$____
____	Both "Trap Door" and "Barrier" — $55.	$____
	postage & handling $3.00 (Overseas $8.00)	$____
	TOTAL	$

☐ I have enclosed check or money order.
☐ Visa ☐ MasterCard
Card #____________
Expiration Date____________


SHIP MY PRINTS TO:

Name____________
Address____________
City____________
State________ Zip________

Mail this coupon to:

robert tinney graphics
1864 N. Pamela Drive
Baton Rouge, LA
70815

For VISA OR MASTERCARD ORDERS
CALL TOLL FREE!
1-800-854-0562 / Ext. 910
Calif: 1-800-432-7257 / Ext. 910
24 HOURS A DAY! 7 DAYS A WEEK!



From BYTE Books

BASIC Scientific Subroutines, Vols. I and II

Valuable programs for professional and hobbyist

by Fred R. Ruckdeschel

Designed for the engineer, scientist, experimenter, and student, this series presents a complete scientific subroutine package featuring routines written in both standard Microsoft and North Star BASIC.

- Volume I covers plotting, complex variables, vector and matrix operation, random number generation, and series approximations.
- Volume II includes least-squares approximation, special polynomial functions, approximating techniques, optimization, roots of functions, interpolation, differentiation, and integration.

Volume I
ISBN 0-07-054201-5
336 pages; hardcover
19.95

Volume II
ISBN 0-07-054202-3
800 pages; hardcover
23.95

Threaded Interpretive Languages

How to implement FORTH on your Z80

by Ronald Loeliger

This book develops an interactive, extensible language with specific routines for the Zilog Z80 microprocessor. With the core interpreter, assembler, and data type defining words covered in the text, it is possible to design and implement programs for almost any application and equivalent routines for different processors.

ISBN 0-07-038360-X
272 pages; hardcover
18.95

Beginner's Guide for the UCSD Pascal System

The most popular Pascal version explained by its creator

by Kenneth L. Bowles

Written by the originator of the UCSD Pascal System, this informative book is an orientation guide to the System. For the novice, this book steps through the System, bringing the user to a sophisticated level of expertise. Once familiar with the System, the reader will find the Guide an invaluable reference tool for creating advanced applications.

ISBN 0-07-006745-7
204 pages; softcover
11.95

The BYTE Book of Pascal

A powerful, structured language

Blaise W. Liffick, Editor

Based on articles, language forums, and letters from BYTE magazine, this work is a valuable software resource. Pascal continues to be popular as a structured programming language. Written for both potential and established users, this book introduces the Pascal language and examines its merits and possible implementations. Featured are two versions of a Pascal compiler, one written in BASIC and the other in 8080 assembly language; a p-code interpreter written in both Pascal and 8080 assembly language; a chess-playing program; and an APL interpreter.

ISBN 0-07-037823-1
334 pages
hardcover
$25.00

Beyond Games: *Systems Software for Your 6502 Personal Computer*

Creating programs for the Apple, Atari, Challenger and PET computers

by Kenneth Skier

At last, a complete programming guidebook. A self-contained course in structured programming and top-down design, this book presents a powerful set of tools for building an extended monitor, disassembler, hexadecimal dump routine and text editor programs.

ISBN 0-07-057860-5
440 pages; softcover
14.95

Name ____________________
Address ____________________
City ________ State ________ Zip ________
Check Enclosed ________ Amount ________
Bill Visa/Master Card Number ____________________
Expiration Date ________

Title	Price	Quantity	Amount

Add 75¢ per book to cover shipping costs: ________

Total ________



BYTE Books 70 Main Street Peterborough, N.H. 03458

ORDER TOLL FREE 800/258-5420

Circle 418 on inquiry card.

BYE BYE BASIC

BUSINESS BASIC 1971~1981 R.I.P.

Announcing the quick and easy way to write custom business applications in hours instead of weeks.

At last, you can get a microcomputer business application development system that is designed for one purpose only . . . fast production of bug-free professional-looking custom business applications.

"Thinks" the Way Business Thinks
Quic-N-Easi is the revolutionary screen-format-oriented application development system that thinks in terms of transactions, records and fields. The same way business thinks. **Quic-N-Easi** expects an application to include custom formatted key entry. It lets you set up the character, field, and record validity checks business wants by merely filling in the blanks. It automatically signals in real time when errors occur and "explains" what is wrong in plain English messages you select for each custom application.

Much Faster than BASIC
Quic-N-Easi programming is much faster than BASIC because the standard business applications (key input, file handling, and output reporting) are handled via pre-programmed parameter driven subroutines. To produce finished professional looking custom business programs, you merely:

- Draw the business formats directly on the CRT in minutes.
- Fill in the blanks for field attributes, validations, tables, etc.
- Invoke the **Quic-N-Easi** interpreter to check fields against tables, check limits, access data files, and perform business calculations, etc.
- Optionally define file and output formats right on the screen.

Pays for Itself in a Week
By eliminating the coding drudgery of writing screen, field, file, and format programs in BASIC, programmers are free to concentrate on the unique business aspects of each custom application. No professional programmer can afford to develop one more business application without **Quic-N-Easi**. The savings are so significant with **Quic-N-Easi**, it can actually pay for itself in only one week.

Gives You Much More than a Screen Builder . . . the Only Complete Business Development System for Microcomputers
Quic-N-Easi handles the entire application development job from key entry to final output. You get everything you need, including detailed documentation to begin writing professional programs the first day. **You get . . .**

- A singularly capable **Quic-N-Easi** screen builder
- A comprehensive parameter driven **Quic-N-Easi** content editor
- A full **Quic-N-Easi** interpreter language
- A complete **Quic-N-Easi** file management system with Index Sequential, Random, and Sequential File Access Method
- A complete **Quic-N-Easi** print format handler
- A detailed **Quic-N-Easi** reference manual
- A **Quic-N-Easi** self-teaching guide
- A **Quic-N-Easi** quick reference card
- An interface to other program files

ORDER NOW—Don't Waste One More Day Coding BASIC
Your time is too valuable to waste hours on end writing BASIC code. The first week you use **Quic-N-Easi**, your finished business programs will look better, run better, and return more dollars to you. Don't delay. Order **Quick-N-Easi** today.
Phone . . . 215 968-0689

quic-n-easi™

STANDARD MICROSYSTEMS INC.
136 GRANITE HILL COURT, LANGHORNE, PA 19047

Pricing Information
- Complete **Quic-N-Easi** system **$395**
- Manual only **$60**
- **Visa** and **Mastercard** accepted
- **Dealer Inquiries Invited**

Minimum System Requirements
Z80 • 48K • Floppy Disc • CP/M (except TRS80 Mod III)

Other Disk Formats • 8" Single Density Vector Graphics • Micropolis Model 2

Customized Versions • TRS80 Mod II, TRS80 Mod III, APPLE, OSBORNE, INTERTEC, VECTOR , ZENITH

Circle 333 on inquiry card.

Bugs Switch Photos and Figures

The two photographs on page 40 of Steve Ciarcia's article "Switching Power Supplies" were inadvertently transposed. (See the November 1981 BYTE.) The photograph above the caption for photo 3 is actually photo 4 and vice versa.

Gremlins also struck Chris Crawford's article, "The Atari Tutorial, Part 3: Player-Missile Graphics." (See the November 1981 BYTE, page 312.) The color portions of Chris's figures 1 and 2b, which represented the video images, were omitted, and figure 4 appeared upside down. The corrected figures are shown here. ■




Figure 4




Figure 1




Figure 2b

BYTELINES

News and Speculation About Personal Computing

Conducted by Sol Libes

Random Rumors: An Ada compiler for Z80-based systems is said to be in development by Supersoft Associates, Champaign, Illinois. Versions for Intel's 8086/8088, Motorola's 68000, and Zilog's Z8000 are expected by year's end. The Z80 version, a subset of Ada (the Department of Defense has still not frozen the complete Ada standard), will be upgraded to a completely validated version in subsequent releases. The Z80 Ada package will sell for $200 to $300. . . . American Express will market the Sinclair ZX81 via its mail-order business. . . . Digital Research may be working on a Visicalc look-alike. . . . Tandy is rumored planning, on its TRS-80 Model II desktop computer, to incorporate two Tandon 8-inch "thinline" floppy-disk drives and a Winchester drive in the spot now occupied by two 8-inch drives. . . .

Apple may introduce its 68000 machine in the second quarter of 1982; Apple is reported to be trying to purchase one million 68000 microprocessors at $10 each. Two versions of the 68000-based system are expected: a single-user desktop unit and a network controller for an Ethernet-type system. . . . Reports are that Intel is getting a mixed reception to the iAPX-432 32-bit microprocessor. In any event, the instruction set will be frozen, in microcode, early in 1982. Present owners of iAPX-432 chip sets will be able to trade them for the revised version. . . . Heath is said to be working on a completely new generation of computers. . . .

Several Japanese manufacturers are expected to introduce complete briefcase-size personal computers using CMOS (complementary metal-oxide semiconductor) and bubble memory. . . . Commodore's hoped-for Z80 processor board for the PET is a dead issue, as negotiations for an exclusive license from Small Systems Engineering, the supplier, have broken down. . . . Data General is rumored about to make available a CP/M-compatible version of its Enterprise system. . . . Corvus is reported about to introduce Xerox 820 and IBM Personal Computer interfaces for its Omninet local network system. . . . Alpha Micro may be developing a video-tape-recorder interface as a Winchester disk drive backup market.

Random News Bits: Zilog Corporation, Cupertino, California, and Seeq Technology, Campbell, California, have announced plans to manufacture a 16K-bit EEPROM (electrically erasable programmable read-only memory). Samples are expected by the end of the second quarter of 1982. Later this year, Zilog plans to introduce versions of the Z8, Z80, and Z800 microprocessors with on-board EEPROM memory. No mention of the ROM size. . . . DEC (Digital Equipment Corporation) announced that earnings for the quarter ending in October 1981 increased 58% ($88.8 million) on a 28% increase in sales ($839.3 million). . . . Condesin, of Cupertino, California, claims it will soon introduce a 4M-bit nonvolatile memory on a chip the size of a 64K-bit device using an "unpatterned charge-storage" technique. With an access time of 1 microsecond, it is viewed as a replacement for floppy disks. Condesin expects to be in production by the end of this year. It also expects to be able later to increase storage 16 times to 2^{36} bits on a single chip. . . .

Panasonic has introduced a hand-held computer using the 6502 microprocessor and 8K bytes of memory. . . . Bell Laboratories is field-testing Getset, a combination telephone handset, speakerphone, keyboard, and video display that can be used for store-and-forward switching, electronic mail, directory and dialing assistance, and database and personal-information retrieval. . . . Wolfdata, Ithaca, New York, has developed Wolfdata Artificial Intelligence Language (WAIL), which writes programs dynamically. . . . General Instrument Microelectronics, Hicksville, New York, has introduced a 16K-bit EEPROM requiring only one +5-volt supply. It is organized as 2K by 8 bits, can be erased in 10 milliseconds, retains data for 10 years, and features a pinout similar to the 2716 EPROM. Price is $40. . . .

The IEEE (Institute of Electrical and Electronics Engineers) has established a committee to draft a standand for the 8-bit STD bus. Currently 40 manufacturers produce STD-bus boards. The committee will also investigate 16-bit transfers on the bus and compatibility with the Eurocard format. . . . More than a hundred firms have already been licensed by Xerox to use Ethernet. A license costs $1200. . . . Radio Shack, preparing to launch its 16-bit computer, has increased its retail computer-marketing field force from 5 to 18 people. . . . A jury in San Francisco found Data General guilty of violating federal antitrust laws by illegally tying the sale of its operating-system software to its hardware. Plaintiffs were Fairchild Camera and Instrument Corporation and Digidyne Corporation. . . . Oki Semiconductor, Santa Clara, California, takes the prize for the largest ROM in production: a 4M-bit ROM.

IBM Watching: The most serious disadvantage of the new IBM Personal Computer is its limited disk storage. However, IBM is said to be working on adding 8-inch floppy-disk drives and a 14M-byte Winchester disk to the list of peripherals for the Personal Computer. IBM may also be working on a higher-density plug-in memory card to free one of the bus slots in the machine.

A few discount dealers are already offering discounts on the IBM system that are very small compared to discounts available for other systems. However, IBM is selling the system to its own employees at a 40% discount.

IBM will have to strengthen its distribution before it will have a serious impact on Apple and Tandy. After all, Apple and Tandy have extensive distribution systems that took several years to develop. Apple Computer Inc.

Circle 105 on inquiry card.

has 2500 dealers and over 300 companies selling hardware and software for the Apple. Tandy Corporation's distribution is even larger. To increase distribution, IBM is expected to open a large number of retail outlets this year and add a large number of new distributors. IBM is said to be negotiating with industrial distributors to carry the Personal Computer. Many of these distributors are already carrying the IBM 3101 ASCII terminal and the 8-inch Piccolo Winchester drive. However, this distribution route will probably not begin to function until the second quarter.

Further, IBM has reorganized its internal marketing and manufacturing organization. IBM sales reps will now be able to sell the entire range of IBM products, where previously they have been limited to one or two specific product lines.

Portia Isaacson and Egil Juliussen of Future Computing, Richardson, Texas, recently released a market-research study titled *IBM's Billion-Dollar Baby: The Personal Computer* ($475 a copy), in which they predict that demand for the IBM Personal Computer will reach 100,000 units by the end of 1982, 250,000 units by the end of 1983, and 450,000 by the end of 1985.

DEC Enters Personal Computing Market: Capitalizing on the fact that 250,000 DEC VT-100 video terminals are already in operation, Digital Equipment Corporation (DEC) has entered the personal computer market by introducing a kit to upgrade a VT-100 to a full-blown personal computer system. In doing this the firm accomplished three things: (1) it capitalized on a closed, ready market; (2) it provided a system cost substantially below its competition (provided you already own a VT-100); and (3) it beat at least one company that was planning to introduce a VT-100 personal-computer upgrade to the punch. The $2400 kit upgrades a VT-100 (which typically costs $1300 to $1500, depending on options) by adding a Z80 microprocessor with 64K bytes of memory on a plug-in board and a 5¼-inch floppy-disk drive (160K bytes of storage) in a separate cabinet. CP/M costs another $250 and a second drive adds $1275.

DEC will be selling the system through its distributors, by direct telephone order, and through its 25 stores. No plans were disclosed for sales via computer stores.

Battle of the Operating Systems: When IBM announced that Digital Research's CP/M-86 disk operating system (DOS) would be supported by the IBM Personal Computer, visions of plentiful software danced in the heads of many potential purchasers, who were thinking of the legion of programs that are available for use under CP/M-80, the operating system that has become the de facto standard for users of 8-bit 8080-, 8085-, and Z80-based computers.

But the visions may soon be dancing to a different tune. Despite the similarity of the two DOSes, an operating system does not change the character of the hardware it runs on, and the hard fact remains that software written and compiled for the Z80 microprocessors cannot be immediately and easily run on the 8088 16-bit microprocessor. Programs must be converted and/or rewritten to be compatible, taking time and effort.

Meanwhile, confidence is increasing in IBM's Personal Computer DOS, which was written for IBM by Microsoft Inc., of Bellevue, Washington. As of this writing, all of the application software announced by IBM runs under this DOS, and many program authors report that converting CP/M-80 programs to run under the Microsoft system is easier than converting them to run under CP/M-86.

Microsoft will be releasing the operating system, which it will call "MS-DOS," to be run on 16-bit computer systems from other manufacturers. And Lifeboat Associates of New York City, the world's largest distributor of 8-bit CP/M software, has committed itself to support Microsoft's MS-DOS, under the name "SB-86," for the 16-bit world. Lifeboat plans to make SB-86 available for a wide variety of machines in the same way that it made CP/M-80 available off the shelf for close to 40 different 8-bit computers. Lifeboat says it will convert all of its current software packages to run under SB-86.

There is no doubt that CP/M-80 will continue to dominate the 8-bit DOS market. But the 16-bit race for dominance is still on, and CP/M-86 is in the pack along with MS-DOS and the multiuser operating systems: Digital Research's own MP/M-86, Oasis-86 from Phase One Systems, Multi-OS from Infosoft Systems, and Microsoft's Unix-like Xenix operating system.

32-Bit Bus Spec Agreed On: While the IEEE-896 committee continues to haggle over a standard for 32-bit microprocessors, three manufacturers have announced agreement on a 32-bit bus. Motorola, Mostek, and Signetics/Philips have announced the VME bus. Thompson CSF has also announced its support for the bus. The VME bus is a Eurocard-compatible subset of Motorola's Versabus and includes some of the features from the IEEE-896 group. However, the three companies, all with a large stake in the 32-bit 68000 market, felt they could wait no longer.

The bus has 192 pins in its fully expanded configuration with 64 available for user-defined I/O. The IEEE-896 design has fewer pins, but uses multiplexing, which lowers the performance of the system.

Tidbits From Japan: The Japanese government is investing $50 million in a program to develop a fifth-generation computer by 1985. The computer will offer more intelligent man/machine interfaces and will be more closely aligned with societal needs than its honorable ancestors. It will be based on VLSI (very-large-scale integration) devices, integration of new communications technology, parallel processing, software engineering, artificial intelligence, and pattern recognition.

Fujitsu has announced the development of a new high-performance integrated circuit using the company's HEMT (high-electron-mobility transistor) technology. The device has demonstrated a switching time of 17 ps (picoseconds, or 10^{-12} seconds) with a power dissipation of 0.96 milliwatts. This is about 30 times faster than conventional MOSFETs (metal-oxide semiconductor field-effect transistors) and is comparable to the 13-ps time of Josephson-junction devices. Fujitsu engineers hope to reduce this time to well under that of Josephson devices. One advantage of the HEMT devices is that they require less cooling—only to −196°C (the temperature of

liquid nitrogen) compared to −269°C (the temperature of liquid helium) for Josephson devices. Hence, HEMT-based computers should be more practical and less costly.

NEC (Nippon Electric Company) has disclosed that it is considering building a $100 million plant in Roseville, California, for fabrication and assembly of integrated circuits and electronic equipment. The plant is tentatively slated to go into production at the end of 1983.

Daisy-Wheel and Dot-Matrix Printer Status Report: In 1972, David Lee created the Diablo daisy-wheel printer. Until then, IBM dominated the word-processing impact-printer market with its Selectric printer. The daisy-wheel printer operated with many fewer parts, providing faster and more reliable operation. Further, sophisticated control electronics were added to provide intelligent printer operation.

Within a year, Xerox Corporation acquired the Diablo Company. Lee left the following year and formed Qume, which was later bought by Exxon. Qume introduced its own version of a daisy-wheel printer, and for the next five years Diablo and Qume shared the word-processing daisy-wheel market.

Then, in 1979, Ricoh, a Japanese supplier, entered the market as an OEM (original-equipment manufacturer) supplier to Tandy and Lanier. NEC (Nippon Electric Company) introduced a word-processing printer using a thimble-like printing element. And recently Fujitsu announced a daisy-wheel printer that operates at 80 characters per second, almost twice the speed of most U.S. models. Also, we can shortly expect Pertec, Brother, and Canon to introduce daisy-wheel printers.

Diablo and Qume have responded to the foreign competition by introducing new daisy-wheel printers having fewer parts, operating at lower speeds, and hence costing less. The Diablo and Qume share of the market has dropped to about 50%. However, the market has been growing at a rate of about 40% per year, and their business has continued to increase even though their market share decreased.

One other consideration in the word-processor market is that the quality of dot-matrix printers has been improving, and they are more and more being used for word-processing work. This trend can be expected to continue.

Although Americans have long expected a "Japanese invasion" in the personal computing market, this has not occurred. What has happened might be called an "infiltration," with the Japanese moving into selected segments of the market. The area where they have already scored a great success is in the under-$1000 dot-matrix printer market. (The low-cost floppy- and hard-disk markets could be next.)

The Japanese, who two years ago had virtually no U.S. printer sales, today have almost 75% of the under-$1000 printer market, estimated at $200 million (expected to grow to $950 million by 1985). Epson America is now the market leader. U.S. manufacturers, such as Centronics, Anadex, Tally, and Dataproducts, have abandoned the under-$1000 printer market and are now concentrating their efforts on the higher-speed, multi-mode (single-pass and multi-pass), and multi-font machines. The question is, "Will the Japanese be far behind?"

The Developing 16-Bit Market: What is faster than a speeding bullet and more powerful than a locomotive? The new Texas Instruments TMS99000 16-bit microprocessor, with 24-MHz clock rate and an instruction set that includes single-precision floating-point instructions, that sells for a modest $65 (100-piece price). And National Semiconductor, after many doubts and delays, is finally beginning to make available samples of its 16032 16-bit microprocessor.

The biggest news of the month is that AMD (Advanced Micro Devices) has signed a 10-year licensing agreement with Intel for the 8088, 8086, and iAPX-432 16- and 32-bit microprocessors. AMD was, until now, the prime second source for the Zilog Z8000 16-bit microprocessor and a developer of many of the Z8000 support chips. AMD has disclosed that, although it will continue to manufacture and support its current Z8000 products, it will not do any further development of them. Zilog had recently reduced prices on the Z8002 to $19.90 in 1,000-piece lots. The Intel 8086 is currently selling for $58.50 in lots of 100, with prices rising to $127.40 for the 10-MHz version. However, Japanese suppliers are entering the market with high-volume prices close to $23 and, for delivery 6 months from now, are quoting $14. Motorola is currently charging $91 for the 68000 processor in 25 to 99 quantities, and prices rise to $269 for a 10-MHz part.

The Zilog Z8000 appears to have been caught in a pincer movement between the 8086 and the 68000. The 8086's large base of software and support chips, large number of second sources, and attractive pricing, and the 68000's high-powered performance appear to be making the 16-bit market a two-device show, with the Z8000 getting a low third billing. It is rumored that Zilog's new 32-bit microprocessor will be a migration upward from the Z8000. This feature may prove attractive to system designers and put Zilog back in the race.


Floppy-Disk Format Chaos: The microcomputer industry has created a chaotic situation in 5¼-inch floppy-disk formats. The lack of a standard format has resulted in a multiplicity of disk formats such that disks created on one manufacturer's 5¼-inch disk system cannot be read on another manufacturer's 5¼-inch disk system. Thus, programs created using the CP/M operating system running on a Heath, Intertec, Apple, TRS-80, IBM, or North Star computer cannot be transferred easily from system to system. The problem is most acute for people who wish to copy public-domain software from the CPMUG and SIG/M user-group libraries.

Eight-inch floppy-disk users fortunately have a standard (the IBM 3740 format for single-density disks). Thus, 8-inch disk owners exchange software in single-density format. However, there is no standard for double-density formatting, and 8-inch disk owners are forced to use single density when copying disks and then convert them to their particular double-density format. Virtually every 8-inch disk-controller maker furnishes software for this converting process.

An additional problem has been created by manufacturers who have "improved" their versions of CP/M. In some cases these improvements cause the CP/M system to no longer be compatible

Circle 348 on inquiry card.

MOVE UP TO TARBELL



Tarbell starts where small systems leave off, providing storage from 1 to 20 megabytes. This means Tarbell is capable of growing with your needs.

Here's what you get in the system: Z80 4Mhz CPU with memory management, timer and full interrupt capability, 2 RS-232 serial ports with handshaking, 64 K bytes of random-access memory, double density floppy disk interface, 2 double density floppy disk drives, cabinet, power supply, cables and software including CP/M 2.2, CBASIC, Tarbell BASIC and Tarbell DataBase.

Tarbell makes available word processing, inventory control with bill of materials, mailing lists and other business software.

The Tarbell Empire Series is delivered assembled, tested, and with a FULL six-month warranty on parts and labor.



The One-Stop Shopping Service

950 Dovlen Place, Suite B
Carson, CA 90746
(213) 538-4251

Circle 326 on inquiry card.

QUALITY
SLUDER

CompuPro™ from GODBOUT ELECTRONICS

8MHz 8085/88 SYSTEMS INCLUDE CSC BOARDS 64K STATIC RAM, Interfacer I, Disk 1, CPM* 80, DOUBLE SIDED 8" Drives, Enclosure 2 w/ Constant Voltage Transformer, 20 Slot (10 MHz) MOTHERBOARD & 2 year 48 HOUR EXCHANGE ON BOARDS for only $3995. DEL. FROM STOCK For 8MHz 8086/8087 or 68000 SYSTEM CALL

Seattle Computer Products, Inc.

SEATTLE 8MHz 8086/8087 SYSTEMS INCLUDE FULL SOFTWARE COMPATIBILITY WITH IBM WITH MICRO-SOFT DOS, (CPM*86 w/bios +$275.) AND FULL COMPATIBILITY WITH CPM*86. 1 serial port, 1 parallel port, 70 Nanosecond RAM, Tarbell Disk Controller ALL STANDARD. Drives Extra SYSTEM I w/ 64K RAM $2549. SYSTEM II w/128 K RAM $3325. For 48 HOUR Board Exchange add $200 on System I and $250. on System II

MORROW DESIGNS

MORROW DECISION 1 w/64K STATIC RAM, 3 SER. & 1 parallel port, Desk Top Enclosure, DMA CONTROLLER & 5¼ Dual Sided 48TPI Floppies ONLY $4195 LIST Our Price $3150. w/8" Drs List $4275. Our Price $3206. M/OS $371.

Decision I and M/OS are trademarks of Morrow Designs
UNIX is a trademark of Bell Laboratories, Inc.
CP/M is a trademark of Digital Research Corp.

Prices are subject to change

PC 951 Westminster CA. 92683-0951
714 895-1746
VISA | master charge

ORDER: 1-800-547-2492

IN OREGON CALL

SERVICE: 503-479-4150

ATARI®

400	(16K)	$325
800	(16K)	$739

EPSON

MX-70	$369
MX-801	$459
MX-80FT	$559
MX-100	$739

I.D.S.

445G Printer	$689
460G Printer	$799
560G Printer	$999

OKIDATA

80	$389
82A	$539
83A	$829
84	$1229

OLIVETTI — MODEL 121
w/Magnum Interface to Apple
Use as Typewriter and
Letter Quality Printer $1495

APPLE HARDWARE

MICRO SCI	
(DIRECT APPLE REPLACEMENT)	
A-2 DISK DRIVE	$429
CONTROLLER	$79
VIDEX 80 COLUMN	$269
CORVIS 5 MEG DRIVE	$3049
LOWER CASE ADAPTOR	$39
16K RAM CARD (MICROSOFT)	$149
Z-80 CARD (MICROSOFT)	$329
MICROMODEM (HAYES)	$289
SMARTMODEM (HAYES)	$229
NOVATION MODEMS	
APPLE CAT	$309
AUTO CAT	$209
CAT	$139
D CAT	$149
MOUNTAIN CLOCK	$239
MOUNTAIN MUSIC SYSTEM	$469
MOUNTAIN A/D CONVERTER	$299
MOUNTAIN INTROL/X-10 CARD	$169
MOUNTAIN C.P.S.	$189
10 KEYPAD (A.B.T.)	$99
SUP-R-TERM (80 COLUMN)	$299
SUP-R-MOD R.F. MODULATOR	$24
16K MEMORY EXPANSION	$39
JOYSTICK (T.G.)	$39
9" B&W MONITOR (SANYO)	$145
9" B&W MONITOR (N.E.C.)	$149
12" B&W MONITOR (SANYO)	$189
12" GREEN MONITOR (SANYO)	$229
12" GREEN MONITOR (ZENITH)	$114
12" GREEN MONITOR (BMC)	$255
13" COLOR MONITOR (SANYO)	$385
EPSON CABLE & INTERFACE	$79
EPSON GRAFTRAX	$70
SANYO SLIM II CASS DECK	$29

ATARI HARDWARE

CX-2600 VIDEO GAME	$139
410 PROGRAM RECORDER	$59
810 DISK DRIVE	$429
820 PRINTER	$249
822 PRINTER	$339
825 PRINTER	$579
830 MODEM	$149
850 INTERFACE MODULE	$135
853 16K MEMORY EXPANSION	$79
RAM CRAM	$185

SOFTWARE

VISICALC (ATARI)	$189
BASIC (ATARI)	$$49
VISICALC	$189
VISIDEX	$139
VISIPLOT	$129
VISITERM	$109
VISITREND/PLOT	$179
MICROLAB DATA FACTORY	$129
D B MASTER (STONEWARE)	$179
SUP-R-TEXT II	$109
WORDSTAR	$259
B.P.I. SOFTWARE (each)	$319
SOFT-TECH PAYROLL	$179
STOCK FILE INVENTORY	$369
ADVENTURE	$29
ZORK	$29
SARGON CHESS	$29
GALAXIAN	$22
FUJI CASS TAPE/10	$19
VERBATIM	$25
MAXELL	$38

TERMS:
SHIPPING: Add 3% of total transaction for UPS brown (ground) or 5% for UPS blue (air), Parcel Post, or any special arrangements.
PAYMENT: Cashier's checks, certified checks, money orders, and bank wires honored immediately. Wire transfer funds to U.S. National Bank of Oregon, South Grants Pass Branch. Credit RCE, account number 501-981, to the attention of Rose. Add 2% for Visa and Master Charge. Allow 20 days for personal checks to clear.
REFUNDS: 10% restocking charge on all returns or exchanges. No refunds on opened software. Call first.
GUARANTEE: All products with full manufacturer's warranty. Sanyo and Apple warranty available. We have full repair and service facilities for all electronic repairs with HP, Dynascan, Pioneer, Sanyo and Apple trained and certified technicians. For any technical service call them for instant advice or questions right on their benches at (503) 479-4150.
REPAIRS: Out of warranty guarantee: Labor 30 days from date of your receipt, 90 days on parts. Call for details on quality guaranteed discount repair and reconditioning service.
We have been repairing electronic equipment for 12 years and love it!

VISA | master charge

WRITE FOR CATALOG



RALSTON-CLEARWATERS ELECTRONICS

"A Unique Combination of Quality Products, Competitive Prices, and Service"

530 N.E. 'E' Street • Grants Pass, Ore. 97526

ALL BRAND NAMES ARE REGISTERED TRADE MARKS

Circle 305 on inquiry card.

with other CP/M systems.

The situation appears to be worsening because neither the IEEE nor the manufacturers appear to be concerned with the problem. Buyers of personal computers must be made aware that just because a particular computer uses the CP/M disk operating system, it does not mean that disks will be compatible with other systems that use CP/M. And if the system uses 5¼-inch disks, incompatibility is almost certain.

Amateur-Radio Computer News: The FCC (Federal Communications Commission) is presently considering authorizing amateur radio operators to transmit data not encoded in ASCII (American Standard Code for Information Interchange) or 5-bit (Baudot/Murray) code. This is being done in response to a petition from the ARRL (American Radio Relay League). The FCC is also considering allowing increased sending speeds for ASCII transmission within certain frequency bands.

The ARRL, AMRAD (Amateur Radio Research and Development Corporation), and AMSAT (Radio Amateur Satellite Corporation) recently conducted a conference on amateur-radio computer networking. The purpose was to recognize the innovative work already done by amateurs in the United States and Canada, to explore the possibilities of an integrated amateur packet network, and to set up the framework for orderly growth of a network.

According to Paul L. Rinaldo, chairman of the conference, a two-level approach to network organization is being planned. Local networks centering around VHF (very high frequency) repeater stations will be supplemented by more wide-ranging "backbone" networks. A backbone network is being formed along the eastern seaboard of North America from Norfolk, Virginia, to Montreal, Quebec, with a spur into the Boston, Massachusetts, area. Other centers of activity are Tucson, Arizona; San Francisco, California; and Vancouver, British Columbia.

Most of the testing has been done in the 2-meter and 220-MHz bands at a data rate of 1200 bps (bits per second). AMRAD is seeking a special temporary authorization from the FCC to experiment with higher data rates.

The proceedings of the conference are available for $5 from AMRAD, 1524 Springvale Ave., McLean, VA 22101.

Is "The Last One" The Last One? The Last One, the advertising claims, is "a computer program that writes computer programs" and, further, is "the last program you'll ever need."

The Last One asks the user programming questions and uses the answers to generate a "totally bug-free BASIC program" (to quote the ads). Versions that generate direct machine code and respond to continuous voice input are planned. The Last One was first demonstrated in April 1981 at the West Coast Computer Faire. The vendor, AI Systems, did not start filling orders until November 1981. It claims to have received orders for over 10,000 copies, worth over $6 million (a single copy is $600).

The question now is whether there can be a "last one." AI Systems says that it will require dealers to attend classes on the product and sign an agreement under which they will be fined if they misrepresent The Last One. The vendor admits that an unskilled user could make a mess of a program and that,

although The Last One produces "error-free code," it may not produce an "error-free program." The vendor further admits that the manual requires considerable study, even for someone well versed in programming.

Hence, The Last One is really a program-generating tool. It does not solve a programming problem because it cannot define what it is that the user wants to do with the machine. Rather, it can, once a user is skilled in its use, substantially reduce coding time.

DEC Introduces Single-Chip LSI-11: Digital Equipment Corporation has made available a single-chip, 40-pin version of its popular 16-bit LSI-11 microprocessor (previously a 4-chip set). Unfortunately, hardware multiply and divide were not included. The device is used on a new single-board computer called the Falcon (or T-11). The board contains 4K bytes of read/write memory and sockets for 4K bytes more, as well as 32K bytes of ROM (or 16K bytes of ROM and 8K bytes of read/write memory). The board also contains two serial ports, 24 parallel I/O lines, a real-time clock, and DEC's standard LSI-11 bus interface.

Intel Enters the Microcomputer Business: It was inevitable—Intel has finally entered the computer systems business. Intel has had all the components but has never integrated them into a complete system. Now it has finally formed an "OEM Microcomputer Systems Division" to market the System 86/330. The complete system is intended to be sold by systems houses dealing in turnkey systems. In other words, Intel supplies everything but the actual application software.


The System 86/330 uses Intel's 8086 16-bit microprocessor in a Multibus housing with 320K bytes of programmable memory, 35M-byte Winchester disk, and 1M-byte floppy-disk drive, all housed in a desktop unit. Options include interfaces to IEEE-488, RS-232C, RS-422, RS-449, Ethernet, and more. Disk operating systems include iRMX-86, CP/M-86, MD-DOS, or Unix. Performance is claimed to cover the range from the DEC PDP-11/23 up to the PDP-11/70 products. Prices to OEMs start at $19,000 each. Watch out, DEC—Intel is coming on strong.

Apple Doings: A. C. "Mike" Markkula, President of Apple Computer Inc., at a recent computer-conference panel discussion, shocked the audience by telling them that Apple Computer will try to "diligently eliminate what is now commonly referred to as 'software protection.'" He stated that "users should be allowed to have as many copies of a software program as necessary to do the application." Ironically, seated at the panel table was a representative from Atari, which has been advertising that it will pursue and legally prosecute anyone caught unlawfully copying its software.

Apple has also announced

Circle 226 on inquiry card.

Circle 407 on inquiry card.



GETS FILES ACROSS!

With ***REFORMATTER*** disk utilities you can read and write IBM 3740 and DEC RT-11 single density formatted diskettes on your CP/M® system.

REFORMATTER enables you to access large system databases, improve data exchange with other organizations, increase program development capabilities, and use your micro in distributed processing.

REFORMATTER programs feature bi-directional data transfer and full directory manipulation. ASCII/EBCDIC conversion provided with CP/M ↔ IBM. *MP/M is now fully supported.*

Program Data Sheets, Application Guides, and Machine Compatibility Guides available.

Each program $195.00 from stock. Specify CP/M ↔ IBM or CP/M ↔ DEC. Order from MicroTech Exports, Inc., 467 Hamilton Ave., Suite 2, Palo Alto, CA 94301 ☐ Tel: 415/324-9114 ☐ TWX: 910-370-7457 MUH-ALTOS ☐ Dealer and OEM discounts available.

CP/M® is a registered trademark of Digital Research.



SAVE $600.00 On TRS-80® 48K Model III

TRADEMARKS:
TRS-80 and TRSDOS/Radio Shack/Tandy Corp.
LDOS/Logical Systems Inc.
Kit III/Morgan Products Inc.

Limited Supply Now Available For The Low-Low Price Of $1895.00

Includes all the standard basic features of the TRS-80® Model III with 48K of RAM and disk expansion Kit III™ with two 40 track double density disk drives.

Also available — TRS-80® Model III same as above with two 80 track disk drives for only **$2145.00**

If You Own A 16K Model III.

You can easily expand your capabilities with our low cost disk expansion Kit III.™

Completely compatible with TRSDOS™ and LDOS,™ the Kit III™ single drive assembly includes: One 40 track 5¼" double density disk drive, power supply, floppy disk control card, mounting hardware, applicable cables and instructions. **ONLY $599.00**

Also available — Kit III™ same as above with one 80 track disk drive for only **$724.00**

LDOS™ disk operating system **$99.95**

Printers available . . . call for more information.

Call TOLL FREE (800) 851-4614
In Illinois Call (618) 233-0018

We accept: Visa, Master Charge, Certified Checks (Personal checks require three weeks clearance), Money Orders, and C.O.D.



Morgan Products Incorporated 104 Berkshire Drive Belleville, Illinois 62223

Circle 235 on inquiry card.

a 237% year-end increase in income, to $39.4 million on a 186% increase in sales (to $334.8 million). Expenditures for research and development in fiscal 1981 were $21 million, compared to $7.3 million in 1980.

Radio Shack's Own Information Service: Tandy Corporation, parent company of Radio Shack, has begun to operate its own electronic information database service. The Tandy Videotex System is as yet offered only in Tarrant County, Texas (wherein lies Fort Worth, site of Tandy's headquarters), but it provides subscribers with continuously updated information, on demand, around the clock.

Tandy is inviting providers of specialized information to join the venture, while launching the service with the generalized staple diet familiar to users of other videotex systems: general news from local, regional, and national sources; sports news; special events; business and financial news; and weather forecasts.

During the initial marketing test period, the databases will be maintained on TRS-80 Model II computers using the newly developed TRS-80 Communications Multiplexer.

Tandy is also in the process of installing TRS-80 disk-based computer systems in each of its 4000 company-owned retail stores in the U.S. Each system will do detached processing and then communicate inventory and billing information to the firm's central computers in Fort Worth.

Quote of the Month: "The current personal computer market is about the same size as the total potato-chip market. Next year it will be about half the size of the pet-food market and is fast approaching the total worldwide sales of panty hose." James Finke, President, Commodore International Ltd.

MAIL: I receive a large number of letters each month as a result of this column. If you write to me and wish a response, please include a self-addressed, stamped envelope.

Sol Libes
POB 1192
Mountainside, NJ 07092

BYTE's Bits

Software Authors' Association Formed

The Computer Writers' Association (CWA) has been formed to assist authors in situations involving legal rights, publishing standards, and a host of other difficulties that they confront when trying to sell software. The CWA is working on developing a standardized contract language between software writers and publishers, retaining legal counsel, publishing standards on plagiarism, and printing a regular newsletter. The CWA will offer new authors advice on how to break into the industry. A data bank will be established for members. Regular meetings will be held.

Anyone with resources, organizational skills and ideas should contact the Computer Writers' Association, POB 6312, Minneapolis, MN 55406, (612) 333-6060.

Circle 134 on inquiry card.

forth

for PET/CBM

FORTH is a new concept in programming, with the speed of compilers and interactive ease of BASIC. Programs become a part of FORTH extending the power of FORTH and your PET.

8050, 4040 disk, cassette all PET-CBMs 16k+

Starter	fig-FORTH w editor assembler	$35
Personal	floating point; strings; source	$75
Professional	turnkey development/data base	$259

F S S







computers

1983 Rio Grande
Austin, Texas
78705

1-512-477-2207

P.O. Box 8403
Austin, Texas
78712



DEALERS INQUIRE



QUALITY parts at DISCOUNT PRICES

RFI LINE FILTER
for line to line & line to ground noise suppression
CORCOM # 10K6
Rated: 10 amp
115/250 v 50-400 hz
$ 3.75 ea. 10 for $35.00

750 MFD 330 V PHOTO FLASH
2" HIGH X 1 1/4" DIA.
$1.25 EACH
10 FOR $11.00

MINI SIZE BUZZERS
1½ to 3 volts
WITH WIRE LEADS 75¢ each
1½ to 3 volts
WITH PIN TERMINALS 75¢ each
3 to 7 volts
WITH PIN TERMINALS 75¢ each

4PDT PRINTED CIRCUIT 12 VDC



14 pin style
3 amp contacts
BRAND NEW
P.C. Mount
$ 2.75 EA.

TYPE N CONNECTOR
KINGS UG 526 B-U
FITS RG55, RG58, RG141
RG142, RG223
SOLDER TYPE
$1.75 each 10 for $16.00

MRF 901
MICROWAVE TRANSISTOR
$ 3.00 EA.

SEND FOR OUR 40 PAGE CATALOG Free! Free!

COMPUTER GRADE CAPACITOR
3,600 mfd. 40VDC $1.00
1 3/8" DIA. X 3" HI
6,400 mfd. 60VDC $2.50
1 3/8" DIA X 4 1/4"
20,000 mfd. 25VDC
2" DIA. X 2½" HIGH $2.00
22,000 mfd. 25VDC
2" DIA X 2 1/2" HIGH $2.50
22,000 mfd. 40VDC
2" DIA. X 6" HIGH $3.00
45,000 mfd. 25 VDC
2" DIA. X 4" HIGH $3.50
52,000 mfd. 15 VDC
2" DIA X 4 1/2" HIGH $3.00
72,000 mfd. 15 VDC
2" DIA. X 4" HIGH $3.50
CLAMPS TO FIT CAPACITORS 50¢ ea.

L.E.D.'s
STANDARD JUMBO DIFFUSED
RED 10 FOR $1.50
GREEN 10 FOR $2.00
YELLOW 10 FOR $2.00
FLASHER LED
5 VOLT OPERATION
JUMBO SIZE
2 FOR $1.70
BI POLAR LED
2 FOR $1.70
SUB MINI LED
.079" X .098"
20mA at 1.75v
10 FOR $1.00
200 FOR $18.00
QUANTITY PRICES AVAILABLE

14 CONDUCTOR RIBBON CABLE



SCOTCHFLEX #3365
28 AWG STRANDED
GRAY WITH RED MARKER
10 FEET for $2.50
100 FOOT ROLL $12.00

TRANSFORMERS
120 volt primaries



6 VOLTS at 150 mA	$1.25
12 V.C.T. at 500 mA	$2.50
16.5 V. at 3 AMPS	$6.50
18 VOLTS at 1 AMP	$4.50
25.2 VCT at 2.8 AMP	$5.50

2" ALLIGATOR CLIPS



7 clips for $1.00
100 clips for $12.00
500 clips for $50.00

ALL ELECTRONICS CORP.
905 S. Vermont Ave.
P.O. BOX 20406
Los Angeles, Calif. 90006
(213) 380-8000
Mon. - Fri. 9 AM - 5 PM
Saturday 10 AM - 3 PM


TERMS
- Quantities Limited
- Min. Order $10.00
- Add $ 2.50 Shipping USA
- Calif. Res. Add 6%
- Prompt Shipping


Circle 11 on inquiry card.

APPLESCOPE

DIGITAL STORAGE OSCILLOSCOPE

Interface for the Apple II Computer





The APPLESCOPE system combines two high speed analog to digital converters and a digital control board with the high resolution graphics capabilities of the Apple II computer to create a digital storage oscilloscope. Signal trace parameters are entered through the keyboard to operational software provided in PROM on the DI control board.

- DC to 3.5 Mhz sample rate with 1024 byte buffer memory
- Pretrigger Viewing
- Programmable Scale Select
- Continuous and Single Sweep Modes
- Single or Dual Channel Trace
- Greater than or less than trigger threshold detection

Price for the two board Applescope system is **$595**
EXTERNAL TRIGGER ADDAPTER **$29**

APPLESCOPE EXPANSION CAPABILITY

APPLESCOPE - HR12 High resolution 12 bit analog to digital converter with sample rates to 100 Khz. Software included on disk. Price per channel **$695**

APPLESCOPE - HRHS High Resolution AND High Speed. Combines two 6 bit flash Analog to Digital converters to give 10 bit converter accuracy at a maximum 7 Mhz. sampling rate. Software included on disk. Price per channel **$695**

SCOPE DRIVER Advanced software for the Applescope system provided on 5¼" floppy disk. Available options include:

- Signal Averaging - Acquires 1 to 255 signal sweeps and displays the averaged result.
- Digital Volt Meter - Allows use as a real time DVM or use to measure points on an acquired sweep.
- Hard Copy - Uses graphics printer to produce hardcopy output of displayed traces.
- Disk Storage - Allows automatic storage and recover of acquired data on floppy disks.
- Spectrum Analyzer - Calculates and displays frequency spectrum of acquired data.

The basic SCOPE DRIVER package cost is **$49** plus **$10** for each selected option.

BUS RIDER
LOGIC ANALYZER for the APPLE II

The BUS RIDER circuit card silently rides the Apple II peripherial bus and allows real time tracking of program flow. Software provided on EPROM allows set up of trace parameters from the keyboard and read back of disassembled code after a program has been tracked.

- 32 bit by 1024 sample memory buffer
- Monitors Data and Address bus plus 8 external inputs
- Trigger on any 32 bit word or external trigger
- Pretrigger viewing

The BUS RIDER is an invaluable development tool for anyone working with Apple II or Apple II+ computers. Price **$295**

Apple II BUS EXTENDERS **$19.95**
Allow easy access to Apple II peripherial circuit cards.

SCOPE PROBES 100 Mhz. Bandwidth X1 & X10 switch selectable oscilloscope probes. Price each **$49.95**

For further information contact:
VISA Master Charge
Dealer Inquiries Invited

RC ELECTRONICS INC.
7265 Tuolumne Street
Goleta, CA 93117
(805) 968-6614

Circle 302 on inquiry card.

6809 Machine-Code Disassembler

Joseph L. Dubner
PSC Box 103
APO San Francisco, CA 96366

Any 6809-based system can use a resident disassembler whose purpose is to decipher various postbytes, relative addresses, and many op code mnemonics, thus making it easier for the assembly-language programmer to inspect the contents of memory. Although it produces no labels or machine-readable code that can be directly reassembled, the disassembler described here is fast and small (less than 2K bytes). In addition it is both reentrant and relocatable, allowing it to be placed anywhere in RAM (random-access memory) or ROM (read-only memory) while functioning normally. You can program this disassembler into an EPROM (erasable programmable read-only memory) and plug it into any EPROM socket with no change in operation.

A couple of techniques are used to make the program relocatable. First, program counter (PC) relative indexed addressing, rather than immediate addressing, is used to load the data-table starting addresses into an index register. During execution the index register is loaded with the program counter plus or minus the distance to the table, instead of with an absolute address. When relocating the program to another memory area, the program counter component of the address will still point to the table when added to the same offset. The assembler accomplishes the hard part of all of this—calculating the distance from the instruction to the table.

Another technique used for writing relocatable code is to store temporary variables on the stack rather than in absolute memory locations. The 6809, with its two stack pointer registers, makes this easy. First the user-stack register (U) is loaded with the current top-of-stack address. Next the system-stack pointer (S) is adjusted downward to leave room for the variables on the stack. This step is necessary to keep subroutine calls and interrupts from clobbering the variables on the stack. As long as the U register is not changed, variables can be referenced to their position on the U stack workspace simply by using constant offset indexed addressing (i.e., LDA VARIABLE1,U). As much stack space may be reserved as necessary, as long as the computer has RAM available. Of course the user workspace must be returned to the system stack at the completion of the routine.

Since all of the temporary variables are on the stack, and assuming the stack can grow in size as necessary, the program can be interrupted in midexecution and called by another user program without changing any of the temporary variables. This reentrant feature allows the program to appear to service two or more users simultaneously under interrupt control. Of course, when using a disassembler in this mode, multiple output devices should be provided, or the outputs will be mixed and meaningless.

What does all of this cost? Well, like anything else there's the usual trade-off of speed and memory usage. While PC relative and constant offset indexed instructions operate somewhat more slowly than their immediate and extended or direct addressed counterparts, the speed penalty is not noticeable when the program is I/O (input/output) limited, as is this one. And while an additional byte is necessary for the indexed mode's postbyte, the postbye can sometimes include the constant offset, resulting in a saving of 1 byte of memory over extended addressing.

Using these techniques, the disassembler program in listing 1 was written as a subroutine which disassembles one machine-code instruction (1 to 5 bytes) and returns to its calling program—perhaps a monitor or software breakpoint routine. The sample output of listing 2 shows a portion of the disassembler working on itself. The memory address as well as the machine code are shown, followed by the mnemonic of the op code. The mnemonic's operand is deciphered to make offsets, target addresses, and addressing modes more readable.

Text continued on page 362

Circle 7 on inquiry card.

Circle 112 on inquiry card.

HAVE YOUR CAKE AND EAT IT TOO



As Low As $690†

IT'S A PIECE OF CAKE TO CONNECT AN ACTEK TRIX I INTERFACE TO YOUR OLIVETTI PRAXIS 30 OR 35 CORRECTING ELECTRONIC TYPEWRITER. DAISY WHEEL QUALITY AT DOT MATRIX PRICES!

- 10+ CPS
- 15 MINUTE INSTALLATION
- HALFSPACE JUSTIFICATION
- CABLE REMOVES IN SECONDS
- TYPEWRITER FUNCT. UNIMPAIRED
- AVAILABLE NOW: ATARI & APPLE
- OTHER DIRECT CONNECTIONS AND RS232 AVAILABLE SOON
- PRINT AND PRINT #N OPERATE
- NO INTERFACE NEEDED: USES FRONT CONNECTOR - ATARI USES CONTROLLER PLUG - APPLE
- PRICE: $215 - APPLE ADD $10 †BASED ON WARDS PR30 PRICE
- TYPEWRITER AND SERVICE WIDELY AVAILABLE



12225 SW 2nd/SUITE 200-B
P.O.B. CCC
BEAVERTON, OR 97075

$3150 COMPLETE 64 K SYSTEM

NEC

PC 8000 Computer System

- PC 8001A Z80 Microcomputer
- PC 8031A 5¼" Disk Drive
- PC 8023 Printer - 100 CPS
- JB 1201M 12" Green Monitor
- NC 8500 Wedge

64 K RAM
CP/M®
Joy Stick Ports

RS-232 Interface
4 Channel Sound/Music
325K Disk Storage

COMPLETE 64K SYSTEM
$3150

Free Freight on Prepaid items

Du Wayne Industries
5574 Firestone Road
Livermore, CA 94550
(415) 932-4373

SAVE UP TO $750.00 NOW

on TRS-80™ & Hewlett-Packard® Computers With This Coupon*

Now you can own a great little computer at a great big discount off the manufacturer's list price. For home or office use, the Radio Shack® line of computers is first in quality, performance and price.

- **FREE SHIPPING** in the 48 continental contigious states on prepaid orders of $100 or more.
- **NO SALES TAX** collected on out-of-state orders.
- **CONVENIENT ORDERING** — Call us **TOLL FREE — 800/531-7466**
- **FREE COMPLETE PRICE LIST** available upon request.



TRS-80 Model II

Catalog Number	Description	List Price	Cashier's Check	Cash Price You Save
Radio Shack® TRS-80 Model II				
26-4002	64K 1-Disk Model II	3,899.00	3,299.00	600.00
26-4150	Model II Hard Disk System (Installation Not Included)	4,495.00	4,045.50	449.50
Radio Shack® TRS-80 Model III				
26-1062	Model III 16K	999.00	859.00	140.00
26-1065	Model III 48K — 1 Disk	1,995.00	1,795.50	199.50
26-1066	Model III 48K — 2 Disk	2,495.00	2,099.00	396.00
Radio Shack® TRS-80 Color Computer				
26-3001	4K Color Computer	399.00	315.00	84.00
26-3002	16K Color Computer	599.00	475.00	124.00
26-3003	32K Color Computer	699.00	585.00	114.00
Hewlett-Packard® HP-85A Personal Computer		3,250.00	CALL FOR PRICE	
Hewlett-Packard® HP-125		3,750.00	2,999.00	751.00

Pan American Electronics

CALL TOLL FREE 800/531-7466 • Texas & Principal Number 512/581-2766 • Telex 767339
Dept. 14 • 1117 Conway Avenue • Mission, Texas 78572
FORT WORTH BRANCH:
2912 N. Main, Fort Worth, Texas 76106 • Phone Number 817/625-6333

TRS-80 is a Trademark of Tandy Corp. *With This Coupon Only! — Offer expires 3/31/82 Prices subject to change without notice — Slightly higher for Credit Card Orders.

Circle 277 on inquiry card.

Listing 1: *The 6809 machine-code disassembler program.*

```
                        )*** DISAS9, 6809 MACHINE CODE DISASSEMBLER
                        )* VER 1.1, JUN 1981, J. DUBNER
                        )
                        )* THIS SUBROUTINE DISASSEMBLES 6809 MACHINE CODE TO THE
                        )* CONSOLE.  IT IS COMPLETELY POSITION INDEPENDENT AND
                        )* REQUIRES NO RAM OTHER THAN ABOUT 90 BYTES ON THE STACK.
                        )
                        )* ON ENTRY X:= ADDRESS TO BEGIN DISASSEMBLING, Y:= ADDRESS
                        )* OF MONITOR'S OUTPUT ROUTINE.
                        )* ON EXIT X:= ADDRESS OF NEXT INSTRUCTION TO DISASSEMBLE,
                        )* Y IS RESTORED
                        )
                        )* (+) AND (+) ARE MY PRINTER'S CHARACTERS FOR SQUARE
                        )* BRACKETS (ASCII $5B AND $5D) AND SIGNIFY INDIRECT
                        )* ADDRESSING
                        )
                        )*** USER STACK ORGANIZATION
                        )* TEMPORARY STORAGE
0000                    )OUTCH  RMB    2        MONITOR'S OUTPUT CHARACTER ROUTINE
0002                    )CURADR RMB    2        CURRENT DISASSEMBLY ADDRESS
0004                    )WRKADR RMB    2        WORKING ADDRESS
0006                    )LENGTH RMB    1        INSTRUCTION LENGTH
0007                    )PAGE   RMB    1        OP CODE PAGE
0008                    )OPCD   RMB    1        OP CODE
0009                    )POSTB  RMB    1        OP CODE SECOND BYTE
000A                    )BYTE1  RMB    1        MSB OF OPERAND
000B                    )BYTE2  RMB    1        LSB OF OPERAND
000C                    )INDFLG RMB    1        INDIRECT ADDRESSING FLAG
000D                    )INDBYT RMB    1        INDEXED ADDRESSING BYTE
000E                    )NXTBUF RMB    2        NEXT AVAILABLE BYTE OF OUTPUT BUFFER
                        )
                        )* OUTPUT BUFFER
     0010               )BUFFER EQU    *        START OF OUTPUT BUFFER
0010                    )       RMB    4        ADDRESS
0014                    )       RMB    1
0015                    )       RMB    2        PAGE HEX BYTES
0017                    )       RMB    2        OPCODE HEX BYTES
0019                    )       RMB    2        POST BYTE HEX BYTES
001B                    )       RMB    1
001C                    )HEXB   RMB    4        OPERAND HEX BYTES
0020                    )       RMB    2
0022                    )MNEM   RMB    5        OP CODE MNEMONIC
0027                    )       RMB    1
0028                    )OPRAND RMB    21       OPERAND PLUS CR, LF, EOL
     003D               )ENDBUF EQU    *        END OF BUFFER
                        )
                        )       ORG    $0
                        )*** INITIALIZATION
0000 34    66           )DISAS  PSHS   A,B,Y,U  PRESERVE REGISTERS
0002 33E8  C3           )       LEAU   OUTCH-ENDBUF,S
0005 1F    34           )       TFR    U,S      SET UP WORKSPACE ON STACK
0007 AF    42           )       STX    CURADR,U SAVE ADDRESS TO DISASSEMBLE
0009 10AF  C4           )       STY    OUTCH,U  SAVE OUTPUT CHAR ROUTINE ADDRESS
                        )
000C 30    46           )       LEAX   LENGTH,U INITIALIZE TEMPORARY VARIABLES
000E C6    0A           )       LDB    #BUFFER-LENGTH
0010 6F    80           )INIT1  CLR    ,X+
0012 5A                 )       DECB
0013 26    FB           )       BNE    INIT1
0015 86    20           )       LDA    #$20     INITIALIZE BUFFER WITH BLANKS
0017 C6    2D           )       LDB    #ENDBUF-BUFFER
0019 A7    80           )INIT2  STA    ,X+
001B 5A                 )       DECB
001C 26    FB           )       BNE    INIT2
001E AE    42           )       LDX    CURADR,U INITIALIZE WORKING ADDRESS
0020 AF    44           )       STX    WRKADR,U
0022 6C    46           )       INC    LENGTH,U INSTRUCTION LENGTH AT LEAST 1 BYTE
                        )
                        )*** MAIN PROCEDURE
0024 E6    80           )       LDB    ,X+      GET FIRST BYTE OF MACHINE CODE
0026 C1    10           )       CMPB   #$10     PAGE 1?
0028 27    04           )       BEQ    MAIN1    YES
002A C1    11           )       CMPB   #$11     NO, PAGE 2?
002C 26    06           )       BNE    MAIN2    NO, MUST BE OP CODE
                        )
002E E7    47           )MAIN1  STB    PAGE,U   SAVE PAGE
0030 6C    46           )       INC    LENGTH,U LENGTH AT LEAST 2 BYTES
0032 E6    80           )       LDB    ,X+      GET OPCODE
```

Listing 1 continued on page 344

Circle 43 on inquiry card.

Circle 400 on inquiry card.

Circle 119 on inquiry card.

Listing 1 continued:

```
                  >
0034 AF    44     >MAIN2   STX     WRKADR,U  SAVE WORKING ADDRESS
0036 E7    48     >        STB     OPCD,U    SAVE OPCODE
0038 C1    80     >        CMPB    #$80      OPCODES $80-FF?
003A 24    08     >        BHS     MAIN3     YES, CONVERT TO $40-4F
003C C1    40     >        CMPB    #$40      OPCODES $40-7F?
003E 25    08     >        BLO     MAIN4     NO
0040 C4    0F     >        ANDB    #$0F      YES, CONVERT TO $00-0F
0042 20    04     >        BRA     MAIN4
                  >
0044 C4    0F     >MAIN3   ANDB    #$0F      CONVERT TO $40-4F
0046 CA    40     >        ORB     #$40
                  >
0048 86    04     >MAIN4   LDA     #4        MULTIPLY BY 4 TO CALCULATE ADDRESS
004A 3D           >        MUL                 OF ENTRY IN MNEMONIC TABLE
004B 30ED  051C   >        LEAX    MNTAB,PC
004F 30    8B     >        LEAX    D,X       X POINTS TO ENTRY IN TABLE
0051 31C8  22     >        LEAY    MNEM,U    Y POINTS TO SPACE IN BUFFER
0054 C6    04     >        LDB     #4
0056 A6    80     >MAIN5   LDA     ,X+       TRANSFER OPCODE MNEMONIC FROM TABLE
0058 A7    A0     >        STA     ,Y+         INTO BUFFER
005A 5A           >        DECB
005B 26    F9     >        BNE     MAIN5
                  >
005D 30C8  28     >        LEAX    OPRAND,U  POINT TO OPERAND POSITION IN BUFFER
0060 AF    4E     >        STX     NXTBUF,U
                  >
0062 A6C8  22     >        LDA     MNEM,U    GET FIRST CHAR OR MNEMONIC
0065 81    2A     >        CMPA    #'*       ILLEGAL OPCODE?
0067 1027  02B7   >        LBEQ    ILEGOP    YES
                  >
                  >* SELECT APPLICABLE PROCESSING ROUTINES
006B A6    48     >        LDA     OPCD,U
006D 81    C0     >        CMPA    #$C0
006F 1024  0247   >        LBHS    OPC0
```

Listing 1 continued on page 346

Listing 1 continued:

```
0073 81   80     >        CMPA   #$80
0075 1024 0182   >        LBHS   OP80
0079 81   40     >        CMPA   #$40
007B 24   12     >        BHS    OP00
007D 81   30     >        CMPA   #$30
007F 1024 00F5   >        LBHS   OP30
0083 81   20     >        CMPA   #$20
0085 1024 00BD   >        LBHS   OP20
0089 81   10     >        CMPA   #$10
008B 24   3C     >        BHS    OP10
008D 20   00     >        BRA    OP00
                 >
                 >*** OPCODES 00-0F AND 40-7F
                 >* TRAP ILLEGAL OPCODES
008F 6D   47     >OP00    TST    PAGE,U    MUST BE PAGE 0
0091 26   08     >        BNE    OP01
0093 81   4E     >        CMPA   #$4E      $4E AND $5E NOT VALID
0095 27   04     >        BEQ    OP01
0097 81   5E     >        CMPA   #$5E
0099 26   03     >        BNE    OP02
009B 16   0284   >OP01    LBRA   ILEGOP    ILLEGAL OPCODE EXIT
                 >
                 >* REGISTER ADDRESSING
009E 84   F0     >OP02    ANDA   #$F0
00A0 C6   41     >        LDB    #'A
00A2 81   40     >        CMPA   #$40      A-REG?
00A4 27   06     >        BEQ    OP03      YES
00A6 81   50     >        CMPA   #$50      B-REG?
00A8 26   07     >        BNE    OP04      NO
00AA C6   42     >        LDB    #'B       YES
00AC E7C8 25     >OP03    STB    MNEM+3,U  PUT REGISTER INTO MNEMONIC
00AF 20   15     >        BRA    OP07
                 >
                 >* INDEXED ADDRESSING
00B1 81   60     >OP04    CMPA   #$60
00B3 26   05     >        BNE    OP05
00B5 17   0285   >        LBSR   INDEX     PROCESS INDEXED MODE
00B8 20   0C     >        BRA    OP07
                 >
                 >* EXTENDED ADDRESSING
00BA 81   70     >OP05    CMPA   #$70
00BC 26   05     >        BNE    OP06
00BE 17   03C1   >        LBSR   EXTEND    PROCESS EXTENDED MODE
00C1 20   03     >        BRA    OP07
                 >
                 >* DIRECT ADDRESSING
00C3 17   03AE   >OP06    LBSR   DIRECT    PROCESS DIRECT ADDRESSING MODE
00C6 16   041B   >OP07    LBRA   FINISH    FINISH UP
                 >
                 >*** OPCODES 10-1F
                 >* TRAP ILLEGAL OPCODES
00C9 E6   47     >OP10    LDB    PAGE,U    MUST BE PAGE 0
00CB 27   03     >        BEQ    OP12
00CD 16   0252   >OP11    LBRA   ILEGOP
                 >
                 >* PROCESS LONG BRANCHES
00D0 81   16     >OP12    CMPA   #$16
00D2 27   04     >        BEQ    OP13
00D4 81   17     >        CMPA   #$17
00D6 26   03     >        BNE    OP14
00D8 16   0080   >OP13    LBRA   OP23      PROCESS LIKE 20-2F
                 >
                 >* PROCESS CC INSTRUCTIONS
00DB 81   1A     >OP14    CMPA   #$1A
00DD 27   09     >        BEQ    OP15
00DF 81   1C     >        CMPA   #$1C
00E1 26   10     >        BNE    OP17
00E3 86   43     >        LDA    #'C       FIX 'ANDCC'
00E5 A7C8 26     >        STA    MNEM+4,U
00E8 86   23     >OP15    LDA    #'#
00EA 17   03F0   >        LBSR   PUTCH     PRINT AS IMMEDIATE MODE
00ED 17   0384   >        LBSR   DIRECT    PROCESS LIKE DIRECT ADDRESSING
00F0 16   03F1   >OP16    LBRA   FINISH
                 >
                 >* PROCESS REGISTER TRANSFER INSTRUCTIONS
00F3 81   1E     >OP17    CMPA   #$1E
00F5 25   F9     >        BLO    OP16      PROCESS REMAINING 1-BYTE INSTRUCTIONS
00F7 6C   46     >        INC    LENGTH,U
00F9 EED8 04     >        LDB    [WRKADR,U] GET POST BYTE
00FC E7   4A     >        STB    BYTE1,U
00FE C4   88     >        ANDB   #$88      CHECK BOTH REGISTERS SAME SIZE
```

Listing 1 continued on page 348

Listing 1 continued:

```
0100 27    04    )        BEQ    OP18
0102 C1    88    )        CMPB   #$88
0104 26    C7    )        BNE    OP11      ILLEGAL OPCODE IF NOT SAME
                 )
0106 E6    4A    )OP18    LDB    BYTE1,U
0108 54          )        LSRB             SHIFT IN SOURCE NIBBLE
0109 54          )        LSRB
010A 54          )        LSRB
010B 54          )        LSRB
010C 8D    13    )        BSR    REG       GET SOURCE REGISTER
010E 81    2A    )        CMPA   #'*       CHECK FOR INVALID REGISTER
0110 27    BB    )        BEQ    OP11
0112 86    2C    )        LDA    #',       PUT COMMA IN BUFFER
0114 17    03C6  )        LBSR   PUTCH
0117 E6    4A    )        LDB    BYTE1,U
0119 8D    06    )        BSR    REG       GET DESTINATION REGISTER
011B 81    2A    )        CMPA   #'*       CHECK FOR INVALID REGISTER
011D 27    AE    )        BEQ    OP11
011F 20    CF    )        BRA    OP16
                 )
0121 C4    0F    )REG     ANDB   #$0F      MASK OFF HIGH NIBBLE
0123 30ED  042C  )        LEAX   REGTAB,PC
0127 A6    85    )        LDA    B,X       GET REGISTER NAME FROM TABLE
0129 17    03B1  )        LBSR   PUTCH
012C C1    05    )        CMPB   #$05
012E 26    04    )        BNE    REG1
0130 86    43    )        LDA    #'C       FIX 'PC'
0132 20    0E    )        BRA    REG3
0134 C1    0A    )REG1    CMPB   #$0A
0136 26    04    )        BNE    REG2
0138 86    43    )        LDA    #'C       FIX 'CC'
013A 20    06    )        BRA    REG3
013C C1    0B    )REG2    CMPB   #$0B
013E 26    05    )        BNE    REG4
0140 86    50    )        LDA    #'P       FIX 'DP'
0142 17    0398  )REG3    LBSR   PUTCH
0145 39          )REG4    RTS
                 )
                 )*** OPCODES 20-2F
                 )* TRAP ILLEGAL OPCODES
0146 E6    47    )OP20    LDB    PAGE,U
0148 C1    11    )        CMPB   #$11      MUST BE PAGE 0 OR 1
014A 27    08    )        BEQ    OP21
014C 81    20    )        CMPA   #$20      'BRA' MUST BE PAGE 0
014E 26    07    )        BNE    OP22
0150 C1    00    )        CMPB   #$00
0152 27    03    )        BEQ    OP22
0154 16    01CB  )OP21    LBRA   ILEGOP
                 )
                 )* PROCESS LONG BRANCHES
0157 C1    10    )OP22    CMPB   #$10      LONG BRANCHES ON PAGE 1
0159 26    18    )        BNE    OP26
015B C6    03    )OP23    LDB    #3        CHANGE MNEMONIC TO LONG BRANCH FORM
015D 30C8  24    )        LEAX   MNEM+2,U
0160 A6    80    )OP24    LDA    ,X+
0162 A7    84    )        STA    X
0164 30    1E    )        LEAX   -2,X
0166 5A          )        DECB
0167 26    F7    )        BNE    OP24
0169 86    4C    )        LDA    #'L
```

Listing 1 continued on page 350

Circle 45 on inquiry card.

In Less Than 3 Minutes

Your IBM Model 50, 60, or 75 Electronic Typewriter can be an RS232C PRINTER or TERMINAL



CALIFORNIA MICRO COMPUTER Models 5060 and 5061 can be installed easily and require NO modifications to the typewriter.

For additional information contact:

CALIFORNIA MICRO COMPUTER
9323 Warbler Ave., Fountain Valley, CA.
92708 (714) 968-0890

STATPRO:

MAINFRAME STATISTICS ON AN APPLE

Statpro is a PASCAL software package designed for the professional researcher seeking solutions with a minimum of effort.

Statpro is grouped into a modular format for sales purposes yet which allows the user to transfer data between modules and other programs with easy to use prompts.

Statpro modules include:

(1) Real number data base	(2) Data transformations
(3) Questionnaire database	(4) Mailing label database
(5) General category database	(6) Graphic printing & editing
(7) Corvus & profile compatible	(8) Sample data for first time use
(9) Does cross tabulation	(10) Descriptive statistics
(11) Scatter & Histogram plotting	(12) Regression analysis
(13) Analysis of variance	(14) Bibliographic analysis

Statpro is an integrated database system designed for extensive number crunching, including linear and non-linear regression, step-wise and multiple regression, and analysis of variance.

Statpro, unique in being non-memory dependent allows databases to be limited in size only by disk space. **Statpro** can enter, receive, send, sort, and transform data.

Transformations include Arithmetic Logarithmic, Exponential, Trigonometric, Powers & Square Roots, Conversions, Random Numbers, Standardized Observations and over 40 English to Metric or Metric to English conversions. **Statpro** contains several statistical analysis programs, all interlinked and designed to analyze the database records.


Among other features, **Statpro** has extensive color graphic capabilities, a graphic screen editor, multiple plots per screen, user or computer defined access limits, and choice of symbols and lines. Printing a graph takes only 30 to 120 seconds depending on whether the printer is an Anadex, Epson, Paper Tiger or Silentype.

Apple III version now available.
(send for brochure)

BLUE LAKES

Blue Lakes Computer
3240 University Ave.
Madison, WI 53705
(608) 233-6502

Z8 BASIC COMPUTER/CONTROLLER




As featured in Byte Magazine, July and August 1981

- On board tiny BASIC Interpreter.
- 2 on board parallel ports.
- Serial I/O port
- 6 interrupts.
- Just attach a CRT terminal and immediately write control programs in BASIC.
- BAUD RATES 110-9600 BPS.
- Data and address buses available for 124K memory and I/O expansion.
- 4K RAM, 2716 or 2732 EPROM operation.
- Consumes only 1½ WATTS

Z8 Basic Microcomputer/Controller
Assembled & Tested........$195.00
Complete Kit..............$165.00
Universal Power Supply
(+5, +12, & -12v)..........$ 35.00

Z8 is a trademark of Zilog Inc.

SWEET-TALKER, IT GIVES YOUR COMPUTER AN UNLIMITED VOCABULARY.




As Featured In Byte Magazine, September 1981

- Utilizes VORTRAX SC-01A speech synthesizer chip.
- Unlimited vocabulary.
- Contains 64 different phonemes which are accessed by an 8-bit code.
- Text is automatically translated into electrically synthesized speech.
- Parallel port driven or Plug-in compatible with APPLE II.
- On board audio amplifier.
- Sample Program for APPLE II on cassette

SWEET-TALKER
Assembled and Tested
Parallel Port Circuit Card.......$139
APPLE II Plug-in Card.........$149

VORTRAX is a trademark of Federal Screw Works

DISK-80 EXPANSION INTERFACE FOR THE TRS-80 MODEL I



As Featured In Byte Magazine, March 1981

- Disk controller (4 drives)
- Hardware data separator
- Buffered TRS-bus connector
- Real-time clock
- Printer port (optional)

DISK 80-ASSEMBLED & TESTED
with 32K RAM.............$329.95
Centronics Printer
Port add..................$ 50.00
DISK-80 pc board...........$ 48.00
Printer/Power Supply
pc board..................$ 16.00
Complete Kit with 32K
RAM and Printer Port.......$275.00

TRS-80 is trademark of Tandy Corp.

To Order: Call Toll Free - 1-800-645-3479
(In N.Y. State Call: 1-516-374-6793)
For Information Call: 1-516-374-6793

MICROMINT INC.
917 Midway
Woodmere, N.Y. 11598



Circle 211 on inquiry card.

Listing 1 continued:

```
016B A7    01     >         STA     1,X
016D 17    0342   >         LBSR    REL16      PROCESS RELATIVE ADDRESS
0170 16    0371   >OP25     LBRA    FINISH
                  >
                  >* PROCESS SHORT BRANCHES
0173 17    031E   >OP26     LBSR    REL8
0176 20    F8     >         BRA     OP25
                  >
                  >*** OPCODES 30-3F
                  >* TRAP ILLEGAL OPCODES
0178 E6    47     >OP30     LDB     PAGE,U
017A 81    3F     >         CMPA    #$3F       MUST BE PAGE 0 EXCEPT 'SWI'
017C 27    67     >         BEQ     OP301
017E C1    00     >         CMPB    #0
0180 27    03     >         BEQ     OP32
0182 16    019D   >         LBRA    ILEGOP
                  >
                  >* PROCESS 'LEA' INSTRUCTIONS
0185 81    33     >OP32     CMPA    #$33
0187 22    06     >         BHI     OP34
0189 17    01B1   >         LBSR    INDEX      CAN ONLY BE INDEXED MODE
018C 16    0355   >OP33     LBRA    FINISH
                  >
                  >* PROCESS STACK INSTRUCTIONS
018F 81    3C     >OP34     CMPA    #$3C       CHECK FOR 'CWAI'
0191 27    5D     >         BEQ     OP302
0193 81    37     >         CMPA    #$37
0195 22    F5     >         BHI     OP33       PROCESS REMAINING 1-BYTE INSTRUCTIONS
0197 6C    4E     >         INC     LENGTH,U
0199 A6D8  04     >         LDA     [WRKADR,U] GET POSTBYTE
019C A7    4A     >         STA     BYTE1,U
019E A7    4B     >         STA     BYTE2,U    TEMPORARY STORAGE
                  >
01A0 5F           >         CLRB
01A1 68    4B     >OP35     LSL     BYTE2,U    SHIFT BIT INTO CARRY
01A3 24    33     >         BCC     OP300      NO REGISTER IF BIT NOT SET
01A5 30ED  03BA   >         LEAX    STKTAB,PC
01A9 A6    85     >         LDA     B,X        GET REGISTER FROM TABLE
                  >
01AB 81    53     >         CMPA    #'S        DECIDE ON 'U' OR 'S' FOR STACK
01AD 26    07     >         BNE     OP36
01AF A1C8  25     >         CMPA    MNEM+3,U   COMPARE TO LAST CHARACTER
01B2 26    02     >         BNE     OP36         OF MNEMONIC
01B4 86    55     >         LDA     #'U        REPLACE REGISTER CHARACTER
                  >
01B6 17    0324   >OP36     LBSR    PUTCH
01B9 81    50     >         CMPA    #'P        FIX 'PC' AND 'CC'
01BB 27    04     >         BEQ     OP37
01BD 81    43     >         CMPA    #'C
01BF 26    07     >         BNE     OP38
01C1 86    43     >OP37     LDA     #'C
01C3 17    0317   >         LBSR    PUTCH
01C6 20    0B     >         BRA     OP39
                  >
01C8 81    44     >OP38     CMPA    #'D        FIX 'DP'
01CA 26    07     >         BNE     OP39
01CC 86    50     >         LDA     #'P
01CE 17    030C   >         LBSR    PUTCH
01D1 20    00     >         BRA     OP39
                  >
01D3 86    2C     >OP39     LDA     #',        PUT COMMA IN BUFFER
01D5 17    0305   >         LBSR    PUTCH
01D8 5C           >OP300    INCB
01D9 C1    08     >         CMPB    #8
01DB 26    C4     >         BNE     OP35
01DD AE    4E     >         LDX     NXTBUF,U   REMOVE LAST COMMA FROM BUFFER
01DF 30    1F     >         LEAX    -1,X
01E1 AF    4E     >         STX     NXTBUF,U
01E3 20    A7     >         BRA     OP33
                  >
                  >* PROCESS 'SWI'
01E5 C1    00     >OP301    CMPB    #0
01E7 27    A3     >         BEQ     OP33       DONE IF PAGE 0
01E9 CB    21     >         ADDB    #$21       ADD $21 TO CONVERT PAGE INTO
01EB E7C8  25     >         STB     MNEM+3,U     ASCII CHARACTER
01EE 20    9C     >         BRA     OP33
                  >
                  >* PROCESS 'CWAI'
01F0 86    23     >OP302    LDA     #'#        PRINT AS IMMEDIATE MODE
01F2 17    02E8   >         LBSR    PUTCH
01F5 17    027C   >         LBSR    DIRECT     PROCESS LIKE DIRECT
01F8 16    02E9   >         LBRA    FINISH
```

Listing 1 continued on page 352




PROTECTS:
- Computers
- Micro-Computer Systems
- Word Processors
- Cash Registers
- Power Supplies

PROTECTS AGAINST:
- High Energy Voltage Transients
- On-Off Switching
- Lightning Induced Transients
- Inrush of On/Off Power

DYMARC INDUSTRIES, INC.
DEALER INQUIRIES INVITED

Clipstrip 977E — UL LISTED
Clipper 678F — UL LISTED

7133 Rutherford Rd. Baltimore, Md. 21207
(301) 298-3130 800-638-9098



OLYMPIC SALES COMPANY

Authorized Dealer
apple computer

NEW APPLE FAMILY SYSTEM

LARGE INVENTORY LOWER-THAN-EVER PRICES

- ★ 48K Apple II +
- ★ Disk w/controller
- ★ RF Modulator
- ★ 7 Personal & game disks

Retail: $2495.00 Call for BEST Price!

Large Inventory of:
Disk with controller DOS 3.3
Second Disk Drives
Pascal–Fortran–Cobol languages
Dow Jones & Quote reporter
Graphics Tablets
Visicalc for Apple II & III
Smarterm 80 column card
Micromodem II by DC Hayes

WE ALSO CARRY SOFTWARE!
Personal Software, Peach Tree Software, Microsoft, Micropro, Innovative, American, System Plus and more.

We are an authorized servicing Apple dealer for Apple II & III
Immediate delivery on all models—we carry an enormous inventory of Apple products at all times!

Just some of the software in stock NOW—
Magic Window, Raster Blaster, Ultima, Home $ Minder, Tax Preparer, Pool 1.5, Typing Tutor, Olympic Decathalon, ABM, Robot War, Castle Wolfenstein, Cranston Manor, Expediter, OO-Topos, Cyborg, Gorgon, Falcons, Wizardry, Personal Filing System. PFS: Report, Flight Simulator...

Texas Instruments Home Computer

New—1982 Model with full typewriter-style keyboard, U/L case & more!
TI-99/4A New KEYBOARD $369.95
Retail $950.00 *Your Cost* $369.95!
New keyboard

	Retail	Your Cost
10" color monitor for 99/4	650.00	319.95
32K Exp. mem. module	399.95	314.95
Extended Basic, a MUST for 32K module	100.00	75.00
Speech synthesizer	150.00	129.95
Disk memory drive	500.00	397.95
RF modulator	69.50	49.50
Telephone coupler (modem)	225.00	189.95
Printer (solid state)	400.00	319.95

We carry a large inventory of software, & accessories

HEWLETT PACKARD

HP-11C Advanced Programmable Scientific LCD *Retail:$130.00* *Your Cost:* **$114.95**

HP-12C Advanced Programmable Financial LCD *Retail:$150.00* *Your Cost:* **$129.95**

	Retail	Your Cost
HP-125 New Microcomputer 64K CPU/Terminal/Keyboard	3750.00	3195.00
HP-85 Microcomputer—built-in printer/monitor	3250.00	2499.00
HP-83 Microcom—built-in mon	2250.00	1799.00
HP-2631B Printer, dot mtrx	3950.00	3199.00
HP82905A 80 col printer	945.00	755.00
HP-2601A Letter quality prter		3495.00
HP-82901M Dual master	2500.00	1999.00
Call us for the lowest prices on 7 disk drives		
Graphics plotter 7225	2450.00	2089.00
Personality module—a must for 7225	750.00	636.00
Graphics Tablet 9111A	2050.00	1699.00
HP-41CV	325.00	256.00
Card Reader for 41CV	215.00	171.00
Printer for 41CV	385.00	294.00
Quad Ram	95.00	84.95
Optical Wand for 41CV	125.00	99.95
HP-41C Calculator	250.00	188.95
Memory mod. for 41C		26.95
HP-97 Progrmble printer	750.00	579.95
HP-34C Progrmble scientific	150.00	117.95
HP-38C Progrmble business R/E	150.00	119.95
HP-32E Advanced scientific	55.00	48.95
HP-37E Business management	75.00	58.95

We carry a complete inventory of Libraries, accessories & supplies.

Mattel 1670 Race Horse Computer
Ret. $125.00 Y/C: $24.95

ATARI®

Programmable Color TV Game Video Console: *Retail:* $225.00 **$137.95**

MATTEL ELECTRONICS
INTELLIVISION
Retail: $325.00 *Your Cost:* **$234.95**

VIDEO TAPES

Min order: 3, mixed OK

SONY	L500	2 hr	$11.89
SONY	L750	3 hr	14.69
RCA	VK250	6 hr	13.95

TEXAS INSTRUMENTS

	Retail	You Pay
TI-59	295.00	179.95
TI-3011 LCD Stu Slide/NEW		18.95
TI-35SP LCD Sci		22.50
TI-40 LCD Sci/NEW		28.95
Bus. Anal. I		19.95
Bus. Anal. II		44.95
Bus. Card		39.95
MBA		54.95
Invest. Analyst		48.95
TI-54 Adv. LCS Sci/NEW		39.95
TI-5511 NEW		44.95
TI-57 Prog. Sci		39.95
TI-58C 480 Step. Prog.		89.95
PC-100C Print/Plot		149.95
LCD-Programmer/NEW		59.95

ATARI® COMPUTERS

Model		Retail	Your Cost
800	16K	1080.00	759.95
810	Disk Drive	600.00	469.95
Atari	VisiCalc	200.00	169.95
825	Impact Printer (Centronics 737)	1000.00	779.95

SUPER SPECIAL—ATARI 400 (16K)
Retail: $595.00 Your Cost: $339.95
Language Cart. not included—Opt'l at $54.95

OHIO SCIENTIFIC

Professional Computers	Retail	Your Cost
C8PDF–48K	3495.00	3195.00

- Dual 8" Drives
- 64 col x 32 line/color
- .7 MIPS – *FAST!*
- Many more stndard featres

Fortran & Pascal available

Many other OSI products available —at discounted prices, of course!

YOUR BANK VISA®
master charge

Main Showroom & Offices:
216 South Oxford Avenue
Los Angeles, CA 90004
WE HONOR VISA and MASTERCHARGE
TELEX: 67 34 77
ORDER DESKS open 7 Days a Week!
7:00 AM to 7:00 PM Mon thru Sat
Sunday Noon to 5:00 PM
Order Desks: (213) 739-1130

TOLL-FREE (outside Calif.) 800-421-8045
TOLL-FREE (within Calif.) 800-252-2153

All goods subject to availability; this ad supersedes all previous ads; we are not responsible for typographical errors; we will meet or beat any advertised prices if the competition has the goods on hand.
Minimum shipping and handling $4.95.
All orders subject to verification and acceptance.

EPSON PRINTERS

	Retail:	Your Cost
MX80	645.00	499.00
Optional Graftrax Chip 80		95.00
MX80 FT	745.00	599.00
MX100	995.00	749.00

DIABLO 630
Letter Quality daisy wheel w/tractors
Retail: $3395.00
Y/C: $2595.00

PAPER TIGER PRINTERS

460	995.00	895.00
460G graphics	1094.00	969.95
560	1295.00	1099.00
560G graphics	1394.00	1195.00
445	795.00	695.00
445G	894.00	789.00

SANYO MONITORS High resolution

13" Color (new) high quality	550.00	419.95
12" Green phosphorous	360.00	259.95
12" Black & white	340.00	239.95
15" Black & white	370.00	259.95
9" Black & white (the best seller)	235.00	169.95

AMDEK (Leedex) High Quality Monitors

100	12" B/W, 12 MHz	179.00	139.95
100-G	12" Green, 12 MHz	199.00	174.95
300-G	12" Green, 18 MHz	249.00	199.95
Color I	13" Color, NTSC comp. input,	449.00	339.95

Listing 1 continued:

```
                    >
                    >*** OPCODES 80-BF
                    >* PROCESS 'BSR' AS SPECIAL CASE
01FB E6    47       >OP80    LDB     PAGE,U
01FD 81    8D       >        CMPA    #$8D
01FF 26    11       >        BNE     OP81
0201 C1    00       >        CMPB    #$00      MUST BE ON PAGE 0
0203 1026  011B     >        LBNE    ILEGOP
0207 86    42       >        LDA     #'B       CHANGE 'JSR' TO 'BSR'
0209 A7C8  22       >        STA     MNEM,U
020C 17    0285     >        LBSR    RELS      PROCESS LIKE SHORT BRANCH
020F 16    02D2     >        LBRA    FINISH
                    >
                    >* GET MNEMONIC AS REQUIRED BY PAGE
0212 84    8F       >OP81    ANDA    #$8F
0214 81    83       >        CMPA    #$83      FIX SUBD/CMPD/CMPU
0216 26    20       >        BNE     OP83
0218 C1    00       >        CMPB    #$00
021A 27    4C       >        BEQ     OP800
021C 86    43       >        LDA     #'C
021E A7C8  22       >        STA     MNEM,U
0221 86    4D       >        LDA     #'M
0223 A7C8  23       >        STA     MNEM+1,U
0226 86    50       >        LDA     #'P
0228 A7C8  24       >        STA     MNEM+2,U
022B 86    44       >        LDA     #'D
022D C1    10       >        CMPB    #$10
022F 27    02       >        BEQ     OP82
0231 86    55       >        LDA     #'U
0233 A7C8  25       >OP82    STA     MNEM+3,U
0236 20    30       >        BRA     OP800
                    >
0238 81    8C       >OP83    CMPA    #$8C      FIX CMPX/CMPY/CMPS
023A 26    11       >        BNE     OP85
023C C1    00       >        CMPB    #$00
023E 27    28       >        BEQ     OP800
0240 86    59       >        LDA     #'Y
0242 C1    10       >        CMPB    #$10
0244 27    02       >        BEQ     OP84
0246 86    53       >        LDA     #'S
0248 A7C8  25       >OP84    STA     MNEM+3,U
024B 20    1B       >        BRA     OP800
                    >
024D 81    8E       >OP85    CMPA    #$8E      FIX LDX/LDY AND STX/STY
024F 25    11       >        BLO     OP86
0251 C1    11       >        CMPB    #$11      CANNOT BE PAGE 2
0253 1027  00CB     >        LBEQ    ILEGOP
0257 C1    00       >        CMPB    #$00
0259 27    0D       >        BEQ     OP800
025B 86    59       >        LDA     #'Y
025D A7C8  24       >        STA     MNEM+2,U
0260 20    06       >        BRA     OP800
                    >
0262 C1    00       >OP86    CMPB    #$00      ALL REMAINING OPCODES MUST BE
0264 1026  00BA     >        LBNE    ILEGOP     ON PAGE 0
                    >
                    >*** JOINTLY PROCESS 80-BF AND C0-FF
                    >* TRAP ILLEGAL OPCODES
0268 A6    48       >OP800   LDA     OPCD,U
026A 84    BF       >        ANDA    #$BF
026C 81    87       >        CMPA    #$87      STORE OPCODES NOT ALLOWED IN
026E 27    08       >        BEQ     OP801      IMMEDIATE MODE
0270 81    8D       >        CMPA    #$8D
0272 27    04       >        BEQ     OP801
0274 81    8F       >        CMPA    #$8F
0276 26    03       >        BNE     OP802
0278 16    00A7     >OP801   LBRA    ILEGOP
                    >
                    >* PROCESS EXTENDED ADDRESSING
027B A6    48       >OP802   LDA     OPCD,U
027D 84    30       >        ANDA    #$30
027F 81    30       >        CMPA    #$30
0281 26    06       >        BNE     OP803
0283 17    01FC     >        LBSR    EXTEND
0286 16    025B     >        LBRA    FINISH
                    >
                    >* PROCESS INDEXED ADDRESSING
0289 81    20       >OP803   CMPA    #$20
028B 26    06       >        BNE     OP804
028D 17    00AD     >        LBSR    INDEX
0290 16    0251     >        LBRA    FINISH
                    >
```

Listing 1 continued on page 354

THE MICROCOMPUTER MAGAZINE THAT'S LIGHT YEARS AHEAD

FILL IN AND MAIL THIS CARD TODAY

BYTE the small systems journal
APRIL 1981 Vol. 6, No. 4
$2.50 in USA/$2.95 in Canada
A McGraw-Hill Publication
FUTURE COMPUTERS?

Read your first copy of BYTE, the Small Systems Journal. If it is everything you expected, honor our invoice. If it isn't, just write "cancel" on the invoice and mail it back. You won't be billed, and the first issue is yours at no charge. Allow 6 to 8 weeks for processing your subscription.

MAIL CARD OR CALL TOLL FREE **800-258-5485**

Please print **4D22**

Name

Address

City State/Province/Country Code

United States
☐ One year $19 (12 issues) ☐ Two years $34 ☐ Three years $49

Canada or Mexico
☐ One year $21 (12 issues) ☐ Two years $38 ☐ Three years $55

Foreign Rates (to expedite service, remit in U.S. funds drawn on a U.S. bank)
☐ Europe, one year, air delivered, $43
☐ All other countries, one year, surface delivered, $35
Air delivery available upon request

☐ **Check enclosed** (entitles me to **$13 issues for price of 12**, North America only)
☐ Bill VISA ☐ Bill Master Charge ☐ Bill me (North America only)

Card Number Expires

Signature

Allow 6 to 8 weeks for processing your subscription.

BYTE the small systems journal
McGraw-Hill

THE MICROCOMPUTER MAGAZINE THAT'S LIGHT YEARS AHEAD

FILL IN AND MAIL THIS CARD TODAY

BYTE the small systems journal
APRIL 1981 Vol. 6, No. 4
$2.50 in USA/$2.95 in Canada
A McGraw-Hill Publication
FUTURE COMPUTERS?

Read your first copy of BYTE, the Small Systems Journal. If it is everything you expected, honor our invoice. If it isn't, just write "cancel" on the invoice and mail it back. You won't be billed, and the first issue is yours at no charge. Allow 6 to 8 weeks for processing your subscription.

MAIL CARD OR CALL TOLL FREE 800-258-5485

Please print 4D22

Name

Address

City State/Province/Country Code

United States
☐ One year $19 (12 issues) ☐ Two years $34 ☐ Three years $49

Canada or Mexico
☐ One year $21 (12 issues) ☐ Two years $38 ☐ Three years $55

Foreign Rates (to expedite service, remit in U.S. funds drawn on a U.S. bank)
☐ Europe, one year, air delivered, $43
☐ All other countries, one year, surface delivered, $35
Air delivery available upon request

☐ Check enclosed (entitles me to $13 issues for price of 12, North America only)
☐ Bill VISA ☐ Bill Master Charge ☐ Bill me (North America only)


Card Number Expires

Signature

Allow 6 to 8 weeks for processing your subscription.

BYTE the small systems journal
McGraw-Hill

© BYTE Publications, Inc. 1981




NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY CARD
FIRST CLASS PERMIT NO. 39 MARTINSVILLE, NJ

POSTAGE WILL BE PAID BY ADDRESSEE




Subscription Dept.
P.O. Box 590
Martinsville, NJ 08836



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY CARD
FIRST CLASS PERMIT NO. 39 MARTINSVILLE, NJ

POSTAGE WILL BE PAID BY ADDRESSEE




Subscription Dept.
P.O. Box 590
Martinsville, NJ 08836

Circle 297 on inquiry card.

SATELLITE TRACKING SOFTWARE BY



SAT TRAK INTERNATIONAL



APPLE II **SORCERER** **TRS-80**

An international group of professionals has designed and programmed SATELLITE TRACKING SOFTWARE, a unique package of five separate programs that allow you to set up your own Satellite Tracking Station using your microcomputer. Beginners, professionals, and educators will all appreciate the technical excellence of this easy to use software. Satellite positions are calculated and displayed or printed out, including the following data: altitude, azimuth, elevation, right ascension, declination, and range, for any time — past, present, or future. The 30 page operator's manual includes notes on interpreting NASA documents and taking observations. The Apple, TRS-80, and Sorcerer versions plot satellite positions on a map of the world. The Sorcerer version is available only on casssette. The TRS-80 version is for a Model I, level II TRS-80.

Cassette or Diskette (Apple, TRS-80, Sorcerer)	$ 49.95
FORTRAN listing (other systems)	$150.00
FORTRAN program on punched cards	$175.00

(all prices include documentation)

DISTRIBUTED EXCLUSIVELY BY



QUALITY SOFTWARE
6660 Reseda Blvd., Suite 105, Reseda, CA 91335
(213) 344-6599

ASK FOR QUALITY SOFTWARE products at your favorite computer store. If necessary you may order directly from us. MasterCard and Visa cardholders may place orders by calling us at (213) 344-6599. Or mail your check or bankcard number to the address above. California residents add 6% sales tax. *Shipping Charges:* Within North America orders must include $1.50 for shipping and handling. Outside North America the charge for airmail shipping and handling is $5.00. Pay in U.S. currency.

Circle 120 on inquiry card.

WARNING!

Electric Power Pollution. Spikes & Lightning HAZARDOUS to MICROCOMPUTERS!!

Patented ISOLATORS provide protection from . . .

- **Computer errors caused by power line interference**
- **Computer errors due to system equipment interaction**
- **Spike damage caused by copier/elevator/air conditioners**
- **Lightning caused damage**

ISO-1

ISO-2

Pat. #4,259,705

**** FULLY GUARANTEED ****



- **ISOLATOR (ISO-1) 3 Isolated 3-prong sockets; Spike Suppression; useful for small offices, laboratories, classrooms. $69.95**
- **ISOLATOR (ISO-2) 2 Isolated 3-prong socket banks; (6 sockets total); Spike Suppression; useful for multiple equipment installations. $69.95**
- **SUPER ISOLATOR (ISO-3) similar to ISO-1 except double Isolation & oversize Spike Suppression; widely used for severe electrical noise situations such as factories or large offices. $104.95**
- **SUPER ISOLATOR (ISO-11) similar to ISO-2 except double isolated socket banks & Oversize Spike Suppression; for the larger system in severe situations. $104.95**
- **MAGNUM ISOLATOR (ISO-17) 4 Quad Isolated Sockets; Multiple Spike Suppressors; For ULTRA-SENSITIVE Systems in extremely Harsh environments. $181.95**
- **CIRCUIT BREAKER, any model (Add-CB) . . . . Add $9.00**
- **CKT BRKR/SWITCH/PILOT (-CBS) . . . . Add $17.00**

AT YOUR DEALERS **MasterCard, Visa, American Express**
ORDER TOLL FREE 1-800-225-4876 (except AK, HI, PR & Canada)

Electronic Specialists, Inc.
171 South Main Street, Natick, Mass. 01760
Technical & Non-800: 1-617-655-1532

PRODUCTS FOR YOUR RADIO SHACK

COLOR COMPUTER

NEW!

MICROTEXT COMMUNICATIONS VIA YOUR MODEM!

Now you **can** use your printer with your modem! Your computer can be an intelligent printing terminal. Talk to timeshare services or to other personal computers; print simultaneously through a second printer port; and re-display text stored in memory. Download text to Basic programs; dump to a cassette tape, or printer, or both. Microtext can be used with any printer or no printer at all. It features user-configurable duplex/parity for special applications, and can send any ASCII character. You'll find many uses for this general purpose module! Available in ROMPACK, ready-to-use, for **$59.95.**

SOFTWARE DEVELOPMENT SYSTEM

The Micro Works Software Development System (SDS80C) is a complete 6809 editor, assembler and monitor package contained in one Color Computer program pack! Vastly superior to RAM-based assemblers/editors, the SDS80C is non-volatile, meaning that if your application program bombs, it can't destroy your editor/assembler. Plus it leaves almost all of 16K or 32K RAM free for **your** program. Since all three programs, editor, assembler and monitor are co-resident, we eliminate tedious program loading when going back and forth from editing to assembly and debugging!

The powerful screen-oriented Editor features finds, changes, moves, copys and much more. All keys have convenient auto repeat (typamatic), and since no line numbers are required, the full width of the screen may be used to generate well commented code.

The Assembler features **all** of the following: complete 6809 instruction set; complete 6800 set supported for cross-assembly; conditional assembly; local labels; assembly to cassette tape or to memory; listing to screen or printer; and mnemonic error codes instead of numbers.

The versatile ABUG monitor is a compact version of CBUG, tailored for debugging programs generated by the Assembler and Editor. It features examine/change of memory or registers, cassette load and save, breakpoints and more. **SDS80C Price: $89.95**

GAMES



Star Blaster — Blast your way through an asteroid field in this action-packed Hi-Res graphics game! Available in ROMPACK; requires 16K. **Price: $39.95**
Pac Attack — Try your hand at this challenging game by Computerware, with fantastic graphics, sound and action! Cassette requires 16K. **Price: $24.95**
Berserk — Have fun zapping robots with this Hi-Res game by Mark Data Products. Cassette requires 16K. **Price: $24.95**
Adventure — *Black Sanctum* and *Calixto Island* by Mark Data Products. Each cassette requires 16K. **Price: $19.95** each.

ROMLESS PAK I — is an empty program pack capable of holding two 2716 or 2732 EPROMs, allowing you up to 8K of program! The PC board inside comes with sockets installed, ready to go with the addition of your custom EPROMs. **Price: $24.95**
2-PASS DISASSEMBLER — with documentation package. 16K; cassette. 80C Disassembler **Price: $49.95**
CBUG — Machine language monitor. CBUG Cassette **Price: $29.95**
CBUG ON 2716 EPROM: Can plug into Romless Pak I. CBUG ROM **Price: $39.95**
PARALLEL PRINTER INTERFACE — serial to parallel converter allows use of all standard parallel printers. PI80C **Price: $69.95**
Assembly Language Programming, by Lance Leventhal. **Price: $16.95**
MEMORY UPGRADE KITS: 4-16K Kit **Price $39.95**. 16-32K (requires soldering experience) **Price: $39.95**
PARTS & SERVICES: SAMs, 6809Es, RAMs, PIAs. Call for prices.





GOOD STUFF!

WE SHIP FROM STOCK!
Master Charge/Visa and COD Accepted


P.O. BOX 1110 DEL MAR, CA 92014 714-942-2400

Circle 214 on inquiry card.

Listing 1 continued:

```
                    >* PROCESS DIRECT ADDRESSING
0293 81    10       >OP804  CMPA   #$10
0295 26    06       >       BNE    OP805
0297 17    01DA     >       LBSR   DIRECT
029A 16    0247     >       LBRA   FINISH
                    >
                    >* PROCESS IMMEDIATE ADDRESSING
029D 86    23       >OP805  LDA    #'#
029F 17    023B     >       LBSR   PUTCH
02A2 A6    48       >       LDA    OPCD,U
02A4 84    8F       >       ANDA   #$8F
02A6 81    83       >       CMPA   #$83       OPCODES 83 AND 8C-8F HAVE 2-BYTE
                    >                            OPERANDS
02A8 27    0A       >       BEQ    OP806
02AA 81    8C       >       CMPA   #$8C
02AC 24    06       >       BHS    OP806
02AE 17    01C3     >       LBSR   DIRECT     PROCESS 1-BYTE OPERAND LIKE
02B1 16    0230     >       LBRA   FINISH        DIRECT
02B4 17    01CB     >OP806  LBSR   EXTEND     PROCESS 2-BYTE OPERAND LIKE
02B7 16    022A     >       LBRA   FINISH        EXTENDED
                    >
                    >*** OPCODES C0-CF
                    >* CHANGE MNEMONICS AND TRAP ILLEGAL OPCODES
02BA E6    47       >OPC0   LDB    PAGE,U
02BC 84    CF       >       ANDA   #$CF
02BE 81    CB       >       CMPA   #$CB       CHANGE 'A' TO 'B' IN MNEMONICS
02C0 22    29       >       BHI    OPC3
02C2 81    C3       >       CMPA   #$C3       FIX 'ADDD'
02C4 26    12       >       BNE    OPC0A
02C6 86    41       >       LDA    #'A
02C8 A7C8  22       >       STA    MNEM,U
02CB 86    44       >       LDA    #'D
02CD A7C8  23       >       STA    MNEM+1,U
02D0 A7C8  24       >       STA    MNEM+2,U
02D3 A7C8  25       >       STA    MNEM+3,U
02D6 20    0D       >       BRA    OPC2
```

Listing 1 continued on page 356



Circle 240 on inquiry card.

XENIX™-BASED WORK STATION

Here is the complete, no-compromise UNIX™-based package that gives you full UNIX power at truly minimal cost. Your investment is protected against obsolescence because we use industry standard components. Unlike other UNIX or "UNIX-act-alike" systems, this is a true, complete UNIX Version 7 running on a PDP-11. This is exactly as it was meant to be in the original design and conforms to Bell Laboratories UNIX Version 7 documentation.

MSD Corporation is making a special offer on our XENIX-based 23/256 Work Station:

■ LSI-11/23 based processor with floating point, 256Kb random access memory, 4 port serial interface, 5 quad slots for expansion. ■ Dual floppy subsystem, single sided (double sided may be specified at additional cost), bootstrap loader, formatting and diagnostic software. ■ 20.8 Mb Winchester disk with integrated cartridge tape backup. ■ One (1) VT-100 terminal with advanced video option.

■ One (1) LA38-HA tractor feed printer with keyboard, numeric keypad and stand. ■ One (1) Auto-Answer, Auto-Dial 300 Baud Modem. ■ Cables for the above. ■ XENIX Operating System, a true UNIX Version 7, configured for 4 users. ■ Complete manual set and 1 year telephone support.

This system is expandable up to 8 users and 83.2 Mb of disk storage. Multiple work stations, terminals, other UNIX systems, or non-UNIX systems can be networked together with no additional software.

Price: $23,256. Terms: 25% Down with purchase order, balance 75% upon delivery.



MSD Corporation
2449 Camelot Court, SE
Grand Rapids, MI 49506
(616) 942-5060

MANAGEMENT SYSTEMS DEVELOPMENT

UNIX and XENIX are trademarks of Bell Laboratories and Microsoft respectively.

Now available from your computer store–the whole line of AJ couplers and modems.



Starting now you can buy AJ acoustic data couplers and modems directly from your local computer store.

Not just selected models. *Any* models. Ranging from the 0-450 bps A 242A, the world's most widely used acoustic data coupler, to the revolutionary AJ 1259 *triple modem* that handles 300 bps Bell 103, 1200 bps Bell 212A, and 1200 bps VA 3400 protocols.

Whether you need full or half duplex or both in one; originate or answer, auto answer; acoustic coupling, or direct-connect—there's a model for you in the AJ line.

Starting now you don't have to settle for second best.

For the location of your local computer store handling the AJ line, call toll-free:

800/538-9721

California residents call 408/263-8520, Ext. 307.



Circle 23 on inquiry card.

Listing 1 continued:

```
                    >
02D8 30C8  24       >OPC0A  LEAX    MNEM+2,U
02DB A6    84       >       LDA     X
02DD 81    41       >       CMPA    #'A
02DF 27    02       >       BEQ     OPC1
02E1 30    01       >       LEAX    1,X
02E3 6C    84       >OPC1   INC     X          CHANGE 'A' TO 'B' IN MNEMONIC
                    >
02E5 C1    00       >OPC2   CMPB    #$00       MUST BE PAGE 0
02E7 27    36       >       BEQ     OPC8
02E9 20    37       >       BRA     ILEGOP
                    >
02EB 81    CD       >OPC3   CMPA    #$CD
02ED 22    21       >       BHI     OPC6
02EF 26    16       >       BNE     OPC5
02F1 86    53       >       LDA     #'S        FIX 'STD'
02F3 A7C8  22       >       STA     MNEM,U
02F6 86    54       >       LDA     #'T
02F8 A7C8  23       >OPC4   STA     MNEM+1,U
02FB 86    44       >       LDA     #'D
02FD A7C8  24       >       STA     MNEM+2,U
0300 86    20       >       LDA     #$20
0302 A7C8  25       >       STA     MNEM+3,U
0305 20    DE       >       BRA     OPC2       CHECK FOR PAGE 0
                    >
0307 86    4C       >OPC5   LDA     #'L        FIX 'LDD'
0309 A7C8  22       >       STA     MNEM,U
030C 86    44       >       LDA     #'D
030E 20    E8       >       BRA     OPC4
                    >
0310 C1    11       >OPC6   CMPB    #$11       PAGE 2 NOT ALLOWED FOR CE-CF
0312 27    0E       >       BEQ     ILEGOP
0314 86    55       >       LDA     #'U
0316 C1    00       >       CMPB    #$00       FIX LDU/LDS AND STU/STS
0318 27    02       >       BEQ     OPC7
031A 86    53       >       LDA     #'S
031C A7C8  24       >OPC7   STA     MNEM+2,U
031F 16    FF46     >OPC8   LBRA    OP800      PROCESS LIKE 80-BF
                    >
                    >*** ILLEGAL OPCODE ROUTINE
0322 30ED  0249     >ILEGOP LEAX    MNILEG,PC  POINT TO '*** '
0326 31C8  22       >       LEAY    MNEM,U
0329 C6    04       >       LDB     #4
032B A6    80       >ILOP1  LDA     ,X+        STORE '***' IN OPCODE MNEMONIC
032D A7    A0       >       STA     ,Y+
032F 5A             >       DECB
0330 26    F9       >       BNE     ILOP1
0332 30    21       >       LEAX    1,Y        POINT TO NEXT AVAILABLE POSITION IN
0334 AF    4E       >       STX     NXTBUF,U    BUFFER AFTER OPCODE MNEMONIC
0336 86    01       >       LDA     #1         SET INSTRUCTION LENGTH TO 1
0338 A7    46       >       STA     LENGTH,U
033A 16    01A7     >       LBRA    FINISH     CONTINUE
                    >
                    >*** PROCESS INDEXED ADDRESSING MODE
033D 6C    46       >INDEX  INC     LENGTH,U
033F AE    44       >       LDX     WRKADR,U   BUMP WORKING ADDRESS POINTER
0341 E6    80       >       LDB     ,X+         AND GET POSTBYTE
0343 AF    44       >       STX     WRKADR,U
0345 E7    4D       >       STB     INDBYT,U
0347 E7    4A       >       STB     BYTE1,U
                    >
                    >* CHECK FOR INDIRECT ADDRESSING
0349 C4    90       >       ANDB    #$90
034B C1    90       >       CMPB    #$90       BITS 4 AND 7 SET?
034D 26    07       >       BNE     IND1       NO, NOT INDIRECT
034F 63    4C       >       COM     INDFLG,U   YES, SET FLAG
0351 86    5B       >       LDA     #'+        OUTPUT '+'
0353 17    0187     >       LBSR    PUTCH
                    >
                    >* AUTO INCREMENT/DECREMENT ADDRESSING
0356 E6    4D       >IND1   LDB     INDBYT,U
0358 C4    8F       >       ANDB    #$8F       MASK OFF REGISTER AND INDIRECT BITS
035A C1    80       >       CMPB    #$80       AUTO INC/DEC?
035C 25    39       >       BLO     IND5       NO
035E C1    83       >       CMPB    #$83
0360 22    35       >       BHI     IND5       NO
0362 A6    4D       >       LDA     INDBYT,U   GET POSTBYTE
0364 84    11       >       ANDA    #$11       CHECK FOR INC/DEC BY 1 AND
0366 81    10       >       CMPA    #$10        INDIRECT ADDRESSING
0368 27    B8       >       BEQ     ILEGOP     ILLEGAL OPERATION
                    >
036A 86    2C       >       LDA     #',        PUT COMMA IN BUFFER
036C 17    016E     >       LBSR    PUTCH
036F C1    81       >       CMPB    #$81       AUTO INC?
0371 22    12       >       BHI     IND3       NO
```

Listing 1 continued:

```
0373 17   00D8   >         LBSR   GETREG    PUT REGISTER INTO BUFFER
0376 86   2B     >         LDA    #'+
0378 17   0162   >         LBSR   PUTCH
037B C1   81     >         CMPB   #$81      INCREMENT BY 2?
037D 26   03     >         BNE    IND2      NO
037F 17   015B   >         LBSR   PUTCH
0382 16   00E6   > IND2    LBRA   INDEND
                 >
0385 86   2D     > IND3    LDA    #'-       AUTO DEC
0387 17   0153   >         LBSR   PUTCH
038A C1   83     >         CMPB   #$83      DECREMENT BY 2?
038C 26   03     >         BNE    IND4      NO
038E 17   014C   >         LBSR   PUTCH
0391 17   00BA   > IND4    LBSR   GETREG    PUT REGISTER INTO BUFFER
0394 16   00D4   >         LBRA   INDEND
                 >
                 >* ACCUMULATOR OFFSET
0397 86   41     > IND5    LDA    #'A
0399 C1   86     >         CMPB   #$86
039B 27   0C     >         BEQ    IND6
039D 86   42     >         LDA    #'B
039F C1   85     >         CMPB   #$85
03A1 27   06     >         BEQ    IND6
03A3 86   44     >         LDA    #'D
03A5 C1   8B     >         CMPB   #$8B
03A7 26   0E     >         BNE    IND7
                 >
03A9 17   0131   > IND6    LBSR   PUTCH     OUTPUT OFFSET REGISTER
03AC 86   2C     >         LDA    #',
03AE 17   012C   >         LBSR   PUTCH
03B1 17   009A   >         LBSR   GETREG    OUTPUT INDEX REGISTER
03B4 16   00B4   >         LBRA   INDEND
                 >
                 >* CONSTANT OFFSET FROM PC
03B7 C1   8D     > IND7    CMPB   #$8D
03B9 27   04     >         BEQ    IND8
03BB C1   8C     >         CMPB   #$8C
03BD 26   24     >         BNE    IND10
03BF A6   4D     > IND8    LDA    INDBYT,U  GET POSTBYTE
03C1 A7   49     >         STA    POSTB,U
03C3 0C   06     >         INC    LENGTH    ACCOUNT FOR IT
                 >
03C5 C1   8D     >         CMPB   #$8D
03C7 27   15     >         BEQ    IND9
03C9 17   00C8   >         LBSR   REL8      PROCESS 8-BIT OFFSET
03CC 86   2C     > IND8A   LDA    #',       OUTPUT ',PC'
03CE 17   010C   >         LBSR   PUTCH
03D1 86   50     >         LDA    #'P
03D3 17   0107   >         LBSR   PUTCH
03D6 86   43     >         LDA    #'C
03D8 17   0102   >         LBSR   PUTCH
03DB 16   008D   >         LBRA   INDEND
                 >
03DE 17   00D1   > IND9    LBSR   REL16     PROCESS 16-BIT OFFSET
03E1 20   E9     >         BRA    IND8A
                 >
                 >* CONSTANT OFFSET (ZERO)
03E3 C1   84     > IND10   CMPB   #$84
03E5 26   0D     >         BNE    IND12
03E7 4F          >         CLRA
03E8 17   00DB   > IND11   LBSR   PUT2H
03EB 86   2C     >         LDA    #',       ',R'
03ED 17   00ED   >         LBSR   PUTCH
03F0 8D   5C     >         BSR    GETREG
03F2 20   77     >         BRA    INDEND
                 >
                 >* 5-BIT OFFSET
03F4 C5   80     > IND12   BITB   #$80      5-BIT OFFSET IF BIT 7=0
03F6 26   18     >         BNE    IND13
03F8 6D   4C     >         TST    INDFLG,U  INDIRECT ADDRESSING NOT ALLOWED
03FA 26   4F     >         BNE    IND18
03FC E6   4D     >         LDB    INDBYT,U
03FE C4   1F     >         ANDB   #$1F      GET OFFSET BITS
0400 C5   10     >         BITB   #$10      TEST SIGN BIT
0402 27   08     >         BEQ    IND12A    POSITIVE
0404 86   2D     >         LDA    #'-
0406 17   00D4   >         LBSR   PUTCH
0409 CA   E0     >         ORB    #$E0      SET HIGH ORDER BITS
040B 50          >         NEGB             CONVERT TO POSITIVE NUMBER
040C 1F   98     > IND12A  TFR    B,A
040E 20   D8     >         BRA    IND11
                 >
```

Listing 1 continued on page 358

Listing 1 continued:

```
                      >* 8-BIT OFFSET
0410 A6   4D          >IND13  LDA    INDBYT,U GET POSTBYTE
0412 A7   49          >       STA    POSTB,U
0414 C1   88          >       CMPB   #$88
0416 26   13          >       BNE    IND15
                      >
0418 6C   46          >       INC    LENGTH,U
041A E6D8 04          >       LDB    +WRKADR,U+ GET OFFSET BYTE
041D E7   4A          >       STB    BYTE1,U
041F 2A   06          >       BPL    IND14     TEST SIGN OF OFFSET
0421 86   2D          >       LDA    #'-
0423 17   00B7        >       LBSR   PUTCH
0426 50               >       NEGB             CONVERT TO POSITIVE NUMBER
0427 1F   98          >IND14  TFR    B,A
0429 20   BD          >       BRA    IND11
                      >
                      >* 16-BIT OFFSET
042B C1   89          >IND15  CMPB   #$89
042D 26   10          >       BNE    IND16
042F 6C   46          >       INC    LENGTH,U
0431 6C   46          >       INC    LENGTH,U
0433 ECD8 04          >       LDD    +WRKADR,U+
0436 ED   4A          >       STD    BYTE1,U
0438 17   008B        >       LBSR   PUT2H
043B 1F   98          >       TFR    B,A
043D 20   A9          >       BRA    IND11
                      >
                      >* EXTENDED INDIRECT
043F A6   4D          >IND16  LDA    INDBYT,U
0441 81   9F          >       CMPA   #$9F
0443 26   06          >       BNE    IND18
0445 A7   49          >       STA    POSTB,U
0447 8D   39          >       BSR    EXTEND    PROCESS LIKE ENTENDED
0449 20   20          >       BRA    INDEND
                      >
                      >* TRAP ILLEGAL INDEX MODES
044B 16   FED4        >IND18  LBRA   ILEGOP
                      >
                      >* GET INDEX REGISTER
044E 34   04          >GETREG PSHS   B
0450 E6   4D          >       LDB    INDBYT,U GET POSTBYTE
0452 86   58          >       LDA    #'X
0454 C4   60          >       ANDB   #$60
0456 27   0E          >       BEQ    GETR1
0458 86   59          >       LDA    #'Y
045A C1   20          >       CMPB   #$20
045C 27   08          >       BEQ    GETR1
045E 86   55          >       LDA    #'U
0460 C1   40          >       CMPB   #$40
0462 27   02          >       BEQ    GETR1
0464 86   53          >       LDA    #'S
0466 8D   75          >GETR1  BSR    PUTCH     OUTPUT REGISTER
0468 35   04          >       PULS   B
046A 39               >       RTS
                      >
                      >* FINISH UP INDEXED PROCESSING
046B 6D   4C          >INDEND TST    INDFLG,U INDIRECT MODE?
046D 27   04          >       BEQ    INDEN1    NO
046F 86   5D          >       LDA    #'+
0471 8D   6A          >       BSR    PUTCH
0473 39               >INDEN1 RTS
                      >
                      >*** PROCESS DIRECT ADDRESSING MODE
0474 6C   46          >DIRECT INC    LENGTH,U
0476 86   24          >       LDA    #$24      PUT '$' IN BUFFER
0478 8D   63          >       BSR    PUTCH
047A A6D8 04          >       LDA    +WRKADR,U+ OUTPUT 1-BYTE ADDRESS
047D A7   4A          >       STA    BYTE1,U
047F 8D   45          >       BSR    PUT2H
0481 39               >       RTS
                      >
                      >*** PROCESS EXTENDED ADDRESSING MODE
0482 8D   F0          >EXTEND BSR    DIRECT    OUTPUT FIRST BYTE
0484 6C   46          >       INC    LENGTH,U
0486 6C   45          >       INC    WRKADR+1,U
0488 26   02          >       BNE    EXT1
048A 6C   44          >       INC    WRKADR,U
048C A6D8 04          >EXT1   LDA    +WRKADR,U+
048F A7   4B          >       STA    BYTE2,U
0491 8D   33          >       BSR    PUT2H     OUTPUT 2ND BYTE
0493 39               >       RTS
                      >
```

Listing 1 continued:

```
                  >*** PROCESS RELATIVE ADDRESSING MODES
0494 6C     46    >REL8    INC     LENGTH,U
0496 86     28    >        LDA     #'(         PUT '(' INTO BUFFER
0498 8D     43    >        BSR     PUTCH
049A A6D8   04    >        LDA     +WRKADR,U+  OUTPUT 1-BYTE OFFSET
049D 1F     89    >        TFR     A,B
049F A7     4A    >        STA     BYTE1,U
04A1 1D           >        SEX
04A2 C3     0001  >        ADDD    #1
04A5 E3     44    >REL8A   ADDD    WRKADR,U
04A7 8D     1D    >        BSR     PUT2H       OUTPUT RELATIVE ADDRESS
04A9 1F     98    >        TFR     B,A
04AB 8D     19    >        BSR     PUT2H
04AD 86     29    >        LDA     #')
04AF 8D     2C    >        BSR     PUTCH
04B1 39           >        RTS
                  >
04B2 6C     46    >REL16   INC     LENGTH,U
04B4 6C     46    >        INC     LENGTH,U
04B6 86     28    >        LDA     #'(         PUT '(' INTO BUFFER
04B8 8D     23    >        BSR     PUTCH
04BA ECD8   04    >        LDD     +WRKADR,U+  OUTPUT 2-BYTE OFFSET
04BD A7     4A    >        STA     BYTE1,U
04BF E7     4B    >        STB     BYTE2,U
04C1 C3     0002  >        ADDD    #2
04C4 20     DF    >        BRA     REL8A
                  >
                  >*** OUTPUT ROUTINES
                  >* PUT 2 HEX CHARACTERS FROM A REG INTO BUFFER
04C6 34     02    >PUT2H   PSHS    A
04C8 8D     05    >        BSR     PUT2HL
04CA 35     02    >        PULS    A
04CC 8D     05    >        BSR     PUT2HR
04CE 39           >        RTS
                  >
04CF 44           >PUT2HL  LSRA                SHIFT LEFT NIBBLE INTO RIGHT
04D0 44           >        LSRA
04D1 44           >        LSRA
04D2 44           >        LSRA
```

Listing 1 continued on page 360

Listing 1 continued:

```
04D3 84    0F    >PUT2HR ANDA    #$F        CONVERT NIBBLE INTO ASCII
04D5 8B    30    >       ADDA    #'0
04D7 81    39    >       CMPA    #'9
04D9 23    02    >       BLS     PUTCH      OUTPUT NIBBLE
04DB 8B    07    >       ADDA    #7
                 >
                 >* PUT ASCII CHARACTER INTO BUFFER AND BUMP BUFFER POINTER
04DD AE    4E    >PUTCH  LDX     NXTBUF,U
04DF A7    80    >       STA     ,X+
04E1 AF    4E    >       STX     NXTBUF,U
04E3 39          >       RTS
                 >
                 >*** END OF JOB ROUTINE
                 >* TERMINATE BUFFER WITH CR-LF
04E4 86    0D    >FINISH LDA     #$0D       CR
04E6 8D    F5    >       BSR     PUTCH
04E8 86    0A    >       LDA     #$0A       LF
04EA 8D    F1    >       BSR     PUTCH
04EC 86    15    >       LDA     #$15       EOL
04EE 8D    ED    >       BSR     PUTCH
                 >
                 >* PUT CURRENT ADDRESS AND OPCODE BYTES INTO BUFFER
04F0 30C8  10    >       LEAX    BUFFER,U
04F3 AF    4E    >       STX     NXTBUF,U
04F5 A6    42    >       LDA     CURADR,U GET MSB OF ADDRESS
04F7 8D    CD    >       BSR     PUT2H
04F9 A6    43    >       LDA     CURADR+1,U LSB
04FB 8D    C9    >       BSR     PUT2H
04FD 86    20    >       LDA     #$20       BLANK
04FF 8D    DC    >       BSR     PUTCH
                 >
0501 A6    46    >       LDA     LENGTH,U PRESERVE INSTRUCTION LENGTH
0503 34    02    >       PSHS    A
0505 A6    47    >       LDA     PAGE,U     OUTPUT PAGE BYTE IF APPLICABLE
0507 27    04    >       BEQ     EOJ1
0509 8D    BB    >       BSR     PUT2H
050B 6A    46    >       DEC     LENGTH,U
050D 30C8  17    >EOJ1   LEAX    BUFFER+7,U
0510 AF    4E    >       STX     NXTBUF,U POINT TO OPCODE
0512 A6    48    >       LDA     OPCD,U     OUTPUT OPCODE
0514 8D    B0    >       BSR     PUT2H
0516 6A    46    >       DEC     LENGTH,U
0518 A6    49    >       LDA     POSTB,U    OUTPUT OPCODE POSTBYTE IF APPLICABLE
051A 27    04    >       BEQ     EOJ2
051C 8D    A8    >       BSR     PUT2H
051E 6A    46    >       DEC     LENGTH,U
                 >
                 >* OUTPUT OPERAND BYTES
0520 30C8  1C    >EOJ2   LEAX    HEXB,U     POINT TO OPERAND FIELD
0523 AF    4E    >       STX     NXTBUF,U
0525 6D    46    >       TST     LENGTH,U
0527 27    0C    >       BEQ     EOJ4
0529 A6    4A    >       LDA     BYTE1,U    OUTPUT MSB OF OPERAND
052B 8D    99    >       BSR     PUT2H
052D 6A    46    >       DEC     LENGTH,U
052F 27    04    >       BEQ     EOJ4
0531 A6    4B    >       LDA     BYTE2,U    OUTPUT LSB
0533 8D    91    >       BSR     PUT2H
                 >
                 >* OUTPUT ENTIRE BUFFER TO CONSOLE
0535 30C8  10    >EOJ4   LEAX    BUFFER,U POINT TO START OF BUFFER
0538 A6    80    >EOJ5   LDA     ,X+
053A 34    52    >       PSHS    A,X,U      SAVE REGISTERS
053C AD    D4    >       JSR     +OUTCH,U+  OUTPUT CHARACTER
053E 35    52    >       PULS    A,X,U
0540 81    15    >       CMPA    #$15       EOL?
0542 26    F4    >       BNE     EOJ5
                 >
                 >* SET UP FOR NEXT LINE OF DISASSEMBLY
0544 35    04    >       PULS    B          GET INSTRUCTION LENGTH
0546 1D          >       SEX
0547 E3    42    >       ADDD    CURADR,U CALCULATE START OF NEXT INSTRUCTION
0549 ED    42    >       STD     CURADR,U
                 >
054B AE    42    >       LDX     CURADR,U
054D 32C8  3D    >       LEAS    ENDBUF-OUTCH,U RESTORE STACK
0550 35    66    >       PULS    A,B,Y,U    RESTORE REGISTERS
0552 39          >       RTS                DONE, RETURN TO CALLING ROUTINE
                 >
                 >*** TRANSFER INSTRUCTION REGISTER TABLE
0553 44          >REGTAB FCC     /DXYUSP**ABCD****/
                 >
                 >*** STACK REGISTER TABLE
```

```
0563 50         >STKTAB FCC    /PSYXDBAC/
                >
                >*** MNEMONIC TABLE
056B 4E         >MNTAB  FCC    /NEG      /
056F 2A         >MNILEG FCC    /***      /  ILLEGAL OPCODE
0573 2A         >       FCC    /***      /
0577 43         >       FCC    /COM      /
057B 4C         >       FCC    /LSR      /
057F 2A         >       FCC    /***      /
0583 52         >       FCC    /ROR      /
0587 41         >       FCC    /ASR      /
058B 41         >       FCC    /ASL      /
058F 52         >       FCC    /ROL      /
0593 44         >       FCC    /DEC      /
0597 2A         >       FCC    /***      /
059B 49         >       FCC    /INC      /
059F 54         >       FCC    /TST      /
05A3 4A         >       FCC    /JMP      /
05A7 43         >       FCC    /CLR      /
05AB 2A         >       FCC    /***      /
05AF 2A         >       FCC    /***      /
05B3 4E         >       FCC    /NOP      /
05B7 53         >       FCC    /SYNC/
05BB 2A         >       FCC    /***      /
05BF 2A         >       FCC    /***      /
05C3 42         >       FCC    /BRA      /
05C7 42         >       FCC    /BSR      /
05CB 2A         >       FCC    /***      /
05CF 44         >       FCC    /DAA      /
05D3 4F         >       FCC    /ORCC/
05D7 2A         >       FCC    /***      /
05DB 41         >       FCC    /ANDC/
05DF 53         >       FCC    /SEX      /
05E3 45         >       FCC    /EXG      /
05E7 54         >       FCC    /TFR      /
05EB 42         >       FCC    /BRA      /
05EF 42         >       FCC    /BRN      /
05F3 42         >       FCC    /BHI      /
05F7 42         >       FCC    /BLS      /
05FB 42         >       FCC    /BHS      /
05FF 42         >       FCC    /BLO      /
0603 42         >       FCC    /BNE      /
0607 42         >       FCC    /BEQ      /
060B 42         >       FCC    /BVC      /
060F 42         >       FCC    /BVS      /
0613 42         >       FCC    /BPL      /
0617 42         >       FCC    /BMI      /
061B 42         >       FCC    /BGE      /
061F 42         >       FCC    /BLT      /
0623 42         >       FCC    /BGT      /
0627 42         >       FCC    /BLE      /
062B 4C         >       FCC    /LEAX/
062F 4C         >       FCC    /LEAY/
0633 4C         >       FCC    /LEAS/
0637 4C         >       FCC    /LEAU/
063B 50         >       FCC    /PSHS/
063F 50         >       FCC    /PULS/
0643 50         >       FCC    /PSHU/
0647 50         >       FCC    /PULU/
064B 2A         >       FCC    /***      /
064F 52         >       FCC    /RTS      /
0653 41         >       FCC    /ABX      /
0657 52         >       FCC    /RTI      /
065B 43         >       FCC    /CWAI/
065F 4D         >       FCC    /MUL      /
0663 2A         >       FCC    /***      /
0667 53         >       FCC    /SWI      /
066B 53         >       FCC    /SUBA/
066F 43         >       FCC    /CMPA/
0673 53         >       FCC    /SBCA/
0677 53         >       FCC    /SUBD/
067B 41         >       FCC    /ANDA/
067F 42         >       FCC    /BITA/
0683 4C         >       FCC    /LDA      /
0687 53         >       FCC    /STA      /
068B 45         >       FCC    /EORA/
068F 41         >       FCC    /ADCA/
0693 4F         >       FCC    /ORA      /
0697 41         >       FCC    /ADDA/
069B 43         >       FCC    /CMPX/
```

Listing 1 continued on page 362

Listing 1 continued:

```
Ø69F 4A           >       FCC    /JSR      /
Ø6A3 4C           >       FCC    /LDX      /
Ø6A7 53           >       FCC    /STX      /
                  >
Ø6AB              >       END

ØØØØØ ERRORS

BUFFER  ØØ1Ø  BYTE1   ØØØA  BYTE2   ØØØB  CURADR  ØØØ2  DIRECT  Ø474  DISAS   ØØØØ
ENDBUF  ØØ3D  EOJ1    Ø5ØD  EOJ2    Ø52Ø  EOJ4    Ø535  EOJ5    Ø538  EXT1    Ø48C
EXTEND  Ø482  FINISH  Ø4E4  GETR1   Ø4E6  GETREG  Ø44E  HEXB    ØØ1C  ILEGOP  Ø322
ILOP1   Ø32B  IND1    Ø356  IND1Ø   Ø3E3  IND11   Ø3E8  IND12   Ø3F4  IND12A  Ø4ØC
IND13   Ø41Ø  IND14   Ø427  IND15   Ø42B  IND16   Ø43F  IND18   Ø44B  IND2    Ø382
IND3    Ø385  IND4    Ø391  IND5    Ø397  IND6    Ø3A9  IND7    Ø3B7  IND8    Ø3BF
IND8A   Ø3CC  IND9    Ø3DE  INDBYT  ØØØD  INDEN1  Ø473  INDEND  Ø4EB  INDEX   Ø33D
INDFLG  ØØØC  INIT1   ØØ1Ø  INIT2   ØØ19  LENGTH  ØØØE  MAIN1   ØØ2E  MAIN2   ØØ34
MAIN3   ØØ44  MAIN4   ØØ48  MAIN5   ØØ56  MNEM    ØØ22  MNILEG  Ø56F  MNTAB   Ø56B
NXTBUF  ØØØE  OPØØ    ØØ8F  OPØ1    ØØ9B  OPØ2    ØØ9E  OPØ3    ØØAC  OPØ4    ØØB1
OPØ5    ØØBA  OPØ6    ØØC3  OPØ7    ØØC6  OP1Ø    ØØC9  OP11    ØØCD  OP12    ØØDØ
OP13    ØØD8  OP14    ØØDB  OP15    ØØE8  OP16    ØØFØ  OP17    ØØF3  OP18    Ø1ØE
OP2Ø    Ø14E  OP21    Ø154  OP22    Ø157  OP23    Ø15B  OP24    Ø16Ø  OP25    Ø17Ø
OP26    Ø173  OP3Ø    Ø178  OP3ØØ   Ø1D8  OP3Ø1   Ø1E5  OP3Ø2   Ø1FØ  OP32    Ø185
OP33    Ø18C  OP34    Ø18F  OP35    Ø1A1  OP36    Ø1B6  OP37    Ø1C1  OP38    Ø1C8
OP39    Ø1D3  OP8Ø    Ø1FB  OP8ØØ   Ø268  OP8Ø1   Ø278  OP8Ø2   Ø27B  OP8Ø3   Ø289
OP8Ø4   Ø293  OP8Ø5   Ø29D  OP8Ø6   Ø2B4  OP81    Ø212  OP82    Ø233  OP83    Ø238
OP84    Ø248  OP85    Ø24D  OP86    Ø262  OPCØ    Ø2BA  OPCØA   Ø2D8  OPC1    Ø2E3
OPC2    Ø2E5  OPC3    Ø2EB  OPC4    Ø2F8  OPC5    Ø3Ø7  OPC6    Ø31Ø  OPC7    Ø31C
OPC8    Ø31F  OPCD    ØØØ8  OPRAND  ØØ28  OUTCH   ØØØØ  PAGE    ØØØ7  POSTB   ØØØ9
PUT2H   Ø4C6  PUT2HL  Ø4CF  PUT2HR  Ø4D3  PUTCH   Ø4DD  REG     Ø121  REG1    Ø134
REG2    Ø13C  REG3    Ø142  REG4    Ø145  REGTAB  Ø553  REL16   Ø4B2  REL8    Ø494
REL8A   Ø4A5  STKTAB  Ø563  WRKADR  ØØØ4
```

Listing 3 is a sample routine that demonstrates how to use the disassembler. First, the X register is loaded with the address where disassembly should begin by calling a monitor routine that asks for a 4-digit hexadecimal address. Then the Y register is loaded with the address of the monitor routine, which outputs the ASCII (American Standard Code for Information Exchange) character in the A register. This address can point to the console's or hard-copy device's output routine as desired. Next, the disassembler is called, and it outputs one line on the output device. A counter is used to output 19 lines (for my 20-line terminal), and then the keyboard input is checked. Disassembly continues for any input character other than an ESC (hexadecimal 1B); an ESC causes a return to the monitor.

The disassembler begins at DISAS by setting the U and S pointers, as described earlier. Next, the parameters passed in the X and Y registers are stored, and the temporary variables and output buffer are initialized. Then the first byte of code to be disassembled is examined. If it is not an op-code page byte (hexadecimal 10 or 11), it is looked up in the mnemonic table MNTAB to find its corresponding mnemonic. The mnemonic table is compressed from a maximum of 256 different entries to only 80 by converting op codes 40 through 7F to 00 through 0F, and 80 through FF to 40 through 7F (hexadecimal), since the op-code mnemonic stem is similar in these cases.

Op codes are processed according to their first hexadecimal digit and again according to their addressing mode. Subroutines are provided for indexed (including indirect), direct, extended, and relative addressing. Immediate addressing is processed like direct or extended

Text continued on page 364

Listing 2: *A portion of the output of the disassembler working on itself.*

```
E000  34    66    PSHS  U,Y,B,A
E002  33E8  C3    LEAU  -3D,S
E005  1F    34    TFR   U,S
E007  AF    42    STX   02,U
E009 10AF   C4    STY   00,U
E00C  30    46    LEAX  06,U
E00E  C6    0A    LDB   #$0A
E010  6F    80    CLR   ,X+
E012  5A          DECB
E013  26    FB    BNE   (E010)
E015  86    20    LDA   #$20
E017  C6    2D    LDB   #$2D
E019  A7    80    STA   ,X+
E01B  5A          DECB
E01C  26    FB    BNE   (E019)
E01E  AE    42    LDX   02,U
E020  AF    44    STX   04,U
E022  6C    46    INC   06,U
E024  E6    80    LDB   ,X+
E026  C1    10    CMPB  #$10
E028  27    04    BEQ   (E02E)
E02A  C1    11    CMPB  #$11
E02C  26    06    BNE   (E034)
E02E  E7    47    STB   07,U
E030  6C    46    INC   06,U
E032  E6    80    LDB   ,X+
E034  AF    44    STX   04,U
E036  E7    48    STB   08,U
E038  C1    80    CMPB  #$80
E03A  24    08    BHS   (E044)
E03C  C1    40    CMPB  #$40
E03E  25    08    BLO   (E048)
E040  C4    0F    ANDB  #$0F
E042  20    04    BRA   (E048)
E044  C4    0F    ANDB  #$0F
E046  CA    40    ORB   #$40
E048  86    04    LDA   #$04
E04A  3D          MUL
E04B  30ED  051C  LEAX  (E56B),PC
E04F  30    8B    LEAX  D,X
E051  31C8  22    LEAY  22,U
E054  C6    04    LDB   #$04
E056  A6    80    LDA   ,X+
E058  A7    A0    STA   ,Y+
E05A  5A          DECB
E05B  26    F9    BNE   (E056)
E05D  30C8  28    LEAX  28,U
E060  AF    4E    STX   0E,U
E062  A6C8  22    LDA   22,U
E065  81    2A    CMPA  #$2A
E067 1027   02B7  LBEQ  (E322)
E06B  A6    48    LDA   08,U
E06D  81    C0    CMPA  #$C0
E06F 1024   0247  LBHS  (E2BA)
E073  81    80    CMPA  #$80
E075 1024   0182  LBHS  (E1FB)
E079  81    40    CMPA  #$40
E07B  24    12    BHS   (E08F)
E07D  81    30    CMPA  #$30
E07F 1024   00F5  LBHS  (E178)
E083  81    20    CMPA  #$20
E085 1024   00BD  LBHS  (E146)
E089  81    10    CMPA  #$10
E08B  24    3C    BHS   (E0C9)
E08D  20    00    BRA   (E08F)
E08F  6D    47    TST   07,U
E091  26    08    BNE   (E09B)
E093  81    4E    CMPA  #$4E
E095  27    04    BEQ   (E09B)
E097  81    5E    CMPA  #$5E
E099  26    03    BNE   (E09E)
E09B  16    0284  LBRA  (E322)
E09E  84    F0    ANDA  #$F0
E0A0  C6    41    LDB   #$41
E0A2  81    40    CMPA  #$40
```

Listing 3: *This short routine is an example of how to use the disassembler.*

```
                         )* EXAMPLE OF HOW TO USE THE DISASSEMBLER
                         )
 0000                    )DISAS   EQU   $0        DISASSEMBLER STARTING ADDRESS
 FFB5                    )BADDR   EQU   $FFB5     BUILD HEX ADDRESS IN X-REG
 FFA3                    )OUTCH   EQU   $FFA3     OUTPUT CHARACTER IN A-REG
 FFA0                    )INCH    EQU   $FFA0     INPUT CHARACTER INTO A-REG
 FFA6                    )MONITR  EQU   $FFA6     MONITOR RE-ENTRY POINT
                         )
                         )        ORG   $0700     CAN BE IN ROM WITH DISASSEMBLER
0700 BD    FFB5          )        JSR   BADDR     GET STARTING ADDRESS
0703 108E  FFA3          )        LDY   #OUTCH    POINT TO OUTPUT ROUTINE
0707 C6    13            )LOOP    LDB   #19       DISASSEMBLE 19 LINES
0709 17    F8F4          )LOOP1   LBSR  DISAS
070C 5A                  )        DECB
070D 26    FA            )        BNE   LOOP1
070F BD    FFA0          )        JSR   INCH      GET CHARACTER FROM KEYBOARD
0712 81    1B            )        CMPA  #$1B      ESCAPE?
0714 26    F1            )        BNE   LOOP
0716 7E    FFA6          )        JMP   MONITR    YES, EXIT
0719                     )        END
```

Text continued from page 362:
addressing, depending on the number of bytes in the operand. If the program detects an illegal op code, page byte, or combination of the two, or an illegal indexed addressing postbyte, an illegal op-code routine is called to output "***" in place of the mnemonic.

By the time the program arrives at the end of job routine FINISH, the output buffer has been loaded with the op-code mnemonic and operand. The memory address location and the bytes of machine code are then placed into the buffer, and the entire buffer is output, along with a CR-LF (carriage return-line feed) sequence. I use a Control U (hexadecimal 15) to erase a line on my video terminal, and this character acts as the terminator for the output sequence. Before exiting the program, the index registers are restored to facilitate further calls, and the S pointer is adjusted upward to release the user stack workspace.

In summary, this disassembler offers the advantages of speed and small size, while being both reentrant and relocatable. This flexibility makes it an ideal addition for a 6809 system.■

Conducted by Steve Ciarcia

Thoughts on TRS-80 EPROMs

Dear Steve,

It may be good to add some details to your thoughts on using 2K-byte 2716 EPROMs (erasable programmable read-only memories) with the TRS-80 Model I. (See "In Need of a Way to the PROM," in the October 1981 BYTE, page 318.) In the case of a Model I with standard peripherals, Mr. Fitzgerald's circuit must be changed, because there are not quite 2K addresses available. Expansion boxes for the Model I—which use the peripheral drivers in ROM (read-only memory) A—need eight addresses distributed within the 16-byte range 37E0 through 37EF hexadecimal. An EPROM, such as the one shown in your figure (page 318), extending up into these same addresses would create direct contention on the data bus. The peripherals would not work.

There are two possible solutions to the problem. One is to use a smaller EPROM. The second is to disable the 2716 when conflicting addresses occur. The two-device circuit in your figure enables all but the 2716's last 32 bytes (a compromise to save integrated circuits); there is no conflict when an expansion box is used, and 2016 bytes of EPROM are still available. The circuit also adds an $\overline{RD}$ signal from the control bus in a way recommended exclusively for the 2716 by its manufacturers.

Adding an EPROM to the Model III is a bit different. A corresponding system PROM, C, is already there (and is disabled in a way similar to the circuit shown here in figure 1, but only at 37E8 and 37E9 hexadecimal (*Radio Shack Service Manual*, stock number 26-1061, page 14). In a 48K-byte system, no address space is free, and an EPROM would have to share space on the 16 available lines. Any of the three PROMs could be further qualified to accomplish this. The circuit would vary a lot, depending on when and how one wished to select between the two ROMs. But it would not be difficult. What would be challenging in designing such a "phantom" EPROM circuit for the Model III would be avoiding any conflicts arising from memory references to the PROM whose space is shared.

Paul Fuller
New York, NY




Figure 1

Number	Type	+5 V	GND
IC1	74LS138	16	8
IC2	74LS30	14	7
IC3	2716	24	12

Thank you for the information. . . . **Steve**

The Printer Connection

Dear Steve,

When I bought my TRS-80 microcomputer just about three years ago, I also bought Radio Shack's Quick Printer II. Since then I've realized that I need a larger printer, so now the Q. P. II is sitting in a corner unused. The Q. P. II has three inputs, TRS-80 bus, TRS-80 Expansion Interface, and an RS-232C connection. Using the serial interface, the Q. P. II needs a 600 bps (bits per second) signal with 7 data bits, even or odd parity, and 1 or 2 stop bits; or 7 data bits, no parity, and 2 stop bits; or 8 data bits, no parity, and 1 or 2 stop bits. I would like to interface this printer to a Texas Instruments TI-58C calculator, but I do not have any information on the TI-58C's interface pins (in the battery compartment). Any help you could give me would be greatly appreciated.

Michael W. E. Britt
Fayetteville, NC

For technical information on the TI-58C you should try calling Texas Instruments directly. The two numbers to call for technical information are (800) 858-1802 and (806) 741-2633.

One note, unless the outputs of the TI-58C calculator are either BCD (binary-coded decimal) or binary, it may be rather difficult to convert them to ASCII (American Standard Code for Information Interchange). The reason for this is that many printing calculators contain all the printer-control electronics on the same chip as the cal-

culator itself. The output they produce is multiplexed for a thermal or a 5-wire-matrix impact printhead. (This is what you have in your Q. P. II.)

In any event, it will be interesting to see how things turn out (imagine a remote numerical-entry terminal for your computer that also calculates?). . . . Steve

ROM-Based BASIC

Dear Steve,

I am looking for a ROM-based BASIC (equivalent to TRS-80's level II) that I could implement on an Intel 8085-based microcomputer. Do you know of any vendor that could supply such an item with good documentation, including a memory map and/or source listing?

Richard P. Gabric
Christchurch, New Zealand

A ROM-based 8K-byte Microsoft BASIC is available from:

Netronics Research
and Development, Ltd.
333 Litchfield Rd.
New Milford, CT 06776

It costs $99.95 plus $2 shipping and insurance. Netronics sells a complete line of 8085-related products and is your best bet.

Microsoft does not publish its source code for BASIC (for obvious reasons). However, virtually every issue of Dr. Dobb's Journal *published in 1976 had some article on Tiny BASIC, and these may be of some help. Contact the Hayden Book Co., 50 Essex St., Rochelle Park, NJ 07662, for a complete book of reprints of Volume I. . . .* Steve

Power Backup

Dear Steve,

I am using a Commodore PET to control my solar-heating system, but I've run into a small problem. In our area, it is not uncommon to have momentary power failures that are long enough to result in the computer losing the data stored in memory. (Power-line "glitches" that simply disrupt operation are less usual.) The vast majority of these outages last for two or three seconds only. Is there some way I can use a large capacitor, or perhaps rechargeable batteries, to handle this power problem for as long as five seconds?

Albert C. Pollard
Irvington, VA

Generally speaking, it is not a good idea to increase the capacitance in a power supply to try to make up for more than a few milliseconds of power loss. Just for the heck of it, I decided to do some quick computations to see how much of a capacitor it would require if it were feasible. The general equation for this calculation is:

$$C = I\frac{dt}{dv}$$

In this case, C is in farads, I is in amperes, v is in volts, and t is in seconds.

The following assumptions are made: one is that the computer requires about 4 amps; the other is that the nominal voltage within a power supply is 9 volts into the regulator, which cannot maintain its full output voltage when the input voltage falls below 7½ volts. Therefore, the allowable voltage drop is only 1½ volts. So dv would then equal 1.5 volts; dt is equal to 5 seconds as per your request.

Solving the equation results in a huge capacitor value of 13.33 farads! As you can see, this is not feasible. It also could lead to burning out your power supply on turn-on because this gigantic capacitor would appear to the rectifier like a short circuit as it was charging up.

My recommendation is, rather than messing around with the power supply inside your PET, that you look toward providing an uninterruptible power source on the 115-volt power line. Many companies sell such items. One product that seems to be aimed primarily at the personal computer market is MayDay from Sun Technology.

I hope you solve your power loss problems without major expenses. . . . **Steve**

Control Sources

Dear Steve,

I am at present designing an automatic home-control system. I would appreciate any information and data that you may be able to offer.

Faris Alamat
South Yorkshire, England

One of the main focuses of my articles over the years has been in the area of home control and security. In Ciarcia's Circuit Cellar, Volume II, *there are four articles that may be of particular interest to you. Three concern the developing of a computer-controlled security system with emphasis on home control and data acquisition. The fourth article is on the design of a computer interface to the BSR X-10 AC remote-control system. This should be an integral part of any inexpensive home controller that you would be using. The book is available for $12.95 from BYTE Books, 70 Main St., Peterborough, NH 03458. . . .* **Steve**

Search for Apple-to-North Star Compiler

Dear Steve,

Do you know of a compiler that allows programs written for an Apple to run on a North Star? If so, please advise on where I can obtain this. If not, any suggestions? Thanks.

Harold Walton
Pleasant Hill, CA

To my knowledge there is no compiler that allows you to go directly from Apple software to North Star.

If the Apple software is written in a higher-level lan-

guage such as BASIC, Pascal, PL/I or FORTRAN, however, you have a better chance of getting it to run on your North Star (if it also runs these languages). The inconvenience lies in finding language incompatibilities and correcting the statements to work on the North Star.

One possibility is an emulator. This is software, written for one processor, that emulates the program execution of another.

When it comes to direct use of machine-language programs, you are out of luck. The Apple uses the 6502 microprocessor, while the North Star uses the Z80A—they have incompatible instruction sets.

Finally, be aware that both types of programs, high-level and machine-language, will have instructions that manipulate the Apple I/O. The address and procedures for using cassette ports, keyboard, and video display are different between the Apple II and North Star, and also that some Apple software routines are in ROM. . . . Steve

Custom-Made System

Dear Steve,

I want to assemble my own custom computer system. I plan to use the S-100 bus since it appears to allow the most versatile system. I am most concerned with expandability, and I've noticed that a very large number of S-100 circuit cards are available.

I need a good high-level (preferably universal) language; but I need also the capability of programming in assembly language if the situation calls for it. I plan to use a Z80-based processor board.

One of my long-range goals is to have a multidisk system. I want to have two each of three or four types of drives (i.e., 35-track, 40-track, single-sided, etc.) This way I

won't have to worry about disk-to-drive compatibility when I buy software. I also want to be able to copy from drive to drive in any combination. For example, I may want to copy a 40-track disk into a 77-track disk. I would appreciate any hints or information you can give me.
Ron Frazier
Milledgeville, GA

Your concept of a custom computer system sounds fine to me. The S-100 bus has become a de facto standard and will give you all the versatility you desire, but . . . the multiple-drive approach may be quite expensive. Keep in mind a few facts about floppy-disk drives.

A double-density disk drive and controller can usually read single-density disks, and a 40-track, 5¼-inch disk drive only requires different software to work with 35-track disks. Unfortunately, there are many different formats for 5¼-inch disks, and most of them are mutually incompatible (an Apple II computer won't read disks from a TRS-80, which won't read Heath H-8 disks, and so on). Fortunately, most S-100 computers use 77-track 8-inch disks, and the IBM 3740 standard has been developed to ensure single-density compatibility. Most software is available in this format, which makes for a very versatile system. . . . Steve

Assembly Language

Dear Steve,

I am 14 years old and have my own 48K-byte Radio Shack TRS-80. I have mastered BASIC, and am trying to learn to program in assembly language. Unfortunately, after eight months, I am still trying. Even after studying books over and over, I can't seem to get the hang of it. Do you have any hints on how to learn assembly language, or do you know anybody near my home who could help me?
David Natter
Yonkers, NY

Sorry that you are having problems with assembly-language programming for the Z80 microprocessor. Here are some tips that may be of some help:

1. *Assembly language requires some knowledge of how the Z80 operates. If you look at the architecture (a fancy word for the block diagram) of the Z80, you will see the various registers and how they are connected.*
2. *With this block diagram as a guide, review the instruction set. Try to understand what is happening physically when a particular instruction is executed.*
3. *Understand that when certain instructions are executed, various flags (bits in a* status register*) are set or cleared. These flags can be* tested, *and their state can affect the action taken by the processor.*
4. *Try to understand routine programs that store data in memory and transfer memory contents to an output port.*
5. *Run short programs and understand what is happening. Certain locations are initialized at the start of a program and certain addresses have specific functions. Learn what they are and observe how they are called in other programs.*

Also, check suppliers of TRS-80 software for a "single-step" or "breakpoint" program. This is a special routine that allows you to step through a machine-language program one instruction at a time. After each step, you should be able to examine all the registers and see what has changed. This facility aids in debugging as well as learning.

You don't mention what books you are using but here are three that will help: TRS-80 Assembly-Language Programming *(Radio Shack),* Z80 Microprocessor Programming and Interfacing, Book 1, *by Joseph C. Nichols and Elizabeth A. Nichols. (Howard W. Sams and Co., 1979), and* Practical Microcomputer Programming: The Z80, *by W. J. Weller (Northern Technology Books, 1979; unfortunately, this book uses modified Intel mnemonics, not Zilog mnemonics).*

Finally, check your local computer store for the meeting dates of computer clubs in your area. You are bound to find some help there. . . . Steve

Apple 16-bit Hookup

Dear Steve,

I am a student at the University of Georgia. I own an Apple computer and I am looking for an inexpensive way to change the Apple to 16 bits. Can a Motorola 68000 microprocessor be plugged into the socket that the 6502 is in? If not, what is a simple way to change to 16 bits? Also, how can you change the display to 80 columns? I found a resistor I think controls the number of

columns and it would seem to be easy to change the resistor to twice the value. Will this work?

Steve Albert
Athens, GA

I am sorry to say that there is no simple way to change the Apple II to a 68000-based computer. The 68000 is not pin-compatible with any other microprocessor. Also, the Apple's memory is configured 8 bits wide, and Apple's software in ROM is intended for the 6502 instruction set. There are, however, complete 68000-based systems on the market. There is an accessory board that contains an Intel 8088, which allows 16-bit software for Intel's 8086 microprocessor to run on the Apple; it costs about $1000. Contact: Metaphorphic Microsystems, POB 1541, Boulder, CO 80306, (303) 499-6502.

The display on the Apple II was set at 40 characters to enable an ordinary television receiver to be used as a monitor. I'm afraid that to obtain an 80-character line would require more than a resistor change. Again, there are plug-in boards available that convert the Apple to 80 characters (and to lowercase too). BYTE will be doing a comparison of these products soon. . . . Steve

Construction Tips

Dear Steve,

The only two computers I have used are a Commodore PET (in school) and a TRS-80 (at my local Radio Shack store). I have basic knowledge of electronics and microcomputers, and I have read many magazine articles and books (including yours) on building computers.

I have concentrated my study on Zilog's Z80 microprocessor and am interested in building a system around it. I want to use a video display and an ASCII keyboard to enter programs in BASIC, and a cassette tape recorder for storage. I also want some type of output for expansions (RS-232C, parallel, serial).

I would like to buy a TRS-80, but my budget is limited. Where can I get a book that has what I want? I was thinking of buying the 8K-byte floating-point super ROM (read-only memory) from Microace (see ad on page 359 of the August 1981 BYTE). Would that work instead of the monitor you described in your book? Would I need to change any circuits on the board?

Paul Perry
Orinda, CA

*It sounds like you've answered almost all your questions on your own. If you feel that my book (*Build Your Own Z80 Computer*, BYTE Books, 1981) does not have all the information you need, you might try looking at some of the other BYTE/McGraw-Hill books that are in print.*

As to adding the Microace 8K Super BASIC, yes, it is possible, but (the ever-present catch) you will have to modify the circuitry. The Microace, like the Sinclair ZX80, uses so-called "cheap video." This means that the Z80 processor is doing all of the timing for the video display (sync and character generation) itself. Unless the Microace uses a jump vector in programmable memory for the inputs and outputs (like the TRS-80) you may have to patch the ROM somehow. You could do this by copying all of the Microace ROM into an EPROM (erasable programmable read-only memory) and changing the appropriate sections of the program.

Very few of the ROM BASICs available are the same. Even when the ma-

chines use similar circuitry, they may use different addresses for I/O manipulations. This doesn't make it impossible to interface, just time consuming and aggravating.

Any of the kits on the market are excellent buys. The kit that is best for you depends on your budget and requirements.

In any event, have fun and good luck. . . . **Steve**

Selectric as Printer

Dear Steve,

I have an Atari 800 and would like to add a printer of some sort, but the cost of a quality unit is beyond my budget. My mom has an IBM Selectric typewriter, and I have seen ads for a device that enables a computer to use a Selectric as a printer. What do you know about this? How much will it cost? Do I need an expansion interface? Which typewriter functions can the computer control? How much memory does the software require. At what speeds will it be capable of typing?

Mike Sutherland
Appleton, WI

The IBM Selectric typewriter can be used as a printer for a computer only if the character selection solenoids are installed. Office Selectrics, which I assume is what your mother has, do not have these solenoids and thus cannot be driven by a computer. It is not practical to install these solenoids yourself.

The Selectric I/O (input-output) typewriter, currently available on the used-equipment market, has the necessary solenoids to be computer driven. In addition, these typewriters are of a heavier construction and quite durable. Consult the ads in BYTE for price and condition.

Escon Products, Inc., 12919 Alcosta Blvd., San Ramon, CA 94583, sells a unit to adapt an office-type Selectric to a computer, but it costs around $600, the price of a dot-matrix printer.

A line of universal electric-typewriter interfaces is made by Rochester Data Inc., 3000 South Winton Rd., Bldg. A, Rochester, NY 14623, (716) 224-7804. Different models cost $600 to $800.

You will need some kind of interface to take the TTL (transistor-transistor logic) signals from the computer and enable them to drive 30- or 48-volt solenoids.

The computer can enable all of the typewriter functions, if the solenoids are available for each function.

A computer program to drive the Selectric will take approximately 300 bytes including a look-up table for the type-ball codes.


Selectrics are rated for 13.4 cps (characters per second) maximum, but actual speed will depend on the driver program used.

For more information see "Interfacing the IBM Selectric Keyboard Printer" by Dan Fylstra in the June 1977 BYTE, page 46. It is an excellent article on interfacing the Selectric. . . . **Steve**

In "Ask BYTE," Steve Ciarcia answers questions on any area of microcomputing. The most representative questions received each month will be answered and published. Do you have a nagging problem? Send your inquiry to:

Ask BYTE
c/o Steve Ciarcia
POB 582
Glastonbury CT 06033

If you are a subscriber to The Source, send your questions by electronic mail or chat with Steve (TCE317) directly. Due to the high volume of inquiries, personal replies cannot be given. Be sure to include "Ask BYTE" in the address.



How to Become a Successful Computer Consultant

Leslie Nelson
Essex Publishing Company, Caldwell, NJ
1980, 135 pages
softcover $28

Reviewed by
Bruce Robert Evans,
16 Marwin Rd.
Pickering, Ontario
L1V 2N7, Canada

When I first received this book, I was convinced it was merely a rehash of the obvious. In addition, I was put off by its poorly bound, one-hundred plus pages: I felt that I'd wasted $28 on a collection of single-sided, photocopied ramblings. But after rereading it and reflecting, I've concluded it is a must for anyone considering a career as a computer consultant.

Nelson approaches his subject, *How to Become a Successful Computer Consultant*, in a straightforward, orderly fashion—he begins by defining what a computer consultant is, what he does, and where he does it. Next, he analyzes whether you should keep your present job (as a safety net) or whether you should jump into full-time consulting.

Next, Nelson proceeds to show how to package and market your services. Remember, you'll be trying to sell yourself to hard-nosed businessmen who might resent hiring an outside expert, so don't expect them to jump at the opportunity to consult a pink-cheeked, enthusiastic, former amateur. Nelson shows you, step by step, how to develop a resume and a marketing package, and explains where to get your leads and find business.

There's no point in running a business that pays you less than the minimum wage, even if the work is fun. *How to...* tells you how to negotiate fees and collect them. There are several charts showing what other consultants charge, examples that demonstrate calculations for obvious and hidden costs, and samples of several contracts. Copy and use them! In addition, there are checklists outlining what to do and which traps to avoid.

The only time Nelson is not specific is in the chapter on "big money." He glosses over software packages and turnkey systems. I realize that the topics are far too extensive to be covered in a single chapter, but this section should have been dropped or expanded.

The final chapter describes the computer consultant's legal liabilities, and it was a wise decision to leave this chapter for last. If you began here, you'd never go into business for yourself. However, Nelson lists the problems and then their solutions, a step at a time. You are advised when to seek a lawyer or an accountant, and how to choose them.

Nelson has successfully distilled the experiences of a number of years and presented them in a manageable package. In summary, this unassuming book should be on the shelf of everyone considering setting up a computer consulting practice. □

Clubs and Newsletters

FORTH In New York

FORTH meetings are now being held in the New York City area. For information, contact Tom Jung, 7-04 166th St., Whitestone, NY 11357.

Color, I, and III Computer Club

The S & N Color, I, and III Club is interested in games, word processing, graphics, and the inner workings of the TRS-80 I and III and the Color Computer. The club also produces a newsletter. Contact Neil Goldfarb, 3 Bohr Court, Spring Valley, NY 10977, or call Steve Kolokowsky at (914) 362-0713.

NCGA Opens New York Chapter


A chapter of the National Computer Graphics Association (NCGA) has been formed in New York City. The chapter's purpose is to disseminate and exchange information between vendors and users of computer-graphics technology. Two seminars and a quarterly newsletter are planned. Membership is open to individuals implementing computer graphics or distributing graphics products. For information, contact Dan Olasin (212) 832-3224 or Art Kirsch (516) 826-4422.

Mid America Computer Hobbyists

MACH (Mid America Computer Hobbyists) is a nonprofit organization of computer hobbyists dedicated to the exchange of information on microcomputers. The club sponsors two

Circle 250 on inquiry card.

Circle 30 on inquiry card.







major projects: a quarterly newlsetter and a summer computer fair. Membership is free. Contact MACH, POB 13303, Omaha, NE 68113.

Pascal/MT+ Users Group

The Pascal/MT+ users group (MTPUG) is a newly formed organization promoting the use of Pascal as a programming language and serving as a vehicle for communications between users of the language. A quarterly newsletter with bug reports and fixes, programs, questions and answers, and items of interest is planned. Programs will be available on single-density 8-inch CP/M and 5¼-inch North Star or Heath/Zenith disks. Membership dues are $7 in the U.S., $8 in Canada or Mexico. All other countries, $10 surface mail, $16 air mail. Contact MTPUG, POB 192, Westmont, IL 60559. In Europe, contact MTPUG Europe, Schimmelmannstr, 37A, D-2070 Ahrensburg, West Germany.

TI-99/4 Users

A users group has been formed in the Cincinnati/Dayton (Ohio) area for people interested in the TI-99/4 microcomputer. For information, contact 99/4 Users Group, c/o Jim Schwaller, 11987 Cedarcreek Dr., Cincinnati, OH 45240, (513) 825-6645.

Computer Club In Central Jersey

The Central Jersey Computer Club meets at 8 p.m. on the fourth Friday of each month at Armstrong Hall, Trenton State College, Trenton, New Jersey. Anyone interested in computing is in-

Circle 87 on inquiry card.

vited to attend. The club has an information exchange, a monthly newsletter, and frequent guest speakers. Visits to computer installations are organized. Contact Richard H. Williams, R.D.#1, Box 147, Hopewell, NJ 08525, (609) 466-2926.

Clubs and Newsletters Notes

Ham radio operators interested in starting a national Atari network should contact Sheldon Leemon, 14400 Elm St., Oak Park, MI 48237.

Larry Kamin would like to get in touch with any amateur computing club in New York City. Call (212) 389-3700, ext. 324.

Sinclair ZX81 users are in short supply in Switzerland. Mrs. Dane Kurth, Langgasse 51, CH-3292 Busswil, Switzerland would like to correspond with other ZX81 owners.

The Club Apple de Quebec has a new address. Contact Octavio Prieto-Cox, c/o Club Apple de Quebec, 1041 Jeanne Leber, Sainte-Foy, Quebec, Canada, G1W 4G7.

Graphics Group

Advanced Electronics Design (AED) has created a special-interest group for users of the AED512 color raster-graphics display system. Membership is free to anyone who purchases the system, and includes a free subscription to a newsletter, access to a library of user-submitted AED512 programs and software, and applications information from group members. Members will also be informed of the latest AED new products and will have the opportunity to participate in the yearly group meeting at SIGGRAPH. Contact Robin Ratajczak, Advanced Electronics Design, Inc., 440 Potrero Ave., Sunnyvale, CA 94086, (408) 733-3555.

Circle 294 on inquiry card.

Computers in Medical Offices

The *Micro Medical Newsletter* provides advice on the use and selection of applications for microcomputers in the medical office. Reviews of accounting and insurance-claim management systems, plus reviews of applications software for the Apple II and III, TRS-80, and CP/M-based computer systems have been published. One issue includes an article on the use of minicomputers versus microcomputers in medical offices. The current issue is free to physicians and other health professionals when the request is made on office stationery. For more details, contact Charles Mann and Associates, 7594 San Remo Trail, Yucca Valley, CA 92284, (714) 365-9718.

CSAA Hobbyists

The CSAA Computer Club is an active group of computer hobbyists and professionals. The club meets at 7:30 p.m. on the third Thursday of the month in the Student Center of the Medical College of Georgia, Laney Walker and 15th St., Augusta, Georgia. Dues are $6 per year. A newsletter is published. Contact the CSAA Computer Club, POB 284, Augusta, GA 30903. ■

BYTE's Bugs

Manager Corrected

Because of the way the TRS-80 Model III handles strings, two corrections need to be made to the program listing in Paul Swanson's article, "PDQ: A Data Manager for Beginners." (See November 1981 BYTE, page 236.) Lines 640 and 950 of listing 1 should both be changed to read A$ = I$ + STRING$(CA(5),32). ■

Event Queue

February 1982

February

Public Courses, various sites throughout the U.S. Among the courses being offered by Ken Orr and Associates are "Structured Systems Design/Structured Program Design" and Structured Requirements Definition." For schedule of meeting times and places, contact Ken Orr and Associates Inc., 715 East 8th, Topeka, KS 66607, (800) 255-2459; in Kansas (913) 233-2349.

February-March

Hands-On Local Network Workshops, various sites throughout the U.S. This series of four-day workshops provides hands-on experience with a local computer network. File, printer, and electronic-mail servers, and various software and hardware components of a local-network computer system will be provided. The local network used as the example will consist of at least a Nestar Cluster One/Model A. Write to Architecture Technology Corp., POB 24344, Minneapolis, MN 55424.

February-April

Computer Network Design and Protocols, various sites throughout the U.S. Participants in this workshop will learn to determine network-system requirements and will perform design trade-offs, implement network-communication and control protocols, use packet- and message-switching techniques, evaluate network hardware and software components, interface local systems to networks, and design and build private networks. The course fee is $845. Contact Ruth Dordick, c/o Integrated Computer Systems, 3304 Pico Blvd., POB 5339, Santa Monica, CA 90405, (800) 421-8166; in California (800) 352-8251.

February-April

Fundamentals of Data Processing for Administrative Assistants and Office Support Staff, various sites throughout the U.S. The American Management Associations (AMA) has designed this three-day course for secretaries, assistants, supervisors, and other personnel desiring to learn the fundamentals of data processing and its use in offices. Computer hardware, software, programming languages, and technology will all be covered. The team fee for AMA members is $470 per individual and $550 for nonmembers. Individual fees are $550 for AMA members and $630 for nonmembers. For a schedule of dates and locations, contact the AMA, 135 West 50th St., New York, NY 10020, (212) 586-8100. To register by phone, call (212) 246-0800.

February-June

Datamation Institute Seminars on Information Management, various sites throughout the U.S. Databases and communications, systems performance, data-processing management, word processing, office automation, computer graphics, and topics of general interest are among the areas to be covered by these two-day seminars. Fees range from $495 to $595. For schedules of times and places, contact Karen Smolens, c/o the Center for Management Research, Datamation Institute Seminar Coordination Office, 850 Boylston St., Chestnut Hill, MA 02167, (617) 738-5020.





Event Queue

February-June

Intensive Two-day Seminars for Professional Development, various sites throughout New England. Among the seminars to be offered by Worcester Polytechnic Institute are "Fundamentals of Data Processing," "Distributed Systems: The Architecture and Utilization of This Revolutionary Technology," and "Microprocessors: Hardware, Software, and Applications." Registration fees range from $445 for a two-day program to $990 for a 7-day executive institute. For complete details, contact Ms. Ginny Bazarian, Office of Continuing Education, Worcester Polytechnic Institute, Worcester, MA 01609, (617) 793-5517.

February-June

One- and Two-day Professional Development Seminars, various sites in greater Boston. Among the courses being offered by Boston University are "Business Writing for Results," "Improving Customer Service," and "Assertive Management." Registration fees range from $295 for a one-day program to $445 for a two-day program. These seminars can be conducted within your company. For details, contact Ms. Joan Merrick, Center for Management Research, 850 Boylston St., Chestnut Hill, MA 02167, (617) 738-5020. For information on the in-company seminars, contact Ms. Elaine Dee at the same address.

February-June

Courses and Seminars from Sira Institute, various sites throughout England. Sira Institute is sponsoring seminars on a wide variety of subjects, ranging from microprocessor familiarization to design and development of microprocessor-based equipment. For details, contact Conferences & Courses Unit, Sira Institute Ltd., South Hill, Chislehurst, Kent BR7 5EH, England.

February 14-18

The Kuwait Information Management Exhibition: INFO Kuwait, Kuwait International Exhibition Center, Kuwait. Industrial executives from the Middle East are among those expected to attend this conference. Exhibits and speakers will be featured. Contact Clapp & Poliak International, 7315 Wisconsin Ave., Washington, DC 20014, (301) 657-3090.

February 18-19

Computer/Micrographics Interface, Stouffer's Greenway Plaza, Houston, TX. The Computer/Micrographics Interface is designed for information managers, systems analysts, micrographics systems analysts, records managers, and others who need information on computer and micrographic technologies. The course is presented by Battelle Research Institute. Contact Battelle Seminars and Studies Program, 4000 Northeast 41st, Seattle, WA 98105, (800) 426-6762; in Washington (206) 527-0542.

February 18-19

The Second Annual Talmis Conference and Exhibit, Chicago, IL. The Talmis Conference will focus on educational and reference media for the institutional, training, home-computer, and video markets. Local computer networks in education, the market for electronic educational and reference media in the home, software piracy, and other topics will be discussed. Exhibits of products and services will be featured. The registration fee is $450. For more information, contact Talmis, 115 North Oak Park Ave., Oak Park, IL 60301, (312) 848-4001.

February 18-20
The Ninth Annual Conference of the Mid-South Association for Educational Data Systems, Landmark Hotel, New Orleans, LA. The theme of the Ninth Annual Conference of the Mid-South Association for Educational Data Systems is "Computer Creativity." The conference will feature papers, workshops, and panel discussions on CAI (computer-aided instruction), CMI (computer-managed instruction), research developments, user/producer communications, and administrative applications. For details, contact Mike Schouest, Director, MIS Data Center, Louisiana State Dept. of Education, 3455 Florida Blvd., Baton Rouge, LA 70806, (504) 342-3762.

February 22-24
The Eighth Federal DP Expo, Sheraton Washington Hotel, Washington, D C. More than 150 computer industries will display and demonstrate hardware and software systems and services at the Federal DP Expo. Conferences on data processing and office automation will be held. Approximately 120 computer-industry experts are scheduled to speak. Contact The Interface Group, 160 Speen St., Framingham, MA 01701, (800) 225-4620; in Massachusetts, (617) 879-4502.

February 22-24
Oasis Level Two Training Seminars, Phase One Systems, Oakland, CA. Using a step-by-step approach to developing applications software with the multiuser Oasis operating system, this seminar begins with program design and proceeds to a careful study of the Oasis system. Topics to be covered are the Oasis BASIC interpreter and compiler, program segments, file structures and I/O (input/output), matrices and matrix I/O, multi-line branching structures, and subroutine and error handling.

The registration fee for this three-day session is $350. Some background in BASIC programming is recommended. Contact Phase One Systems, Suite 830, 7700 Edgewater Dr., Oakland, CA 94621, (415) 562-8085.

February 23-25
Computers and Automated Office Systems Exhibit for Caribbean Markets, Holiday Inn, Paradise Island, Nassau, Bahamas. This show is intended to bring together buyers and distributors within the industry. Exhibits of equipment for businesses in the Caribbean will be featured. For more details, contact Ormand Vee Co., 8852 Leslie Ln., Desplaines, IL 60016, (312) 635-7347.

February 26-28
Computer Expo '82, Tupperware Convention Center, Orlando, FL. Focusing on computers in education, business, industry, professional trades, and the home, Computer Expo '82 will feature exhibits of computers and peripherals. It is sponsored by Adventure International. General admission is $5. For details, contact Computer Expo '82, 377 East Highway 434, POB 1185, Longwood, FL 32750, (305) 339-1731.

March 1982

March
Courses and Seminars from George Washington University, Amsterdam, Netherlands; London, England; Long Island, NY; San Diego, CA; and Washington, DC. Among the courses and seminars to be presented are "Microcomputers in Control Systems," "Comparative Database Management Systems," and "Structured Programming and Software Engineering." For further information, contact The Director, Continuing Engineering Education, George Washington University, Washington, DC 20052, (800) 424-9773; in Washington, DC, (202) 676-6106.

March-June
National Computer Graphics Association Seminar Program, various sites throughout the U.S. The National Computer Graphics Association's (NCGA) Winter/Spring 1982 seminar program covers such topics as "Computer Graphics: Technology and Applications," "Successful Business Graphics," and "Applications of Computer Graphics to Transportation Problems." Seminar fees are $395 for association members and $425 for nonmembers. For complete details, contact Eloise Wenker, NCGA Seminar, 2033 M St., NW

Circle 93 on inquiry card.

Circle 321 on inquiry card.



Event Queue

#300, Washington, DC 20036, (202) 466-4102.

March 1-2

Sixth Annual Convention of the Michigan Association for Computers Users in Learning, Western Michigan University, Kalamazoo, MI. Featured will be presentations and sessions on various facets of computers in education. Also featured will be vendor demonstrations and displays. For further details, contact Carolyn Gilbreath, c/o Oakland Schools, 2100 Pontiac Lake Rd., Pontiac, MI 48054, (313) 858-1898.

March 1-4

Robots VI Conference and Exposition, Cobo Hall, Detroit, MI. An estimated 6000 manufacturing executives and engineers are expected to attend the Robots VI Conference, which features the latest in robotics technology and equipment. Among the topics to be addressed are assembly, foundry operations, aerospace applications, vision and handling, research and development, and sessions on human factors associated with robotics. Cincinnati Milacron, Unimation, and Hitachi America are a few of the companies that will be exhibiting. The show is being sponsored by Robotics International of the Society of Manufacturing Engineers (RI/SME). Contact RI/SME, One SME Dr., POB 930, Dearborn, MI 48128, (313) 271-1500, ext. 416.

March 2-4

The 1982 Vancouver Island Business Show, Empress Hotel, Victoria, British Columbia, Canada. The Vancouver Island Business Show features word-processing, communications, and office systems. The show provides the Vancouver Island business community with the opportunity to meet with many Canadian suppliers of computer equipment. For information, contact Southex Exhibitions, Suite 202, 2695 Granville St., Vancouver, British Columbia, V6H 3H4, Canada, (604) 736-3331. In eastern Canada, contact Judy Hurd, 1450 Don Mills Rd., Don Mills, Ontario, M3B 2X7, Canada, (416) 445-6641.

March 3-7

Microcomputer Week '82, Jersey City State College, Jersey City, NJ. The third annual Microcomputer Week conference will focus on microcomputers in education at the elementary, secondary, and college levels. Sixty-six seminars or short courses will be offered, many of which will involve hands-on experience. Special-interest groups, addresses, and reports will be included in the conference, along with exhibits and displays of educational microcomputer hardware, software, courseware, books, and periodicals. Enrollment fees range from $95 for one day to $73 per day for the entire five-day conference. A three-day executive computing course for school and college administrators costs $425. For details, contact Catalyst Conference, H 112, Jersey City State College, 2039 Kennedy Blvd., Jersey City, NJ 07305, (201) 434-2154 or (201) 547-3094.

March 7-10

The Eleventh Annual TI-MIX Symposium, Las Vegas Hilton, Las Vegas, NV. The TI-MIX, an organization for Texas Instruments computer users, will sponsor a symposium featuring exhibits, a business meeting, and a new products workshop. Individual presentations, panel discussions, and workshops are planned. Contact TI-MIX, M/S 2200, POB 2909, Austin, TX 78769, (512) 250-7151.

Circle 278 on inquiry card.

March 7-12
The Twenty-Eighth Audio-Visual Institute for Effective Communications, Indiana University, Bloomington, IN. The Institute provides audio-visual/video communicators with a comprehensive, practical overview of communication techniques and the opportunity to gain practical experience, exchange ideas, and receive individual instruction. Professionals will lead a series of lectures, discussions, and workshops. For details, contact Ed Richardson, c/o NAVA Institute, Audio-Visual Center, Indiana University, Bloomington, IN 47405.

March 9-11
The 1982 International Zurich Seminar on Digital Communications, Zurich, Switzerland. The theme of this seminar is "Man/Machine Interaction." Its aim is to present recent advances in theory and application of digital-communication systems. Services, facilities, ergonomics, and their impact on peripheral equipment, systems architecture and design, as well as I/O (input/output) concepts and principles will be covered. For details, contact Secretariat '82 IZS, Ms. M. Frey, EAE, Siemens-Albis AG, POB CH-8047, Zurich, Switzerland.

March 9-11
Understanding and Using Computer Graphics, Dallas Hilton Inn, Dallas, TX. The seminar is designed for those interested in the field of interactive computer graphics, including hardware, software, and applications. Headed by Carl Machover, the seminar provides a comprehensive overview of the state of the art in graphics systems. For details, contact Bob Sanzo, c/o Frost & Sullivan, Inc., 106 Fulton St., New York, NY 10038, (212) 233-1080.

Event Queue

March 9-12

Digital-Image Processing and Analysis, San Diego, CA. Integrated Computer Systems' course in digital-image processing is designed for engineers, scientists, technical managers, and other professionals responsible for specification, design, implementation, or application of digital-image processing systems. Among the topics to be covered are image acquisition, image-processing software and database structures, interactive two- and three-dimensional image processing and display, and real-time arrays. Some of the applications examples to be presented are quality assurance and robot vision. The course fee is $795; on-site courses are available on request. Contact Ruth Dordick, c/o Integrated Computer Systems, 3304 Pico Blvd., POB 5339, Santa Monica, CA 90405, (800) 421-8166; in California (800) 352-8251.

March 9-12

VIO-Voice Input/Output for Computers, Los Angeles, CA. VIO-Voice Input/Output for Computers is a four-day course designed for product development and design engineers, systems analysts, programmers, and technical managers involved in planning, design, and implementation of voice input/output systems. The topics to be covered include voice-processing algorithms and software, evaluating VIO hardware components and systems, utilizing speech synthesis techniques, and designing voice-recognition techniques. Participants will have the opportunity to work with devices that permit online generation of computer-voice output, data entry by means of voice input, and voice input for system control. The course fee is $795; on-site courses are available upon request. For information, contact Ruth Dordick, c/o Integrated Computer Systems, 3304 Pico Blvd., POB 5339, Santa Monica, CA 90405, (800) 421-8166; in California (800) 352-8251.

March 10-12

Cincinnati Business Show, Cincinnati Convention Center, Cincinnati, OH. The Cincinnati Business show features the latest in business technology, office systems, and products. Seminars will also be presented. For information, contact Ray G. Nemo, 5679 Creek Rd., Cincinnati, OH 45242, (513) 531-5959.

March 15-19

Short Course from UCLA, Boelter Hall, University of California-Los Angeles (UCLA), Los Angeles, CA. "Mechanical Reliability, Design by Reliability, Probabilistic Design—The Stress/Strength Interference Approach to Reliability Prediction" is a short course being presented by UCLA. The course fee is $795, which includes comprehensive course notes. For details, contact Dr. Dimitri Kececioglu, Aerospace and Mechanical Engineering Dept., University of Arizona, Tucson, AZ 85721, (602) 626-2495 or (602) 626-3901. In California, call Robert Rector at UCLA, (213) 825-1295 or (213) 825-3344.

March 16-18

Software/Expo-West, Anaheim Convention Center, Anaheim, CA. The Software/Expo-West is a conference and show devoted to packaged software. Exhibitors will display a wide range of software products. For additional information, contact Software/Expo-West, Suite 400, 222 West Adams St., Chicago, IL 60606, (312) 263-3131.

Awards Ceremony and Executive Conference, Marriott Mountain Shadows Resort, Scottsdale, AZ. The annual International Computer Programs (ICP) awards ceremony honors super software salesman, advertising agencies, public relations firms, and microcomputer software achievements. The executive conference discusses the main issues and concerns of the industry, such as productivity through proper use of people and machines, new software-piracy solutions, and how to get the most out of advertising dollars. The fee for the executive conference is $250. For detailed information, contact Carol Stumpf, 9000 Keystone Crossing, POB 40946, Indianapolis, IN 46240, (800) 428-6179; in Indiana (317) 844-7461.

April 2-3
Educational Computing—The Future Is Now, Anchorage, AK. The Educational Computing conference is sponsored by the Alaska Association for Computers in Education. Invited speakers, exhibits, and demonstrations of microcomputer products for educational purposes will be featured. Admission to the exhibition area is free of charge. For further details, contact Pat Stowers, '82 Educational Computing, Drawer 129, Healy, AK 99743, (907) 683-2278.

April 2-4
The Second Annual Eighty/Apple Computer Show, New York Statler Hotel, New York, NY. The Eighty/Apple Computer Show features products and services for the TRS-80 and Apple computer systems. More than 100 exhibitors of hardware, software, books, magazines, supplies, services, and accessories will attend. For more information, contact Ken Gordon, Kengore Corp., 3001 Rte. 27, Franklin Park, NJ 08823, (201) 297-2526.

April 13-16
Digital-Image Processing and Analysis, Boston, MA. For details, see March 9-12.

April 15-18
The Second Southwest Computer Show and Office Equipment Exposition, Market Hall, Dallas Market Center, Dallas, TX. The Southwest Computer Show and Office Equipment Exposition features mini- and microcomputers for business, education, government, industry, home, and personal use. Data- and word-processing equipment, office machines, computer peripherals, and office supplies will be displayed. General admission is $5. Contact National Computer Shows, 824 Boylston St., Chestnut Hill, MA 02167, (617) 739-2000.

April 20-22
D-COM, Hynes Auditorium, Boston, MA. A trade show for products and services compatible with Digital Equipment Corporation's products, D-COM will involve vendors and users. For information, contact Ron Davies, D-COM Inc., 7312 Burdette Court, Bethesda, MD 20817, (301) 469-7650.

April 20-23
VIO—Voice Input/Output for Computers, Boston, MA. For details, see March 9-12.

April 21-28
Hanover Fair '82, Hanover, West Germany. The annual Hanover Fair is one of the world's largest industrial and trade exhibitions. More than 330 American firms are expected to exhibit products, services, and technology at the Fair. Contact M.A. Delia, Hanover Fairs Information Center, POB 338, Whitehouse, NJ 08888, (800) 526-5978; in New Jersey, (201) 534-9044.

April 22-25
New York Computer Show and Office Equipment Exposition, Nassau Coliseum, Uniondale, NY. For details, see April 15-18. ■

In order to gain optimal coverage of your organization's computer conferences, seminars, workshops, courses, etc, notice should reach our office at least three months in advance of the date of the event. Entries should be sent to: Event Queue, BYTE Publications, POB 372, Hancock NH 03449. Each month we publish the current contents of the queue for the month of the cover date and the two following calendar months. Thus a given event may appear as many as three times in this section if it is sent to us far enough in advance.

Software Received

Apple II

Escape from Arcturus, a graphics arcade game for the Apple II. Floppy disk, $35. Synergistic Software, 5221 120th Ave. SE, Bellevue, WA 98006.

Portware, a stock-portfolio-management system for the Apple II. Floppy disk, $195. Portware Inc., 5724 Tucker Ln., Edina, MN 55463.

Whizkit, a program package for converting units of measure for the Apple II Plus. Floppy disk, $39.95. P. V. Systems, POB 21577, San Jose, CA 95151.

Heath

Airport, a flight-controller simulation game for the Heath H-8/H-89. Floppy disk, $19.95. The Software Toolworks, 14478 Glorietta Dr., Sherman Oaks, CA 91423.

Ed-a-Sketch, a full-screen graphics editor for the Heath H-8/H-89 (will also run under CP/M). Floppy disk, $29.95. The Software Toolworks (see address above).

Introduction to BASIC Programming, a course in BASIC programming for the Heath H-8/H-89. Floppy disk, $29.95. The Software Toolworks (see address above).

Invaders, a graphics arcade game for the Heath H-8/H-89 (will also run under CP/M). Floppy disk, $19.95. The Software Toolworks (see address above).

Mychess, a computerized chess program for the Heath H-8/H-89 (will also run under CP/M). Floppy disk, $34.95. The Software Toolworks (see address above).

PIE 1.5, a full-screen text editor for the Heath H-8/H-89 (will also run under CP/M). Floppy disk, $29.95. The Software Toolworks (see address above).

Reach, a telecommunications terminal program for the Heath H-89 (will also run under CP/M). Floppy disk, $19.95. The Software Toolworks (see address above).

TRS-80

Color Maze, a graphics arcade game for the TRS-80 Extended BASIC Color Computer. Cassette, $10. Baranwear, POB 1448, Hayfork, CA 96041.

AC and DC Circuit Analysis Programs, analyzes AC and DC circuits for the TRS-80 Model I Level II. Cassette, $17.97. Computer Heroes, 1961 Dunn Rd., East Liverpool, OH 43920.

Multidos, a versatile disk operating system for the TRS-80 Models I and III. Floppy disk, $79.95. Cosmopolitan Electronics Corp., POB 234, Plymouth, MI 48170.

Whizkit, a program package for converting units of measure for the TRS-80 Models I and III. Floppy disk, $39.95. P. V. Systems, POB 21577, San Jose, CA 95151.

Other Computers

C/80, a compiler for the C programming language running under CP/M. 8-inch floppy disk, $39.95. The Software Toolworks, 14478 Glorietta Dr., Sherman Oaks, CA 91423.

Edit-11 Ver. 2.02, a screen-oriented text editor running under CP/M version 1.4 and the Oasis disk operating system. 8-inch floppy disk, $50. C. C. Software, 2564 Walnut Blvd., #106, Walnut Creek, CA 94598. ■

This is a list of software packages that have been received by BYTE Publications during the past month. The list is correct to the best of our knowledge, but it is not meant to be a full description of the product or the forms in which the product is available. In particular, some packages may be sold for several machines or in both cassette and floppy-disk format; the product listed here is the version received by BYTE Publications.

This is an all-inclusive list that makes no comment on the quality or usefulness of the software listed. We regret that we cannot review every software package we receive. Instead, this list is meant to be a monthly acknowledgment of these packages and the companies that sent them. All software received is considered to be on loan to BYTE and is returned to the manufacturer after a set period of time. Companies sending software packages should be sure to include the list price of the packages and (where appropriate) the alternate forms in which they are available.

Books Received

Advanced Programming and Problem Solving with Pascal, G.M. Schneider and S.C. Bruell. New York: John Wiley & Sons, 1981; 506 pages, 23 by 16 cm, hardcover, ISBN 0-471-07876-X, 1982; 380 pages, 27 by 21 cm, softcover, ISBN 0-03-058052-8, $16.95.

50 More Programs in BASIC for the Home, School & Office, 2nd edition, Jim Cole. Woodsboro. MD: Arc-

Microprocessor Operating Systems, John Zarrella, ed. Suisun City, CA: Microcomputer Applications, 1981; 166 pages, 22.5 cm by 15 cm, softcover, ISBN 0-935230-03-3, $11.95

wood Cliffs, NJ: Prentice-Hall, 1982; 272 pages, 23.5 by 13 cm, hardcover, ISBN 0-13-631028-1, $24.95.

101 Pocket Computer Programming Tips & Tricks, Jim

March 16-19

Digital Filters and Spectral Analysis, Boston, MA. Integrated Computer Systems (ICS) is presenting a four-day course on digital filters and spectral analysis for project and design engineers, programmers and technical managers responsible for implementing advanced digital signal-processing systems, and those who must understand them and their potential. Fundamentals of digital signal processing, fast Fourier transform (FFT) algorithms, and special- and general-purpose LSI/VLSI (large-scale and very large-scale integration) devices are among the topics to be addressed. The course fee is $795; on-site courses are available by request. Contact Ruth Dordick, c/o ICS, 3304 Pico Blvd., POB 5339, Santa Monica, CA 90405, (800)421-8166; in California (800) 352-8251.

March 19

The Eleventh Annual International Computer Programs Awards Ceremony and Executive Conference, Savoy Hotel, London, England. The annual International Computer Programs Inc. (ICP) awards ceremony and executive conference honors super software salespeople, advertising agencies, public relations firms, and achievements in the industry. The executive conference is one and a half days of discussion of the major issues and concerns of the industry. The fee for the executive conference is $250. For information, contact Carol Stumpf, 9000 Keystone Crossing, POB 40946, Indianapolis, IN 46240, (800) 428-6179; in Indiana (317) 844-7461. In England, contact International Computer Programs, Inc., 2 Deanery St., Park Lane, London WIY 5LH, England, Tel. 01 499 6621.

March 19-21

The Seventh West Coast Computer Faire, Civic Auditorium and Brooks Hall, San Francisco, CA. Attendance this year is expected to reach 35,000. More than 300 exhibitors and a wide assortment of seminars make this one of this largest annual computer shows. For more information, contact The Computer Faire, 333 Swett Rd., Woodside, CA 94062, (415) 851-7075.

March 22-23

Oasis Level Two Training Seminars, Phase One Systems, Oakland, CA. For details, see February 22-24.

March 22-25

Interface '82 Conference and Expo, Dallas Convention Center, Dallas, TX. Cosponsored by McGraw-Hill's *Business Week* and *Data Communications* magazines, Interface '82 is aimed at users of data-communication equipment, distributed-data processing, and various networks. For details, contact The Interface Group, POB 927, 160 Speen St., Framingham, MA 01701, (800) 225-4620; in Massachusetts (617) 879-4502.

March 22-26

Computers/Graphics in the Building Process, Washington, DC. Computers/Graphics in the Building Process is an international conference sponsored by the Advisory Board on the Built Environment (ABBE) of the National Academy of Sciences and by the World Computer Graphics Association (WCGA). The conference features tutorials, technical paper sessions, and exhibits that reflect the state of the art of computers and computer-graphics technology in the building industry. Sessions on case studies, current achievements, and research and development of com-

Listing 8 continued from page 190:

```
   IF CH IN ['Q','q'] THEN EXIT(EDIT);
   WRITELN;
   EDIT_WHAT := CH;
END;{edit_what}

PROCEDURE ED_SEQUENT (FIRST,LAST:TLINE_NUM);
{edit TLINES[first] to TLINES[last] unless the line is a calculated line}
VAR             LN : TLINE_NUM;
 BEGIN
   FOR LN := FIRST TO LAST DO IF NOT (LN IN CALCSET)
          THEN BEGIN
                 EDIT_TLINE(LN);
                 GOTOXY(10,23);
                 WRITELN('ENTER <ESC> TO CONTINUE  <Q> TO QUIT');
                 REPEAT
                  READ(CH)
                 UNTIL CH IN ['Q','q',CHR(ESC)];
                 IF CH IN ['Q','q'] THEN EXIT(ED_SEQUENT);
               END;
 END;{ed_sequent}


PROCEDURE ED_INDIVIDUAL;
{select a single line to edit}
  VAR               OK : BOOLEAN;
  BEGIN
    REPEAT
      CLEAR;
      WRITE('ENTER LINE NUMBER TO BE CHANGED   0) for help ');
      REPEAT
        OK := FALSE;
        INT := READINT(2);
        IF INT = 0      {a request for help}
          THEN BEGIN
                 CLEAR;
                 CASE EDIT_CHAR OF
                   'A','a' : FOR LN := MINALINE TO MAXALINE DO
                              IF NOT (LN IN CALCSET)
                                 THEN WRITE((LN-MINALINE+1):8,TITLES[LN]:32);
                   'B','b' : FOR LN := MINBLINE TO MAXBLINE DO
                              IF NOT (LN IN CALCSET)
                                 THEN WRITE((LN-MINBLINE+1):8,TITLES[LN]:32);
                   'Z','z' : FOR LN := 8 TO MAXTLINE DO
                              IF NOT (LN IN CALCSET)
                                 THEN WRITE(LN:8,TITLES[LN]:32);
                 END;{case}
               WRITELN;
             END{if int=0};
        CASE EDIT_CHAR OF       {convert from form line number to array index}
          'A','a'  : BEGIN
                       IF (INT > 0) AND (INT <= 41) THEN OK := TRUE;
                       LN := INT + MINALINE-1;
                     END;
          'B','b'  : BEGIN
                       IF (INT > 0) AND (INT <= 8) THEN OK := TRUE;
                       LN := INT + MINBLINE-1;
                     END;
          'Z','z'  : BEGIN
                       IF (INT > 7) AND (INT <= MAXTLINE) THEN BEGIN
                                                               OK := TRUE;
                                                               LN := INT;
                                                             END;{if}
```


details, contact Robert Myers, Electronic Conventions Inc., Suite 410, 999 North Sepulveda Blvd., El Segundo, CA 90245, (213) 772-2965.

March 29-30
Information Utilities '82, Rye Town Hilton Hotel and Con-

April 1982

April 1-2
The Eleventh Annual International Computer Programs

Books Received

Advanced Programming and Problem Solving with Pascal, G.M. Schneider and S.C. Bruell. New York: John Wiley & Sons, 1981; 506 pages, 23 by 16 cm, hardcover, ISBN 0-471-07876-X, $23.95.

The Coattails of God, The Ultimate Spaceflight—The Trip to the Stars, Robert M. Powers. New York: Warner Books, 1981; 288 pages, 23 by 15.5 cm, hardcover, ISBN 0-446-51231-1, $15.95.

The Computer Establishment, Katherine Davis Fishman. New York: Harper & Row, 1981; 468 pages, 23.5 by 15.5 cm, hardcover, ISBN 0-06-011283-2, $20.95.

The Computerization of Society, A Report to the President of France, Simon Nora and Alain Minc. Cambridge, MA: The MIT Press, 1980; 186 pages, 19.5 by 13.5 cm, softcover, ISBN 0-262-64020-1, $4.95.

Developing a Data Dictionary System, J. Van Duyn. Englewood Cliffs, NJ: Prentice-Hall, 1982; 204 pages, 23 by 15 cm, hardcover, ISBN 0-13-204289-4, $25.

Digital Logic Design and Applications, An Experimental Approach, Lyle B. McCurdy and Albert L. McHenry. Englewood Cliffs, NJ: Prentice-Hall, 1981; 122 pages, 27.5 by 21.5 cm, softcover, ISBN 0-13-212381-9, $12.95.

Electronics and Instrumentation for Scientists, Howard V. Malmstadt, Christie G. Enke, and Stanley R. Crouch. Reading, MA: The Benjamin/Cummings Publishing Co., 1981; 543 pages, 23.5 by 21.5 cm, hardcover, ISBN 0-8053-6917-1, $24.95.

Elements of Structured COBOL Programming, 2nd edition, Jack L. Olson and Wilson T. Price. New York: Holt, Rinehart and Winston, 1982; 380 pages, 27 by 21 cm, softcover, ISBN 0-03-058052-8, $16.95.

50 More Programs in BASIC for the Home, School & Office, 2nd edition, Jim Cole. Woodsboro, MD: Arcsoft Publishers, 1981; 96 pages, 21 by 13.5 cm, softcover, ISBN 0-86668-502-2, $9.95.

Locate, Law Office Computer Applications, Techniques and Equipment, 1981 edition, Bruce D. Heintz and Lavina S. Dill, eds. Chicago, IL: American Bar Association, 1981; 27 by 21 cm, 113 pages, softcover, ISBN 0-89707-045-3, $28.

The Logic Design of Computers, M. Paul Chinitz. Indianapolis, IN: Howard W. Sams & Co., 1981; 413 pages, 13 by 21 cm, softcover, ISBN 0-672-21800-3, $15.95.

Microprocessor Operating Systems, John Zarrella, ed. Suisun City, CA: Microcomputer Applications, 1981; 166 pages, 22.5 cm by 15 cm, softcover, ISBN 0-935230-03-3, $11.95.

Natural Language Information Processing, A Computer Grammar of English and Its Applications, Naomi Sager. Reading, MA: Addison-Wesley Publishing, 1981; 399 pages, 21.5 by 23.5 cm, hardcover, ISBN 0-201-06769-2, $37.50.

Office Automation: The Productivity Challenge, Dimitris N. Chorafas. Englewood Cliffs, NJ: Prentice-Hall, 1982; 272 pages, 23.5 by 13 cm, hardcover, ISBN 0-13-631028-1, $24.95.

101 Pocket Computer Programming Tips & Tricks, Jim Cole. Woodsboro, MD: Arcsoft Publishers, 1981; 128 pages, 21 by 13.5 cm, softcover, ISBN 0-86668-004-7, $7.95.

Understanding Your VIC Volume 1: BASIC Programming, David E. Schultz. Los Alamos, NM: Total Information Services (POB 921), 1981; 140 pages, 27 by 21 cm, softcover, ISBN none, $11.95. ■

This is a list of books received at BYTE Publications during this past month. Although the list is not meant to be exhaustive, its purpose is to acquaint BYTE readers with recently published titles in computer science and related fields. We regret that we cannot review or comment on all the books we receive; instead, this list is meant to be a monthly acknowledgment of these books and the publishers who sent them.

Listing 8 continued from page 190:

```
   IF CH IN ['Q','q'] THEN EXIT(EDIT);
   WRITELN;
   EDIT_WHAT := CH;
END;{edit_what}

PROCEDURE ED_SEQUENT (FIRST,LAST:TLINE_NUM);
{edit TLINES[first] to TLINES[last] unless the line is a calculated line}
VAR              LN : TLINE_NUM;
 BEGIN
   FOR LN := FIRST TO LAST DO IF NOT (LN IN CALCSET)
         THEN BEGIN
                EDIT_TLINE(LN);
                GOTOXY(10,23);
                WRITELN('ENTER <ESC> TO CONTINUE  <Q> TO QUIT');
                REPEAT
                 READ(CH)
                UNTIL CH IN ['Q','q',CHR(ESC)];
                IF CH IN ['Q','q'] THEN EXIT(ED_SEQUENT);
               END;
 END;{ed_sequent}



PROCEDURE ED_INDIVIDUAL;
{select a single line to edit}
  VAR                OK : BOOLEAN;
  BEGIN
    REPEAT
      CLEAR;
      WRITE('ENTER LINE NUMBER TO BE CHANGED   0) for help ');
      REPEAT
        OK := FALSE;
        INT := READINT(2);
        IF INT = 0      {a request for help}
          THEN BEGIN
                 CLEAR;
                 CASE EDIT_CHAR OF
                   'A','a' : FOR LN := MINALINE TO MAXALINE DO
                               IF NOT (LN IN CALCSET)
                                  THEN WRITE((LN-MINALINE+1):8,TITLES[LN]:32);
                   'B','b' : FOR LN := MINBLINE TO MAXBLINE DO
                               IF NOT (LN IN CALCSET)
                                  THEN WRITE((LN-MINBLINE+1):8,TITLES[LN]:32);
                   'Z','z' : FOR LN := 8 TO MAXTLINE DO
                               IF NOT (LN IN CALCSET)
                                  THEN WRITE(LN:8,TITLES[LN]:32);
                 END;{case}
                WRITELN;
               END{if int=0};
        CASE EDIT_CHAR OF      {convert from form line number to array index}
          'A','a'  : BEGIN
                        IF (INT > 0) AND (INT <= 41) THEN OK := TRUE;
                        LN := INT + MINALINE-1;
                       END;
          'B','b'  : BEGIN
                        IF (INT > 0) AND (INT <= 8) THEN OK := TRUE;
                        LN := INT + MINBLINE-1;
                       END;
          'Z','z'  : BEGIN
                        IF (INT > 7) AND (INT <= MAXTLINE) THEN BEGIN
                                                                 OK := TRUE;
                                                                 LN := INT;
                                                                END;{if}
```

Listing 8 continued:

```
                    END;{case of Z}
          END;{case}
      UNTIL OK;          {a valid line number has been requested}
      IF (LN IN CALCSET)
       THEN BEGIN
          CLEAR;
          WRITELN('LINE ',INT,' IS A CALCULATED VALUE AND MAY NOT BE EDITED ');
          WAIT;
         END
       ELSE EDIT_TLINE(LN);
      GOTOXY(0,0);EEOL;
      WRITE('        DO YOU WANT TO -->  C)ontinue   Q)uit');
      REPEAT
        READ(CH)
      UNTIL (CH IN ['C','c','Q','q'])
    UNTIL CH IN ['Q','q'];
END;{individual}

BEGIN{edit}
  REPEAT
    CLEAR;
    EDIT_CHAR := EDIT_WHAT;                 {what form should be edited?}
    IF EDIT_CHAR IN ['F','f']
      THEN EDIT_SPEC
      ELSE BEGIN
             CLEAR;
             WRITE(' EDIT COMMAND-->');
             WRITE('  S)equentially      I)ndividual lines   Q)uit ');
             REPEAT
               READ(CH)
             UNTIL (CH IN ['S','s','I','i','Q','q']);
             CASE CH OF

               'S','s' : BEGIN
                           CASE EDIT_CHAR OF
                             'A','a'      : ED_SEQUENT(MINALINE,MAXALINE);
                             'B','b'      : ED_SEQUENT(MINBLINE,MAXBLINE);
                             'Z','z'      : BEGIN
                                               ED_SEQUENT(8,MAXTLINE);
                                              END;
                            END;{case}
                         END;

                'I','i' : ED_INDIVIDUAL;

              END;{case}

      END;{else}
   UNTIL CH IN ['Q','q']
END;{edit}
```

Listing 9: *The FIT segment procedure CALCULATE. This procedure calculates Schedule B, then Schedule A, and finally form 1040. Procedure TAXCALC selects the tax table, and procedure GETTAX searches the table for the correct bracket and calculates the tax.*

```
SEGMENT PROCEDURE CALCULATE;

  VAR           LN : TLINE_NUM;


    PROCEDURE AD(FIRST,SECOND,SUM:TLINE_NUM);
    {add two lines}
      VAR             LN : TLINE_NUM;
      BEGIN
        TLINES[SUM].HUS := TLINES[FIRST].HUS + TLINES[SECOND].HUS;
        TLINES[SUM].WIF := TLINES[FIRST].WIF + TLINES[SECOND].WIF;
        TLINES[SUM].TOT := TLINES[FIRST].TOT + TLINES[SECOND].TOT;
      END;

    PROCEDURE ADD(START,FINISH,SUM:TLINE_NUM);
    {add several sequential lines}
      VAR             LN : TLINE_NUM;
      BEGIN
        FOR LN := START TO FINISH DO
          BEGIN
           TLINES[SUM].HUS := TLINES[SUM].HUS + TLINES[LN].HUS;
           TLINES[SUM].WIF := TLINES[SUM].WIF + TLINES[LN].WIF;
           TLINES[SUM].TOT := TLINES[SUM].TOT + TLINES[LN].TOT;
          END;
      END;

    PROCEDURE SUB(FIRST,SECOND,DIF:TLINE_NUM);
    {subtract two lines}
       VAR             LN : TLINE_NUM;
       BEGIN
         TLINES[DIF].HUS := TLINES[FIRST].HUS - TLINES[SECOND].HUS;
         TLINES[DIF].WIF := TLINES[FIRST].WIF - TLINES[SECOND].WIF;
         TLINES[DIF].TOT := TLINES[FIRST].TOT - TLINES[SECOND].TOT;
       END;


  PROCEDURE TAXCALC;
    {the tax calculation is done here}
    VAR
          CH : CHAR;
          HTAXABLE,WTAXABLE,TTAXABLE : LONGINT;
          XFS : FILING_STATUS;
          I : 1..16;
          WHICH : LONGINT;

    PROCEDURE GETTAX(TT : TAX_TABLE;
                     TAX_ABLE : LONGINT ;VAR TAX : LONGINT;W : OWNER);
    {get the factors from the taxtable and do calculate the tax}
     BEGIN
       FOR I := 1 TO 16 DO        {search the array for the correct tax bracket}
         IF(TAX_ABLE > TAXRAY[TT,I,LOWER]) AND (TAX_ABLE <= TAXRAY[TT,I,UPPER])
            THEN BEGIN {bracket found now calculate tax}
                   TAX := TAXRAY[TT,I,BASE] + (TAXRAY[TT,I,PERCENT])*
                                         ((TAX_ABLE-TAXRAY[TT,I,LOWER]) DIV 100);
                   MAX_TAX[W] := TAXRAY[TT,I,PERCENT];
                   EXIT(GETTAX)
                 END;
      END;{gettax}

    BEGIN
```

```
  FSTAT := TLINES[7].FS;     {set filing status}
  IF FSTAT IN [2,3]
    THEN BEGIN        {setexemptions for married}
           HTAXABLE := TLINES[34].HUS - 100000;
           WTAXABLE := TLINES[34].WIF - 100000;
           TTAXABLE := TLINES[34].TOT - 100000 * (TLINES[7].EXEM);
           {calculate total as  joint return use tax table Y}
           GETTAX(Y,TTAXABLE,TLINES[35].TOT,T_OWN);
           REPEAT
             CLEAR;
             WRITELN('SHOULD THE INDIVIDUAL TAXES BE CALCULATED ');
             WRITE('           AS M)MARRIED FILING SEPARATELY  U)UNMARRIED ');
             READ(CH)
           UNTIL CH IN ['M','m','U','u'];
           IF CH IN ['U','u']
             THEN BEGIN
                    {calculate taxes for husband and wife as if they
                                                  could file as individuals}
                    GETTAX(X,HTAXABLE,TLINES[35].HUS,H_OWN);
                    GETTAX(X,WTAXABLE,TLINES[35].WIF,W_OWN);
                  END
             ELSE BEGIN
                   {calculate taxes for husband and wife as filing separate}
                    GETTAX(YS,HTAXABLE,TLINES[35].HUS,H_OWN);
                    GETTAX(YS,WTAXABLE,TLINES[35].WIF,W_OWN);
                  END;
         END{if married}
     ELSE BEGIN       {set exemptions for unmarried}
           TTAXABLE := TLINES[34].TOT - 100000 * (TLINES[7].EXEM);
           CASE FSTAT OF
                  1 : GETTAX(X,TTAXABLE,TLINES[35].TOT,T_OWN);
                  4 : GETTAX(Z,TTAXABLE,TLINES[35].TOT,T_OWN);
                  5 : GETTAX(Y,TTAXABLE,TLINES[35].TOT,T_OWN);
            END;{case}
         END;
 END;{calctax}

PROCEDURE LINEA40;
{compensate for zero base }
  BEGIN
    IF TLINES[7].FS IN [2,3]
      THEN BEGIN
             TLINES[106].HUS := 170000;
             TLINES[106].WIF := 170000;
             TLINES[106].TOT := 340000;
           END
      ELSE CASE TLINES[7].FS OF

                 1,4    : TLINES[106].TOT := 230000;
                 5      : TLINES[106].TOT := 340000;
             END;{case}
  END;{linea40}

PROCEDURE CALSCH_A;
{do the calculations required by schedule A}
BEGIN
  TLINES[69].HUS := TLINES[31].HUS DIV 100; {line A 3}
  TLINES[69].WIF := TLINES[31].WIF DIV 100; {line A 3}
  TLINES[69].TOT := TLINES[31].TOT DIV 100; {line A 3}
  SUB(68,69,70);                            {line A 4}
```

Listing 9 continued on page 392

Listing 9 continued:

```
     WITH TLINES[70] DO
       BEGIN
         IF HUS < 0 THEN HUS := 0;                    {line A 4}
         IF WIF < 0 THEN WIF := 0;                    {line A 4}
         IF TOT < 0 THEN TOT := 0;                    {line A 4}
       END;
     ADD(70,72,73);                                   {line A 7}
     TLINES[74].HUS := 3*TLINES[69].HUS;              {line A 8}
     TLINES[74].WIF := 3*TLINES[69].WIF;              {line A 8}
     TLINES[74].TOT := 3*TLINES[69].TOT;              {line A 8}
     SUB(73,74,75);                                   {line A 9}
     WITH TLINES[75] DO
       BEGIN
         IF HUS < 0 THEN HUS := 0;                    {line A 9}
         IF WIF < 0 THEN WIF := 0;                    {line A 9}
         IF TOT < 0 THEN TOT := 0;                    {line A 9}
       END;
     AD(67,75,76);                                    {line A 10}
     TLINES[99] := TLINES[76];                        {line A 33}
     ADD(77,81,82);                                   {line A 16}
     TLINES[100] := TLINES[82];                       {line A 34}
     ADD(83,85,86);                                   {line A 20}
     TLINES[101] := TLINES[86];                       {line A 35}
     ADD(87,89,90);                                   {line A 24}
     TLINES[102] := TLINES[90];                       {line A 36}
     SUB(91,92,93);                                   {line A 27}
     IF TLINES[93].HUS < 10000 THEN TLINES[94].HUS := TLINES[93].HUS
                                ELSE TLINES[94].HUS := 10000;
     IF TLINES[93].WIF < 10000 THEN TLINES[94].WIF := TLINES[93].WIF
                                ELSE TLINES[94].WIF := 10000;
     IF TLINES[93].TOT < 10000 THEN TLINES[94].TOT := TLINES[93].TOT
                                ELSE TLINES[94].TOT := 10000;
     SUB(93,94,95);                                   {line A 29}
     TLINES[103] := TLINES[95];                       {line A 37}
     ADD(96,97,98);                                   {line A 32}
     TLINES[104] := TLINES[98];                       {line A 38}
     ADD(99,104,105);                                 {line A 39}
     LINEA40;
     SUB(105,106,107);                                {line A 41}
     TLINES[33] := TLINES[107];
    END;{calsch_a}

  PROCEDURE CALSCH_B;
    BEGIN
      TLINES[MINBLINE + 1] := TLINES[MINBLINE];                {line B 1}
      TLINES[9] := TLINES[MINBLINE + 1];
      TLINES[MINBLINE + 3] := TLINES[MINBLINE + 2];            {line B 3}
      ADD(MINBLINE+4,MINBLINE+5,MINBLINE+6);                   {line B 6}
      SUB(MINBLINE+3,MINBLINE+6,MINBLINE+7);                   {line B 7}
      TLINES[10] := TLINES[MINBLINE+7];
    END;

BEGIN{calculate}
  FOR LN := 8 TO MAXLINE DO IF LN IN CALCSET THEN BEGIN
                                                     TLINES[LN].HUS := 0;
                                                     TLINES[LN].WIF := 0;
                                                     TLINES[LN].TOT := 0;
                                                   END;
  CALSCH_B;
  WITH TLINES[10] DO

  BEGIN                        {dividend exclusion}
    HUS := HUS - 10000;
```

Listing 9 continued:

```
      IF HUS < 0 THEN HUS := 0;
      WIF := WIF - 10000;
      IF WIF < 0 THEN WIF := 0;
      TOT := HUS + WIF;
    END;
  ADD(8,21,22);                  {total income}
  ADD(23,29,30);                 {total adjustments}
  SUB(22,30,31);                 {adjusted gross}
  TLINES[32] := TLINES[31];      {transfer 31 to 32}
  CALSCH_A;
  SUB(32,33,34);                 {income for start of tax calculation}
```

March 16-19
Digital Filters and Spectral Analysis, Boston, MA. Integrated Computer Systems (ICS) is presenting a four-day course on digital filters and spectral analysis for project and design engineers, programmers and technical managers responsible for implementing advanced digital signal-processing systems, and those who must understand them and their potential. Fundamentals of digital signal processing, fast Fourier transform (FFT) algorithms, and special- and general-purpose LSI/VLSI (large-scale and very large-scale integration) devices are among the topics to be addressed. The course fee is $795; on-site courses are available by request. Contact Ruth Dordick, c/o ICS, 3304 Pico Blvd., POB 5339, Santa Monica, CA 90405, (800)421-8166; in California (800) 352-8251.

March 19
The Eleventh Annual International Computer Programs Awards Ceremony and Executive Conference, Savoy Hotel, London, England. The annual International Computer Programs Inc. (ICP) awards ceremony and executive conference honors super software salespeople, advertising agencies, public relations firms, and achievements in the industry. The executive conference is one and a half days of discussion of the major issues and concerns of the industry. The fee for the executive conference is $250. For information, contact Carol Stumpf, 9000 Keystone Crossing, POB 40946, Indianapolis, IN 46240, (800) 428-6179; in Indiana (317) 844-7461. In England, contact International Computer Programs, Inc., 2 Deanery St., Park Lane, London WIY 5LH, England, Tel. 01 499 6621.

March 19-21
The Seventh West Coast Computer Faire, Civic Auditorium and Brooks Hall, San Francisco, CA. Attendance this year is expected to reach 35,000. More than 300 exhibitors and a wide assortment of seminars make this one of this largest annual computer shows. For more information, contact The Computer Faire, 333 Swett Rd., Woodside, CA 94062, (415) 851-7075.

March 22-23
Oasis Level Two Training Seminars, Phase One Systems, Oakland, CA. For details, see February 22-24.

March 22-25
Interface '82 Conference and Expo, Dallas Convention Center, Dallas, TX. Cosponsored by McGraw-Hill's *Business Week* and *Data Communications* magazines, Interface '82 is aimed at users of data-communication equipment, distributed-data processing, and various networks. For details, contact The Interface Group, POB 927, 160 Speen St., Framingham, MA 01701, (800) 225-4620; in Massachusetts (617) 879-4502.

March 22-26
Computers/Graphics in the Building Process, Washington, DC. Computers/Graphics in the Building Process is an international conference sponsored by the Advisory Board on the Built Environment (ABBE) of the National Academy of Sciences and by the World Computer Graphics Association (WCGA). The conference features tutorials, technical paper sessions, and exhibits that reflect the state of the art of computers and computer-graphics technology in the building industry. Sessions on case studies, current achievements, and research and development of com-

Text continued from page 162:

four tax tables (X, Y, YS, and Z), I made the complete set of tables the array TAXRAY, which has four tables × the previously defined two-dimensional array FACTORARRAY.

Program Structure

I organized FIT in a main body, 11 support procedures and one support function, five *segment* procedures (defined later), and two separate programs. I'll begin by describing the general relationships among all these elements of FIT, then give more detail about each. Listing 6 contains the main body and the support procedures. The main body, at the end of listing 6, calls the five segment procedures START (listing 7), EDIT (listing 8), CALCULATE (listing 9), PRINTER (listing 10), and RW (listing 11). The segment procedures and the main program use the support procedures to perform basic tasks. To reduce FIT's memory requirements, I used the separate programs TAXNAMES (listing 12) and TAXTABLE (listing 13) to create the arrays TITLES and TAXRAY respectively, and to write these arrays to disk files (LINENAMS.FTAX for TITLES and FACTORS.FTAX for TAXRAY).

The Main Body and the Support Procedures

At the beginning of listing 6 are all the declarations, most of which have already been described. I declared all the support procedures with the FORWARD statement so that each support procedure can be called by other procedures before it is formally defined. Otherwise, the compiler would reject each such call as use of an undeclared identifier. The support procedures and one support function and their tasks are as follows:

- PROCEDURE MEM displays on the console the current amount of memory available.
- PROCEDURES CLEAR, ELINE, EEOL, and EEOS perform screen manipulations.
- PROCEDURE WAIT halts the program to allow inspection of output.
- PROCEDURE PDOL converts a long integer into a printable string with two decimal places.
- PROCEDURE CENTER centers output on the screen.
- PROCEDURE READDOL prompts for input of dollars and cents, checks for errors, and converts input to a long integer.
- PROCEDURE NAMER prompts for entry of a string from the keyboard, reads the input, and checks the input for errors.
- PROCEDURE LINE prints on the screen a line of one repeated character.
- FUNCTION READINT prompts for entry of an integer, reads the input, and checks it for errors.

When you execute FIT, the main program (found at the end of listing 6) calls the segment procedure START (listing 7), which sets up the program's variables, and reads LINENAMS.FTAX and FACTORS.FTAX. Then, the main program sets up FIT's now familiar main prompt line:

FIT COMMAND--> P)rint E)dit C)alculate R)ead W)rite Q)uit

If you input P, the program goes to segment procedure PRINTER; E takes you to segment procedure EDIT; C, to segment procedure CALCULATE; R, to segment procedure RW (to read in a data file); W, to segment procedure RW (to write a file).

The Segment Procedures

A segment procedure is an overlay; that is, each segment procedure occupies memory space previously used

and microprocessors, and software. For complete details, contact Robert Myers, Electronic Conventions Inc., Suite 410, 999 North Sepulveda Blvd., El Segundo, CA 90245, (213) 772-2965.

March 29-30
Information Utilities '82, Rye Town Hilton Hotel and Con-

Analysis, Washington, D.C. For details, see March 9-12.

April 1982

April 1-2
The Eleventh Annual International Computer Programs

March 16-19
Digital Filters and Spectral Analysis, Boston, MA. Integrated Computer Systems (ICS) is presenting a four-day course on digital filters and spectral analysis for project and design engineers, programmers and technical managers responsible for implementing advanced digital signal-processing systems, and those who must understand them and their potential. Fundamentals of digital signal processing, fast Fourier transform (FFT) algorithms, and special- and general-purpose LSI/VLSI (large-scale and very large-scale integration) devices are among the topics to be addressed. The course fee is $795; on-site courses are available by request. Contact Ruth Dordick, c/o ICS, 3304 Pico Blvd., POB 5339, Santa Monica, CA 90405, (800)421-8166; in California (800) 352-8251.

March 19
The Eleventh Annual International Computer Programs Awards Ceremony and Executive Conference, Savoy Hotel, London, England. The annual International Computer Programs Inc. (ICP) awards ceremony and executive conference honors super software salespeople, advertising agencies, public relations firms, and achievements in the industry. The executive conference is one and a half days of discussion of the major issues and concerns of the industry. The fee for the executive conference is $250. For information, contact Carol Stumpf, 9000 Keystone Crossing, POB 40946, Indianapolis, IN 46240, (800) 428-6179; in Indiana (317) 844-7461. In England, contact International Computer Programs, Inc., 2 Deanery St., Park Lane, London WIY 5LH, England, Tel. 01 499 6621.

March 19-21
The Seventh West Coast Computer Faire, Civic Auditorium and Brooks Hall, San Francisco, CA. Attendance this year is expected to reach 35,000. More than 300 exhibitors and a wide assortment of seminars make this one of this largest annual computer shows. For more information, contact The Computer Faire, 333 Swett Rd., Woodside, CA 94062, (415) 851-7075.

March 22-23
Oasis Level Two Training Seminars, Phase One Systems, Oakland, CA. For details, see February 22-24.

March 22-25
Interface '82 Conference and Expo, Dallas Convention Center, Dallas, TX. Cosponsored by McGraw-Hill's *Business Week* and *Data Communications* magazines, Interface '82 is aimed at users of data-communication equipment, distributed-data processing, and various networks. For details, contact The Interface Group, POB 927, 160 Speen St., Framingham, MA 01701, (800) 225-4620; in Massachusetts (617) 879-4502.

March 22-26
Computers/Graphics in the Building Process, Washington, DC. Computers/Graphics in the Building Process is an international conference sponsored by the Advisory Board on the Built Environment (ABBE) of the National Academy of Sciences and by the World Computer Graphics Association (WCGA). The conference features tutorials, technical paper sessions, and exhibits that reflect the state of the art of computers and computer-graphics technology in the building industry. Sessions on case studies, current achievements, and research and development of com-

A Message to our Subscribers

From time to time we make the BYTE subscriber list available to other companies who wish to send our subscribers promotional material about their products. We take great care to screen these companies, choosing only those who are reputable, and whose products, services, or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many BYTE subscribers appreciate this controlled use of our mailing list, and look forward to finding information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever given).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to BYTE Publications Inc, Attn: Circulation Department, 70 Main St, Peterborough NH 03458. Thank you.

puter hardware, software, and database programs will be presented. Conference topics include computer aids to management, computer technology, and computer-aided synthesis in design development and construction documents. For further details, contact the WCGA, Suite 250, 2033 M St., NW, Washington, DC 20036, (202) 775-9556.

March 22-26
Tutorial Week East '82, Orlando Marriott Inn, Orlando, FL. Tutorial Week East is sponsored by the Institute of Electrical and Electronics Engineers (IEEE) and will consist of 15 tutorials arranged in 3 tracks: VLSI (very large-scale integration) microprocessor-interfacing techniques and graphics; aspects of software design, analysis, and techniques; and data communications, computer networking, and databases. Fees are $90 per tutorial, $400 all week, for IEEE members and $110 per tutorial, $500 all week, for nonmembers. For information, contact Tutorial Week East '82, POB 639, Silver Spring, MD 20901, (301) 589-3386.

March 23-25
Southcon '82, Sheraton Twin Towers Hotel, Orlando Hyatt Hotel, and Holiday Inn, International Drive, Orlando, FL. Among the topics to be presented at Southcon '82 will be artificial intelligence and robotics, office automation, computers and microprocessors, and software. For complete details, contact Robert Myers, Electronic Conventions Inc., Suite 410, 999 North Sepulveda Blvd., El Segundo, CA 90245, (213) 772-2965.

March 29-30
Information Utilities '82, Rye Town Hilton Hotel and Conference Center, Rye, NY. The Information Utilities conference will focus on videotex, transactional services, electronic publishing, online database services, cable advertising, and regulations concerning copyright, censorship, and communications. More than 60 speakers are scheduled. For details, contact Online, Inc., 11 Tannery Ln., Weston, CT 06883, (203) 227-8466.

March 29-April 1
INFOCOM '82, Las Vegas, NV. INFOCOM '82 is sponsored by the Institute of Electrical and Electronics Engineers (IEEE) Computer and Communications Societies. The conference theme is "Data Processing—Data Communications: The Illusory Boundary." Focusing on the convergence of computer and communication technology, this conference will explore the fine boundaries between the two disciplines. Discussions on programming-language and operating system design, performance evaluation and analysis of computer-communication networks and protocols, standards, and the design of distributed computing and database management systems will be held. Exhibits and tutorials are planned. Write to INFOCOM '82, POB 639, Silver Spring, MD 20901, (301) 589-3386.

March30-April 2
Digital-Image Processing and Analysis, Washington, D.C. For details, see March 9-12.

April 1982

April 1-2
The Eleventh Annual International Computer Programs

Listing 9 continued:

```
      IF HUS < 0 THEN HUS := 0;
      WIF := WIF - 10000;
      IF WIF < 0 THEN WIF := 0;
      TOT := HUS + WIF;
    END;
  ADD(8,21,22);                     {total income}
  ADD(23,29,30);                    {total adjustments}
  SUB(22,30,31);                    {adjusted gross}
  TLINES[32] := TLINES[31];         {transfer 31 to 32}
  CALSCH_A;
  SUB(32,33,34);                    {income for start of tax calculation}
  TAXCALC;
  ADD(35,36,37);                    {total taxes}
  ADD(38,45,46);                    {total credits}
  SUB(37,46,47);                    {balance}
  ADD(47,53,54);                    {balance}
  ADD(55,61,62);                    {total tax payments}
  SUB(54,62,63);                    {taxes-tax payments}
  IF TLINES[63].HUS < 0
     THEN TLINES[63].HUS := -1 * TLINES[63].HUS          {overpayment}
     ELSE BEGIN
            TLINES[66].HUS := TLINES[63].HUS;            {balance due}
            TLINES[63].HUS := 0;
          END;
  IF TLINES[63].WIF < 0
     THEN TLINES[63].WIF := -1 * TLINES[63].WIF
     ELSE BEGIN
            TLINES[66].WIF := TLINES[63].WIF;
            TLINES[63].WIF := 0;
          END;
  IF TLINES[63].TOT < 0
     THEN TLINES[63].TOT := -1 * TLINES[63].TOT
     ELSE BEGIN
            TLINES[66].TOT := TLINES[63].TOT;
            TLINES[63].TOT := 0;
          END;

  FOR LN := 8 TO MAXLINE DO IF LN IN CALCSET THEN TLINES[LN].IPTR := NIL
END;{calculate}
```

Text continued from page 162:
four tax tables (X, Y, YS, and Z), I made the complete set of tables the array TAXRAY, which has four tables × the previously defined two-dimensional array FACTORARRAY.

Program Structure

I organized FIT in a main body, 11 support procedures and one support function, five *segment* procedures (defined later), and two separate programs. I'll begin by describing the general relationships among all these elements of FIT, then give more detail about each. Listing 6 contains the main body and the support procedures. The main body, at the end of listing 6, calls the five segment procedures START (listing 7), EDIT (listing 8), CALCULATE (listing 9), PRINTER (listing 10), and RW (listing 11). The segment procedures and the main program use the support procedures to perform basic tasks. To reduce FIT's memory requirements, I used the separate programs TAXNAMES (listing 12) and TAXTABLE (listing 13) to create the arrays TITLES and TAXRAY respectively, and to write these arrays to disk files (LINENAMS.FTAX for TITLES and FACTORS.FTAX for TAXRAY).

The Main Body and the Support Procedures

At the beginning of listing 6 are all the declarations, most of which have already been described. I declared all the support procedures with the FORWARD statement so that each support procedure can be called by other procedures before it is formally defined. Otherwise, the compiler would reject each such call as use of an undeclared identifier. The support procedures and one support function and their tasks are as follows:

- PROCEDURE MEM displays on the console the current amount of memory available.
- PROCEDURES CLEAR, ELINE, EEOL, and EEOS perform screen manipulations.
- PROCEDURE WAIT halts the program to allow inspection of output.
- PROCEDURE PDOL converts a long integer into a printable string with two decimal places.
- PROCEDURE CENTER centers output on the screen.
- PROCEDURE READDOL prompts for input of dollars and cents, checks for errors, and converts input to a long integer.
- PROCEDURE NAMER prompts for entry of a string from the keyboard, reads the input, and checks the input for errors.
- PROCEDURE LINE prints on the screen a line of one repeated character.
- FUNCTION READINT prompts for entry of an integer, reads the input, and checks it for errors.

When you execute FIT, the main program (found at the end of listing 6) calls the segment procedure START (listing 7), which sets up the program's variables, and reads LINENAMS.FTAX and FACTORS.FTAX. Then, the main program sets up FIT's now familiar main prompt line:

```
FIT COMMAND--> P)rint E)dit C)alculate R)ead
               W)rite Q)uit
```

If you input P, the program goes to segment procedure PRINTER; E takes you to segment procedure EDIT; C, to segment procedure CALCULATE; R, to segment procedure RW (to read in a data file); W, to segment procedure RW (to write a file).

The Segment Procedures

A segment procedure is an overlay; that is, each segment procedure occupies memory space previously used

by a different part of the program. As soon as the segment procedure finishes running, the space it occupied is released; most of the time, the segment procedure resides on the disk. At any time during the execution of a program that uses segment procedures, the memory required is only enough space for the code of the main body, the global variables, and the segment (if any) currently in use. The time required to fetch a segment from disk into memory is insignificant; you only know it's happening because you hear the disk access.

The structure of FIT lends itself to the use of segment procedures because there is little movement between segments. Segmenting saves about 10K bytes of RAM during execution. As a result of my efforts to conserve memory, FIT should work with a 48K-byte system. I have a 56K-byte system and have always had at least 8.5K bytes free while running FIT.

If you know chaining in BASIC, you will see that these segment procedures give a similar result. However, segment procedures are much faster than chaining.

I also took advantage of segmenting to make my editing of FIT easier by dividing its source code into several files. At the end of the declarations in listing 6, I set up a text file for the source code for each segmented procedure. At compile time, I used the include directive to the compiler; this directive caused the compiler to read all the indicated source files and produce a single file of compiled code, FIT.CODE.

I have already described the segment procedure START. Now I'll give some details about the other segment procedures.

Segment Procedure EDIT

The most complex segment procedure is EDIT (listing 8). The main body of EDIT begins by calling EDIT-CHAR, which is a function that returns a character designating which tax form you want to edit. EDIT then asks you to choose either individual or sequential line editing. A CASE statement uses the selected character to call either ED-INDIVIDUAL or ED-SEQUENT. If ED-SEQUENT is called, the main body of EDIT passes the range of line numbers to be edited to the procedure ED-SEQUENT. Both of the ED- procedures call the procedure EDIT-TLINE to do the real editing. ED-SEQUENT steps from the lowest line number to the highest, checks to see if the line number is in CALCSET (the set of calculated lines, which can't be edited), and, if not, calls EDIT-TLINE.

ED-INDIVIDUAL gets the desired line number from operator input or, if you ask, provides help by displaying a list of line numbers and line names. ED-INDIVIDUAL converts the input line number to the correct array index, then calls EDIT-TLINE.

EDIT-TLINE, the workhorse of the Edit function, operates on the tax line whose number is passed to it. EDIT-TLINE's first step is to see if the pointer in TLINES[LN], the record for the given line number, points to anything. If not, there are no previous entries for this line number. If the pointer does point to something, the function VIEWITEM displays the ITEM on the screen and allows editing or deletion of the ITEM. VIEWITEM also returns to EDIT-TLINE the pointer to the next ITEM.

Providing the ability to delete an ITEM complicates the code. In order to delete a record from a linked list, you assign the pointer in the record to the pointer in the parent of the record. As a result, the deleted record is bypassed. Since, in this case, the first pointer is in a TLINES record and all other pointers are in ITEM records, we have to keep track of which record is the parent and which record type the parent belongs to. I used two variables for this purpose. The Boolean variable

TL is true if the parent is a TLINES record; the pointer LASTPTR points to the parent if the parent is an ITEM record. The procedure VIEWITEM performs the deletion following an IF statement conditioned on the variable TL.

When all the existing ITEMs have been presented to you, EDIT-TLINE offers the option to add new ITEMs. A Repeat loop provides for continuing entry of new ITEMs. When they all have been entered, EDIT-TLINE calls the procedure SUMS to add the amounts of all the ITEMs and put the sums in TLINE[LN]. Then EDIT-TLINE calls VIEW to display the data contained in TLINE[LN]. Finally, EDIT-TLINE exits to either ED-INDIVIDUAL or ED-SEQUENT.

Segment Procedure CALCULATE

This segment procedure, shown in listing 9, is straightforward. For any calculation for a given line, if the filing status is married, three calculations are needed—one each for HUS, WIF, and TOT. To simplify additions and subtractions, I wrote three procedures: AD, ADD, and SUM. These procedures are passed the line number to act upon and then do the three calculations (on HUS, WIF, and TOT).

The calculations are done in the following order. First, Schedule B is calculated and its results placed in lines 10 and 11 of form 1040. The dividend exclusion is then applied to line 10. Form 1040 is then calculated to line 32 and CALSCH-A is called to calculate Schedule A and place the results in line 33 of form 1040. Line 34 is calculated and PROCEDURE TAXCALC is called.

PROCEDURE TAXCALC adjusts the taxable income for the number of dependents, selects the correct tax table based on the filing status, and calls PROCEDURE GETTAX.

PROCEDURE GETTAX searches the tax table for the correct bracket, calculates the tax, and inserts it in line 35.

Lines 37-63 of form 1040 are next calculated. Based on the value of line 63, either an overpayment or an underpayment exists. The balance of the lines is adjusted accordingly.

Segment Procedure PRINTER

The main body of PRINTER, shown in listing 10, begins by initializing three sets of TLINE-NUMs. These three sets contain the TLINE-NUMs that:

- have a separator line printed after them (SLINESET)
- have a summation line printed after them (DLINESET)
- are the last line written to a screen (SPAGESET)

The main body of PRINTER also contains the Boolean variable SCREEN, which determines whether the output goes to the screen or the printer. The Boolean variable DETAIL determines if all the ITEMs are to be printed for each line, or just the totals.

Segment Procedure RW

The segment procedure RW, shown in listing 11, contains the code that reads and writes disk files. The data are stored on disk in two files. One file contains the TLINE records; the other contains the ITEM records. The two files have the same file identified with ".LINE" or ".ITEM" appended to the end of the name.

The procedure to write the data to file is WRITER, which prompts for the name of the file name to be written, adds ".LINE", and calls WRITE-TLINES. WRITE-TLINES calls LOOKUP, which checks to see if a file with the same name is already on the disk. If the file name already exists, you are asked if the file should be rewritten.

After WRITE-TLINES returns control to WRITER,

Text continued on page 400

Listing 10: *The FIT segment procedure PRINTER. This procedure prints FIT's output. The procedure DETAIL_PRINT prints all the entries for each line, as well as the totals. The procedure PRINT prints just the total for each line.*

```
SEGMENT PROCEDURE PRINTER;
  VAR
                DETAIL : BOOLEAN;
                LINES : INTEGER;
                PRINT_WHAT,CH1 : CHAR;

 PROCEDURE PRINT_DATE;
  VAR           CMONTH : STRING[3];
  BEGIN
    CASE MONTH OF
         1: CMONTH := 'Jan';
         2: CMONTH := 'Feb';
         3: CMONTH := 'Mar';
         4: CMONTH := 'Apr';
         5: CMONTH := 'May';
         6: CMONTH := 'June';
         7: CMONTH := 'July';
         8: CMONTH := 'Aug';
         9: CMONTH := 'Sept';
         10: CMONTH := 'Oct';
         11: CMONTH := 'Nov';
         12: CMONTH := 'Dec'
       END;
     WRITELN(P, DAY: 2, ' ', CMONTH,' ', '19', YEAR: 2);
   END;



  PROCEDURE HEADING(TITLE : FILENAME);
  {prints heading}
    BEGIN
      LINE('*',79);       {print a line of 79 '*'s}
      WRITELN(P);         {goto next line}
      WRITE(P,TLINES[6].NAME);
      WRITE(P,'TAX YEAR ':(44-LENGTH(TLINES[6].NAME)));
      WRITELN(P,TLINES[7].TAXYEAR:4,TITLE :29);
      WRITE(P,'FILING STATUS ');
      CASE TLINES[7].FS OF
        1 : WRITE(P,'1');
        2 : WRITE(P,'2');
        3 : WRITE(P,'3');
        4 : WRITE(P,'4');
        5 : WRITE(P,'5');
       END;
      WRITE(P,'                  EXEMPTIONS ');
      WRITE(P,TLINES[7].EXEM,' ':27);
      PRINT_DATE;
      LINE('*',79);WRITELN(P);
      IF FSTAT IN [2,3]
        THEN WRITELN(P,' ':40,' HUSBAND ':12,'   WIFE    ':12,'  TOTAL   ':12)
        ELSE WRITELN(P);
      LINES := 4;
    END;{heading}

 PROCEDURE DETAIL_PRINT(FIRST,LAST : TLINE_NUM; TITLE : FILENAME);
   {prints items by tax line}
   VAR
         LN : TLINE_NUM;
```

Listing 10 continued on page 398

Listing 10 continued:

```
      OBJ,HDOL,WDOL,TDOL:STRING[10];
      NEXTPTR : POINTER;
BEGIN
  IF SCREEN THEN CLEAR;
  HEADING(TITLE);
  FOR LN := FIRST TO LAST DO
    IF TLINES[LN].IPTR <> NIL {do not bother unless line has an ITEM}
      THEN BEGIN
             CASE PRINT_WHAT OF                          {print form line number}
                'A','a'      : WRITE(P,(LN-MINALINE+1):2);
                'B','b'      : WRITE(P,(LN-MINBLINE+1):2);
                'Z','z'      : WRITE(P,(LN):2);
             END;{case}
             WRITELN(P,' ',TITLES[LN]);                  {print name of line}
             LINES := LINES + 1;                         {increment the line counter}
             NEXTPTR := TLINES[LN].IPTR;                 {first pointer}
             WHILE NEXTPTR <> NIL DO                     {until the last ITEM}
               BEGIN
                 WITH NEXTPTR^ DO
                   BEGIN
                     WRITE(P,NAME);
                     PDOL(AMT,OBJ);                      {convert longint to string}
                     CASE WHOSE OF
                       H_OWN   : BEGIN
                                   WRITE(P,'HUS':(25-LENGTH(NAME)));
                                   WRITELN(P,OBJ:25)
                                 END;
                       W_OWN   : BEGIN
                                   WRITE(P,'WIF':(25-LENGTH(NAME)));
                                   WRITELN(P,OBJ:38)
                                 END;
                       T_OWN   : BEGIN
                                   WRITE(P,'TOT':(25-LENGTH(NAME)));
                                   WRITELN(P,OBJ:51)
                                 END;
                     END;{case}
                   LINES := LINES + 1;
                   NEXTPTR := NPTR;
               END;{with}
           END;{while}
    WITH TLINES[LN] DO                                   {now summarize the line}
      BEGIN
        PDOL(HUS,HDOL);                                  {convert longint to string}
        PDOL(WIF,WDOL);                                  {convert longint to string}
        PDOL(TOT,TDOL);                                  {convert longint to string}
        IF FSTAT IN [2,3]
          THEN WRITELN(P,'TOTAL',HDOL:45,WDOL:13,TDOL:13)
          ELSE WRITELN(P,'TOTAL',' ':58,TDOL:13);
        WRITELN(P);
        LINES := LINES + 1;                              {increment the line counter}
      END;{with tlines}
 IF SCREEN
   THEN IF (16 - LINES) < 0                              {test line counter}
      THEN BEGIN
             WAIT;
             CLEAR;
             LINES := 0;
           END
    ELSE IF (54 - LINES) < 0                             {test line counter}
      THEN BEGIN
             WRITE(P,CHR(12));
             HEADING(TITLE)
           END;
```

Listing 10 continued:

```
   END;{for}
 IF SCREEN THEN WAIT;
 WRITE(P,CHR(12));
END;{detail_print}

PROCEDURE PRINT(FIRST,LAST : TLINE_NUM; TITLE : FILENAME);
  CONST
           S1='  ----------  ----------  ----------   ';
  VAR
        LN : TLINE_NUM;
        HDOL,WDOL,TDOL:STRING[10];

  BEGIN
    IF SCREEN THEN CLEAR;
    HEADING(TITLE);
    FOR LN := FIRST TO LAST DO
      WITH TLINES[LN] DO
        BEGIN
          PDOL(HUS,HDOL);
          PDOL(WIF,WDOL);
          PDOL(TOT,TDOL);
          CASE PRINT_WHAT OF
            'A','a'     : WRITE(P,(LN-MINALINE+1):2);
            'B','b'     : WRITE(P,(LN-MINBLINE+1):2);
            'Z','z'     : WRITE(P,(LN):2);
            END;
          WRITELN(P,'  ',TITLES[LN],' ':5,HDOL:12,WDOL:12,TDOL:12);
          IF (LN IN DLINESET) THEN WRITELN(P,S1:79);    {print dashed line}
          IF (LN IN SLINESET)                           {print separator}
                THEN BEGIN
                       LINE('=',79);
                       WRITELN(P);
                     END;
          IF ((SCREEN) AND (LN IN SPAGESET))    {do not overfill the screen}
            THEN BEGIN
                   WAIT;
                   CLEAR;
                 END;
          IF (NOT SCREEN) AND (LN=37)           {do not overfill the page}
            THEN BEGIN
                   WRITE(P,CHR(12));
                   HEADING(TITLE);
                 END;
       END;{with}
  IF PRINT_WHAT IN ['Z','z']
       THEN BEGIN
              WRITE(P,'  MAXIMUM TAX BRACKET',' ':20);
              WRITELN(P,MAX_TAX[H_OWN]:12,MAX_TAX[W_OWN]:12,MAX_TAX[T_OWN]:12)
            END;
  IF SCREEN THEN WAIT;
  WRITE(P,CHR(12))
END;{print}

BEGIN{printer}
    {a separator line is printed after a line in SLINESET}
    SLINESET := [22,30,37,47,54,62,66,76,82,86,90,95,98,107,109,111];
    {a dashed line is printed after a line in SLINESET}
    DLINESET := [21,29,33,36,45,46,53,61,69,72,75,81,85,89,92,94,97,106,113];
    {last lines on a SCREEN page are in SPAGESET}
```

Listing 10 continued on page 400

Listing 10 continued:

```
  SPAGESET := [22,37,54,76,90,98];
  CLEAR;
  mem;
  REPEAT
   DETAIL := FALSE;                        {control to print detail}
   CLEAR;
   WRITE ('PRINTER COMMAND --> A)sched A  B)sched B  Z)form 1040 ');
   WRITE(' #)for detail   Q)uit');
   REPEAT
     READ(PRINT_WHAT);
     IF PRINT_WHAT = '#' THEN DETAIL := TRUE
   UNTIL ( PRINT_WHAT IN ['A','a','B','b','Z','z','Q','q']);
   IF NOT ( PRINT_WHAT IN ['Q','q'])
    THEN BEGIN
      WRITELN;
      WRITE('DO YOU WANT TO OUTPUT TO --> P)rinter S)creen  ');
      REPEAT
        READ(CH1)
      UNTIL CH1 IN ['P','p','S','s'];
      IF CH1 IN ['S','s']
        THEN BEGIN
               SCREEN := TRUE;
               REWRITE(P,'CONSOLE:')
             END
        ELSE BEGIN
               SCREEN := FALSE;
               REWRITE(P,'PRINTER:')
             END;
      IF DETAIL
        THEN CASE PRINT_WHAT OF
                  'A','a'   : DETAIL_PRINT(67,107,'SCHEDULE A');
                  'B','b'   : DETAIL_PRINT(108,115,'SCHEDULE B');
                  'Z','z'   : DETAIL_PRINT(8,66,'FORM 1040');
                END

        ELSE CASE PRINT_WHAT OF
                  'A','a'   : PRINT(67,107,'SCHEDULE A');
                  'B','b'   : PRINT(108,115,'SCHEDULE B');
                  'Z','z'   : PRINT(8,66,'FORM 1040');
                END;
      END{if};
 CLOSE(P);
 UNTIL PRINT_WHAT IN ['Q','q'];
END;{printer}
```

Text continued from page 396:

WRITE-ITEMS is called. This procedure scans the TLINEs for the existence of ITEMs and writes them to "FILENAME.ITEM" when found.

READER reads the ".LINE" and ".ITEM" files into the array and linked lists, respectively. The array read is straightforward. When the ITEMs are read in, they must be linked to the proper list, which begins with the TLINE[LN]. Since each ITEM contains the number of the TLINE[LN] to which it belongs, the correct starting point can be found. The list is then traversed to the end and the ITEM inserted. Since these lists are short, the whole operation goes quickly. If a long list were involved, an array could be created to hold the pointer to the last ITEM in each list; that would allow direct insertion without traversing the list.

Closing Comments

I think you will find FIT a useful program and the basis for other useful programs. Its framework will permit you to add other tax forms with relative ease. If another federal form interests you, try adding it to FIT. It won't take long.

You may also be able to adapt FIT to do your state taxes. I live in Delaware, which has a tax form similar to the federal form. I had no difficulty using FIT as the basis for developing a similar program for the state form.

Without modification, FIT should help you adjust your federal withholding tax, compile thorough and convenient tax records, and examine the tax consequences of different investment strategies. I hope you find FIT helpful in all these ways. ■

Listings 11, 12, and 13 follow on pages 401-412

Listing 11: *The FIT segment procedure RW. This procedure reads and writes disk files of tax data.*

```
SEGMENT PROCEDURE RW(CH : CHAR);{reads or writes Files of TLINES and ITEMS }
VAR
        FL   : FILE OF TLS;
        FI   : FILE OF ITEM;

  FUNCTION LOOKUP(FN:STRING):BOOLEAN;
  {checks to see if file is on disk}
    VAR
            IOR:0..15;
    BEGIN
      {$I-}
      RESET(F,FN);
      IOR:=IORESULT;
      CLOSE(F) ;
      {$I+}
      IF (IOR=0)
       THEN LOOKUP:=TRUE
       ELSE BEGIN
              LOOKUP:=FALSE;
              IF (IOR<>10) THEN WRITELN('IORESULT FOR FILE ',FN,' IS ',IOR);
            END;{else}
    END;{lookup}


  PROCEDURE READER;                    {reads files of TLINES and ITEMs}
    CONST          FN1='.LINE';     FN2='.ITEM';
    VAR            ST : STRING;
                   FN : FILENAME;

    PROCEDURE READ_TLINES(FN : FILENAME);
      VAR
            I : TLINE_NUM;
      BEGIN
        IF NOT LOOKUP(FN)
          THEN BEGIN
                 CLEAR;
                 GOTOXY(12,20);
                 WRITELN('FILE ',FN,' NOT FOUND');
                 WAIT;
                 EXIT(READ_TLINES)
               END;
        RESET(FL,FN);
        TLINES := FL^;
        CLOSE(FL);
        FOR I := 8 TO MAXLINE DO TLINES[I].IPTR := NIL;
        WRITELN('FILE ',FN,' READ ');
      END;

    PROCEDURE READ_ITEMS(FN : FILENAME);
      VAR
            CH : CHAR;
            PT,NEWPT : POINTER;
```

Listing 11 continued on page 402

```
      BEGIN
        IF NOT LOOKUP(FN)
          THEN BEGIN
                 CLEAR;GOTOXY(10,10);
                 WRITE('FILE ',FN,' NOT FOUND ');
                 WAIT;
                 EXIT(READ_ITEMS)
           END;
    RESET(FI,FN);
    WRITE('READING FILE ',FN);
    WHILE NOT EOF(FI) DO
      BEGIN
        NEW(NEWPT);
        NEWPT^ := FI^;
        NEWPT^.NPTR := NIL;
        IF (TLINES[NEWPT^.TLNUM].IPTR = NIL)
          THEN TLINES[NEWPT^.TLNUM].IPTR := NEWPT
          ELSE BEGIN
                 PT := TLINES[NEWPT^.TLNUM].IPTR;
                 WHILE (PT^.NPTR <> NIL) DO PT := PT^.NPTR;
                 PT^.NPTR := NEWPT;
               END;
         GET(FI);
         WRITE('.');
       END;{WHILE}
     CLOSE(FI);
   END;{read_items}

   BEGIN{reader}
     NAMER('FILE TO BE READ ',ST,8);
     FN := CONCAT(ST,FN1);
     READ_TLINE(FN);
     FN := CONCAT(ST,FN2);
     READ_ITEMS(FN);
     WAIT;
   END;{reader}

PROCEDURE WRITER;       {writes file of TLINES and ITEMs}
   CONST              FN1='.LINE';     FN2='.ITEM';
   VAR                ST : STRING;
                      FN : FILENAME;

   PROCEDURE WRITE_TLINES(FN : FILENAME);
     VAR                CH :CHAR;
                        LN : TLINE_NUM;
     BEGIN
       IF LOOKUP(FN)
         THEN BEGIN
                CLEAR;
                GOTOXY(0,20);
                WRITELN('FILE ',FN,' ALREADY EXISTS ');
                WRITE('DO YOU WANT TO REMOVE THE OLD FILE Y/N');
                REPEAT
                  READ(CH)
                UNTIL (CH IN ['Y','y','N','n']);
                IF ( CH IN ['N','n']) THEN EXIT(WRITER);
              END;
       REWRITE(FL,FN);
       FL^ := TLINES;
       PUT(FL);
       CLOSE(FL,LOCK)
     END;{write_tlines}
```

Listing 11 continued:

```
PROCEDURE WRITE_ITEMS (FN : FILENAME);
  VAR           CH :CHAR;
                PT : POINTER;

                LN : TLINE_NUM;
  BEGIN
     REWRITE(FI,FN);
     FOR LN := 8 TO MAXLINE DO
       IF  NOT (LN IN CALCSET)
         THEN BEGIN
                IF TLINES[LN].IPTR <> NIL
                  THEN BEGIN
                         PT := TLINES[LN].IPTR;
                         WHILE (PT <> NIL)  DO
                           BEGIN
                             FI^ := PT^;
                             PUT(FI);
                             PT := PT^.NPTR
                           END;{while}
                         END;{if}
                END;{if}
     CLOSE(FI,LOCK);
   END;{write_items}

BEGIN{writer}
  NAMER('FILE TO BE WRITTEN ',ST,8);
  FN := CONCAT(ST,FN1);
  WRITE_TLINE(FN);
  FN := CONCAT(ST,FN2);
```

Listing 11 continued on page 404

Listing 11 continued:

```
    WRITE_ITEMS(FN);
  END;{writer}

BEGIN
  CASE CH OF
    'R' : READER;
    'W' : WRITER;
  END;
END;{rw}
```

Listing 12: *The program TAXNAMES. Separate from FIT, this program creates the one-dimensional array TITLES and writes the array to the disk file LINENAMS.FTAX. FIT uses the array TITLES to store the names of the lines on form 1040, Schedule A, and Schedule B.*

```
 {$L TNAME.PRN.TEXT}

PROGRAM TAXNAMES;        {program to create file of names of tax lines}
CONST
        MAXTLINE = 115;
TYPE
                T=ARRAY [1..MAXTLINE] OF STRING[30];
VAR
        TITLES : T;
        TFILE  : FILE OF T;


PROCEDURE WAIT;
  VAR
      CH : CHAR;
  BEGIN
    GOTOXY(10,23);
    WRITE('ENTER <ESC> TO CONTINUE');
    REPEAT
      READ(CH)
    UNTIL CH=CHR(27);
  END;

PROCEDURE WRITEFILE;
  BEGIN
    REWRITE(TFILE,'LINENAMS.FTAX');
    TFILE^ := TITLES;
    PUT(TFILE);
    CLOSE(TFILE,LOCK);
  END;


PROCEDURE READFILE;
  VAR
        I:1..MAXTLINE;
  BEGIN
    RESET(TFILE,'LINENAMS.FTAX');
    TITLES := TFILE^;
    FOR I := 1 TO MAXTLINE DO
      BEGIN
        WRITELN(TITLES[I]);
        IF (I MOD 16) = 0
         THEN BEGIN
                WAIT;
                WRITE(CHR(12));
              END;
      END;
  END;
```

Listing 12 continued:

```
PROCEDURE INIT1;
  BEGIN
    TITLES[1] := 'FILING STATUS                  ';
    TITLES[2] := 'FILING STATUS                  ';
    TITLES[3] := 'FILING STATUS                  ';
    TITLES[4] := 'FILING STATUS                  ';
    TITLES[5] := 'FILING STATUS                  ';
    TITLES[6] := 'EXEMPTIONS                     ';
    TITLES[7] := 'EXEMPTIONS                     ';
    TITLES[8] := 'WAGES,SALARIES,ETC             ';
    TITLES[9] := 'INTEREST INCOME                ';

   TITLES[10] := 'DIVIDENDS                      ';
   TITLES[11] := 'INCOME TAX REFUNDS             ';
   TITLES[12] := 'ALIMONY RECEIVED               ';
   TITLES[13] := 'BUSINESS INCOME                ';
   TITLES[14] := 'CAPITAL GAIN                   ';
   TITLES[15] := 'CAPITAL GAIN DIST              ';
   TITLES[16] := 'SUPPLEMENTAL GAINS             ';
   TITLES[17] := 'TAXABLE PENSIONS & ANNUITIES   ';
   TITLES[18] := 'PENSIONS,RENTS,ROYS,PARTNER    ';
   TITLES[19] := 'FARM INCOME                    ';
   TITLES[20] := 'UNEMPLOYMENT                   ';
   TITLES[21] := 'OTHER INCOME                   ';
   TITLES[22] := 'TOTAL INCOME                   ';
   TITLES[23] := 'MOVING EXPENSE                 ';
   TITLES[24] := 'EMP BUSINESS EXPENSE           ';
   TITLES[25] := 'PAYMENTS TO IRA                ';
   TITLES[26] := 'PAYMENTS TO KEOGH              ';
END;{init1}

PROCEDURE INIT2;
 BEGIN
    TITLES[27] := 'INTEREST PENALTY               ';
    TITLES[28] := 'ALIMONY PAID                   ';
    TITLES[29] := 'DISABILITY INCOME              ';
    TITLES[30] := 'TOTAL ADJUSTMENTS              ';
    TITLES[31] := 'ADJUSTED GROSS INCOME          ';
    TITLES[32] := 'ADJUSTED GROSS INCOME          ';
    TITLES[33] := 'DEDUCTIONS                     ';
    TITLES[34] := '32-33                          ';
    TITLES[35] := 'TAX                            ';
    TITLES[36] := 'ADDITIONAL TAXES               ';
    TITLES[37] := 'TOTAL TAXES                    ';
    TITLES[38] := 'POLITICAL CONTRIBUTIONS        ';
    TITLES[39] := 'CREDIT FOR ELDERLY             ';
    TITLES[40] := 'CHILD AND DEPENDENT            ';
    TITLES[41] := 'INVESTMENT CREDIT              ';
    TITLES[42] := 'FOREIGN TAX CREDIT             ';
    TITLES[43] := 'WORK INCENTIVE                 ';
    TITLES[44] := 'JOBS CREDIT                    ';
    TITLES[45] := 'ENERGY CREDITS                 ';
    TITLES[46] := 'TOTAL CREDITS (lines 38 to 45)';
    TITLES[47] := 'BALANCE (line 37 - line 46)    ';
    TITLES[48] := 'SELF EMPLOYMENT TAX            ';
    TITLES[49] := 'MINIMUM TAX                    ';
END;{init 2}

PROCEDURE INIT3;
BEGIN
    TITLES[50] := 'TAX FROM PRIOR YEAR INV-CREDIT';
    TITLES[51] := 'FICA AND RRTA TAXES            ';
    TITLES[52] := 'TAX ON IRA                     ';
```

Listing 12 continued on page 406

Listing 12 continued:

```
      TITLES[53] := 'ADVANCE EIC PAYMTS RECEIVED     ';
      TITLES[54] := 'BALANCE (lines 47 to 53)        ';
      TITLES[55] := 'TOTAL FICA WITHHELD             ';
      TITLES[56] := '1980 ESTIMATED TAX PAYMENTS     ';
      TITLES[57] := 'EARNED INCOME CREDIT            ';
      TITLES[58] := 'AMOUNT PAID WITH FORM 4868      ';
      TITLES[59] := 'EXCESS FICA AND RRTA TAX PAID   ';
      TITLES[60] := 'CREDIT FOR FED TAX ON SP FUEL   ';
      TITLES[61] := 'REGULATED INVESTMENT CO CREDIT';
      TITLES[62] := 'TOTAL (line 55 to 61)           ';
      TITLES[63] := 'OVERPAID                        ';
      TITLES[64] := 'TO BE REFUNDED TO YOU           ';
      TITLES[65] := 'APPLIED TO EST 1981 TAX         ';
      TITLES[66] := 'BALANCE DUE                     ';
END;{init3}

PROCEDURE INIT4;
   BEGIN
      TITLES[67] := '50 % OF MEDICAL INS PREMS       ';
      TITLES[68] := 'MEDICINE AND DRUGS              ';
      TITLES[69] := '1% OF LINE 31 FORM 1040         ';
      TITLES[70] := 'SUB TOTAL line 3-line 2         ';
      TITLES[71] := 'BALANCE OF INS PREMS            ';
      TITLES[72] := 'OTHER MEDICAL AND DENTAL        ';
      TITLES[73] := 'TOTAL (lines 4 to 6)            ';
      TITLES[74] := '3% OF LINE 31 FORM 1040         ';
      TITLES[75] := 'LINE 7 - LINE 8                 ';
      TITLES[76] := 'TOTAL MED & DENTAL              ';
      TITLES[77] := 'STATE & LOCAL INCOME TAX        ';
      TITLES[78] := 'REAL ESTATE TAXES               ';
      TITLES[79] := 'GENERAL SALES TAXES             ';
      TITLES[80] := 'PERSONAL PROPERTY TAXES         ';
      TITLES[81] := 'OTHER TAXES                     ';
      TITLES[82] := 'TOTAL TAXES lines 11 to 15      ';
      TITLES[83] := 'HOME MORTGAGE INTEREST          ';
      TITLES[84] := 'CREDIT & CHARGE CARDS           ';
      TITLES[85] := 'OTHER INTEREST                  ';
      TITLES[86] := 'TOTAL INT (lines 17 to 19)      ';
END;

PROCEDURE INIT5;
   BEGIN
      TITLES[87] := 'CASH CONTRIBUTIONS              ';
      TITLES[88] := 'OTHER CASH CONTRIBUTIONS        ';
      TITLES[89] := 'CARRYOVER                       ';
      TITLES[90] := 'TOTAL CONTRIBUTIONS             ';
      TITLES[91] := 'LOSS BEFORE INSURANCE           ';
      TITLES[92] := 'INSURANCE REIMBURSEMENT         ';
      TITLES[93] := 'LINE 25 - LINE 26               ';
      TITLES[94] := '$100 OR LINE 27                 ';
      TITLES[95] := 'TOTAL  CASUALTY OR THEFT        ';
      TITLES[96] := 'UNION DUES                      ';
      TITLES[97] := 'OTHER MISC DEDUCTIONS           ';
      TITLES[98] := 'TOTAL MISCELLANEOUS             ';
      TITLES[99] := 'TOTAL MEDICAL & DENTAL          ';
      TITLES[100] := 'TOTAL TAXES                    ';
      TITLES[101] := 'TOTAL INTEREST                 ';
      TITLES[102] := 'TOTAL CONTRIBUTIONS            ';
      TITLES[103] := 'TOTAL CASUALTY OR THEFT        ';
      TITLES[104] := 'TOTAL MISCELLANEOUS            ';
      TITLES[105] := 'SUM (lines 33 to 38)           ';
      TITLES[106] := 'ADJUSTMENT                     ';
END;
```

Listing 12 continued:

```
PROCEDURE INIT6;
  BEGIN
    TITLES[107] := 'LINE 39 - LINE 40                    ';
    TITLES[108] := 'INTEREST INCOME                      ';
    TITLES[109] := 'TOTAL INTEREST INCOME                ';
    TITLES[110] := 'DIVIDEND INCOME                      ';
    TITLES[111] := 'TOTAL DIVIDEND INCOME                ';
    TITLES[112] := 'CAPITAL GAIN DISTRIBUTION            ';
    TITLES[113] := 'NONTAXABLE DISTRIBUTIONS             ';
    TITLES[114] := 'TOTAL (lines 5 & 6)                  ';
    TITLES[115] := 'DIVIDENDS BEFORE EXCLUSIONS          ';
END;

BEGIN
  INIT1;
  INIT2;
  INIT3;
  INIT4;
  INIT5;
  INIT6;
  WRITEFILE;
  WAIT;
  READFILE;
END.
```

Listing 13: *The program TAXTABLE. Like TAXNAMES, this program is separate from FIT. TAXTABLE creates the array TAXRAY and writes the array to the disk file FACTORS.FTAX. TAXRAY is a three-dimensional array that holds the four factors needed to calculate a tax: the lower limit of a bracket, the upper limit, the minimum tax for the bracket, and the tax rate.*

```
{$L TTABLE.PRN.TEXT}

  PROGRAM TAXTABLE;          {creates a file of tax factors for use by FIT}

  TYPE
          TFACTORS=(LOWER,UPPER,BASE,PER);
          FACTORRAY=ARRAY [1..16,TFACTORS] OF INTEGER[9];
          T=ARRAY [1..4] OF FACTORRAY;

  VAR
          TY : T;
          TFILE  : FILE OF T;

  PROCEDURE WRITEFILE;
    BEGIN
      REWRITE(TFILE,'FACTORS.FTAX');
      TFILE^ := TY;
      PUT(TFILE);
      CLOSE(TFILE,LOCK);
    END;


    PROCEDURE INIT1A;
    {schedule X single tax payers lower bracket limit}
      BEGIN
        TY[1,1,LOWER]    := 230000;
        TY[1,2,LOWER]    := 340000;
        TY[1,3,LOWER]    := 440000;
        TY[1,4,LOWER]    := 650000;
        TY[1,5,LOWER]    := 850000;
        TY[1,6,LOWER]    := 1080000;
        TY[1,7,LOWER]    := 1290000;
        TY[1,8,LOWER]    := 1500000;
        TY[1,9,LOWER]    := 1820000;
        TY[1,10,LOWER]    := 2350000;
        TY[1,11,LOWER]    := 2880000;
        TY[1,12,LOWER]    := 3410000;
        TY[1,13,LOWER]    := 4150000;
        TY[1,14,LOWER]    := 5530000;
        TY[1,15,LOWER]    := 8180000;
        TY[1,16,LOWER]    := 1083000;
        END;

    PROCEDURE INIT1B;
    {schedule X single tax payers upper bracket limit}
      BEGIN
        TY[1,1,UPPER]    := 340000;
        TY[1,2,UPPER]    := 440000;
        TY[1,3,UPPER]    := 650000;
        TY[1,4,UPPER]    := 850000;
        TY[1,5,UPPER]    := 1080000;
        TY[1,6,UPPER]    := 1290000;
        TY[1,7,UPPER]    := 1500000;
        TY[1,8,UPPER]    := 1820000;
        TY[1,9,UPPER]    := 2350000;
        TY[1,10,UPPER]    := 2880000;
        TY[1,11,UPPER]    := 3410000;
        TY[1,12,UPPER]    := 4150000;
        TY[1,13,UPPER]    := 5530000;
        TY[1,14,UPPER]    := 8180000;
```

Listing 13 continued:

```
    TY[1,15,UPPER]    := 10830000;
    TY[1,16,UPPER]    := 999999999;
    END;

PROCEDURE INIT1C;
{schedule X single tax payers base tax}
  BEGIN
    TY[1,1,BASE ]    := 00;
    TY[1,2,BASE ]    := 15400;
    TY[1,3,BASE ]    := 31400;
    TY[1,4,BASE ]    := 62900;
    TY[1,5,BASE ]    := 107200;
    TY[1,6,BASE ]    := 155500;
    TY[1,7,BASE ]    := 205900;
    TY[1,8,BASE ]    := 260500;
    TY[1,9,BASE ]    := 356500;
    TY[1,10,BASE ]    := 536700;
    TY[1,11,BASE ]    := 743400;
    TY[1,12,BASE ]    := 976600;
    TY[1,13,BASE ]    := 1339200;
    TY[1,14,BASE ]    := 2098200;
    TY[1,15,BASE ]    := 3767700;
    TY[1,16,BASE ]    := 5569700;
    END;
PROCEDURE INIT1D;
{schedule X single tax payers
tax rate}
  BEGIN
    TY[1,1,PER] := 14;
    TY[1,2,PER] := 16;
    TY[1,3,PER] := 18;
    TY[1,4,PER] := 19;
    TY[1,5,PER] := 21;
    TY[1,6,PER] := 24;
    TY[1,7,PER] := 26;
    TY[1,8,PER] := 30;
    TY[1,9,PER] := 34;
    TY[1,10,PER] := 39;
    TY[1,11,PER] := 44;
    TY[1,12,PER] := 49;
    TY[1,13,PER] := 55;
    TY[1,14,PER] := 63;
    TY[1,15,PER] := 68;
    TY[1,16,PER] := 70;
  END;

PROCEDURE INIT2A;
{schedule Y married tax payers lower
bracket limit}
  BEGIN
    TY[2,1,LOWER]    := 340000;
    TY[2,2,LOWER]    := 550000;
    TY[2,3,LOWER]    := 760000;
    TY[2,4,LOWER]    := 119000;
    TY[2,5,LOWER]    := 160000;
    TY[2,6,LOWER]    := 2020000;
    TY[2,7,LOWER]    := 2460000;
    TY[2,8,LOWER]    := 2990000;
    TY[2,9,LOWER]    := 3520000;
    TY[2,10,LOWER]    := 4580000;
    TY[2,11,LOWER]    := 6000000;
    TY[2,12,LOWER]    := 8560000;
    TY[2,13,LOWER]    := 10940000;
    TY[2,14,LOWER]    := 16240000;
```

Listing 13 continued on page 410

Listing 13 continued:

```
      TY[2,15,LOWER]    := 21540000;
      TY[2,16,LOWER]    := 99999999;
   END;

 PROCEDURE INIT2B;
   BEGIN
      TY[2,1,UPPER]    := 550000;
      TY[2,2,UPPER]    := 760000;
      TY[2,3,UPPER]    := 119000;
      TY[2,4,UPPER]    := 160000;
      TY[2,5,UPPER]    := 2020000;
      TY[2,6,UPPER]    := 2460000;
      TY[2,7,UPPER]    := 2990000;
      TY[2,8,UPPER]    := 3520000;
      TY[2,9,UPPER]    := 4580000;
      TY[2,10,UPPER]    := 6000000;
      TY[2,11,UPPER]    := 8560000;
      TY[2,12,UPPER]    := 10940000;
      TY[2,13,UPPER]    := 16240000;
      TY[2,14,UPPER]    := 21540000;
      TY[2,15,UPPER]    := 999999999;
      TY[2,16,UPPER]    := 999999999;
   END;

 PROCEDURE INIT2C;
   BEGIN
      TY[2,1,BASE ]    := 00;
      TY[2,2,BASE ]    := 29400;
      TY[2,3,BASE ]    := 63000;
      TY[2,4,BASE ]    := 14040;
      TY[2,5,BASE ]    := 226500;
      TY[2,6,BASE ]    := 327300;
      TY[2,7,BASE ]    := 450500;
      TY[2,8,BASE ]    := 620100;
      TY[2,9,BASE ]    := 816200;
      TY[2,10,BASE ]    := 1272000;
      TY[2,11,BASE ]    := 1967800;
      TY[2,12,BASE ]    := 3350200;
      TY[2,13,BASE ]    := 4754400;
      TY[2,14,BASE ]    := 8146400;
      TY[2,15,BASE ]    := 11750400;
      TY[2,16,BASE ]    := 11750400;
      END;

 PROCEDURE INIT2D;
   BEGIN
      TY[2,1,PER] := 14;
      TY[2,2,PER] := 16;
      TY[2,3,PER] := 18;
      TY[2,4,PER] := 21;
      TY[2,5,PER] := 24;
      TY[2,6,PER] := 28;
      TY[2,7,PER] := 32;
      TY[2,8,PER] := 37;
      TY[2,9,PER] := 43;
      TY[2,10,PER] := 49;
      TY[2,11,PER] := 54;
      TY[2,12,PER] := 59;
      TY[2,13,PER] := 64;
      TY[2,14,PER] := 68;
      TY[2,15,PER] := 70;
      TY[2,16,PER] := 70;
   END;
```

Listing 13 continued:

```
PROCEDURE INIT3A;
{schedule YS married tax payers filing separately
 lower bracket limit}
  BEGIN
    TY[3,1,LOWER]    := 170000;
    TY[3,2,LOWER]    := 275000;
    TY[3,3,LOWER]    := 380000;
    TY[3,4,LOWER]    := 595000;
    TY[3,5,LOWER]    := 800000;
    TY[3,6,LOWER]    := 1010000;
    TY[3,7,LOWER]    := 1230000;
    TY[3,8,LOWER]    := 1495000;
    TY[3,9,LOWER]    := 1760000;
    TY[3,10,LOWER]    := 2290000;
    TY[3,11,LOWER]    := 3000000;
    TY[3,12,LOWER]    := 4280000;
    TY[3,13,LOWER]    := 5470000;
    TY[3,14,LOWER]    := 8120000;
    TY[3,15,LOWER]    := 10770000;
    TY[3,16,LOWER]    := 99999999;
  END;

PROCEDURE INIT3B;
  BEGIN
    TY[3,1,UPPER]    := 275000;
    TY[3,2,UPPER]    := 380000;
    TY[3,3,UPPER]    := 595000;
    TY[3,4,UPPER]    := 800000;
    TY[3,5,UPPER]    := 1010000;
    TY[3,6,UPPER]    := 1230000;
    TY[3,7,UPPER]    := 1495000;
    TY[3,8,UPPER]    := 1760000;
    TY[3,9,UPPER]    := 2290000;
    TY[3,10,UPPER]    := 3000000;
    TY[3,11,UPPER]    := 4280000;
    TY[3,12,UPPER]    := 5470000;
    TY[3,13,UPPER]    := 8120000;
    TY[3,14,UPPER]    := 10770000;
    TY[3,15,UPPER]    := 99999999;
    TY[3,16,UPPER]    := 99999999;
  END;

PROCEDURE INIT3C;
  BEGIN
    TY[3,1,BASE ]    := 00;
    TY[3,2,BASE ]    := 14700;
    TY[3,3,BASE ]    := 31500;
    TY[3,4,BASE ]    := 70200;
    TY[3,5,BASE ]    := 113250;
    TY[3,6,BASE ]    := 163650;
    TY[3,7,BASE ]    := 225250;
    TY[3,8,BASE ]    := 310050;
    TY[3,9,BASE ]    := 408100;
    TY[3,10,BASE ]    := 636000;
    TY[3,11,BASE ]    := 983900;
    TY[3,12,BASE ]    := 1675100;
    TY[3,13,BASE ]    := 2377200;
    TY[3,14,BASE ]    := 4073200;
    TY[3,15,BASE ]    := 5875200;
    TY[3,16,BASE ]    := 5875200;
  END;
```

Listing 13 continued on page 412

Listing 13 continued:

```
PROCEDURE INIT3D;
  BEGIN
    TY[3,1,PER] := 14;
    TY[3,2,PER] := 16;
    TY[3,3,PER] := 18;
    TY[3,4,PER] := 21;
    TY[3,5,PER] := 24;
    TY[3,6,PER] := 28;
    TY[3,7,PER] := 32;
    TY[3,8,PER] := 37;
    TY[3,9,PER] := 43;
    TY[3,10,PER] := 49;
    TY[3,11,PER] := 54;
    TY[3,12,PER] := 59;
    TY[3,13,PER] := 64;
    TY[3,14,PER] := 68;
    TY[3,15,PER] := 70;
    TY[3,16,PER] := 70;
  END;


PROCEDURE INIT4A;
{schedule Z head of household
lower bracket limit}

  BEGIN
    TY[4,1,LOWER]    := 230000;
    TY[4,2,LOWER]    := 440000;
    TY[4,3,LOWER]    := 650000;
    TY[4,4,LOWER]    := 870000;
    TY[4,5,LOWER]    := 1180000;
    TY[4,6,LOWER]    := 1500000;
    TY[4,7,LOWER]    := 1820000;
    TY[4,8,LOWER]    := 2350000;
    TY[4,9,LOWER]    := 2880000;
    TY[4,10,LOWER]    := 3410000;
    TY[4,11,LOWER]    := 4470000;
    TY[4,12,LOWER]    := 6060000;
    TY[4,13,LOWER]    := 8180000;
    TY[4,14,LOWER]    := 10800000;
    TY[4,15,LOWER]    := 16130000;
    TY[4,16,LOWER]    := 99999999;
  END;

PROCEDURE INIT4B;
  BEGIN
    TY[4,1,UPPER]    := 440000;
    TY[4,2,UPPER]    := 650000;
    TY[4,3,UPPER]    := 870000;
    TY[4,4,UPPER]    := 1180000;
    TY[4,5,UPPER]    := 1500000;
    TY[4,6,UPPER]    := 1820000;
    TY[4,7,UPPER]    := 2350000;
    TY[4,8,UPPER]    := 2880000;
    TY[4,9,UPPER]    := 3410000;
    TY[4,10,UPPER]    := 4470000;
    TY[4,11,UPPER]    := 6060000;
    TY[4,12,UPPER]    := 8180000;
    TY[4,13,UPPER]    := 10830000;
    TY[4,14,UPPER]    := 16130000;
    TY[4,15,UPPER]    := 99999999;
    TY[4,16,UPPER]    := 99999999;
  END;

PROCEDURE INIT4C;
  BEGIN
    TY[4,1,BASE ]    := 00;
    TY[4,2,BASE ]    := 29400;
    TY[4,3,BASE ]    := 63000;
    TY[4,4,BASE ]    := 102600;
    TY[4,5,BASE ]    := 170800;
    TY[4,6,BASE ]    := 247600;
    TY[4,7,BASE ]    := 330800;
    TY[4,8,BASE ]    := 495100;
    TY[4,9,BASE ]    := 685900;
    TY[4,10,BASE ]    := 908500;
    TY[4,11,BASE ]    := 1396100;
    TY[4,12,BASE ]    := 2254700;
    TY[4,13,BASE ]    := 3505500;
    TY[4,14,BASE ]    := 5175000;
    TY[4,15,BASE ]    := 8779000;
    TY[4,16,BASE ]    := 9999999;
  END;

PROCEDURE INIT4D;
  BEGIN
    TY[4,1,PER] := 14;
    TY[4,2,PER] := 16;
    TY[4,3,PER] := 18;
    TY[4,4,PER] := 22;
    TY[4,5,PER] := 24;
    TY[4,6,PER] := 26;
    TY[4,7,PER] := 31;
    TY[4,8,PER] := 36;
    TY[4,9,PER] := 42;
    TY[4,10,PER] := 46;
    TY[4,11,PER] := 54;
    TY[4,12,PER] := 59;
    TY[4,13,PER] := 63;
    TY[4,14,PER] := 68;
    TY[4,15,PER] := 70;
    TY[4,16,PER] := 70;
  END;

BEGIN
  INIT1A;INIT1B;INIT1C;INIT1D;
  INIT2A;INIT2B;INIT2C;INIT2D;
  INIT3A;INIT3B;INIT3C;INIT3D;
  INIT4A;INIT4B;INIT4C;INIT4D;
  WRITEFILE;
END.
```

Double-Width Silentype Graphics for Your Apple

Charles H. Putney
18 Quinns Rd.
Shankill
County Dublin
Ireland

Now your Apple II computer can print double-sized graphics on your Silentype thermal printer. Using the method presented here, each pixel on the Apple's high-resolution (hi-res) screen is represented by a two-by-two array of dots on the printer.

To generate double-sized graphics, first load a picture into either of the Apple's hi-res screens. Then load the program given in listing 1 or 2 starting at hexadecimal location 800 (2048 decimal). Set the parameters according to table 1 and begin execution at 800 hexadecimal (using either 800G in the monitor or CALL 2048 from BASIC). The printer will dump the chosen hi-res page in either normal or inverse video mode.

How It Works

The Silentype printer is connected to the Apple with a small serial interface card that plugs into one of the peripheral slots inside the computer. This card provides two-way serial communications between the computer and the printer. If the card is plugged into peripheral slot 0, the output to the printer is addressed at hexadecimal memory location C081, and the input is at C084 (−16255 and −16252 in decimal). To determine the new port addresses if the card is plugged into a different slot, multiply the slot number by hexadecimal 10 (or 16 if working in decimal) and add the result to the above memory locations.

The high-order bit (7) of bytes read from the printer (location C084 hexadecimal) is set (1xxxxxxx) when the printhead is fully returned to the left margin and is reset (0xxxxxxx) if the printhead is anywhere else.

The Silentype expects data to be transmitted to it in 16-bit words, one for each movement of the printhead or paper roller. Since writing a byte of data to the output port at location C081 results in the low-order bit (0) being transmitted (only bit 0 of the

Text continued on page 423

Parameter Location Table

Parameter	Location	Setting
NORMAL / INVERT	$803 (2051)	NORMAL = $FF(255), INVERT = $00 (0)
SLOT NUMBER	$804 (2052)	SLOT 1 = $10 (16), SLOT 2 = $20 (32) ETC
HI-RES PAGE	$805 (2053)	PAGE 1 = $20 (32), PAGE 2 = $40 (64)
PAGE LENGTH	$806 (2054)	159 LINES = $9F, 192 LINES = $C0

Table 1: *Parameters which must be set before running the Silentype thermal-printer double-width graphics program. The desired parameter values are stored in the memory locations shown.*

Listing 1: *A 6502 assembly-language program that will provide hard copy of Apple graphics displays by dumping the contents of the Apple high-resolution graphics screen to the Silentype thermal printer. This screen print uses a two-by-two array of dots on the paper for each pixel on the screen. The program is loaded and executed at memory location 800 hexadecimal (2048 decimal).*

```
ASM

0800- 4C 7F 09 1000 GRAPH  JMP PICTUR   GET RIGHT TO IT
               1010 *
               1020 *
               1030 *---------------------------------*
               1040 *
               1050 *
               1060 * INPUT AND OUTPUT ADDRESSES
               1070 *
               1080 *
               1090 *
C081-          1100 STROBE .EQ $C081    PRINTER STROBE
C084-          1110 RETURN .EQ $C084    PRINTER CARRIAGE RETURNED
               1120 *
               1130 *
               1140 *---------------------------------*
               1150 *
               1160 *
               1170 *  CONSTANTS AND VARIABLES
               1180 *
               1190 *
               1200 *
0803- FF       1210 NEG    .DA #$FF     POS/NEG PICTURE (POS = $FF , NEG = $00)
0804- 10       1220 SLOT   .DA #$10     SLOT NUMBER ( SLOT ONE )
0805- 20       1230 PAGE   .DA #$20     HI RES PAGE (PAGE 1 = 20 , PAGE 2 = 40)
0806- C0       1240 LEN    .DA #$C0     HI RES PAGE LENGTH ($9F=157 , $C0=192)
0807- 00       1250 DOTS   .DA #*-*     DOTS DATA
0808- 00       1260 WINDS  .DA #*-*     WINDING DATA
0809- 00       1270 STEPX  .DA #*-*     OLD X STEP
080A- 00       1280 STEPY  .DA #*-*     OLD Y STEP
080B- 00       1290 DIRX   .DA #*-*     X DIRECTION
080C- 00       1300 DIRY   .DA #*-*     Y DIRECTION
080D- 00       1310 SUML   .DA #*-*     SUM - LOW BYTE
080E- 00       1320 SUMH   .DA #*-*     SUM - HIGH BYTE
080F- 03       1330 WIND   .DA #$03     STEPPER WINDING TABLE
0810- 02       1340        .DA #$02
0811- 06       1350        .DA #$06
0812- 04       1360        .DA #$04
0813- 0C       1370        .DA #$0C
0814- 08       1380        .DA #$08
0815- 09       1390        .DA #$09
0816- 01       1400        .DA #$01
0817- 00       1410 XL     .DA #*-*     PIXEL X COORDINATE - LOW BYTE
0818- 00       1420 XH     .DA #*-*     PIXEL X COORDINATE - HIGH BYTE
0819- 00       1430 Y      .DA #*-*     PIXEL Y COORDINATE
0060-          1440 ADRESL .EQ $60      Y ADDRESS - LOW BYTE
0061-          1450 ADRESH .EQ $61      Y ADDRESS - HIGH BYTE
081A- 00       1460 XMOD7  .DA #*-*     TEMP FOR REMAINDER
081B- 00       1470 ADRESX .DA #*-*     X ADDRESS - USED AS INDEX
081C- 00       1480 XMASK  .DA #*-*     MASK FOR PIXEL
081D- 00       1490 PRINT  .DA #*-*     PRINT LINE FOR TRANSLATION
               1500 *
```

Listing 1 continued:

```
                   1510 *
                   1520 *-------------------------------*
                   1530 *
                   1540 *
                   1550 * ROUTINE TO CLOCK DATA TO PRINTER INTERFACE
                   1560 *
                   1570 * X REGISTER CONTAINS SLOT NUMBER TIMES SIXTEEN
                   1580 * DOTS AND WINDS ARE CHANGED UPON EXIT
                   1590 *
                   1600 *
081E- AE 04 08 1610 CLOCK   LDX SLOT      GET SLOT NUMBER
0821- A0 10    1620         LDY #$10      SET INDEX
0823- AD 07 08 1630 CLK1    LDA DOTS      GET BOTTOM WORD
0826- 29 01    1640         AND #$01      MASK IT
0828- 09 0E    1650         ORA #$0E      MAKE E OR F
082A- 9D 81 C0 1660         STA STROBE,X CLOCK IT IN
082D- 6E 08 08 1670         ROR WINDS     SHIFT TOP WORD
0830- 6E 07 08 1680         ROR DOTS      CARRY INTO BOTTOM
0833- 88       1690         DEY           DEC LOOP
0834- D0 ED    1700         BNE CLK1      DONE 16 TIMES ?
0836- A9 1C    1710         LDA #$1C      *
0838- 9D 81 C0 1720         STA STROBE,X *
083B- A9 18    1730         LDA #$18      *
083D- 9D 81 C0 1740         STA STROBE,X CLOCK IN
0840- A9 1C    1750         LDA #$1C      THE FOUR STOP CODES
0842- 9D 81 C0 1760         STA STROBE,X *
0845- A9 0C    1770         LDA #$0C      *
0847- 9D 81 C0 1780         STA STROBE,X *
084A- 60       1790         RTS
               1800 *
               1810 *
               1820 *-------------------------------*
               1830 *
               1840 *
               1850 *  ROUTINE TO PRINT DOTS
               1860 *
               1870 *
084B- A9 00    1880 PRINTS LDA #$00
084D- 8D 08 08 1890         STA WINDS     NO MOVEMENT
0850- 20 1E 08 1900         JSR CLOCK     SEND IT
0853- A0 02    1910         LDY #$02      DELAY LOOP
0855- A2 FF    1920         LDX #$FF      FOR DARKER PRINT - LENGTHEN THIS DELAY
0857- CA       1930 PRIN1   DEX
0858- D0 FD    1940         BNE PRIN1     ENOUGH X ?
085A- 88       1950         DEY
085B- D0 FA    1960         BNE PRIN1     ENOUGH Y ?
085D- 60       1970         RTS
               1980 *
               1990 *
               2000 *-------------------------------*
               2010 *
               2020 *
               2030 * ROUTINE TO INCREMENT OR DECREMENT
               2040 * POINTER TO WINDING TABLE AND KEEP
               2050 * IT IN THE RANGE 0 TO 7
```

Listing 1 continued on page 416

Listing 1 continued:

```
                2060 *
                2070 *
085E- 10 07     2080 STEPER BPL STEP1     POSITIVE STEP
0860- CA        2090        DEX           DEC STEP
0861- 10 0C     2100        BPL STEP2     WRAPAROUND?
0863- A2 07     2110        LDX #$07      START AT TOP
0865- 10 08     2120        BPL STEP2     ALWAYS JUMP
0867- E8        2130 STEP1  INX           INC STEP
0868- 8A        2140        TXA
0869- C9 08     2150        CMP #$08      WRAPAROUND?
086B- 90 02     2160        BCC STEP2     NO
086D- A2 00     2170        LDX #$00      START AT BOTTOM
086F- 60        2180 STEP2  RTS
                2190 *
                2200 *
                2210 *--------------------------------*
                2220 *
                2230 *
                2240 * ROUTINE TO MOVE ALONG Y AXIS (CARRIAGE)
                2250 *
                2260 *
0870- AE 0A 08  2270 MOVEY  LDX STEPY     GET OLD Y STEP
0873- AD 0C 08  2280        LDA DIRY      GET Y DIRECTION
0876- F0 1E     2290        BEQ MOVEY2    NO MOVEMENT ?
0878- 20 5E 08  2300        JSR STEPER    INC OR DEC
087B- 8E 0A 08  2310        STX STEPY     SAVE NEW POSITION
087E- BD 0F 08  2320        LDA WIND,X    GET Y WINDINGS
0881- 8D 08 08  2330        STA WINDS     PASS IT
0884- A9 00     2340        LDA #$00
0886- 8D 07 08  2350        STA DOTS      NO DOTS
0889- 20 1E 08  2360        JSR CLOCK     CLOCK THE DATA
088C- A0 11     2370        LDY #$11      DELAY LOOP
088E- A2 FF     2380        LDX #$FF
0890- CA        2390 MOVEY1 DEX
0891- D0 FD     2400        BNE MOVEY1    ENOUGH X ?
0893- 88        2410        DEY
0894- D0 FA     2420        BNE MOVEY1    ENOUGH Y ?
0896- 60        2430 MOVEY2 RTS
                2440 *
                2450 *
                2460 *--------------------------------*
                2470 *
                2480 *
                2490 * ROUTINE TO MOVE ALONG X AXIS (PRINTHEAD)
                2500 *
                2510 *
0897- AE 09 08  2520 MOVEX  LDX STEPX     GET OLD X STEP
089A- AD 0B 08  2530        LDA DIRX      GET X DIRECTION
089D- F0 22     2540        BEQ MOVEX2    NO MOVEMENT ?
089F- 20 5E 08  2550        JSR STEPER    INC OR DEC
08A2- 8E 09 08  2560        STX STEPX     SAVE NEW POSITION
08A5- BD 0F 08  2570        LDA WIND,X  GET Y WINDINGS
08A8- 0A        2580        ASL
08A9- 0A        2590        ASL
08AA- 0A        2600        ASL
08AB- 0A        2610        ASL           NOW X WINDINGS
```

Listing 1 continued:

```
08AC- 8D 08 08             STA WINDS
08AF- A9 00                LDA #$00
08B1- 8D 07 08             STA DOTS      NO DOTS
08B4- 20 1E 08             JSR CLOCK     CLOCK THE DATA
08B7- A0 02                LDY #$02      DELAY LOOP
08B9- A2 40                LDX #$40
08BB- CA           MOVEX1  DEX
08BC- D0 FD                BNE MOVEX1    ENOUGH X ?
08BE- 88                   DEY
08BF- D0 FA                BNE MOVEX1    ENOUGH Y ?
08C1- 60           MOVEX2  RTS
                   *
                   *
                   *--------------------------------
                   *
                   *
                   * ROUTINE TO CALCULATE ADDRESS OF
                   * PIXEL AT XH,XL  AND Y AND RETURN
                   * ACC POSITIVE IF ITS ON
                   *
                   *
08C2- AD 19 08     PIXEL   LDA Y         GET Y
08C5- 29 07                AND #$07      GET Y2 - Y0
08C7- 18                   CLC
08C8- 2A                   ROL
08C9- 2A                   ROL           MOVE INTO POSITION
08CA- 85 61                STA ADRESH
08CC- AD 19 08             LDA Y         GET Y AGAIN
08CF- 29 30                AND #$30      MASK INTO Y5 - Y4
08D1- 4A                   LSR
08D2- 4A                   LSR
08D3- 4A                   LSR
08D4- 4A                   LSR           MOVE INTO BOTTOM TWO BITS
08D5- 05 61                ORA ADRESH    ADD TO EXISTING
08D7- 0D 05 08             ORA PAGE      HI RES PAGE
08DA- 85 61                STA ADRESH    FINISHED WITH ADRESH
08DC- AD 19 08             LDA Y
08DF- 29 08                AND #$08      GET Y3 ONLY
08E1- 18                   CLC
08E2- 2A                   ROL
08E3- 2A                   ROL
08E4- 2A                   ROL
08E5- 2A                   ROL           MOVE INTO ADRESL BIT 7
08E6- 85 60                STA ADRESL
08E8- AD 19 08             LDA Y
08EB- 29 40                AND #$40      CHECK Y6
08ED- F0 06                BEQ ADD1      ZERO ?
08EF- A5 60                LDA ADRESL
08F1- 69 28                ADC #$28      ONE LINE OF PIXELS ( 40 DEC )
08F3- 85 60                STA ADRESL
08F5- AD 19 08     ADD1    LDA Y
08F8- 29 80                AND #$80      CHECK Y7
08FA- F0 06                BEQ ADD2      ZERO ?
08FC- A5 60                LDA ADRESL
08FE- 69 50                ADC #$50      TWO LINES OF PIXELS ( 80 DEC )
```

Listing 1 continued on page 418

Listing 1 continued:

```
0900- 85 60     3170         STA ADRESL
0902- 38        3180 ADD2    SEC
0903- A2 00     3190         LDX #$00      INITIALIZE COUNT
0905- AD 17 08  3200         LDA XL
0908- 8D 0D 08  3210         STA SUML      USE AS TEMP
090B- AD 18 08  3220         LDA XH
090E- 8D 0E 08  3230         STA SUMH      USE AS TEMP
0911- AD 0D 08  3240 ADD3    LDA SUML      BEGIN DIVIDE
0914- E9 07     3250         SBC #$07      BY SEVEN
0916- 8D 0D 08  3260         STA SUML
0919- AD 0E 08  3270         LDA SUMH
091C- E9 00     3280         SBC #$00
091E- 8D 0E 08  3290         STA SUMH
0921- 30 04     3300         BMI ADD4      BELOW ZERO ?
0923- E8        3310         INX           ADD TO COUNT OF SUBTRACTIONS
0924- 4C 11 09  3320         JMP ADD3      REPEAT
0927- AD 0D 08  3330 ADD4    LDA SUML      GET SUML AGAIN
092A- 69 07     3340         ADC #$07      RESTORE TO > ZERO
092C- 8D 1A 08  3350         STA XMOD7     REMAINDER
092F- 8E 1B 08  3360         STX ADRESX    LATER INDEX
0932- 18        3370         CLC
0933- A9 01     3380         LDA #$01      BUILD MASK
0935- AE 1A 08  3390         LDX XMOD7
0938- CA        3400 ADD5    DEX
0939- 30 04     3410         BMI ADD6      SHIFT IF POSITIVE
093B- 2A        3420         ROL           SHIFT MASK
093C- 4C 38 09  3430         JMP ADD5      REPEAT
093F- 8D 1C 08  3440 ADD6    STA XMASK     NOW WILL MASK CORRECT BIT
0942- AC 1B 08  3450         LDY ADRESX    USE FOR INDEX
0945- B1 60     3460         LDA (ADRESL),Y
0947- 4D 03 08  3470         EOR NEG       SHOULD WE INVERT
094A- 2D 1C 08  3480         AND XMASK     EXTRACT PIXEL
094D- 60        3490         RTS           PIXEL ON IF ACC = 1 (POSITIVE CASE)
                3500 *
                3510 *
                3520 *--------------------------------*
                3530 *
                3540 *
                3550 * ROUTINE TO RETURN PRINTHEAD AND
                3560 * SPACE CARRIAGE DOWN SIX DOTS
                3570 *
                3580 *
094E- A9 FF     3590 CARRET LDA #$FF      SOMETHING NEGATIVE
0950- 8D 0B 08  3600         STA DIRX      RETURN PRINTHEAD
0953- 20 97 08  3610 CAR1    JSR MOVEX     NUDGE IT
0956- AE 04 08  3620         LDX SLOT      GET SLOT NUMBER
0959- BD 84 C0  3630         LDA RETURN,X CHECK MICROSWITCH
095C- 10 F5     3640         BPL CAR1      KEEP NUDGING
095E- A9 01     3650         LDA #$01      SOMETHING POSITIVE
0960- 8D 0B 08  3660         STA DIRX      NOW BACK A LITTLE
0963- AE 04 08  3670 CAR2    LDX SLOT      GET SLOT NUMBER
0966- BD 84 C0  3680         LDA RETURN,X GET STATUS
0969- 10 06     3690         BPL CAR3      ENOUGH ?
096B- 20 97 08  3700         JSR MOVEX     NO, NOT QUITE
096E- 4C 63 09  3710         JMP CAR2      KEEP GOING
0971- A9 06     3720 CAR3    LDA #$06      SIX DOTS TOTAL
```

Listing 1 continued:

```
0973- 8D 0C 08              STA DIRY
0976- 20 70 08     CAR4     JSR MOVEY     MOVE DOWN ONE STEP
0979- CE 0C 08              DEC DIRY      DIRY = DIRY - 1
097C- D0 F8                 BNE CAR4      AGAIN ?
097E- 60                    RTS
                   *
                   *
                   *----------------------------------*
                   *
                   *
                   *  ROUTINE TO TRANSFER HI RES SCREEN TO SILENTYPE
                   *
                   *
097F- 20 4E 09     PICTUR   JSR CARRET    START AT RIGHT PLACE
0982- A9 00                 LDA #$00      INITIALIZE
0984- 8D 19 08              STA Y         Y = 0
0987- A9 0C        PICT1    LDA #$0C      XL = LEFT EDGE (CLIPPED)
0989- 8D 17 08              STA XL
098C- A9 00                 LDA #$00      XH = 0
098E- 8D 18 08              STA XH
0991- A9 00        PICT2    LDA #$00
0993- 8D 1D 08              STA PRINT     PRINTLINE = 0
0996- 20 C2 08              JSR PIXEL     CHECK FIRST DOT
0999- F0 08                 BEQ PICT3     PIXEL ON ?
099B- A9 03                 LDA #$03      TOP TWO DOTS
099D- 6D 1D 08              ADC PRINT
09A0- 8D 1D 08              STA PRINT     ADD TO PRINTLINE
09A3- EE 19 08     PICT3    INC Y         NEXT PIXEL
09A6- 20 C2 08              JSR PIXEL     CHECK SECOND PIXEL
09A9- F0 08                 BEQ PICT4     PIXEL ON ?
09AB- A9 0C                 LDA #$0C      MIDDLE TWO DOTS
09AD- 6D 1D 08              ADC PRINT
09B0- 8D 1D 08              STA PRINT     ADD TO PRINTLINE
09B3- EE 19 08     PICT4    INC Y         NEXT PIXEL
09B6- 20 C2 08              JSR PIXEL     CHECK THIRD PIXEL
09B9- F0 08                 BEQ PICT5     PIXEL ON ?
09BB- A9 30                 LDA #$30      BOTTOM TWO DOTS
09BD- 6D 1D 08              ADC PRINT
09C0- 8D 1D 08              STA PRINT     ADD TO PRINTLINE
09C3- AD 1D 08     PICT5    LDA PRINT     PUT IT DOTS
09C6- 8D 07 08              STA DOTS
09C9- 20 4B 08              JSR PRINTS    PLOT THREE PIXELS
09CC- A9 01                 LDA #$01      MOVE RIGHT ONE DOT
09CE- 8D 0B 08              STA DIRX
09D1- 20 97 08              JSR MOVEX
09D4- 20 97 08              JSR MOVEX
09D7- AD 1D 08              LDA PRINT
09DA- 8D 07 08              STA DOTS
09DD- 20 4B 08              JSR PRINTS    DO IT AGAIN
09E0- A9 01                 LDA #$01
09E2- 8D 0B 08              STA DIRX
09E5- 20 97 08              JSR MOVEX     MOVE RIGHT ONE DOT
09E8- 20 97 08              JSR MOVEX
09EB- EE 17 08              INC XL        X = X + 1
09EE- D0 03                 BNE PICT6     CARRY TO XH ?
```

Listing 1 continued on page 420

Listing 1 continued:

```
09F0- EE 18 08 4280        INC XH
09F3- CE 19 08 4290 PICT6  DEC Y
09F6- CE 19 08 4300        DEC Y        Y = Y - 2
09F9- A9 0C    4310        LDA #$0C     XL = 0C ? (XL,XH = 268 , CLIPPED)
09FB- CD 17 08 4320        CMP XL
09FE- D0 91    4330        BNE PICT2    NOT AT END YET
0A00- A9 01    4340        LDA #$01     XH = 1 ?
0A02- CD 18 08 4350        CMP XH
0A05- D0 8A    4360        BNE PICT2    NOT AT END YET
0A07- EE 19 08 4370 PICT7  INC Y
0A0A- EE 19 08 4380        INC Y
0A0D- EE 19 08 4390        INC Y        Y = Y + 3
0A10- AD 19 08 4400        LDA Y
0A13- CD 06 08 4410        CMP LEN      HI RES PAGE END
0A16- B0 06    4420        BCS PICT8    WE'RE DONE
0A18- 20 4E 09 4430        JSR CARRET   START NEW PRINT LINE
0A1B- 4C 87 09 4440        JMP PICT1
0A1E- AE 04 08 4450 PICT8  LDX SLOT     GET SLOT NUMBER
0A21- A9 00    4460        LDA #$00     GET ZERO
0A23- 9D 81 C0 4470        STA STROBE,X MAKE SURE PRINTER WINDINGS ARE OFF
0A26- 60       4480        RTS
```

SYMBOL TABLE

08F5- ADD1	0823- CLK1	0987- PICT1	0867- STEP1
0902- ADD2	081E- CLOCK	0991- PICT2	086F- STEP2
0911- ADD3	080B- DIRX	09A3- PICT3	085E- STEPER
0927- ADD4	080C- DIRY	09B3- PICT4	0809- STEPX
0938- ADD5	0807- DOTS	09C3- PICT5	080A- STEPY
093F- ADD6	0800- GRAPH	09F3- PICT6	C081- STROBE
0061- ADRESH	0806- LEN	0A07- PICT7	080E- SUMH
0060- ADRESL	0897- MOVEX	0A1E- PICT8	080D- SUML
081B- ADRESX	08BB- MOVEX1	097F- PICTUR	080F- WIND
0953- CAR1	08C1- MOVEX2	08C2- PIXEL	0808- WINDS
0963- CAR2	0870- MOVEY	0857- PRIN1	0818- XH
0971- CAR3	0890- MOVEY1	081D- PRINT	0817- XL
0976- CAR4	0896- MOVEY2	084B- PRINTS	081C- XMASK
094E- CARRET	0803- NEG	C084- RETURN	081A- XMOD7
	0805- PAGE	0804- SLOT	0819- Y

Listing 2: *If you do not have a 6502 assembler for your Apple, you can enter this previously assembled version of the graphics-print program directly into the Apple's memory using the machine-language monitor.*


```
:$800.A26

0800- 4C 7F 09 FF 10 20 C0 00
0808- 00 00 00 00 00 00 00 03
0810- 02 06 04 0C 08 09 01 00
0818- 00 00 00 00 00 00 AE 04
0820- 08 A0 10 AD 07 08 29 01
0828- 09 0E 9D 81 C0 6E 08 08
0830- 6E 07 08 88 D0 ED A9 1C
0838- 9D 81 C0 A9 18 9D 81 C0
0840- A9 1C 9D 81 C0 A9 0C 9D
0848- 81 C0 60 A9 00 8D 08 08
0850- 20 1E 08 A0 02 A2 FF CA
0858- D0 FD 88 D0 FA 60 10 07
0860- CA 10 0C A2 07 10 08 E8
0868- 8A C9 08 90 02 A2 00 60
0870- AE 0A 08 AD 0C 08 F0 1E
0878- 20 5E 08 8E 0A 08 BD 0F
0880- 08 8D 08 08 A9 00 8D 07
0888- 08 20 1E 08 A0 11 A2 FF
0890- CA D0 FD 88 D0 FA 60 AE
0898- 09 08 AD 0B 08 F0 22 20
08A0- 5E 08 8E 09 08 BD 0F 08
08A8- 0A 0A 0A 0A 8D 08 08 A9
08B0- 00 8D 07 08 20 1E 08 A0
08B8- 02 A2 40 CA D0 FD 88 D0
08C0- FA 60 AD 19 08 29 07 18
08C8- 2A 2A 85 61 AD 19 08 29
08D0- 30 4A 4A 4A 4A 05 61 0D
08D8- 05 08 85 61 AD 19 08 29
08E0- 08 18 2A 2A 2A 2A 85 60
08E8- AD 19 08 29 40 F0 06 A5
08F0- 60 69 28 85 60 AD 19 08
08F8- 29 80 F0 06 A5 60 69 50
0900- 85 60 38 A2 00 AD 17 08
0908- 8D 0D 08 AD 18 08 8D 0E
0910- 08 AD 0D 08 E9 07 8D 0D
0918- 08 AD 0E 08 E9 00 8D 0E
0920- 08 30 04 E8 4C 11 09 AD
0928- 0D 08 69 07 8D 1A 08 8E
0930- 1B 08 18 A9 01 AE 1A 08
0938- CA 30 04 2A 4C 38 09 8D
0940- 1C 08 AC 1B 08 B1 60 4D
0948- 03 08 2D 1C 08 60 A9 FF
0950- 8D 0B 08 20 97 08 AE 04
0958- 08 BD 84 C0 10 F5 A9 01
0960- 8D 0B 08 AE 04 08 BD 84
0968- C0 10 06 20 97 08 4C 63
0970- 09 A9 06 8D 0C 08 20 70
0978- 08 CE 0C 08 D0 F8 60 20
0980- 4E 09 A9 00 8D 19 08 A9
0988- 0C 8D 17 08 A9 00 8D 18
0990- 08 A9 00 8D 1D 08 20 C2
0998- 08 F0 08 A9 03 6D 1D 08
09A0- 8D 1D 08 EE 19 08 20 C2
09A8- 08 F0 08 A9 0C 6D 1D 08
```

Listing 2 continued:


```
09B0- 8D 1D 08 EE 19 08 20 C2
09B8- 08 F0 08 A9 30 6D 1D 08
09C0- 8D 1D 08 AD 1D 08 8D 07
09C8- 08 20 4B 08 A9 01 8D 0B
09D0- 08 20 97 08 20 97 08 AD
09D8- 1D 08 8D 07 08 20 4B 08
09E0- A9 01 8D 0B 08 20 97 08
09E8- 20 97 08 EE 17 08 D0 03
09F0- EE 18 08 CE 19 08 CE 19
09F8- 08 A9 0C CD 17 08 D0 91
0A00- A9 01 CD 18 08 D0 8A EE
0A08- 19 08 EE 19 08 EE 19 08
0A10- AD 19 08 CD 06 08 B0 06
0A18- 20 4E 09 4C 87 09 AE 04
0A20- 08 A9 00 9D 81 C0 60
```

Listing 3: *Several examples of Apple high-resolution pictures printed on a Silentype using the author's double-width graphics-print routine.*









Text continued from page 413:

output port is connected to the serial data line), 16 bytes of data must be written to the port for each command sent to the printer. Bits 1, 2, and 3 of each byte have been set as guard bits to prevent confusion over the value of bit 0. Once the 16 data bytes have been stored to the output location, 4 stop bits must be transmitted to inform the printer that we have reached the end of a command word. An example of a typical transmission is given in table 2.

The first 7 bits of the 2 transmission bytes control the thermal printhead. The thermal printhead consists of seven resistors (transistors are also used) deposited on a ceramic base. When these elements are heated, a dot will appear on the paper if the printhead is allowed to dwell at that position. The darkness of the dot will depend on the dwell time. (Darkness may also be controlled by multiple firings of the thermal elements.)

The stepper-motor windings are controlled by the last 8 data bits. (Bit 8 is not used as far as I can determine.) In the Silentype, there are separate stepper motors to move the drive roller and the thermal printhead. Both motors are identical four-winding stepper motors with 48 steps per revolution. To step either motor, you must know the last step made and energize the windings for the next step. In the full-step sequence (used by the Silentype routines) there are four steps. I use an 8-step sequence (called electronic half-stepping) for slightly smoother operation. Table 3 shows the two stepping sequences for the printhead motor. The carriage motor is similar, but the upper 4 bits are used. Either motor can be stepped clockwise or counterclockwise by exercising the stepping sequence in reverse order.

Fine Tuning

The dot density can be adjusted by changing the delays in the PRINT DOTS routine. The 2-byte value is at locations 854 and 856 hexadecimal (2132 and 2134 decimal). The current delay value is 02FF (767). The movement of the printhead can be speeded up or slowed down by the delay values in locations 8B8 and 8BA hexadecimal (2232 and 2234 decimal). The delay I found to give the fastest movement without any skipping was 0240 (576). Likewise, the movements of the carriage can be speeded up or slowed down by the delay values at locations 88D and 88F hexadecimal (2189 and 2191 decimal). The carriage has considerably more inertia so this delay value is currently 11FF hexadecimal (4607 decimal). The PICTUR routine can print the lines of pixels only in multiples of three (printhead dot 7 is not used) so the page length parameter in location 806 hexadecimal (2054 decimal) prints 159 lines (9F in hexadecimal) instead of 160.

One likely reason that Apple did not develop the double-sized graphics is that some pixels have to be clipped from the left and right edges because of paper size. I clip twelve vertical rows from each side of the screen. In most cases, this still gives a good picture, but these limits can be changed if necessary. The left edge is checked at location 987, and the right edge is checked at 9F9.

With the basics of the Silentype printer in mind, the operation of the assembly-language routines should be fairly clear. Now—double your fun with Silentype. ■

Transmission Details

$1E or $1F	Data bit 1	= Printhead dot 1 (top dot)
$1E or $1F	Data bit 2	= Printhead dot 2
$1E or $1F	Data bit 3	= Printhead dot 3
$1E or $1F	Data bit 4	= Printhead dot 4
$1E or $1F	Data bit 5	= Printhead dot 5
$1E or $1F	Data bit 6	= Printhead dot 6
$1E or $1F	Data bit 7	= Printhead dot 7 (bottom dot)
$1E or $1F	Data bit 8	= Not Used (?)
$1E or $1F	Data bit 9	= Drive roller stepper winding 1
$1E or $1F	Data bit 10	= Drive roller stepper winding 2
$1E or $1F	Data bit 11	= Drive roller stepper winding 3
$1E or $1F	Data bit 12	= Drive roller stepper winding 4
$1E or $1F	Data bit 13	= Printhead stepper winding 1
$1E or $1F	Data bit 14	= Printhead stepper winding 2
$1E or $1F	Data bit 15	= Printhead stepper winding 3
$1E or $1F	Data bit 16	= Printhead stepper winding 4
$1C	Stop bit	
$18	Stop bit	
$1C	Stop bit	
$0C	Stop bit	

Table 2: *Details of the 20-bit command word which controls the Silentype printer. Each of the first 7 bits corresponds to a thermal element in the printhead or one dot on the paper. Bits 9 through 12 control the stepping of the paper roller motor, while bits 13 through 16 control the motor, which positions the printhead. The 4 stop bits inform the printer that the current command word has ended.*

Full Step Sequence


Step	Winding W4	W3	W2	W1	Hex
1	0	0	1	1	$03
2	0	1	1	0	$06
3	1	1	0	0	$0C
4	1	0	0	1	$09

Half Step Sequence

Step	Winding W1	W2	W3	W4	Hex
1	0	0	1	1	$03
2	0	0	1	0	$02
3	0	1	1	0	$06
4	0	1	0	0	$04
5	1	1	0	0	$0C
6	1	0	0	0	$08
7	1	0	0	1	$09
8	0	0	0	1	$01

Table 3: *To control the two stepper motors in the Silentype printer, these 4-bit codes are inserted into the command word described in table 2. Each motor-control sequence must be transmitted sequentially, as shown; skipping a code will result in improper operation. Transmitting the sequence in reverse order will step the motors in the opposite direction. The author uses the half-step sequence for smoother operation.*

10 reasons why...the new Moore Computer Supplies Catalog is the only one you'll ever need!



1. Now, you can buy the best, top-quality computer and word processing supplies from Moore—serving business for 100 years.

2. Moore offers you a large selection of leading brand name supplies. High-performance products for today and tomorrow that have passed rigorous examination by our team of Product Specialists.

3. Low prices. Our skilled buyers are in touch with market trends, worldwide, and use Moore's buying power to bring you real savings.

4. All prices guaranteed to August 31, 1982, regardless of inflation.

5. We move fast. Our standard practice is to process and ship every order within 24 hours from one of Moore's four regional warehouses.

6. You save money and time. All products stocked in our own warehouses. No middlemen. No hassles. And, no delays.

7. Emergency overnight delivery when you need supplies NOW.

8. It's easy to order by mail. Or, call us toll-free any business day, 8 a.m.—5 p.m. (your time anywhere in the continental U.S.) for fastest delivery.

9. The *only toll-free technical assistance line* in the industry. Practical, professional help is always as close as your telephone. Another free service from Moore.

10. Moore guarantees your 100% satisfaction, no strings attached. Every product is backed by our no nonsense, unconditional written guarantee.

To get your free copy of The Moore Computer Supplies Catalog, call us toll-free, 800-323-6230*, ext. 108, or fill in and mail the coupon below.



Call toll-free TODAY! 800-323-6230, ext. 108

*In Illinois, call 312-459-0210, ext. 108.

*In Alaska and Hawaii, 800-323-4185, ext. 108.

Send for your **FREE** catalog today!

Complete and mail this coupon or call the toll-free number above.

Name ______ Title ______

Company ______

Address ______

City ______ State ______ Zip Code ______

Catalog Group
MOORE BUSINESS CENTER
A Division of Moore Business Forms

Moore Computer Supplies Catalog
Dept. 108
P.O. Box 20
Wheeling, IL 60090

Circle 234 on inquiry card.

What's New?

SYSTEMS

Single-Board for Multiusers

The single-board Net/82 gives S-100-bus-system users complete networking capabilities, including bank-switched memory and parity checking for detection of memory malfunctions. The Net/82 features a Z80A processor, two serial ports, optional floating-point processor, interrupt controller, shadow EPROM (erasable programmable read-only memory), a real-time clock, and an S-100 parallel port for communication with the master processor.

The Net/82 is compatible with the MuDOS, CP/M, MP/M, and CP/Net operating systems. The 128K-byte bank-switched memory option allows the program to select from 48 to 63K bytes of user-programmable memory, controlled through an I/O (input/output) port. Each serial port can be customized for a variety of applications, such as an interface with a serial printer. The interrupt controller provides standard interrupt configurations by means of jumper plugs, but wire-wrap connections can be made to achieve special interrupt configurations. The real-time clock provides a 60-Hz interrupt source, which is derived from the data-rate clock. In a networking configuration, the Net/82 performs as a slave processor. Each slave operates independently, except for resource queuing in the master, which makes the entire system appear to be dedicated to each user. The master processor has complete control over each slave and can reset or interrupt a slave at any time.

The Net/82 costs $1395 or, with 128K bytes and the floating-point processor, $1995. Contact MuSYS Corp., Suite 11, 1451 Irvine Blvd., Tustin, CA 92680, (714) 750-5693.

Circle 426 on inquiry card.



North Star Takes Advantage

North Star Computers' new Advantage standalone desktop microcomputer system has full graphics capabilities. The fully integrated system is capable of producing bar and pie charts, plotted graphics, and three-dimensional visual displays. The Advantage features two integrated double-sided double-density floppy-disk drives, an 87-key typewriter-style keyboard with 15 programmable function keys, a 12-inch video-display screen, business-graphics software, self-diagnostic capabilities, and compatibility with Horizon series software.

The Advantage is compatible with all the North Star-developed software for the Horizon series. Optional software packages that support the CP/M operating system and North Star's application-support packages for word and data processing are available. In the future, North Star's Advantage and Horizon series computers will be enhanced to attach directly to local networks. This allows business users to decide now in favor of single- or multiuser systems without fear of short-term obsolescence.

The Advantage costs $3999. Contact North Star Computers Inc., 14440 Catalina St., San Leandro, CA 94577, (415) 357-8500.


Circle 427 on inquiry card.

Multiuser Development System

Ithaca Intersystems' DPS-8000 is a 16-bit, Z8000-based, multiuser system. It features a 20-slot S-100 mainframe, advanced memory management with up to 128K bytes of protected memory per user, 2.5 megabytes of parity memory in 256K-byte increments, serial and parallel I/O (input/output), and DMA (direct memory access) hard-disk controller with 32-bit error checking and control.

The DPS-8000 has an advanced multiuser and multitasking Unix-compatible operating system called Coherent. Coherent has a full range of utilities and compilers, file and device handling capabilities, and real-time responsiveness. Also included is Interpak 8000—a special set of utilities designed to aid programmers in the rapid editing, correcting, and documentation of software. For details, contact Ithaca Intersystems, Inc., 1650 Hanshaw Rd., POB 91, Ithaca, NY 14850, (800) 847-2088; in New York (607) 257-0190.

Circle 428 on inquiry card.



Flexible Business Computer

Data Technology Industries' System 10 is a Z80-based single-user business computer that runs CP/M software. The System 10 has 65K bytes of read and write user-programmable memory and 2K bytes of PROM (programmable read-only

memory). By using double-sided, double-density 5¼-inch disk drives and 5¼-inch Winchester hard disks, the System 10 provides from 700K bytes to 5 megabytes of disk storage. Onscreen data are easily managed because a separate microprocessor handles the keyboard and video display. A clear-to-end-of-line function and an addressable cursor are coupled with a transfer rate for responsive video displays. Other features include power-down disk protection, switching power supply, and the capability of supporting multiple users by linking several System 10s or by having one System 10 act as the master. Contact Data Technology Industries, 700 Whitney St., San Leandro, CA 94577, (415) 638-1206.

Circle 429 on inquiry card.

Fortune Shines on the 68000


The Fortune 32:16 desktop microcomputer is based on the Motorola 68000 microprocessor. It features the Unix operating system and a full range of business applications software packages. The basic Fortune 32:16 includes a 32-bit microprocessor with a 16-bit data path, expandable memory from 128K bytes to 1 megabyte, a 1-megabyte 5¼-inch floppy-disk drive, a keyboard, and a 12-inch video-display screen. For applications requiring greater storage capacities, a 5¼-inch Winchester disk drive with 5, 10, or 20 megabytes of storage is available.

The single-user Fortune 32:16 is readily expandable to a multiuser, multi-application system. It can be upgraded in the field to a multiuser, timeshared system that can be employed in a Xerox Ethernet network.

The Fortune 32:16 supports most widely used languages, including BASIC, COBOL, FORTRAN, Pascal, and C. Its 99-key keyboard is removable. The keyboard has a 15-key numeric keypad with nine cursor-control keys and 16 programmable-function keys.

The basic Fortune 32:16 system costs $4995. Contact Fortune Systems Corp., 1501 Industrial Rd., San Carlos, CA 94070, (415) 595-8444.

Circle 430 on inquiry card.



Gateway for Designers

Forward Technology has unveiled the third member of its Gateway Series of Multibus-compatible single-board computers: the FT-68M. Based on the 16-bit Motorola 68000, the FT-68M has 256K bytes of user-programmable memory, including error detection, two-level, multiprocess memory management and protection, serial and parallel communication facilities, and five counter/timers. The FT-68M is designed to assist system designers who need the power and flexibility of the 68000 combined with 256K bytes on a single Multibus-compatible board.

The FT-68M has two user-programmable RS-232C interfaces, and its serial interfaces will operate in either synchronous or asynchronous modes. Among its other features are Xenix operating system compatibility, no wait states with local RAM (random-access memory), up to 32K bytes of PROM (programmable read-only memory), dual serial-communication channels, single 16-bit input port, 8-megabyte addressability, 8 MHz clock rate, and IEEE (Institute of Electrical and Electronics Enginneers) P-796 Bus (Multibus) with Multimaster capabilities. The FT-68M costs $3495. Contact Forward Technology Inc., 2595 Martin Ave., Santa Clara, CA 95050, (408) 988-2378.

Circle 431 on inquiry card.

Single-Board Computer

RCP Systems' IEEE (Institute of Electrical and Electronics Engineers) S-100 interface board is a single-board computer for the hobbyist or small-systems manufacturer. The board has a 4-MHz Z80 microprocessor, a 2716 EPROM (erasable programmable read-only memory), a four-channel timer, two parallel ports, two serial ports with on-board drivers and receivers with data rates ranging from 75 to 38,400 bits per second, and 16K bytes of dynamic user-programmable memory expandable to 128K bytes with software bank-select of the upper and lower banks. Other features include an S-100 slave address of 1 to 64, an interrupt-driven system, and five onboard regulators.

The board costs $1395, assembled and tested. Contact RCP Systems Inc., 1020 East 18th Ave., North Kansas City, MO 64116, (816) 221-0816.

Circle 432 on inquiry card.



Let the Professor Show You

Looking for an inexpensive way to learn how to design a program? Let the Micro-Professor show you. The Micro-Professor is a book-shaped Z80-based microcomputer learning tool. It has a 2K-byte ROM (read-only memory) monitor program with system initialization, keyboard and display scan, and tape write and read. Micro-Professor features 2K bytes of user-programmable memory, 24 parallel I/O (input/out-

put) lines, audiotape interface, system clock, and a single power supply. As your knowledge of microcomputing grows, you can expand the Micro-Professor to Z80-CTC and Z80-PIO and add an EPROM (erasable programmable read-only memory) and a prototyping board.

Documentation includes a user's manual and a book of 18 sample programs and experiments that range from simple software programming to complex electronic-control systems. The manual includes the source listings for the 2K-byte monitor program, schematic diagrams, and operating instructions. It also describes the hardware and software specifications. The Micro-Professor costs $99; dealer inquiries are welcomed. Contact Multitech Industrial Corp., 977-1 Min Shen E. Rd., Taipei 105, Taiwan, Republic of China, Telex: 23756 Multiic.

Circle 433 on inquiry card.

6-MHz Card for S-100 Systems

The CP 600 Central Processor Card can increase your S-100 system's throughput by as much as 50%. The CP 600 is a 6-MHz, 8-bit Z80 card that conforms to the IEEE (Institute of Electrical and Electronics Engineers) 696 (i.e., S-100) standard. Two onboard ports extend memory addressing to 24 bits and I/O (input/output) addressing to 16 bits, which allows up to 16 megabytes of system memory and 64K bytes of system I/O. The system memory refresh is performed as a standard S-100 memory-read cycle, minimizing the need for special logic on memory cards. To accommodate 64K-byte dynamic-memory devices, the 8 lower address bits are used for refreshing.

The CP 600 has a crystal-controlled master clock, jumper-selectable onboard-generated memory and I/O wait states, and onboard EPROM (erasable programmable read-only memory). The CP 600 is available from Echo Communications Corp., 1708 Stierlin Rd., Mountain View, CA 94043, (415) 969-6086.

Circle 434 on inquiry card.

Single-Chip Microcomputer

General Instrument has introduced a new 8-bit single-chip microcomputer called the PIC16C55. The PIC16C55 is a low-power consumption, 28-pin device with wide power-supply tolerances. Although nominally a 5-V device, the chip will accept voltages ranging between 2.5 and 6 V. The device is a CMOS (complementary metal-oxide semiconductor) circuit array that contains user-programmable memory, eight user-defined I/O (input/output) lines, a central processing unit, and ROM (read-only memory). The device can perform logical processing, basic code conversions and formatting, and can generate timing and control signals for I/O devices.

Internally, the device consists of three functional elements connected by a single bidirectional bus: the register file, consisting of 32 addressable 8-bit registers, an arithmetic logic unit, and a program ROM of 512 program words, each 12 bits wide. The device features an intelligent controller for stand-alone operations, 32 by 8-bit programmable memory, a real-time clock counter, onboard or crystal-controlled oscillator, single-word instructions, single-supply operation, and software compatibility with other members of General Instrument's PIC family. The eight I/O registers provide latched lines for interfacing to a wide variety of applications, such as scan keyboards, drive displays, electronic-game control, and vending machines.

Software support is available, and sample programs can be used to develop programs that can be assembled into machine language using PICAL, which was specially designed for the PIC series. PICAL is available in a FORTRAN IV version. Contact General Instrument, 600 West John St., Hicksville, NY 11802, (516) 733-3107.

Circle 436 on inquiry card.

Link Sorcerers to S-100 Bus

Exidy Systems' Display/S-100 unit links the Sorcerer computer to any S-100-bus product. The Display/S-100 combines the expansion capability of S-100 products within an enclosure that houses a 12-inch green-phosphor video display for the Sorcerer. The unit is mounted on a swivel-base stand, and the video screen sports a 20-MHz bandwidth for high resolution. The unit's S-100 bus is a self-contained motherboard with power supply and translation logic for the Sorcerer computer.

The Display/S-100 includes cables and documentation. The suggested retail price is $699. Contact Exidy Systems, Inc., 1234 Elko Dr., Sunnyvale, CA 94086, (408) 734-9831.

Circle 435 on inquiry card.

Programming and Design System

The IDC-8 is a programming and design subsystem based on the Intel 8088 microprocessor. Soft-

ware developed on the IDC-8 is compatible with other 8088-based computers, including the IBM Personal Computer. The device features an 18-square-inch wire-wrap area for special design applications, card expansions, and additional peripheral-support circuitry and processors. The IDC-8 includes a 5-MHz 8088 microprocessor, monitor software in an 8755 I/O (input/output) ROM (read-only memory), 1K bytes of static RAM (random-access memory), 256 bytes of I/O memory, and an 8251-based video-display interface. The I/O ROM and the I/O RAM have a total of 38 parallel I/O lines. The device requires 5 volts at 1 amp, and it communicates by means of an RS-232C terminal.

The IDC-8 is fully assembled and tested and is shipped with complete documentation for hardware and software applications. It costs $399; kit versions are available. For details, contact Intelligent Devices Corp., One Cameron Pl., Wellesley, MA 02181, (617) 237-7327.

Circle 467 on inquiry card.


Symbol-Processing System

The Symbolics 3600 is a dedicated computer system that's designed for high-productivity software development and support of large symbolic systems. Typical applications include CAD (computer-aided design), artificial intelligence, and expert systems. The primary language of the 3600 is Symbolics' ZetaLisp, an expressive, efficient, and extensible langauge. Fully integrated into the ZetaLisp language is a unique approach to object-oriented programming called the Flavor System. In addition to ZetaLisp, FORTRAN-77 and Pascal can be run on the 3600.

The basic Symbolics 3600 hardware consists of a high-performance microcoded central processing unit with 36-bit tagged architecture and 32-bit data paths, special features for symbolic computing, 1.125 megabytes of main memory, a fast-access 67-megabyte Winchester hard-disk drive, 10-megabit-per-second Ethernet II network interface, two serial lines, and a graphics console with 100-key keyboard with N-key rollover, a landscape-format 1000-line black-and-white bit-mapped display, a mouse, and audio output. The 3600's virtual memory consists of more than one million pages of 256 words of 36 bits each.

The 3600 has a Motorola MC68000-based front-end processor that serves two functions: during normal operation it controls low- and medium-speed I/O (input/output) devices and performs error logging and recovery; when the 3600 is not running, it is used for debugging. Contact Symbolics Inc., 21150 Califa St., Woodland Hills, CA 91367, (213) 347-9224.

Circle 437 on inquiry card.



Little Big Computer

The Findex computer is a complete microcomputer system that weighs only 31 pounds and is no larger than the average electric typewriter. The Findex has a keyboard, memory capacity of up to 2 million characters on floppy-disk drives, a display, and a printer. Serial, parallel, and S-100 bus interfaces are standard, and Bell 103 and CCITT acoustic couplers are available as options. Many high-level languages are supported, including Business BASIC, COBOL, Pascal, FORTRAN, APL, and PL/I. Applications software is also available.

The Findex computer will operate on 110 V (volts), 220 V, or 12 V, and its battery backup will let the machine operate for 30 minutes. Depending on the peripherals and software selected, the Findex computer costs between $6980 and $20,000. Contact Findex, 20775 South Western Ave., Torrance, CA 90501, (213) 533-6842.

Circle 438 on inquiry card.


Versatile Business Computers

The System 12B is the heart of a new line of business computers from Midwest Scientific Instruments. The 12B supports four users simultaneously, contains 328K bytes of memory, and employs a 10-megabyte partially fixed and partially removable hard-disk drive that is capable of supporting several hundred megabytes of online disk storage.

The 12B uses the SDOS operating system and runs a complete library of business-software modules, including inventory control, bills of material, sales order entry, accounts receivable and payable, and payroll. The system starts at $2495 for a 64K-byte model. For details, contact Midwest Scientific Instruments, 220 West Cedar, Olathe, KS 66061, (913) 764-3273.

Circle 439 on inquiry card.

What's New?



Have Angels In Your Office

The Angel-I is an S-100-based word- and data-processing system featuring a Z80 central-processing unit, 64K bytes of programmable memory, two large-capacity 8-inch floppy-disk drives, an 80-character by 24-line video-display screen, and a daisy-wheel printer. The new multiterminal Angel-I small-business system can support up to sixteen terminals and from four to six users concurrently writing and testing programs. Programs can be developed for 16-bit target computers, such as the 8086 microprocessor. Three versions are offered: a low-cost model for order desks and doctors' offices, a medium-priced model for word and data processing, and a multiterminal system that features off-line processing.

Angel-I system terminals feature Z80 processors, from 48,000 to 68,000 characters of memory, and serial I/O (input/output). In the top-of-the-line multiterminal Angel-I system, each terminal has a separate mainframe, 64,000 characters of memory, a single large-capacity 8-inch floppy-disk drive, and a serial I/O channel for communication with the central processor. The Angel-I costs $7995; add-on terminals range from $1500 to $3500, depending upon model selected. Contact E & U Engel Consulting, 1719 South Carmelina Ave., Los Angeles, CA 90025, (213) 820-4231.

Circle 440 on inquiry card.

System Has Robotics Potential

The VIμP (Versatile Industrial Microprocessor) 7000 is a small, 18- by 27-cm (6½- by 10¾-inch), microcomputer system designed for OEM (original equipment manufacturer) and small-user applications in industrial control, machine automation, and robotics. Among the VIμP's features are stepper-motor drivers, A/D (analog-to-digital) and D/A (digital-to-analog) converters, a real-time calendar clock, and optically isolated I/O (input/output).

The VIμP uses a 6502 microprocessor, and its bus is KIM-compatible. The bus uses two 44-pin edge card connectors per slot, one for the central bus and the other for additional applications.

The VIμP 7000 costs between $500 and $2000, depending on configuration. Contact Systems Innovations Inc., POB 2066, Lowell, MA 01851, (617) 459-4449.

Circle 441 on inquiry card.

Electronic Mail Data Sheet

The CDI/Comet Portable Electronic Mail System is a business-communications software package that uses Computer Devices' Miniterm computer as an electronic mailbox. The CDI/Comet features guaranteed message distribution, 24-hour-a-day accessibility, English-language commands, and word-processing and editing functions. A data sheet describing the CDI/Comet is available from the company. It explains how the CDI/Comet, when used with Miniterm computer terminals, provides efficient, cost-effective, and instantaneous access to field personnel and how it ensures accurate, complete, and guaranteed message delivery. The CDI/Comet data sheet can be obtained from Computer Devices Inc., 25 North Ave., Burlington, MA 01803, (800) 225-1230; in Massachusetts (617) 273-1550.

Circle 442 on inquiry card.

PERIPHERALS



High-Resolution Alphanumerics Display

The GT-1 Z80-based Multibus-compatible video-display board features a high-resolution (640 by 500 pixel) monochrome graphics display with onboard vector, arc, circle, and text generation. Two user-programmable and several built-in patterns are available for different line and area fill styles, as well as eight text sizes. The GT-1 includes a separately addressable scrolling alphanumerics display that features 80 by 25 characters, four individually programmable attributes, and a fully addressable cursor. The 96-character ASCII (American Standard Code for Information Interchange) set is standard. The ASCII code is enhanced with 32 special characters, with the option of a second user-specified set.

The GT-1 uses 5 volts at 1.5 amperes from the Multibus. Communication with the host computer is

accomplished by a separate 25-pin EIA (Electronics Industry Association) connector. The GT-1's RS-232C interface supports full-duplex serial communication with 16 switch-selectable data rates to 38.4 kbps (thousand bits per second). Up to 256 characters can be buffered in both directions. A connector is provided for attaching an 8-bit parallel keyboard, and composite and XYZ video connections are standard. The GT-1 uses XOFF/XON protocols.

In single quantities, the GT-1 costs $1995. Contact Micrographics Research, 28 Pioneer Dr., Nashua, NH 03062, (603) 888-6790.

Circle 443 on inquiry card.

Macrosystem-88

The Macrosystem-88 adds 16-bit processing power and up to 128K bytes of additional RAM (random-access memory) to the Apple II. The Macrosystem-88 is a full microcomputer system based on the 5-MHz Intel 8088 8/16-bit microprocessor. It has 64K bytes of programmable memory, expandable to 128K bytes, and 4K bytes of PROM (programmable read-only memory) on a single self-contained board with power supply. The Macrosystem-88 features front-panel power and reset switches and indicators for run, pause, and select.

The Macrosystem-88's DMA (direct memory access) control card, which can be installed in any Apple slot except 0, handles communications between the Macrosystem-88 and the Apple. On this basis, the Macrosystem-88 has complete access to the Apple's memory and peripherals. The Apple's 6502 microprocessor handles I/O (input/output) processing.

Macrosystem-88 can run Digital Research's CP/M-86 and Softech Microsystems' UCSD Pascal p-System 4.0 with UCSD Pascal along with FORTRAN-77 and a BASIC compiler. Switching between Apple DOS (disk operating system) and CP/M-86 is as simple as booting with the appropriate disk.

The Macrosystem-88 has a suggested retail price of $995. Contact Cal-Tech Computer Services Inc., 4112 Napier St., San Diego, CA 92110, (714) 275-4350.

Circle 445 on inquiry card.



Paper Tape for Apples

Your Apple II can have complete paper-tape capability for less than $1800 with Addmaster's parallel interface board and data-handling program. The cable, which connects the Model 600-1 punch and the Model 605 reader to your Apple, costs $75. The Data Handling Program costs $100, the Model 600-1 is $1099, and the Model 605 is $495. Applications include numerical control and secure communications systems. Contact Addmaster Corp., 416 Junipero Serra Dr., San Gabriel, CA 91776, (213) 285-1121.


Circle 444 on inquiry card.

IBM-Compatible Equipment

Tecmar's new line of hardware products are compatible with the IBM Personal Computer. In the vanguard is the Tecmate Expansion Chassis, a seven-slot expansion cabinet for IBM-compatible boards. It features heavy-duty power supplies and provision for a 5¼-inch Winchester hard-disk drive.

Some of Tecmar's other products include a time-of-day clock, a BSR X-10 device-control module, a Winchester disk and controller, a 256K-byte programmable memory board, a serial and parallel port I/O (input/output) board, D/A (digital-to-analog) and A/D (analog-to-digital) converters, a video digitizer, and a stepper motor controller. Contact Tecmar, 23600 Mercantile Rd., Cleveland, OH 44122, (216) 464-7410.

Circle 446 on inquiry card.




Super Isolator

Electronic Specialists' Super Isolator is designed to control electrical pollution that can damage your hardware. The Super Isolator features three individually dual-pi-filtered AC sockets and heavy-duty spike and surge suppression. Equipment interactions are eliminated and disruptive or damaging power-line pollution, such as spikes from lightning or heavy machinery, is controlled. The Super Isolater can control pollution for a 1875-watt load; each socket can handle a 1000-watt load. The Model ISO-3 Super Isolator costs $94.95 and is available from Electronic Specialists Inc., 171 South Main St., Natick, MA 01760, (617) 655-1532.

Circle 447 on inquiry card.

What's New?



Modular Color Printer

The Prism printer is a modular 80- or 132-column dot-matrix printer that allows add-on modules for expanded graphics, resolution, speed, type style, single-sheet feeding, and color abilities. The basic Prism printer is a correspondence-quality device capable of printing at up to 150 cps (characters per second) in a 24 by 9 dot matrix, expandable to a high-speed data mode of 200 cps and a character resolution of 24 by 18.

The Prism printer is based on the Motorola 6803 microprocessor and features bidirectional printing, logic-seeking abilities, and high-speed slew for increased throughput.

Optional equipment for the Prism printer includes a graphics module and a color module with a choice of three four-zone color ribbons and software for text or data modes. Up to eight colors can be produced using a four-color ribbon. Paper feed is semiautomatic cut-sheet, where the operator inserts an 8½- by 11-inch sheet and the printer automatically positions it. The basic 80-column Prism printer costs $899. Contact Integral Data Systems Inc., Milford, NH 03055, (800) 258-1386; in New Hampshire (603) 673-9100.

Circle 448 on inquiry card.



DMM Connects to Microprocessors

Sabtronics' Model 2020 Digital Multimeter (DMM) has microprocessor interfaces so that it can adapt to any personal computer. The DMM has a 3½-digit LED (light-emitting diode) display and 0.1% basic DC accuracy. It is capable of directly measuring AC and DC voltages of up to 1000 volts, resistances up to 20 megohms, and AC and DC currents up to 10 amperes. Optical coupling between the DMM and the computer protects the computer from damage and serves to isolate ground noises that can affect sensitive measurements.

The Model 2020 DMM is supplied with cables and I/O (input/output) support needed for connection with TRS-80, Apple, PET, or Atari microcomputers. The DMM costs $299, including interface and some software support. Contact Sabtronics International Inc., 5709 North 50th St., Tampa, FL 33610, (813) 623-2631.

Circle 449 on inquiry card.

Timer/Counter Board

The STD-VI08 I/O timer/counter board is handy for process control, production testing, or data logging. It features eight programmable I/O (input/output) ports and 64 individually programmable I/O lines. The STD-VI08 has 16 programmable handshake lines that permit high-speed data transfers to peripherals and four 16-bit timers that allow a wide range of timing (2 microseconds to many hours), automatic pulse output to an I/O line, and interrupt-on-timeout capabilities. Incoming I/O signals can be monitored without the intervention of the central processor by means of four 16-bit event counters. Four programmable shift registers permit serial data to be sent and received. Fully programmable interrupts on all functions avoid the overhead of software polling. Connection to I/O devices is accomplished by standard 50-pin headers and switch-selectable addressing facilitates system configuration.

The STD-VI08 costs $199, including a one-year warranty and documentation. It's available from Forethought Products, 87070 Dukhobar Rd., Eugene, OR 97402, (503) 485-8575.

Circle 450 on inquiry card.

Winchester and Floppy Disk System

The Model SCS-10/F Winchester hard-disk and 8-inch floppy-disk drive subsystem can interface with most popular microcomputers, including the Apple II, the TRS-80 I, II, and III, and S-100 microcomputers. The SCS-10 permits the use of most disk operating systems, which allows standard 8-inch CP/M floppy disks to operate with Apple II machines and 3.3 Apple DOS with 1.1 Pascal. Its storage capacities start at 10-megabyte configurations and range as high as 120 megabytes. For higher storage levels, daisy-chaining is permitted. The SCS-10 supports Supercalc, DB Master, and medical, legal, accounting, stock, and educational applications software packages.

The SCS-10 is shipped complete with controller, host adapter, operating software, power supply, cables, cabinet, and user manuals. For details, contact Santa Clara Systems, Inc., 560 Division St., Campbell, CA 95008, (408) 997-2010.

Circle 451 on inquiry card.

What's New?

PUBLICATIONS

Short Form Catalog

Micro Power Systems has an updated edition of its short form catalog that lists all of its current products. Micro Power Systems markets digital-to-analog (D/A) and analog-to-digital (A/D) converters, precision voltage references, analog multiplexers, analog switches, op amps, and dual transistors. Included in the updated catalog is a comparison of standard MOS (metal-oxide semiconductor) devices to Micro Power Systems' custom high-density CMOS (complementary metal-oxide semiconductor) devices. Micro Power Systems custom designs LSI (large-scale integration) circuits for such applications as pacemakers and digital meters.


The short form catalog is available from Micro Powers Systems Inc., 3100 Alfred St., Santa Clara, CA 95050, (408) 247-5350.

Circle 452 on inquiry card.

Telecommunications Policy

Each issue of Telecommunications Policy includes articles on assessment, control, and management of developments in telecommunications and information systems. A one-year subscription to this quarterly journal costs $124.80. Contact IPC Science and Technology Press, Ltd., 205 East 42nd St., New York, NY 10017, (212) 867-2080. In England, contact IPC Science and Technology Press, Ltd., POB 63, Westbury House, Bury St., Guildford, Surrey, GU2 5BH, England.

Circle 453 on inquiry card.



Stepper Motor Catalog

Stepper motors and controls are described in Catalog ST-1 from the Bodine Electric Company. The catalog includes test data, application guides, check lists, and thermal-characteristics information showing motor temperatures. For your free catalog, write to Bodine Electric Co., 2500 West Bradley Place, Chicago, IL 60618.

Circle 454 on inquiry card.

New Books from Arcsoft

Books on the TRS-80 Color Computer and Pocket Computer are described in a free 16-page catalog from Arcsoft Publishers. The books include tips, tricks, secrets, and programming shortcuts as well as many new programs. Among Arcsoft's titles are BASIC Made Easy, 50 Color Computer Programs in BASIC for the Home, School, & Office, and 101 Pocket Computer Programming Tips & Tricks. The books range in price from $6.95 to $9.95. For your free catalog, contact Arcsoft Publishers, POB 132BY, Woodsboro, MD 21798, (301) 845-8856.

Circle 455 on inquiry card.

Experiments in Artificial Intelligence

John Krutch's Experiments in Artificial Intelligence for Small Computers begins with an explanation of artificial intelligence illustrated by a short Microsoft Level II BASIC program. Problem-solving, natural-language processing, and other aspects of artificial intelligence are covered in the same easily understood manner.

Experiments in Artificial Intelligence for Small Computers is available in softcover for $8.95. Contact Howard W. Sams & Co., 4300 West 62nd St., Indianapolis, IN 46268, (800) 428-3696; in Indiana, (317) 298-5400.

Circle 456 on inquiry card.

SOFTWARE

Engineering Software

Micro-Tech Associates has structural and foundation engineering software programs for the Apple II Plus microcomputer that provide an alternative to high-cost service bureaus. The disk-based Pascal and FORTRAN programs are designed for interactive use and include SBEAM, GRID, and TRUSS2D. The programs are easy to use and do not require programming knowledge. Contact Micro-Tech Associates, 2305 Appleby Court, Wheaton, IL 60187.

Circle 457 on inquiry card.

Multiplan—Electronic Spreadsheet

Multiplan, a new electronic spreadsheet, is now available from Microsoft. The spreadsheet is 63 columns wide, 255 rows deep, and several pages thick. You enter the numbers, titles, or formulas, and all computations are performed automatically. You can assign a name to any given cell or area and then access that name in future planning activities.

Multiplan offers extensive screen messages, a menu of commands, and a Help file that's always available. Multiplan gives you a number of features: easy editing, relative references, cell formatting, and a copy command. Column widths can be

reduced from the standard 10-character column with the Format command and you can watch up to eight different areas through Multiplan's windows as you work.

Multiplan is available to run on CP/M systems and the Apple II. For details, contact Microsoft, 10700 Northup Way, Bellevue, WA 98004, (206) 828-8080.

Circle 458 on inquiry card.

Pascal Sourcebooks

The Pascal Sourcebooks are a complete library of well-structured Pascal software written in a self-documenting style. Among the Pascal Sourcebooks being offered are File System, Incremental Backup System, Report Generator, Graphic Applications-I, and Typewriter Simulators. File System lets you interrogate directories from applications program. Incremental Backup System will save recently used files so that loss of disk data is prevented. Using the UCSD Pascal system's screen editor, Report Generator lets you create word-processing-quality documentation. Examples of Pascal programs driving applications-oriented graphics are provided in Graphics Applications-I, and Typewriter Simulators turns a printer and a terminal into an electric typewriter with automatic address accumulation, envelope addressing, and line-by-line correction.

With an Apple Pascal disk, the Pascal Sourcebooks range in price from $49.95 to $109.95. Contact North American Technology, Suite 23, Strand Building, 174 Concord St., Peterborough, NH 03458, (800) 854-0561, operator 860; in California (800) 432-7257, operator 860; in New Hampshire (603) 924-6048.

Circle 459 on inquiry card.

You've Earned an MBA

Context Management Systems' MBA software package blends database, electronic spreadsheet, word-processing, graphics, and communications capabilities into a single system. Once information has been added to MBA's database, it can be used without further typing or keystrokes. Specific figures can be called up and inserted into a report automatically. You can communicate numbers in rows or columns, let MBA format figures into charts or graphs, or you can return to your figures and run experimental simulations. As an electronic spreadsheet, you can change a number, and MBA will recalculate affected items.

MBA's word processor lets you prepare concise, accurate reports. The reports can use data stored in other MBA modules, so you can have MBA fill in appropriate figures as you write the report.

MBA requires an IBM Personal Computer with 192K bytes of random-access memory, dual disk drives, and a video monitor or an Apple III with 256K bytes of memory, dual disk drives, and a video monitor. A modem and a printer are recommended. Contact Context Management Systems Inc., Suite 101, 23864 Hawthorne Blvd., Torrance, CA 90505, (213) 378-8277.

Circle 460 on inquiry card.

Report Manager

The Report Manager creates and instantly updates a variety of reports for financial, accounting, engineering, and scientific applications. The CP/M-based Report Manager can generate income statements, balance sheets, sales forecasts, and other business reports. The reports can be created from any plane in the X, Y, and Z axis "data cube" generated by the program. This "third dimension" calculating ability allows for the existence of thousands of individual cells, each of which can contain a number, a label, or a formula. Report Manager has editing commands for changing or adding to a cell's contents. Reports can be up to 255 cells wide, long, and deep, and multiple report pages with controls to scan data on any page or all the pages on one column are provided.

The Report Manager has the ability to copy portions of rows or columns, entire portions of pages, or full sections from sets of pages. It lets you view four independent sections onscreen and define headings that are longer than nominal cell widths. Calculations on calendar and time entries for determining the duration of flowcharts and work in progress can be performed.

The Report Manager is a standard feature with NEC's PC-8000 series microcomputer. Contact NEC Home Electronics USA, 1401 Estes Ave., Elk Grove Village, IL 60007, (312) 228-5900.

Circle 461 on inquiry card.

MISCELLANEOUS



Head-Cleaning Kits

The Verbatim Datalife head-cleaning kit consists of a reusable Lexan jacket, which is impervious to head-cleaning solvents, and presaturated, disposable cleaning disks. The kits are available in 5¼- and 8-inch sizes and can be used on both single- and dual-head drives. Operation is easy: the disk is removed from its protective foil and polyethylene pouch, inserted in the Lexan jacket, and the whole assembly is placed in the drive for 60 seconds.

The Verbatim Datalife head-cleaning kit is not recommended for use on Vydec 8-inch-drive word processors. The kit has a

suggested price of $12.50; a 10-pack of replacement disks costs $20. Contact Verbatim Corp., 323 Soquel Way, Sunnyvale, CA 94086, (408) 245-4400.

Circle 462 on inquiry card.

Programmable CMOS Interrupt Controller

The CDP1877 CMOS (complementary metal-oxide semiconductor) IC (integrated-circuit) programmable interrupt controller is designed to minimize software and real-time overhead for multilevel priority interrupts in CDP1800-based microprocessor systems. The device features eight levels of prioritized interrupts and software-programmable vectoring to interrupt routines. The CDP1877 is a memory-mapped device with latched interrupt requests and hard-wired interrupt priorities. Interrupts can be expanded in increments of eight. The CDP1877 can be cascaded into a large number of interrupts, limited only by the amount of memory space available and the extent of address coding in the microprocessor. Its multiple chip-select inputs minimize the amount of address space required for operation. Selectable 2-, 4-, 8-, and 16-byte intervals provide flexibility for interrupt-routine memory allocations.

The CDP1877 operates from a single supply voltage of 4 to 10.5 V (volts). The CDP1877C is identical to the CDP1877 except for the operating voltage range, which is 4 to 6.5 V. Both are supplied in 28-lead plastic or hermetically-sealed ceramic DIPs (dual inline packages). The CDP1877 and the CDP1877C are priced at $11.96 and $8.16, respectively. Contact RCA Solid State Div., POB 3200, Somerville, NJ 08876

Circle 463 on inquiry card.

Low-Cost Oscilloscopes

The low-cost Models 2213 and 2215 are members of Tektronix's 2200 series of dual-trace, delayed-sweep oscilloscopes. Both models achieve a 60-MHz bandwidth at 20 mV to 10 V and 50 MHz at 2, 5, and 10 mV settings. The maximum sweep speed is 5 nanoseconds per division. The lightweight oscilloscopes incorporate advanced systems for easy triggering and provide Z-axis input, front-panel trace rotation, and beam-finder controls. Fewer operator adjustments are required because both units have automatic intensity and focus.

The Model 2213, with a single time base, has a screen-calibrated delayed sweep with 3% accuracy and an intensified sweep. The Model 2215 has a dual time base with 1.5% delay time accuracy and features alternate sweep switching, A/B sweep separation control, and B triggering after delay for jitter-free delayed time measurements.

The Tektronix Models 2213 and 2215 cost $1100 and $1400, respectively. For further details, contact Tektronix, Inc., Marketing Communications Dept., POB 1700, Beaverton, OR 97077, (800) 547-1845; in Oregon (800) 452-6773.


Circle 464 on inquiry card.

Timeshared Typesetting Service

Type Share Inc. is a time-shared typesetting service that can accept sequential ASCII (American Standard Code for Information Interchange) files from any computer and return typeset copy according to user coding and specifications. A computer user can input and format material for typesetting on his or her computer, send it to a Type Share center over a telephone, and receive typeset copy that's ready for paste-up and printing.

To use the Type Share system a user must have a computer/modem combination that can transmit ASCII sequential files over telephone lines. Contact Type Share Inc., 8315 Firestone Blvd., Downey, CA 90241, (213) 923-9361.

Circle 465 on inquiry card.



Add-On Memory Cards for the IBM Personal Computer

A.S.T. Research has introduced a series of ultra high-density add-on memory cards for the IBM Personal Computer that feature storage capacities ranging from 64K to 256K bytes of random-access memory. The Personal Computer-compatible cards include parity checking to ensure data integrity. Each card is thoroughly tested.

In addition to the memory cards, A.S.T. has introduced a communications option card that has two RS-232C ports and a wire-wrap extender card set. The add-on memory cards range in price from $495 to $1595, which includes a one-year warranty. The RS-232C port communications card costs $240, and the wire-wrap extender is available for $95. Contact A.S.T. Research Inc., 17925 B Skypark Circle, Irvine, CA 92714, (714) 540-1333.

Circle 466 on inquiry card.


Where Do New Products Items Come From?

The information printed in the new products pages of BYTE is obtained from "new product" or "press release" copy sent by the promoters of new products. If in our judgment the information might be of interest to the personal computing experimenters and homebrewers who read BYTE, we print it in some form. We openly solicit releases and photos from manufacturers and suppliers to this marketplace. The information is printed more or less as a first-in first-out queue, subject to occasional priority modifications. While we would not knowingly print untrue or inaccurate data, or data from unreliable companies, our capacity to evaluate the products and companies appearing in the "What's New?" feature is necessarily limited. We therefore cannot be responsible for product quality or company performance.


Circle 337 on inquiry card.

SUNNY LOW LOW COST POWER SUPPLIES


FOR S-100, FLOPPY DISKS.



KIT 1, 2 & 3 For S–100



R3 For Three 8" or 5¼" Disk Drives



S3 2 in 1 Unit for S–100 and two 8" or 5¼" Disk Drives. It fits most Disk System Mainframes.

S-100 POWER SUPPLY KITS (OPEN FRAME WITH BASE PLATE, 3 HRS. ASSY. TIME)

ITEM	USED FOR	@ + 8 Vdc	@ – 9 Vdc	@ + 16 Vdc	@ – 16 Vdc	@ + 28 Vdc	SIZE W × D × H	PRICE
KIT 1	15 CARDS SOURCE	15A	———	2.5A	2.5A	———	12" × 5" × 4⅞"	54.95
KIT 2	SYSTEM SOURCE	25A	———	3A	3A	———	12" × 5" × 4⅞"	61.95
KIT 3	DISK SYSTEM	15A	1A	2A	2A	4A	14" × 6" × 4⅞"	69.95

DISK DRIVE POWER SUPPLY "R3" REGULATED, OPEN FRAME, ASSY. & TESTED 69.95

SPECS: + 5V @ 5A OVP, –5V @ 1A + 24V@ 5A. SHORTS PROTECT 2 SIZES AVAIL., 1.) 9" (W) × 6¼" (D) × 4⅜" (H), 2) 9" (W) × 4⅞" (D) × 5¼" (H)
OPTION: 1.) REPLACE + 24V BY + 12V. 2.) FOR SIZE 1 ONLY. ADD ± 12V @ 1A. AT AN ADDITIONAL $12.00.
IDEAL FOR THREE 8" or 5¼ FLOPPY DISK DRIVES, SUCH AS SHUGART 801/851, SIEMANS FDD 100-8/200–8 OR 100–5 ETC.

DISK SYSTEM PWR SUPPLY "S3" OPEN FRAME, ASSY. & TESTED. COMPACT SIZE: 10"(W) × 6" (D) × 5" (H) 97.95

REGULATED OUTPUTS FOR DISK DRIVES: +5V @ 4A, –5V @ 1A, +24V @ 4A (OR + 12V @ 4A) SHORTS PROTECT.
UNREGULATED OUTPUTS FOR S–100: +8V @ 14A, ± 16V @ 3A (OPTION: ADD OVP FOR +5V, ADD $5.00)
A COMPLETE UNIT FOR DISK SYSTEM WITH THE MAINFRAME CONTAINING 12 SLOTS & TWO 8" or 5¼" DISK DRIVES

POWER TRANSFORMERS (WITH MOUNTING BRACKETS)

ITEM	PRIMARY	SECONDARY #1	SECONDARY #2	SECONDARY #3	SIZE W × D × H	PRICE
T_1	110/120	2 × 8 Vac, 15A	28 Vac, CT, 2.5A	———	3¾" × 3⅝" × 3⅛"	22.95
T_2	110/120	2 × 8 Vac, 25A	28 Vac, CT, 3.5A	———	3¾" × 4⅜" × 3⅛"	28.95
T_3	110/120	2 × 8 Vac, 15A	28 Vac, CT, 2.5A	48 Vac, CT, 2A	3¾" × 4⅜" × 3⅛"	30.95
T_4	110/120	2 × 8 Vac, 6A	28 Vac, CT, 1.5A	48 Vac, CT, 3A	3¾" × 3⅝" × 3⅛"	23.95
T_5	110/120	2 × 8 Vac, 6A	28 Vac, CT, 2A	———	3" × 3" × 2½"	15.95

SHIPPING For each power supply $5.50 in Calif., $8.00 in other states, $18.00 in Canada. For each Transformer $5.00 in all States, $12.00 in Canada. Calif. Residents add 6% Sales Tax.



MAILING ADDRESS:
P.O. BOX 4296
TORRANCE, CA 90510
TELEX: 830-5010
ANSWER BACK FOR TELEX SUNYCO TRUC

SUNNY INTERNATIONAL
(TRANSFORMERS MANUFACTURER)
(213) 328-2425 MON-SAT 9-6

SHIPPING ADDRESS:
22129½ S. VERMONT AVE
TORRANCE, CA 90502



NEW & USED

Terminals—Printers—CRT's—LSI—Boards—Misc.



9 × 9 Matrix, 80/132 Col., Friction/Pin Feed, 4 Part Forms, 200 Million Char, Bi-Direct Print

NEW
OKIDATA 83-A
$699.00
Tractor $49.00

T.I.	NEW
TI 810-100	$1225
TI 810 Pdg w/tray	1339
TI 785 APL	1925
TI 783 KSR	1325
TI 765 20K	2295

TELEVIDEO	NEW
TVI 950	$ 865
TVI 920C	695
TVI 912B	655

FLOPPY DISCS	NEW
Techtran 951	$1395
Techtran 950	1065

TAPE DRIVE EIA	NEW
Techtran 8421 Dual Tape	$1395
Techtran 8420 Dual Tape	1200
Techtran 8400 Single Tape	995
Techtran 818 Single Tape	1255
Techtran 817 Single Tape	1295

TAPE DRIVE EIA	USED
Techtran 815 Single Tape	$ 495
Techtran 817 Single Tape	975

MODEMS AND COUPLERS	NEW
Penril 300/1200	$ 595
Anderson Jacobson 1258	695

MODEMS AND COUPLERS	USED
AJ ADAC 1200 (1200 Baud)	$ 350
Ventel 103 Coupler	100
AJ 242-A 300 Baud	110

VIDEO TERMINALS	NEW-USED
Lear ADM-3A NEW	$ 575
Lear ADM-3A USED	395
Beehive B-100 USED	295
Televideo 912-B USED	395

TERMINALS & PRINTERS	MISC.
Execuport 3000 USED	$1095
Execuport 300 USED	595
TI 733 ASR USED	695
Teletype 43AAA USED	775
DEC LS-120 (120 CPS) USED	795
DEC LA-36 DK Refurbished	595
Diablo 1641-1 USED	1450
1620-1 USED	1395
1660-1 USED (Like DEC LA-120)	595
Computer Devices 1132 Refurb	750

DEC TERMINALS	
VT-100 USED	$ 995
VT-100 NEW	1395
VT-52 NEW	1295
LA-180 NEW	895
LA-180 USED	475
LS-120 NEW	995
LS-120 USED	795
LA-34DA NEW	795
LA-34DA USED	495
Interface LA-180	200

DEC LSI	NEW
TU 58-BB Dual Tape Drive	$ 550
RXO1K-10 Pk of Diskettes	45
RLV21-AK Disk Drive & Ctrl (10 Meg)	4985
RLV11-AK Disk Drive & Ctrl (5 Meg)	3672
RLO2-AK Disk Drive (10 Meg)	4045
RLO1-AK Disk Drive (5 Meg)	2735
QJ628-GZ RSX11-M Documentation	200
QJ813-GZ F4/RT11 Doc. Kit	22
QJ918-CH BSC + 2/RSX11M	1949
QJO13-GZ RT 11 Doc. Kit	130
PB11K-AA	630
MXV11-AA Multi-Mod-8K	450
MXV11-A2	22
MSV11-DD	760
MRV11-BA Prom Memory Unit	208
KWV11-A	512

KDF11-RG	2880
KD11-HD	995
KD11-GF	695
KD11-GD	1245
IBV11-A	480
H9273-A	345
H9270	99
H780J	395
H317-E	799
DUV 11-DA	470
DRV11-J	259
DRV11	135


DEC PDP11 MODULES	NEW
MS11-MB	$3990
MS11-LD	2240
MS11-LB	1710
MK11-CF	19950
MK11-CE	11950
MK11-BF	8160
MK11-BE	6750
M7819	1835
FP11-F	2150
DR11-C	435
DL11-WA	596
DL11-E	612
DH11-AD	6375
DD11-CK	299
BA11-KE	2398
DLV11-F	159
BCV1B-06	175
BC21B-05	25
BCO5W-25	169
BA11-NF	998
BA11-NE	998
ADV11-A	895
AAV11-A	850

TBC
TERMINAL BROKERS CO.
220 Reservoir St. • Box 312
Needham, MA 02192
617-449-0216
Limited Quantities

Add $15.00 per unit UPS charge
MASS, NJ, NY, ILL, CAL, CONN, GA, OHIO Add Sales Tax.

Circle 354 on inquiry card.

64K STATIC RAM BOARD FOR S-100 BUS
$470



FEATURES

- Conforms to IEEE 696 standard.
- 8 or 16 bit data transfers.
- 24 bit addressing.
- Bank select in 32K-32K or 48K-16K.
- Banks selectable/deselectable on DMA.
- Responds to phantom pin 67 or 16.
- 2K x 8 static rams with 2716 pin out.
- Power consumption is typically 600 ma.
- Banks on or off on power up.
- Bank addressable to any of 256 possible ports.
- 8MHz with 150ns parts standard, faster speeds available on request.
- Available partially loaded as a 32K board.
- Multiple bank residence.


Manufacturer	Ext. Addr.	Bank Select	2716 Pin Out	Current	16 Bit	Speed	Phantom	Price
SSM	✓	✓	✓	600mil.	No	6meg.	✓	$850
Memory Mer.	✓	✓	✓	350mil.	No	10meg.	✓	$795
Digital Design	✓	✓	No	990mil.	✓	12meg.	✓	$995
Static Mem. Systems	✓	No	✓	550mil.	No	6meg.	✓	$679
Seattle Comp. Products	✓	✓	No	2.5amps	✓	8meg.	✓	$995
California Digital	✓	✓	No	.9amps	✓	8meg.	✓	$850
Godbout	✓	No	✓	250mil.	✓	8meg.	✓	$850
Digital Res. Computers	✓	No	✓	500mil.	No	?	✓	$539
Omniram 64	✓	✓	✓	**600mil.**	✓	**8meg.**	✓	**$470**



Omniram 64	64K	32K
With 200ns. Rams	$470	$325
With 150ns. Rams	$490	$340
With 120ns. Rams	$550	$395

Distributed by:
WW COMPONENT SUPPLY INC. 1771 JUNCTION AVENUE • SAN JOSE, CA 95112 • (408) 295-7171

Circle 380 on inquiry card.



Solve your disc problems, buy 100% surface tested Dysan diskettes. All orders shipped from stock, within 24 hours. Call toll FREE (800) 235-4137 for prices and information. Visa and Master Card accepted.



Circle 270 on inquiry card.

OMEGA

The Last Disassembler You Will Ever Need!

Mnemonics Externally Defined

Zilog, Intel, PASM Supplied

ASCII/HEX Preconditioner

Can Externally Def. Equates

Optional Address Listing

ASM/PASM/M80 Compatible

DB statements forcible over user specified range

$150. complete/$25. manual only
for further information contact

COMPUTER TOOLBOX, INC.
1325 East Main St.
Waterbury, Ct. 06705
Phone (203) 754-4197

Circle 78 on inquiry card.

SUPER E-Z80 KIT

64K-Z80A-CP/M™ Compatible Micro-Computer

Features: Z80A CPU-CTC and PIO • 64K Dynamic Ram • 4K Monitor EProm • 54 Key Keyboard (Detachable) • 3 Fully Buffered S-100 Spaces • Intergrated Circuit Sockets • RS232-C Asynch. Modem Control (Programmable Baud Rate) • Composite Video • CP/M™ Operating System Compatible • Epson or Centronics Printer Compatible Parallel Port • 8272 Floppy Controller Device - 3740 and 3741 Comp. - 8" & 5¼" Drives - up to 4 Drives • Z80 Programming Card • Assembly Instructions • Monitor Listing • Block Diagram.

PRICE: $1195.00
TERMS: Certified check or money order
(Texas Res. Add Sales Tax)

KIT-80 INC.
18601 LBJ Fwy. • Mesquite, Texas 75150
• 800-527-1593
A Subsidiary of Patrick Computer Systems, Inc.
Manufacturer of the ic436
integrated business computer

™Trademark of Digital Research

Circle 171 on inquiry card.

"C" COMPILERS FOR MC 6809

- Generates re-entrant/relocatable, efficient, 'rom'able assembly language
- Supports full "C" except: long, floats, doubles, initializers, and bit fields
- Includes object code linker, library manager, and 6809 assembler
- All user program I/O easily configured to target hardware environment
- Available as flex-compatible, resident compiler or CP/M-compatible, cross-compiler

FC 6809 .... FLEX VERSION $300.00
CC 6809 .... CP/M VERSION $350.00

CP/M → 68XX CROSS-ASSEMBLERS
(INCLUDING SOURCE CODE IN "C")

A6800 ... MC 6800, MC 6802, MC 6808 ... $100.00
A 6801 .... MC 6801, MC 6803 .... $100.00
A 6809 .... MC 6809 .... $100.00

CP/M FORMATS: 8" SOFT SECTORED,
5" NORTHSTAR
FLEX FORMATS: 8" SOFT SECTORED

*Flex Trademark of Technical Systems Consultants, Inc.
*CP/M Trademark of Digital Research

INTROL CORP.
647 W. Virginia St.
Milwaukee, WI. 53204
(414) 276-2937

ELIZA IS HERE!

AT LAST! A FULL IMPLEMENTATION of the original ELIZA program is now available to run on your microcomputer!

Created at MIT in 1966, ELIZA has become the world's most celebrated artificial intelligence demonstration program. ELIZA is a non-directive psychotherapist who analyzes each statement as you type it in and then responds with her own comment or question — and her remarks are often startlingly appropriate!

Designed to run on a large mainframe, ELIZA has hitherto been unavailable to personal computer users except in greatly stripped down versions lacking the sophistication which made the original program so fascinating.

Now, our new microcomputer version possessing the **FULL** power and range of expression of the original is being offered at the introductory price of only $25. And if you want to find out how she does it (or teach her to do more) we will include the complete **Source Program** for only $20 additional.

Order your copy of ELIZA today and you'll never again wonder how to respond when you hear someone say "Okay, let's see what this computer of yours can actually do!"

ELIZA IS AVAILABLE IN THE FOLLOWING DISK FORMATS:

1. Standard 8 inch single density for all CP/M based computers
$25 for ELIZA.COM - add $20 for Microsoft BASIC-80 Source
2. 5¼ inch CP/M for Apple II equipped with Z-80 SoftCard
$25 for ELIZA.COM - add $20 for Microsoft BASIC-80 Source
3. 5¼ inch for 48K Apple II with Applesoft ROM and DOS 3.3
$25 for Protected File - add $20 for Unprotected Source

ARTIFICIAL INTELLIGENCE RESEARCH GROUP
921 NORTH LA JOLLA AVENUE
LOS ANGELES, CALIFORNIA 90046
(213) 656-7368 (213) 654-2214
MC, VISA and CHECKS ACCEPTED



Circle 32 on inquiry card.




Circle 287 on inquiry card.



Circle 131 on inquiry card.

Screens in seconds
QUICKSCREEN™

Screen Builder



Microsoft BASIC, CBASIC, dBASE II, or FMS80 (four separate versions) 56K CP/M

$149 (user manual: $20) plus shipping -
Fox & Geller Associates, Inc.
P.O. Box 1053
Teaneck, N.J. 07666
(201)837-0142:
Credit Cards Accepted

FMS80 is a trademark of DJR Associates
dBASE II is a trademark of Ashton-Tate
CBASIC, CP/M, are trademarks of Digital Research

Circle 133 on Inquiry card.

WANTED:

APPLE, IBM, TRS-80, CP/M
SOFTWARE

Westico is a publisher and distributor of professional software for microcomputers. If you have a new program ready for distribution or want your existing programs to reach a larger market, contact:

Phillip Woellhof, V.P. Mktg.
Westico, Inc.
25 Van Zant Street
Norwalk, CT 06855
(203) 853-6880

To increase your profits, take advantage of Westico's worldwide promotion and distribution.

WESTICO
The Software Express Service

SPECIALS on INTEGRATED CIRCUITS

6502	7.45	10/6.95	50/6.55	100/6.15
6502A/6512A	8.40	10/7.95	50/7.35	100/6.90
6520 PIA	5.15	10/4.90	50/4.45	100/4.15
6522 VIA	6.45	10/6.10	50/5.75	100/5.45
6532	7.90	10/7.40	50/7.00	100/6.60
2114-L200		3.75	25/3.50	100/3.25
2114-L300		3.15	25/2.90	100/2.65
2716 EPROM		7.00	5/6.45	10/5.90
2532 EPROM				14.50
8118 Hitachi 2K x 8 CMOS RAM				**14.50**
4116				**8 for 17**
Zero Insertion Force 24 pin Socket				2.00
6550 RAM (PET 8K)				12.70
S-100 Wire Wrap Socket				2.40

A P Products 15% OFF
A P Hobby-Blox 15% OFF





THE STAR MODEM

From Prentice/Livermore Data Systems

RS232 MODEM	**SALE**	**$128**
IEEE 488 MODEM	**SALE**	**$199**
RS232 CCITT		**$170**
IEEE 488 CCITT		**$270**

We carry Apple II+ from Bell & Howell



CASH MANAGEMENT SYSTEM **$45**
Easy to use. Keeps track of cash disbursements, cash receipts, cash transfers, expenses for up to 50 categories.

FORTH for PET by Cargile/Riley **$50**
Full FIG model with all 79 Standard extensions.
Metacompiler for FORTH for independent object code **30**

KMMM PASCAL for PET/CBM **$85**
Includes translator for true machine language object code.

EARL for PET/CBM **65**
Editor, Assembler, Relocator, Linkeditor.

SuperGraphics - BASIC Language Extensions **30**
Fast Machine Language Graphics routines for PET/CBM.

SM-KIT - Super PET/CBM ROM based Utilities **40**

SubSORT for PET/CBM by James Strasma **35**
Flexible general purpose machine language sort routine.

PaperMate 60 Command Word Processor (Riley) **40**
Full-featured CBM/PET version with tape or disk text files.

FLEX-FILE Data Base/Report Writer/Mail List **60**
Versatile PET/CBM data handling system by Michael Riley.

4 Part Music System for PET/CBM **$60**
Includes Visible Music Monitor and D/A Converter.

commodore



CBM-PET SPECIALS

	list	SALE
8023 Printer - 136 col, 150cps bi-directional	(995)	775
8300 (Diablo 630) Daisy Wheel - 40 cps bi-directional	(2250)	1725
8032 80 x 25 CRT, business keyboard	(1495)	1100
Super Pet	(1995)	1600
8096 Board (extra 64K RAM for 8032)	(500)	400
8050 Dual Disk Drive - 1 megabyte	(1795)	1345
8250 Dual Disk Drive - 2 megabyte	(2195)	1760
CBM IEEE Modem	(395)	199
4016 full size graphics keyboard	(995)	795
4032 full size graphics keyboard	(1295)	999
4040 Dual Disk Drive - 330,000 bytes	(1295)	999
2031 Single Disk Drive - 165,000 bytes	(695)	560
4022 Tractor Feed Printer	(795)	630
C2N External Cassette Deck	(75)	65
VIC 20 Color Computer	(299)	259
VIC 1515 Graphic Printer	(395)	325
Used CBM/PET Computers		CALL
8024-7 High Speed Printer	(1995)	1345

WE WILL MATCH ANY ADVERTISED PRICE


***** EDUCATIONAL DISCOUNTS *****
Buy 2 PET/CBM Computers, receive 1 FREE

WordPro 3 Plus - 32K CBM, disk, printer	200
WordPro 4 Plus - 8032, disk, printer	300
OZZ Data Base System for CBM 8032	335
VISICALC for PET, ATARI, or APPLE	155
SM-KIT - Super PET ROM Utilities	**40**
Programmers Toolkit - PET ROM Utilities	35
PET Spacemaker II ROM Switch	36
2 Meter PET to IEEE or IEEE to IEEE Cable	40
Dust Cover for PET	7
IEEE-Parallel Printer Interface for PET	110
IEEE-RS232 Printer Interface for PET	120
The PET Revealed	17
Library of PET Subroutines	17

RAM/ROM for PET/CBM
4K or 8K bytes of soft ROM with optional Battery Backup.
Adds extra RAM which can be write protected like ROM.
4K Version - $85 8K Version - $120 Battery Backup - $30

EPROM Programmer for CBM/PET **79**
Branding Iron with software/hardware for 2716 and 2532.

Watanabe Intelligent Plotter





WATANABE WX4671 Plotter **1195**
WATANABE WX4675 6-pen Plotter **1445**

DISK SPECIALS



SCOTCH (3M) 5"	10/2.75	50/2.65	100/2.60
SCOTCH (3M) 8"	10/2.80	50/2.70	100/2.65
Verbatim 8" Double Dens.	10/3.45	50/3.35	100/3.20
Verbatim 5" Datalife	10/2.45	50/2.40	100/2.35
(add 1.00 for Verbatim 5" plastic storage box)			
BASF 5" soft	10/2.40	20/2.35	100/2.30
Wabash 5" in Plastic Box	10/2.70	50/2.60	100/2.50
Wabash 8" in Plastic Box	10/2.75	50/2.65	100/2.55

WE STOCK MAXELL DISKS

Diskette Storage Pages		10 for 3.95
Disk Library Cases	8" - 2.85	5" - 2.15
Disk Hub Rings	8" - 50 for 7.50	5" - 50 for 6.00

CASSETTES - AGFA PE-611 PREMIUM
High output, low noise, 5 screw housings.

C-10	10/.56	50/.50	100/.48
C-30	10/.73	50/.68	100/.66

All other lengths available. Write for price list.

SPECIALS

EPSON MX-80 Printer	
EPSON MX-80 F/T Printer	
EPSON MX-70 Printer	
EPSON MX-100 Printer	
Centronics 739 Printer with dot graphics	675
STARWRITER Daisy Wheel Printer	**1445**
Zenith ZVM-121 Green Phosphor Monitor	119
Amdek Color Monitor	355

ALL BOOK and SOFTWARE PRICES DISCOUNTED
OSBORNE/McGraw-Hill, HAYDEN, SYBEX, etc.

Synertek Systems

SYM-1 Microcomputer SALE	**199**
SYM BAS-1 BASIC or RAE 1/2 Assembler	85
KTM-2/80 Synertek Video and Keyboard	349
KTM-3/80 Synertek Tubeless Terminal	385



Z90-80 64 K	2170
Z90-82 64K, 1 double dens. drive	2395
Z89-0 48K	1950
Z89-1 48K, 1 drive	2150
Z67 10 Megabyte + Floppy Drive	4495
Z37 1.3 Megabyte Dual Floppy	1495
Z25 High Speed Printer	1195
Z19 Video Terminal (VT-52 compatible)	670
ZVM-121 Green Phosphor Monitor	119
All Zenith Software discounted	





SPECIALS

800 Computer	779	410 Recorder	59
400 - 16K	339	Pilot	68
810 Disk Drive	449	Microsoft BASIC	68
825 Printer	629	Educ. Series	20% off
850 Interface	175	**MISSILE COMMAND**	**32**
822 Printer	359	**ASTEROIDS**	**32**
Paddle Pair	17	**STAR RAIDERS**	**32**
Joystick Pair	17	Space Invaders	32
16K RAM	85	Music Composer	45
Assembler/Editor	46	Chess	30
TeleLink	20	Super Breakout	30

Write for prices on other Atari items.

252 Bethlehem Pike
Colmar, PA 18915
215-822-7727

A B Computers

WRITE FOR CATALOG
Add $1.25 per order for shipping. We pay balance of UPS surface charges on all prepaid orders. Prices listed are on cash discount basis. Regular prices slightly higher. Prices subject to change.

Circle 3 on inquiry card.

ONE BOARD CP/M SYSTEM!



only $750 Assm., Tested & Burned-In for one week

Features:


- 8½ by 12 inches
- 10 MHZ 8085 CPU
- 64K RAM
- 3 RS-232 channels
- 8272 Floppy Disk Controller
- Handles Single/Double Density
- One to Four Drives. 801 R or 850R.

Documentation $15.
CP/M Floppy Disk Operating System $150
Check or Money Order

autocontrol
INCORPORATED
11744 Westline Industrial Drive
St. Louis, MO 63141
(314) 432-1313

Circle 38 on inquiry card.

Z-80 and 8086 FORTH



Z-80® FORTH—a complete program development system. Uses standard CP/M® compatible random access disk files for screen storage. Package includes: interpreter/compiler with virtual memory management, line editor, screen editor, Z-80 Assembler, decompiler, utilities, demonstration programs, and 80 page user manual. System requirements: Z-80 microcomputer, 48 kbytes RAM, CP/M 2.2 or MP/M® 1.1. $50.00

Z-80 FORTH WITH NAUTILUS SYSTEMS CROSS-COMPILER. Extend/modify the FORTH runtime system, recompile on a host computer for a different target computer, generate headerless code, generate ROMable code with initialized variables. Supports forward referencing to any word or label. Produces load map and list of unresolved symbols. 107 page manual. System requirements as for Z-80 FORTH above. $200.00


8086 FORTH with line editor, screen editor, assembler, and utilities. Uses standard CP/M compatible random access files for screen storage. Requires 8086 or 8088 microcomputer, 64 kbytes RAM, and CP/M-86 operating system. $100.00

MACHINE TEST PROGRAM PACKAGE for Z-80 systems. Includes memory, floppy disk, printer, and terminal tests with all source code. Requires CP/M 2.2. $50.00

All software distributed on eight-inch soft sectored single density diskettes. Prices include shipping by first class or UPS within USA or Canada. COD charges extra. Purchase orders accepted at our discretion. (CP/M and MP/M are registered trademarks of Digital Research, Inc. Z-80 is a registered trademark of Zilog, Inc.)

Laboratory Microsystems
4147 Beethoven Street
Los Angeles, CA 90066
(213) 390-9292

Circle 174 on Inquiry card.



RHINO®XR-1 ROBOT

Versatile, rugged 32" high robotic arm for education, research and industry. Compatible with all computers having RS232C interface. Immediate delivery. $2,400 F.O.B. Champaign, Ill. (In Ill., add 5% tax). Price includes 150 pg. operations manual . . . an excellent introduction to robotics. Manuals can be purchased separately @ $35.00 ea. Inquiries invited.



Sales Dept.
308 S. State
Champaign, IL 61820
(217) 352-8485

Circle 312 on inquiry card.

NEW! for the '89 from

MAGNOLIA MICROSYSTEMS

DOUBLE DENSITY DISK CONTROLLER

for both 5¼" & 8" drives

only $595 complete

including CP/M™2.2

MAGNOLIA MICROSYSTEMS, INC.
2812 Thorndyke W., Seattle 98199
(206) 285-7266 (800) 426-2841

CP/M is a trademark of Digital Research.

Circle 187 on inquiry card.

STATISTICAL SOFTWARE

ELF — Stepwise regression, factor analysis, correlation coefficients, crosstabs, simple statistics, t-tests, ANOVA, stepwise discriminant analysis, all BASIC transformations and more. $200.00

TWG/ARIMA — Box-Jenkins for seasonal and non-seasonal models, identification, estimation and forecasting. Introductory Price: $250.00.

Each includes a database manager, numeric software keypad, and is menu-driven. Each requires an Apple II with Applesoft, 48K, and DOS 3.3.

For further information, write

The Winchendon Group
3907 Lakota Road
P.O. Box 10114
Alexandria, VA 22310


*Apple II and Applesoft are trademarks of the Apple Computer Company

Circle 377 on Inquiry card.

APPLE, TRS80, TI, IBM, PET...

TRY! OUR $99 SELECTOR SWITCH

Available for RS232, IEEE 488, BNC...




Our $99(– S8AB) switch will save you money and aggravation. Share your printer, modem etc. The selection is made by turning the front panel knob. Eliminate the aggravation of connecting and disconnecting cables. Our –S8AB two position unit can connect one printer to two CPU's. It can also be used to connect one CPU to either a printer or a modem. We also have 3, 4, 5, & 6 position units. In fact we have about 30 models to satisfy all the common applications. Our products are the most popular units on the market. We sold over 10,000 units. We offer a **5 YEAR WARRANTY. OUR UNITS HAVE AN EXCLUSIVE MONITORING OPTION.** We have distributors and dealers in most cities. If your favorite computer dealer does not carry a Giltronix Switch please have him call us. We offer the greatest discounts as well as evaluation samples. Call us for a FREE colorful catalog.



450 San Antonio Ave., Palo Alto, CA 94306
DEALER INQUIRIES INVITED!
Call (415) 493-1300

Circle 137 on inquiry card.



Software requires 48K Apple with disk drive—Dealer inquiries invited—Write for more information. Apple & APPLE WRITER are trademarks of Apple Computer, Inc.

P.O. Box 453 • Arlington Heights, IL 60006

Circle 381 on inquiry card.

LABELS

2.99 perM

15/16"x3½" 1 up - pin feed

white pressure sensitive

PRICE INCLUDES SHIPPING

Packed 5M per box - Min. order 1 box - $14.95
Check with order - Mass Residents add 5% Sales Tax

CHECK-MATE™
P.O. Box 103, Randolph, MA 02368
Telephone: 617-963-7694

Circle 56 on inquiry card.

QUARTZ CRYSTALS

1.000 A	5.1585 B	8.14160 B	12.000 B	23.684 B	36.288 B	41.937 B
1.8432 A	5.185 B	8.330 B	12.216 B	24.000 B	36.312 B	42.000 B
2.000 A	5.3248 B	8.387 B	12.440 B	24.576 B	36.363 B	42.627 B
2.0971 A	5.568 B	8.448 B	12.477 B	25.000 B	36.812 B	42.700 B
2.4576 A	5.585 B	8.499 B	12.638 B	26.500 B	37.962 B	42.753 B
2.5000 A	5.587 B	8.576 B	12.658 B	26.875 B	38.064 B	42.815 B
2.6650 A	5.7143 B	8.605 B	13.1072 B	27.000 B	38.444 B	42.851 B
2.6670 A	5.760 B	8.990 B	13.478 B	28.357 B	38.625 B	42.876 B
3.000 A	5.982 B	9.544 B	13.5168 B	28.400 B	38.876 B	42.926 B
3.067 A	5.9904 B	9.830 B	14.3182 B	28.627 B	38.925 B	42.963 B
3.2768 A	6.000 B	9.8304 B	14.391 B	29.937 B	38.937 B	43.000 B
3.330 A	6.144 B	9.933 B	15.000 B	30.064 B	39.503 B	43.037 B
3.5790 B	6.236 B	9.950 B	15.180 B	31.437 B	39.666 B	43.074 B
3.600 B	6.250 B	9.984 B	15.444 B	32.000 B	39.753 B	43.111 B
3.6864 B	6.260 B	9.989 B	15.506 B	32.376 B	39.876 B	43.127 B
4.000 B	6.2977 B	10.000 B	16.000 B	32.937 B	39.963 B	43.146 B
4.1934 B	6.300 B	10.240 B	17.224 B	33.200 B	40.375 B	43.185 B
4.3425 B	6.400 B	10.496 B	17.506 B	33.876 B	40.444 B	43.259 B
4.434 B	6.5536 B	10.499 B	17.625 B	34.375 B	40.592 B	43.296 B
4.440 B	6.667 B	10.664 B	18.000 B	34.437 B	40.777 B	43.333 B
4.550 B	6.7584 B	10.8250 B	18.1958 B	34.555 B	40.8125 B	43.370 B
4.736 B	6.912 B	10.838 B	18.432 B	34.977 B	40.833 B	43.407 B
4.750 B	7.0916 B	10.850 B	19.750 B	35.768 B	40.875 B	43.444 B
4.9152 B	7.15909 B	11.000 B	20.000 B	35.873 B	40.888 B	43.518 B
4.9562 B	7.183 B	11.136 B	20.480 B	35.875 B	40.926 B	43.550 B
5.000 B	7.925 B	11.218 B	20.890 B	35.925 B	41.000 B	43.592 B
5.0176 B	8.000 B	11.289 B	21.400 B	35.937 B	41.166 B	43.630 B
5.0688 B	8.055 B	11.656 B	22.1184 B	36.000 B	41.377 B	48.000 B
5.1200 B	8.077 B	11.681 B	23.400 B	36.082 B	41.626 B	32.768KHZ A

ALL 'A' — 3.49 ALL 'B' — 2.49 10 OR MORE-DEDUCT 5%

ADD $1.00 SHIPPING
CAL. RES. ADD 6% SALES TAX
FREE OSCILLATOR SCHEMATICS WITH ANY ORDER

QUALITY COMPUTER PARTS
P.O. BOX 743 / CHATSWORTH, CA 91311

Circle 296 on inquiry card.

CRT CONTROLLER



This intelligent CRT Controller uses an 8085A CPU & an 8275 Integrated CRT Controller. It features:

- 25 lines (80 char./line)
- 5x7 dot matrix
- Upper & lower case
- Two 2716's (controller & char. generator)
- Serial interface RS232 & TTL
- Baud rates of 110, 150, 300, 600, 1200, 2400, 4800 and 9600
- Keyboard scanning system
- Unencoded keyboard required
- Uses +5V & ±12V Power Supplies
- Does not have graphic capabilities.

Documentation includes program listing and composite video circuit.

Bare Board only (with doc)	$39.95
2716 Char. Gen. A7	$19.95
2716 Program A12	$19.95

A-D CONVERTER



JBEs 16 channel A-D Converter plugs into your Apple II computer. It uses an ADC0817 which incorporates a 16 channel multiplexer and an 8 bit A-D Converter. The 16 inputs are high impedance and the voltage range is 0 to 5.12 volts. Conversion time is <100μsec. The resolution is 8 bits or 256 steps, linearity is ± 1/2 step. Two 16 pin DIP sockets are used for input, GND & reference voltage connections. There are 3 single bit TTL inputs. Doc. Includes sample program.

81-132A Assm.	$89.95
81-132K Kit	$69.95
81-132B Bare Board	$29.95

EPROM PROGRAMMER



JBE's EPROM Programmer is designed to program 5V 2516's, 2532's & 2716's. It interfaces to the JBE Parallel I/O card using four ribbon cables. An LED indicates when the EPROM is being programmed. A textool zero insertion force socket is used for the EPROM. Comes with complete documentation for writing and reading EPROM's in the Apple II or Apple II Plus. Cables available separately.

80-244A Assm.	$49.95
80-244K Kit	$39.95
80-244B Bare Board	$24.95

PARTS

6502 MPU	$9.95
6522 VIA	$9.95
Z-80 MPU	$9.95
Z-80 PIO	$9.95
TWO 2114 RAM	$9.95
2716	$14.95
50 pin conn.	$5.95
Dip Jumper 2 ft.	$4.95

6522 APPLE II INTERFACE



The JBE 6522 Parallel Interface for the Apple II Computer, plugs directly into any slot 1 through 7 in the Apple. This card has 2 6522 VIA's that provide:

- Four 8 bit bi-directional I/O ports
- Four 16 bit programmable timer/counters
- Serial shift registers
- Handshaking

A 74LS05 is for timing. Four 16 pin sockets provide easy connections to other peripheral devices. (Dip jumpers with ribbon cables are also available from JBE) The 6522 Parallel I/O card interfaces to the JBE EPROM programmer. Understanding of machine language required to use this board. Inputs and outputs are TTL compatible.

79-295A	$69.95 Assembled
79-295K	$59.95 Kit
79-295B	$19.95 Bareboard

SPEECH SYNTHESIZERS



JBEs Speech Synthesizers use the Votrax SC-01 Phoneme Synthesizer chip. The SC-01 phonetically synthesizes continuous speech of unlimited vocabulary. The SC-01 contains 64 different phonemes and 4 levels of inflection accessed by an 8 bit code. It requires 10 Bytes per second for continuous speech. Both boards have an audio amp for direct connection to an 8 ohm speaker.

Documentation includes basic user programs, a phoneme chart and listing of coded words to help you get started. Documentation for the Apple II® Speech Synthesizer includes a disk with many user programs.

81-088 Apple II Speech Synthesizer	$139.95
81-120 Parallel Input Speech Synthesizer	$149.95


Prices include the SC-01 Chip
SC-01 sold separately for **$ 75.95**

EPROM EXPANSION CARD

JBE EPROM Expander for the Apple II holds six 5V 2716s for a total of 12K bytes of EPROM. This board takes the place of the on board ROM in the Apple. It is software switchable by the same technique used by the Apple II firmware card. Solder jumpers are for reset to the Apple ROM or EPROM Expansion Card. Use JBE EPROM Programmer and Parallel I/O to program your EPROMs. EPROMs sold separately.

81-085A Assm.	$59.95
81-085K Kit	$49.95
81-085B Bare Board	$39.95

81-260 "SLIM"



Single board large scale Integration Microcomputer. This 4.5 x 6.5 board uses the 6502 Microprocessor, two 6522 VIA's, four 2114 RAM's, 2516, 2716 or 2532 EPROM. The fully buffered 22/44 pin bus is similar to the KIM®, SYM®, and AIM® expansion connector. The four 8 bit I/O ports connect through 16 pin dip sockets. This board was designed for control and is ideal for Personal and OEM use.

- 6502 MPU
- Two 6522 VIA's
- Four 2114 RAM's (2K bytes)
- One EPROM 2516 or 2532
- Crystal clock 1 Mhz
- Requires 5V 1AMP Power
- 4.5 x 6.5 card
- Power on reset
- Fully buffered-expandable
- Solder mask-both sides

Use your Apple II Computer, JBE 6522 Parallel Interface card and EPROM Programmer as a development system for SLIM.

Prices:

81-260A	$199.95 Assembled
81-260K	$149.95 Kit
81-260B	$ 39.95 Bare Board

6502 MICROCOMPUTER



6502 MPU, 6522 VIA, 2716 EPROM, 2114 RAM single board computer. Single 5 volt power supply at 400 Ma. Two independent 8 bit I/O ports with handshake lines. RC controlled 1 Mhz clock.

Complete documentation. I/O lines use 50 pin edge connector. Data and address lines are not accessible. Mod. for 2532 is included. EPROM is not included. 1K RAM, 2K EPROM, 2 I/O ports.

80-153 Assm.	$110.95
80-153 Kit	$ 89.95
80-153 Bare Board	$ 19.95

Z-80 MICROCOMUTER




Z-80 MPU, Z-80 PIO, 2716 EPROM, 2114 RAM single board computer. Single 5 volt power supply at 300 Ma. Two independent 8 bit I/O ports with handshake lines. RC controlled 2Mhz clock.

Complete documentation. I/O lines use 50 pin edge connector. Data and address lines are not accessible. Mod. for 2532 is included. EPROM is not included. 1K RAM, 2K EPROM, 2 I/O ports.

80-280 Assm.	$129.95
80-280 Kit	$119.95
80-280 Bare Board	$ 19.95

JBE I MICROCOMPUTER



JBE's 7.75 x 11.75 6502 base Microcomputer has the capacity for 16K of EPROM, 4K of RAM, 8 Parallel Ports and 1 Serial Port. Monitor and Tiny Basic are also available. The fully populated version includes:

- 1 6502 CPU
- 4 6522 VIA (8 Parallel I/O Ports)
- 1 AY5-1013 (Serial I/O Ports)
- 8 2114 RAM (4K)
- 2 2716 EPROM (Monitor & Tiny Basic)

The partially populated version includes:

- 1 6502 CPU
- 1 6522 VIA (2 Parallel I/O Ports)
- 1 AY5-1013 (Serial I/O Port)
- 2 2114 RAM (1K)
- 1 2716 EPROM (with Monitor)

Both versions include sockets for 2716s or 2532s, 8 16 pin sockets for I/O interfacing and a DB25 connector for RS232.

All address and data lines are brought off the board to the 50 pin edge connector. (similar to the Apple II bus)

This board also features power on reset and cassette interface.

81-030 C Fully Populated	$349.95
81-030M Partially Populated	$249.95
81-030B Bare Board	$ 89.95
2716 EPROM (with Monitor)	$ 19.95
2715 EPROM (with Tiny Basic	$ 19.95



JOHN BELL ENGINEERING, INC.

MC

ALL PRODUCTS ARE AVAILABLE FROM **JOHN BELL ENGINEERING** • P.O. BOX 338 • REDWOOD CITY, CA 94064
ADD SALES TAX IN CALIFORNIA • ADD 5% SHIPPING & HANDLING 3% FOR ORDERS OVER $100
SEND FOR CATALOG **(415) 367-1137** 10% OUTSIDE U.S.A.

VISA

Circle 261 on Inquiry card.

Circle 182 on inquiry card.

Circle 102 on inquiry card.

Circle 166 on inquiry card.

Circle 51 on Inquiry card.

Circle 200 on inquiry card.

Circle 186 on inquiry card.

Circle 202 on inquiry card.

Circle 27 on inquiry card.


ORDER TOLL-FREE

consumer computers Mail Order DISCOUNTS

FREE SHIPPING* *on all pre-paid cash orders

SEE OUR AD ON PAGE 109 FOR MORE EXCITING DISCOUNTS

apple computer ® Authorized Dealer



APPLE II PLUS CALL FOR BEST PRICES

APPLE DISK DRIVES AT GREAT PRICES TOO!

SPECIAL APPLE CATALOG AVAILABLE

Software for the Apple

VisiCalc version 3.3	159
VisiFile (NEW data base manager)	199
VisiTrend/VisiPlot	219
VisiDex	159
VisiTerm	129
Desktop/Plan II	159
DB Master	169
WordStar (Apple 80 col. version	249
Dow Jones Portfolio Evaluator	45
The Controller (G/L, A/R & A/P)	499
Apple Post	45
Apple Writer	65
Apple DOS Toolkit	65
DOS 3.3 Upgrade	49
Dow Jones News & Quotes Reporter	85
Apple Fortran (requires 64K memory)	165
Apple Plot	60
Easywriter word processor (80 column)	225
Tax Preparer	99
Real Estate Analyzer	129
Creative Financing	129
Personal Filing System (PSF)	85
Peachtree Accounting Software	CALL
BPI Accounting Software	CALL
Systems Plus Acctng Software	CALL
BPI Acctng Software	CALL

Apple Entertainment Software

We stock all Apple Special Delivery Software along with HUNDREDS of other games and utilities. Please call or write for a complete price list.

Raster Blaster	29
Gorgon	39
Pool 1.5	34
Ultima	39
Snoggle	
Space Eggs	29
Flight Simulator	33
Gobbler	
Alien Rain	23
Pulsar II	29
Space Warrior	24
Warp Factor	39
Dragon Fire	45

We stock HUNDREDS of software games and utilities.


Apple Cards and Hardware

16K RamBoard by ConComp Industries	130
Language System w/Pascal & BASICS	379
Silentype Printer w/interface card	349
Hayes Micromodem II	299
Novation Apple-Cat	339
Videx Videoterm 80 column card	269
Videx Keyboard Enhancer	115
Z-80 Softcard by Microsoft	299
16 K RamCard by Microsoft	169
Integer Basic or Applesoft II Firmware Card	145
Graphics Tablet	619
Parallel Printer or Hi-Speed Serial I/F card	135
Communications Card w/cable	185
Centronics Printer interface card	185
Apple IEEE-488 interface card	399
16K Language card by Apple Computer	169
Thunderclock Plus clock/calendar	119
Smarterm 80 column card	299
Corvus Winchester Hard Disk Drives	CALL
ALF 3 Voice Music Card	239
ALF 9 Voice Music Card	169
Lazer Lower Case Plus +	55
Lazer Keyboard Plus +	99
23 Key Numeric Keypad by Keboard Co	120
Joystick II by Keyboard Co	45
6809 CPU Card (The Mill) by Stellation	319
AIO Serial & Parallel interface by SSM A&T	189
Music System (16 voices)	479
A/D + D/A Interface	289
Expansion Chassis (8 slots)	599
Introl/X-10 Controller card	169
Clock/Calander card	225
CPS Multi-function card	189
Supertalker SD-200	239
Romplus + card	135
Romwriter card	149
Symtec Hi-Res Light Pen	210
Sup-R-Fan ventilation system for Apple II	45
Sup-R-Terminal 80 column card by M&R	329
SVA ZVX4 Megabyter 8" Disk Controller	589
SVA 2+2 Single Den. 8" Disk Controll r	345
Speechlink 2000 by Heuristics	249
Versawriter Digitizer Tablet	229
Asynchronous Serial interface card by CCS	139
Centronics Parallel interface card by CCS	119
We carry all California Computer System Cards	CALL

We stock many more items for the Apple II. Please call or write for current price list.

16K RAMBOARD by ConComp for Apple II Computers

FOR ONLY **$129.95**



AVAILABLE NOW

ORDER TOLL FREE 800-854-6654


In California and outside continental U.S.

(714) 698-8088

Telex 695-000 Beta CCMO

Printers

Epson MX-80 or MX-80 FT CALL



Anadex 9501 w/2K Buffer	1349
C. Itoh Starwriter 25 CPS daisywheel	1449
C. Itoh Starwriter 45 CPS daisywheel	1649
Epson MX-70	CALL
Epson MX-80 & MX-80 F/T	CALL
Epson MX-100	CALL
NEC 8023 Impact Dot Matrix	695
NEC Spinwriters (Latest models)	CALL
Paper Tiger IDS-445G w/graphics	699
Paper Tiger IDS-460G w/graphics	949
Paper Tiger IDS-560G w/graphics	1249
Silentype P inter w/Apple interface	349
Qume Sprint Daisywheels (Latest models)	CALL
Diablo 630 Daisywheel 40 CPS	1795

Video Monitors

Amdek/Leedex Video 100 12" B&W	155
Amdek/Leedex Video 100G 12" Green Phospher	179
Amdek (Hitachi) 13" Color w/audio output	389
NEC 12" Green Phospher Display JB-1201M	CALL
NEC 12" Lo-Res Color Display	CALL
NEC 12" Hi-Res RGB Color Display	CALL
Sanyo 9" B&W Display	185
Sanyo 9" Green Phospher Display	CALL
Sanyo 12" B&W Display	269
Sanyo 12" Green Phospher Display	285
Sanyo 13" Color Display	449
Zenith 12" Green Phospher Display ZVM-121	149



ZENITH 12" GREEN $149

VIC20™ $259

Personal Computer

Color * Sound * Graphics

Call or write for more info.


Disk drives available soon!

Ordering information: Phone orders using VISA, MASTERCARD, AMERICAN EXPRESS, DINER'S CLUB, CARTE BLANCHE, bank wire transfer, cashier's or certified check, money order, or personal check (allow ten days to clear). Unless prepaid with cash, please add 5% for shipping, handling and insurance. (minimum 5.00). California residents add 6% sales tax. We accept CODs. OEM's, Institutions and corporations please send for a written quotation. All equipment is subject to price change and availability without notice. All equipment is new and complete with manufacturer's warranty (usually 90 days). Showroom prices may differ from mail order prices.

Send Orders to:

consumer computers Mail Order
8314 Parkway Drive
La Mesa, California 92041

Circle 91 on inquiry card.



OAE's PP-Series EPROM Programmers plug directly into any vacant EPROM socket and allow you to transfer data directly from RAM to EPROMs. No additional power supplies are required. All timing & control sequences are handled by the programmer. Each unit includes internal DC to DC switching regulator, ZIF socket and 4 ft. ribbon cable terminated with a 24 pin plug. Programmers are available for all EPROMs from 2708's thru 2532's.

Oliver Advanced Engineering, Inc.
676 W. Wilson Ave., Glendale, CA 91203
(213) 240-0080 or Telex 194773.
PP SERIES PROGRAMMERS

Circle 252 on inquiry card.

IS YOUR *North Star* OUT OF SORTS?

INCREASE YOUR BASIC'S SORTING POWER OVER 1800%!

N★SORT is easy to use and will perform sorts on one and two dimensional or string arrays using optional sort keys. For example, to alphabetize A$:

```
10 A$ = "ZYXWVUTS"\  REM Define String
20 SRT A$,LEN(A$),1\  REM Sort A$
```

N★SORT interfaces to any release 4 or later North Star Basic and can be yours for ONLY **$89** plus $1.50 shipping


Calif. Res. add 6% tax.
Send check VISA or M/C
Complete Brochure Available

SZ Software Systems

1269 Rubio Vista Road, Altadena, Calif. 91001
(213) 791-3202

Circle 347 on inquiry card.

CONVERT ANY TV
TO A HIGH QUALITY MONITOR



Kit permits Dual Mode operation on B&W or Color sets • Hi-resolution • Up to 80 characters per line • Wide bandwidth • Direct Video • Safe-Easy installation

34.95 ACVM

A full line of low cost Monitors and Receiver/Monitors available.

Send for complete Audio/Video equipment catalog.

V.A.M.P. Inc.
Box 411, Los Angeles, CA 90028
(213) 466-5533

Circle 364 on inquiry card.

special OF THE MONTH

HP-85's	$2540.00
HP-83's	$1450.00
HP-9895 Dual 8" Drives	$5300.00
HP-8292 Dual 5" Drives	$1960.00
HP-7225B Plotter	$1720.00
LOBO Disc Drives	$ 395.00
IDS 445G Printers	$ 699.00
NEC Spinwriters with Tractors	$2560.00
IDS 460G Printers	$1099.00
IDS 560G Printers	$1330.00
C ITOH Starwriter 25's	$1300.00
CCS 300 Dual 8" Drive computer with 64K RAM, OASIS, CP/M 2.4MB Disc memory, 2 serial ports, 1 parallel port and a Televideo 910 CRT	Call for price
CDC Lark Subsystems	Call for price



Circle 195 on inquiry card.

Smartmodem



- Auto-Answer • Auto-Dial • Repeat
- Programmable - Use Any Language
- Touch-Tone and Pulse Dialing
- Audio Monitor - Listen to Connection
- FCC-Approved Direct-Connect
- Full or Half Duplex, 0-300 Baud
- RS-232C Interface • 7 Status LED's
- Two Year Limited Warranty

$249

Send certified check or money order
Allow two weeks for personal check
Florida residents add 4% sales tax

ACE COMPUTER PRODUCTS of Florida Inc.
1640 N.W. 3rd STREET
DEERFIELD BEACH, FLA. 33441
VOICE: 305-427-1257/DATA: 305-427-6300

Circle 403 on inquiry card.

The 7th System

— FORTH-like direct threaded interpretive system with structured assembly language (8080 mnemonics).

— Application development can utilize all CP/M (tm) capabilities (editor, file system, etc.).

— Includes re-entrant multi-task executive with counting semaphores for TASK/MSG synchronization.

— Supports strings, single and double precision integers.

— Capable of generating ROM-based stand-alone systems for dedicated applications.

— All source code supplied. No royalties on derivative software.

— Fully documented with 200 page reference manual including glossary and index of all standard words.


—Training seminar available on request.

— Send check or money order for $495.00 to receive manual and system (8" single sided single density diskette). Demo system with manual $75.00. Manual only $45.00. Alabama residents add 6% sales tax.

UC *UNITED CONTROLS CORPORATION*
PO Box 4620 Huntsville, Alabama 35802
(205) 837-6144

Circle 363 on inquiry card.

Analog and Power Control I/O.....in a Single Board Computer



6801 or 68701 MPU with 2K ROM or EROM, 128 RAM, timer. 8 12-bit analog inputs, 8-bit analog output, 8 AC or DC inputs or outputs, serial I/O, digital I/O, watchdog timer, power supply.

WINTEK
Wintek Corp.
1801 South Street
Lafayette, IN 47904
317-742-8428

Circle 378 on inquiry card.

MSI-8085 Complete System!

A totally integrated system complete & ready to run. Nothing Else to Buy.
List $5937.00

Special Introductory Price

$4950.00 Qty discounts available

Dealers inquiries invited

features:
- 8085 Based Computer with 64K Memory and 3 Serial RS-232 Ports
- Dual 8" floppy 1 Meg Storage
- 120 CPS 132 Col. Matrix line printer
- 80 x 24 Crt • CP/M® includes manual
- Microsoft Basic® includes manual


Full Accounting Software with sources

For full information call:
618 277-7990

MAYBERRY SYSTEMS, INC.
1710 Boul Avenue—Belleville, IL 62221

Circle 192 on inquiry card.

CLEAN POWER.



NEW FROM SGL WABER

The electricity that powers your personal computer systems is "polluted." Filled with voltage spikes and noise interference that can cause information loss, equipment malfunction and premature circuit failure.

Protect your data and equipment. Purify your power with a new Power Master® Line Monitor Power Conditioner. Just plug in. Free 20 page Catalog, 8 models.



SGL WABER Electric A division of SGL Industries, Inc.
300 Harvard Ave./Westville, NJ 08093/(609) 456-5400

Circle 322 on inquiry card.

WE WILL NOT BE UNDERSOLD

CP/M® Software	Software/Manual only
Computer Pathways	
Pearl (level 1)	$ 99/$25
Pearl (level 2)	$299/$40
Pearl (level 3)	$549/$50
Digital Research	
PL/I-80	$459/$35
BT-80	$179/$30
Mac	$ 85/$15
Sid	$ 65/$15
Z-Sid	$ 90/$15
Tex	$ 90/$15
DeSpool	$ 50/$10
Micropro	
WordStar	$319/$60
Customization Notes	$ 89/$na
Mail-Merge	$109/$25
WordStar/Mail-Merge	$419/$85
DataStar	$249/$60
WordMaster	$119/$40
SuperSort I	$199/$40
Spell Star	$175/$40
Microsoft	
Basic-80	$289/$na
Basic Compiler	$329/$na
Fortran-80	$349/$na
Cobol-80	$574/$na
M-Sort	$124/$na
Macro-80	$144/$na
Edit-80	$ 84/$na
MuSimp/MuMath	$224/$na
MuLisp-80	$174/$na
Organic Software	
Milestone	$269/$30
Supersoft	
Diagnostic I	$ 49/$20
Diagnostic II	$ 84/$20
Disk Doctor	$ 84/$20
Forth (8080 or Z80)	$149/$30
Fortran	$219/$30
Fortran w/Ratfor	$289/$35
Other	less 10%
Unicorn	
Mince	$149/$25
Scribble	$149/$25
Both	$249/$50
Data Base	
FMS-80	$649/$45
dBASE II	$595/$50
Access/80	$699/$50
Pascal	
Pascal/MT+	$429/$30
Pascal/M	$189/$20
Miscellaneous	
SpellGuard	$299/$25
The Last One	$549/$na
SuperCalc	$269/$50
CBASIC-2	$ 98/$20
MicroStat	$224/$25
StatPak	$449/$40
Micro B +	$229/$20
Apple Software (Business)	
Micropro	
Wordstar	$269
MailMerge	$ 99
Wordstar/MailMerge	$349
SuperSort I	$159
Spellstar	$129
Personal Software	
Visicalc 3.3	$159
CCA Data Mgr	$ 84
Desktop/Plan II	$159
Visiterm	$129
Visidex	$159
Visiplot	$149

Personal Software (cont.)	
Visitrend/Visiplot	$ 229
Zork	$ 34
Miscellaneous	
Micro Courier	$ 219
Super-Text II	$ 127
ASCII Express	$ 59
Apple Software (Entertainment)	
Wizard & Princess	$ 28
Mystery House	$ 24
Flight Simulator	$ 29
Raster Blaster	$ 26
Space Eggs	$ 18
Sargon II	$ 29
ABM	$ 22
Micropainter	$ 29
Apple Panic	$ 28
Pool 1.5	$ 26
Apple Accessories	
Z-80 Softcard	$ 299
Keyboard Enhancer	$ 110
Apple Joystick	$ 49
Sup-r Mod	$ 25
CPS Multifunction Card	$ 199
Videx Board	$ 249
16K Card	$ 159
Sup-r Fan	$ 39
ALF9 Voice Board	$ 149
CCS Cards	$Call
CCS Parallel Model 7720	$Call
CCS Serial Model 7710D	$Call
CCS Centronics Model 7728	$Call
Disk Drives For TRS-80* Model 1	
CCI-100 5¼″, 40 Track	$ 299
Add-ons for Zenith Z-89	
CCI-189 5¼″, 40 Track	$ 389
Z-87 Dual 5¼″ system	$ 995
Drives for Z-90	$Call
External card edge and power supply included. 90 day warranty/one year on power supply.	
Corvus 5M	$ 3089
Corvus 10M	$ 4489
Corvus Mirror	$ 699
Shugart 8″ 801R Raw Drive	$ 399
TANDON 5¼″ Raw Drive	$ Call
Power Supplies	$ Call
Diskettes—Box of 10	
Maxell 5¼″	$ 40
Maxell 8″	$ 45
BASF/Verbatim 5¼″	$26.95
BASF/Verbatim 8″	$ 36
Plastic File Box—Holds 50 5¼″ dskts.	$ 19
Plastic Library Case 5¼″	$ 3
Plastic Library Case 8″	$ 4
Head Cleaning Diskette	$ 25
Floppy Saver	$10.95
Floppy Saver Rings	$ 6.95
16K RAM Kits	
One Kit	$ 19
Two Kits	$ 37
200ns for TRS-80*, Apple II, (specify): Jumpers	$ 2.50
Computer Systems	
Altos ACS8000 Series	$ Call
Atari 400	$ 359
Atari 800	$ 789
Call for other Atari products	
Zenith Z89, 48K	$ 2149
Zenith Z90, 64K	$ Call
Call for other Zenith products	

For fast delivery, send certified checks, money orders or call to arrange direct bank wire transfers. Personal or company checks require one to three weeks to clear. All prices are **mail order only** and are subject to change without notice. **Call for shipping char es.**

Terminals	
Adds Viewpoint	$ Call
Zenith Z-19	$ 719
Televideo 910	$ 519
Televideo 920C	$ 729
Televideo 950	$ 929
S-100 California Computer Systems	
Mainframe	$ 349
Z80 CPU	$ 239
64K RAM	$ 569
Floppy Disc Cntrl	$ 339
Integrated Sys. w/int. cables, tstd.	$1975
2P + 2S I/O	$ 269
4 Port Serial I/O	$ 249
4 Port Parallel I/O	$ 179

Casio Calculators		
Pocket Comp.	FX702	$199.00
Desk Printr/Calc.	FR100	$ 79.95
Scientific Calc.	FX8100	$ 49.95
Game Watch	CA90 Plastic	$ 49.95
Game Watch	CA901 Steel	$ 69.95
Calendar Watch	AX210	$ 59.95

Printers	
NEC Spinwriter	
7710 R.O. Ser	**$2395**
7710 Ser w/tr.	**$2595**
7720 KSR w/tr.	**$2795**
7730 R.O. Par	**$2395**
7730 R.O. Par w/tr.	**$2595**
NEW 3500 Series	**$ Call**
Epson MX-70	**$ Call**
Epson MX-80	**$ Call**
Epson MX-80FT	**$ Call**
Epson MX-100	**$ Call**
PaperTiger 445 Gr. & 2K	**$ Call**
PaperTiger 460 Gr. & 2K	**$ Call**
PaperTiger 560 Gr.	**$ Call**
IDS Prism 80	**$ Call**
IDS Prism 132	**$ Call**
PaperTiger Access.	**$ Call**
Anadex DP-8000	**$ 849**
Anadex DP-9500/01	**$1389**
Okidata Microline 80 Fric. & pin feed	**$ Call**
Okidata Microline 82A Fric. & pin feed	**$ Call**
Okidata Microline 83A 120 cps	**$ Call**
Okidata 84 200 cps	**$ Call**
Centronics 739	**$ 739**
C.Itoh Starwriter I 25 cps, par.	**$1525**
C.Itoh Starwriter I 25 cps, ser.	**$1620**
C.Itoh Starwriter II 45 cps, par.	**$1950**
C.Itoh Starwriter II 45 cps, ser.	**$2075**
Axiom GP-80M	**$ 319**
Data South 180 cps	**$ Call**
Olivetti DY 211 Daisy Wheel	**$ Call**
Monitors	
Leedex 12″ B & W	$ 129
Leedex 12″ Green Screen	$ 139
Leedex 13″ Color	$ 329
Sanyo 9″ B & W	$ 149
Sanyo 12″ Green Screen	$ 238
Sanyo 12″ B & W	$ 219
Sanyo 13″ Color	$ 399
Zenith 13″ Color	$ 349
Zenith 12″ Green Screen	$ 129
Telecommunications	
Prentice Star Modem 1-yr. guar.	$ 125
Univ. Data System UDS103LP	$ 149
Univ. Data System UDS103JP	$ 215
Novation Cat	$ 139
Novation D-Cat	$ 149
Novation Auto-Cat	$ 199
Novation Apple Cat II	$ 339
D.C. Hayes Smart. Modem	$ 249
D.C. Hayes Micro-Modem II	$ 295
CCI Telnet Com. Package	$ 135

DEALER (NATIONAL/INTERNATIONAL) INQUIRIES INVITED **Send for FREE Catalogue**

The CPU SHOP

TO ORDER CALL TOLL FREE 1-800-343-6522
TWX: 710-348-1796 Massachusetts Residents call 617/242-3361

420-423 Rutherford Ave., Dept. BO2M
Charlestown, Massachusetts 02129
Hours 10AM-6PM (EST) Mon.-Fri. (Sat. till 5)

Technical Information call 617/242-3361
Massachusetts Residents add 5% Sales Tax
Tandy Corporation Trademark/® Digital Research





Circle 94 on inquiry card.

S-100 VOICE

The ARTICULATOR board allows you to record, store, and playback any vocabulary on your S-100 computer. Input speech is digitized by the ARTICULATOR and send to the computer via an on-board port for storage at 1K to 2K bytes/sec. This data is then sent back from the computer to the ARTICULATOR for very high quality playback. On-board VOX switching minimizes memory storage requirements.

PRICE — $350 A&T
AVAILABLE NOW

Quintrex, Inc.
4461 Indian Creek Parkway
PO Box 7384
Overland Park, KS 66207

Circle 300 on inquiry card.

VOLTAGE SURGE & TRANSIENT SUPPRESSOR



Protects Most Electronic Equipment

The SUPPRESSOR electronically removes or reduces sudden voltage changes. It simply plugs into a power receptical on the same circuit as the equipment being protected.

END POWER LINE SPIKES, SURGES, HASH... Only $29.95 ea. Dealer Inquiries Invited.



CUESTA SYSTEMS, INC.
3440 Roberto Court
San Luis Obispo, California 93401
(805) 541-4160

Circle 98 on inquiry card.

V

THE BIBLIOFILE

Bibliography Card Manager for Apple® Pascal

LIMITED OFFERING

- SELECTED RETRIEVAL
- AUTHOR, JOURNAL LISTS
- FILE FOLDER LABEL PRINTING
- PAGE HEADER PRINTING

Apple® is a registered trademark of Apple Computer, Inc.

VIMA, Inc.
1305 Tompkins Drive
Madison, WI 53716

Circle 369 on inquiry card.



ATARI
A Warner Communications Company

400 16K	$319.00
400 YOURS TO 32K or 48K	CALL
800 16K	729.00
410 RECORDER	65.00
810 DISK DRIVE	439.00
850 INTERFACE	165.00
830 MODEM	139.00
825 PRINTER	565.00
484 COMMUNICATOR	289.00
ITT Cordless phone	199.95
ZENITH GRN. PHOS. MONITOR	129.00
EPSON PRINTERS	CALL
SOFTWARE	CALL
SHARP CALCULATORS	CALL
SPECIALS!	CALL

Prices subject to change without notice. Shipping extra. No tax out of state. Ca. residents add appropriate taxes.

WE ARE AN AUTHORIZED ATARI SALES AND SERVICE CENTER

COMPUTERTIME, INC.
309 Crown Rd.
KENTFIELD, CA. 94904

CALL TOLL-FREE 800-227-2520
In California 800-772-4064

Circle 80 on inquiry card.

HOW TO RELOAD

Multi-Strike Daisy Wheel PRINTER RIBBONS

You can profitably reload
$96 Richos for $36
$90 Diablos for $24
$84 Wangs for $24
$76 NECs for $24
$36 Qumes for $12
or less

This comprehensive book provides full instructions on how to make as much as $180 an hour reloading multi-strike ribbons *in your home*.

Send S.A.S.E. to
WILLIAM WALKER
Box 16-J-B
164-30 Hillside Ave.
Jamaica, NY 11432

We sell and reload multi-strike ribbons.

Prices sent on request.

Circle 371 on inquiry card.



When it comes to Flexible Disks, nobody does it better than Wabash.

MasterCard, Visa Accepted.
Call Free: (800) 235-4137



PACIFIC EXCHANGES
100 Foothill Blvd
San Luis Obispo, CA
93401 (In Cal. call (805) 543-1037)

Circle 270 on inquiry card.

MEMORY EXPANSION FOR APPLE®


The company that brought you the first 32K RAM board for Apple II® and Apple II+® now offers:


- **128K RAM** *ALL FOR ONLY* **$599**
  Includes 5 comprehensive software packages
  1. MOVEDOS (relocates DOS)
  2. RAMEXPAND (for Applesoft®, Integer®)
  3. PSEUDO-DISK for DOS 3 3 or 3.2
  4. PSEUDO-DISK for CP/M®
  5. PSEUDO-DISK for PASCAL
- **64K RAM $425**
  A medium range memory expansion board which can be upgraded to 128K at a later date. (Upgrade kit sold for $175) Includes all 5 software packages offered with the 128K board
- **32K RAM** *STILL ONLY* **$239**
  The old favorite for Apple users. Includes our first 3 software packages (above) with CP/M® and PASCAL pseudo-disks now offered as options ($39 each)
- **VC-EXPAND™** *ONLY* **$100** **MEMORY EXPANSION FOR VisiCalc®**
  Expand memory available to Personal Software's 16 sector VisiCalc® Add 32K, 64K, or even 128K to your present workspace (even if you already have a 16K card in use!) with this program plus one or more Saturn boards
  Simple operation

SATURN SYSTEMS
(313) [illegible]
P.O. Box 8060, Ann Arbor, MI 48107

Circle 315 on inquiry card.

Like-new products





For free catalog,
phone toll-free (800) 225-1008
In Massachusetts (617) 938-0900

GENSTAR REI SALES COMPANY
19527 Business Center Dr., Northridge, CA 91324

Circle 308 on inquiry card.

EPROM-32

The only EPROM programmer you need!

- IEEE-696 (S-100) EPROM programmer for single-supply (+5V) EPROMs.
- Programs current 1K through 8K (byte) EPROMs plus future 16K and 32K EPROMs.
- Personality Modules adapt board to different EPROM types:
  PM-1 — 2508, 2758, 2516, 2716 PM-4 — 2564
  PM-2 — 2532 PM-5 — 2764
  PM-3 — 2732 PM-6 — 68764
  PM-7 — 2528(TI-16K)
- Zero-insertion-force socket accommodates both 24-pin and 28-pin EPROM packages.
- DIP switch selection of programming ports and EPROM address for verification and/or use.
- On-board DC-to-DC converter with adjustable regulator for programming voltage.
- Programming voltage switched by software.
- Double-sided PC board with solder masks, silkscreen and gold-plated contact fingers.
- Documentation includes source listing of 8080/Z80 software for programming and verification.

$269.95
(assembled & tested)

Price includes EPROM-32, documentation and two personality modules (specify). Additional modules — $7.95. Programming/verification software on 8 inch single density CP/M-compatible diskette — $9.95

MicroDynamics Corporation
P.O. Box 17577
Memphis, TN 38117
(901)-755-0619

MASTERCARD & VISA—TN residents add 6% sales tax.

Circle 218 on inquiry card.

Verbatim®

Floppy Discs

SAVE 40% Write for our complete list.

5 1/4″ Specify soft, 10 or 16 sector	Price/10
MD525 1 side/dbl dens	$27.30
MD550 2 sides/dbl dens	44.20
MD577 1 side/77 track	32.50
MD557 2 sides/77 track	44.20

8″ Critically Certified Soft sector	
FD34-9000 1 side/sgl dens	33.80
FD34-8000 1 side/dbl dens	39.00
FD34-4001 2 side/dbl dens	46.20

CHECKS — VISA — MC — C.O.D.
(313) 777-7780 ADD $2 SHIPPING

LYBEN COMPUTER SYSTEMS
27204 Harper Ave.
St. Clair Shores, MI 48081

Circle 183 on Inquiry card.



Circle 179 on Inquiry card.

INSIDE INFORMATION

More than 25 magazines and journals

The giant 1980-81
Periodical Guide for Computerists

lists two complete years of articles from Byte, Digital Design, Infoworld, Personal Computing, and many more. It's cross-referenced, sturdily bound and easy to use.

Order yours today,
only $11.95
postage paid.


1975-79 annual indexes available, $5 each.

Applegate Computer Enterprises
Box 288B
Applegate, OR 97530

Circle 26 on inquiry card.



Circle 343 on Inquiry card.



Circle 316 on inquiry card.

C compilers and Cross compilers

Available for:

PDP-11	RT-11/RSX-11
6809	SDOS
8080	CP/M
8085	CP/M
Z80	CP/M
8086	
8088	

OTHERS PENDING

The full C language, as described in "The C Programming Language" by Kernighan and Ritchie.

UNIX version 7 compatible.

UNIX is a trademark of Bell Labs
RT11/RSX11 are trademarks of Digital Equipment Corp.
SDOS is a trademark of Software Dynamics
CP/M is a trademark of Digital Research

TELECON SYSTEMS
90 E. Gish Road, Suite 25
San Jose, California 95112
408-275-1659

Circle 351 on inquiry card.

NEW
KEYED FILE ACCESS & ELECTRONIC MAIL

Indexed files for BDS C or PL/I.
Includes source for relational DBMS.
- **variable length keys & records**
- **access by random, sequential, skip sequential by full or partial key**

$200

Compose and send formatted messages.
Includes EMACs-style full screen editor.
(requires serial CRT with addressing)

$75

CA residents add tax. CP/x and IBM SD discette distribution only.
RBF inc. Suite 1464
2000 Center St. Berkeley, CA 94704

Circle 304 on inquiry card.




Circle 401 on inquiry card.





Circle 46 on inquiry card.

Circle 276 on inquiry card.

FULL LINE ALL PARTS & COMPUTER PRODUCTS

Quest ELECTRONICS

P.O. Box 4430X
Santa Clara, CA 95054
Will calls: 2322 Walsh Ave.
(408) 988-1640

Same day shipment. First line parts only. Factory tested. Guaranteed money back. Quality IC's and other components at factory prices.

INTEGRATED CIRCUITS

Phone orders only (800) 538-8196

7400TTL	
7400N	.19
7402N	.19
7404N	.22
7409N	.19
7410N	.19
7414N	.55
7420N	.19
7430N	.19
7442N	.49
7445N	.69
7447N	.69
7448N	.69
7474N	.35
7475N	49
7485N	65
7489N	1.70
7490N	.35
7495N	55
74100N	1.00
74107N	.30
74123N	.55
74125N	.45
74145N	.60
74150N	1.20
74151N	65
74154N	1.25
74157N	55
74161N	70
74162N	85
74163N	85
74174N	89
74175N	85
74190N	1.15
74192N	.79
74193N	.79
74221N	1.25
74298N	85
74365N	65
74366N	65
74367N	65
74LS00TTL	
74LS00N	.25
74LS02N	.25
74LS04N	.25
74LS05N	.25
74LS08N	.35
74LS10N	.25
74LS13N	.45
74LS14N	.99
74LS20N	.25
74LS22N	.25
74LS28N	.35
74LS30N	.25
74LS33N	.55
74LS38N	.35
74LS74N	45
74LS75N	.50
74LS90N	.60
74LS93N	.65
74LS95N	.85
74LS107N	.40
74LS112N	.45
74LS113N	45
74LS132N	75
74LS136N	.49
74LS151N	.75
74LS155N	.79
74LS157N	.75
74LS162N	.95
74LS163N	.95
74LS174N	.95
74LS190N	1.00
74LS221N	1.19
74LS258N	69
74LS367N	69
LINEAR	
CA3045	.90
CA3046	1.10
CA3081	1.80
CA3082	1.90
CA3089	3.40
LM301AN/AH	.34
LM305H	.87
LM307N	35
LM308N	98
LM309K	1.25
LM311H/N	.64

LM317T	1.65
LM317K	3.75
LM318	1.49
LM320K-5	1.35
LM320K-12	1.35
LM320K-15	1.35
LM320T-5	.95
LM320T-8	.95
LM320T-12	.95
LM320T-15	.95
LM323K-5	4.95
LM324N	99
LM339N	.99
LM340K-5	1.35
LM340K-8	1.35
LM340K-12	1.35
LM340K-15	1.35
LM340K-24	1.35
LM340T-5	.85
LM340T-8	85
LM340T-12	85
LM340T-15	.85
LM340T-18	.85
LM340T-24	85
LM350	5.50
LM377	2.29
LM380N	1.00
LM381	1.60
LM382	1.60
LM709H	.59
LM723H/N	.49
LM733N	.85
LM741CH	35
LM741N	.35
LM747H/N	.75
LM748N	.50
LM1303N	1.75
LM1304	1.10
LM1305	1.27
LM1307	1.10
LM1310	2.75
LM1458	.55
LM1812	8.25
LM1889	2.49
LM2111	1.75
LM2902	2.25
LM3900N	59
LM3905	1.25
LM3909N	95
MC1458V	55
NE550N	1.30
NE555V	39
NE556A	.85
NE565A	1.00
NE566V	1.50
NE567V	1.00
NE570B	4.75
78L05	60
78L08	60
78M05	.85
75108	1.49
75491CN	50
75492CN	.55
75494CN	89
A to D CONVERTER	
8038B	4.50
8700CJ	13.95
8701CN	22.00
8750CJ	13.95
LD130	9.95
9400CJV/F	7.40
ICL7103	9.50
ICL7107	14.25
CMOS	
CD4000	.25
CD4001	.35
CD4002	.35
CD4006	95
CD4007	.25
CD4008	.95
CD4009	.45
CD4010	.45
CD4011	.35
CD4012	.25
CD4013	.45
CD4014	.95
CD4015	.95
CD4016	.45

CD4017	1.05
CD4018	94
CD4019	.45
CD4020	.95
CD4021	95
CD4022	1.10
CD4023	28
CD4024	.75
CD4025	23
CD4026	1.65
CD4027	.65
CD4028	80
CD4029	95
CD4030	45
CD4035	85
CD4040	95
CD4042	75
CD4043	.85
CD4044	.85
CD4046	.95
CD4049	.45
CD4050	.55
CD4051	.95
CD4060	1.42
CD4066	.71
CD4068	39
CD4069	.35
CD4070	.35
CD4071	.30
CD4072	.30
CD4073	.35
CD4075	.30
CD4076	.95
CD4078	.30
CD4081	.30
CD4082	.30
CD4116	.47
CD4490	5.50
CD4507	.99
CD4508	1.95
CD4510	.95
CD4511	94
CD4515	2.25
CD4516	1.10
CD4518	1.25
CD4520	1.02
CD4527	1.51
CD4528	1.25
CD4553	3.50
CD4566	2.45
CD4583	2.35
CD4585	.95
CD40192	3.00
74C00	.35
74C04	.35
74C10	.35
74C14	.75
74C20	.35
74C30	.35
74C48	1.95
74C74	.85
74C76	.80
74C90	1.25
74C93	1.25
74C154	3.25
74C160	1.69
74C175	1.19
74C192	1.65
74C221	1.90
74C905	6.00
74C906	75
74C914	1.95
74C922	5.00
74C923	5.50
74C925	6.75
74C926	6.95
74C927	6.95
INTERFACE	
8095	65
8096	65
8097	65
8098	65
8T09	1.25
8T10	1.75
8T13	1.40
8T20	4.95
8T23	1.75
8T24	1.75
8T25	3.20

8T26	1.69
8T28	1.95
8T97	99
8T98	1.65
MOS/MEMORY RAM	
2101-1	1.95
2102-1	85
2102AL-4	1.45
2102AN-2L	1.65
2104A-4	4.95
2107B-4	3.75
2111-1	2.99
2112-2	2.99
2114	2.24
2114L 300ns	2.50
2114L 450ns	2.37
4116 200ns	2.50
8/4116 200ns	15.40
MM5280	3.00
MM5320	9.95
MM5330	5.94
P5101L	8.95
4200A	11.50
9368	3.50
410D	10.00
416	2.50
CLOCKS	
MM5311	4.95
MM5312	3.90
MM5314	3.90
MM5369	1.95
MM5841	14.45
MM5865	7.95
CT7010	8.95
CT7015	8.95
MM5375AA/N	3.90
MM5375AG/N	4.90
7205	16.50
7207	7.50
7208	15.95
7209	4.95
MICROPROCESSOR	
6502	6.95
6502A	9.50
6504	6.95
6522	8.75
6530	9.50
6532	14.95
6551	11.85
6800	5.70
6802	11.95
6820	4.95
6850	3.50
8080A	3.95
8085A	8.50
Z80A	6.00
Z808	18.95
Z80 P10	6.50
Z80A P10	5.95
Z80 CTC	5.95
Z80ACTC	8.65
Z80 DART	15.25
Z80A DART	18.75
Z80 DMA	17.50
Z80A DMA	27.50
Z80 S10 0	23.95
Z80A S10 0	28.95
Z80 S10 1	15.00
Z80A S10 1	23.90
Z80S10/2	23.95
Z80A S10 2	28.95
Z80B CTC	17.95
Z80B P10	17.95
8212	2.25
8214	3.90
8216	2.25
8224	2.50
8228	4.95
8251	5.50
8253	8.95
8255	5.25
8257	9.00
8259	9.95
1802CE plas.	13.95
1802E plas.	17.95
1861P	5.95

UART/FIFO	
AY5-1013	5.50
AY5-1014	7.50
3341	6.95
PROM	
1702A	4.50
2532	19.75
2708	3.95
2716TI	8.50
2716 5 Volt	5.75
8 2716 5 Volt	39.00
2732	16.50
2758	7.49
8741A	39.95
8748	55.00
8748-8	55.00
8755A	49.95
N82S23	2.95
N82S123	3.95
N82S126	5.75
N82S129	4.75
N82S131	4.95
N82S136	8.75
N82S137	8.75
8223	3.50
CONNECTORS	
30 pin edge	2.50
44 pin edge	2.75
86 pin edge	4.00
100 pin edge	3.95
100 pin edge w/w	4.95

IC SOCKETS
Solder Tin Low Profile

PIN	1UP	PIN	1UP
8	.13	22	.30
14	.14	24	.30
16	.16	28	.40
18	.20	36	.58
20	.29	40	.49

WIREWRAP LEVEL 3

PIN		PIN	
14	.55	24	.93
16	.57	28	1.00
18	.67	40	1.59
2level 14 pin w/w			.20

CRYSTALS	
1 MHz	4.50
2 MHz	4.50
4 MHz	4.25
5 MHz	4.25
10 MHz	4.25
18 MHz	3.90
20 MHz	3.90
32 MHz	3.90
32768 Hz	4.00
1.8432 MHz	4.50
3.5795 MHz	1.20
2.0100 MHz	1.95
2.097152 MHz	4.50
2.4576 MHz	4.50
3.2768 MHz	4.50
5.0688 MHz	4.50
5.185 MHz	4.50
5.7143 MHz	4.50
6.5536 MHz	4.50
14.31818 MHz	4.25
18.432 MHz	4.50
22.1184 MHz	4.50
KEYBOARD ENCODERS	
AY5-2376	11.95
AY5-3600	17.95
74C922	5.49
74C923	5.50
HD 0165-5	7.95
D Connectors RS232	
DB25P	2.95
DB25S	3.50
Cover	1.67

DE9S	1.95
DA15P	2.10
DA15S	3.10
Complete Set	9.50
Stopwatch Kit	**26.95**
Auto Clock Kit	**17.95**
Digital Clock Kit	**19.75**
RESISTORS ¼ watt 5%	
10 per type	.03
25 per type	.025
100 per type	.015
1000 per type	.012
350 piece pack 5 per type	6.75
½ watt 5% per type	.05
DIP SWITCHES	
4-position	.85
5-position	.90
6-position	.90
7-position	.95
8-position	.95
KEYBOARDS	
56 key ASCII keyboard kit	$74.95
Fully assembled	84.50
Enclosure Plastic	19.95
Metal Enclosure	59.95
LEDS	
Red T018	.15
Green, Yellow T018	.20
Jumbo Red	.25
Green, Orange, Yellow Jumbo	.25
Clipiite LED Mounting Clips	8/$1.25
(spec. red, amber, green, yellow, clear)	

CONTINENTAL SPECIALTIES in stock
Complete line of breadboard test equip.

OK WIRE WRAP TOOLS in stock
Complete line of AP Products in stock.

SPECIAL PRODUCTS

2.5 MHz Freq. Counter Kit	37.50
30 MHz Freq. Counter Kit	47.75

AC TRANSFORMERS

FRAME		WALL PLUG	
6.3V CT 600 ma	54.60	10V 2 amp	$7.95
12V 250 ma	1.95	12V 250ma	2.95
12.6V CT 600 ma	4.95	12V CT 250 ma	3.75
12.6V CT 2 amps	5.95	12V 500 ma	4.50
12.6V CT 4 amp	8.60	12V 1 amp	5.95
12.6V CT 8 amp	10.80	12V 2 amp	7.95
24V CT 100 ma	3.95		
24V CT 600 ma	4.95		


Constant Voltage Transformers 12V, 11 amp, 5V, 23 amp, 24V, 11 amp 15.00

DISPLAY LEDS

MAN72/74	CA/CA	.300	.75
DL704	CC	.300	1.25
DL707/DL707R	CA	.300	1.00
DL727/728	CA/CC	.500	1.90
DL747/750	CA/CC	.600	1.49
FND359	CC	.357	.70
FND500/507	CC/CA	.500	.99
FND503/510	CC/CA	.500	.90
FND800/807	CC/CA	.800	2.20
10 digit display			1.25
7520 Clairex photocells			.39
TIL311 Hex			9.50
MAN3640	CC	.30	.99
MAN4610	CA	.40	.99
MAN4640	CC	.40	1.20
MAN4710	CA	.40	.95
MAN4740	CC	.40	1.20
MAN6640	CC	.56	.99
MAN6710	CA	.60	.99
MAN6740	CC	.60	.99

TELEVIDEO TERMINAL
Model 950 $1010.00

4116 200ns Dynamic RAM 8/$15.40



RCA Cosmac 1802 Super Elf Computer $106.95

The Super Elf is a small single board computer that does many **big** things. It's an excellent computer for training and for learning programming with its machine language and yet it's easily **expanded with additional memory, Full Basic, ASCII Keyboards, video character generation, etc.**

ROM monitor; State and Mode displays; Single step; Optional address displays; Power Supply; Audio Amplifier and Speaker; Fully socketed for all IC's; Full documentation.

The **Super Elf** includes a **ROM** monitor for program loading, editing and execution with **SINGLE STEP for program debugging** which is not included in others at the same price. With **SINGLE STEP** you can see the microprocessor chip operating with the **unique Quest** address and data bus displays **before, during** and **after** executing instructions. Also, CPU mode and instruction cycle are decoded and displayed on 8 LED indicators.

An RCA 1861 **video graphics** chip allows you to connect to your own TV with an inexpensive video modulator to do graphics and games. There is a **speaker system** included for writing your own music or using many music programs already written. The speaker amplifier may also be used to drive relays for control purposes.

A 24 key **HEX keyboard** includes 16 HEX keys plus **load, reset, run, wait, input, memory protect, monitor select** and **single step.** Large, on board displays provide output and optional **high and low address.** There is a 44 pin standard connector slot for PC cards and a 50 pin connector slot for the Quest Super Expansion Board. Power supply and sockets for **all** IC's are included plus a detailed 127 pg. instruction manual which now includes over 40 pgs. of software info. including a series of lessons to help get you started and a music program and graphics target game. Many schools and universities are using the Super Elf as a course of study. OEM's use it for training and R&D.

Remember, other computers only offer Super Elf features at additional cost or not at all. **Compare before you buy. Super Elf Kit $106.95, High address option $8.95, Low address option $9.95. Custom Cabinet** with drilled and labelled plexiglass front panel **$24.95.** All metal Expansion Cabinet, painted and silk screened, with room for 5S-100 boards and power supply **$57.00. NiCad Battery Memory Saver Kit $6.95.** All kits and options also completely assembled and tested.

Questdata, a software publication for 1802 computer users is available by subscription for $12.00 per 12 issues. Single issues $1.50. Issues 1-12 bound $16.50.

Moews Video Graphics **$3.50**, Games and Music **$3.00**, Chip 8 Interpreter **$5.50**, Starship 4K cassette **$14.95.**

Free 14 page brochure of complete Super Elf system.

Quest Super Basic V5.0

A new enhanced version of **Super Basic** now available. Quest was the first company worldwide to ship a full size Basic for 1802 Systems. A complete function **Super Basic** by **Ron Cenker** including floating point capability with scientific notation (number range ±.17E38), 32 bit integer ±2 billion; multi dim arrays, string arrays; string manipulation; cassette I/O, save and load, basic, data and machine language programs; and over 75 statements, functions and operations.

New improved faster version including **re-number** and essentially **unlimited variables.**

Also, an exclusive user expandable command library.

Serial and Parallel I/O routines included.

Super Basic on Cassette $55.00.

Super Expansion Board with Cassette Interface $89.95

This is truly an astounding value! This board has been designed to allow you to decide how you want it optioned. **The Super Expansion Board comes with 4K of low power RAM** fully addressable anywhere in 64K with built-in memory protect and a **cassette interface.** Provisions have been made for all other options on the same board and **it** fits neatly into the hardwood cabinet alongside the **Super Elf.** The board includes slots for up to 6K of **EPROM** (2708, 2758, 2716 or TI 2716) and is **fully socketed. EPROM** can be used for the monitor and Tiny Basic or other purposes.

A 1K Super ROM Monitor $19.95 is available as an on board option in 2708 EPROM which has been preprogrammed with a program loader/editor and error checking multi file cassette read/write software, (relocatable cassette file) another exclusive from Quest. It includes register save and readout, block move capability and video graphics driver with blinking cursor. Break points can be used with the register save feature to isolate program bugs quickly, then follow with single step. If you have the **Super Expansion Board** and **Super Monitor** the monitor is up and running at the push of a button.

Other on board options include **Parallel Input and Output Ports** with **full handshake.** They allow easy connection of an ASCII keyboard to the input port. **RS 232 and 20 ma Current Loop** for teletype or other device are on board and if you need more memory there are two **S-100** slots for static RAM or video boards. Also a 1K Super Monitor version 2 with video driver for full capability display with Tiny Basic and a video interface board. **Parallel I/O Ports $9.85, RS 232 $4.50, TTY 20 ma I/F $1.95, S-100 $4.50. A 50 pin connector set** with ribbon cable is available at **$18.95** for easy connection between the **Super Elf** and the **Super Expansion Board.**

Power Supply Kit for the complete system (see Multi-volt Power Supply below).

ELECTRONIC SYSTEMS KITS

Apple Peripheral Kits

SERIAL I/O INTERFACE 0 to 30,000 baud, D.T.R., input & output from monitor or basic, or use Apple as intelligent terminal, Bd only (P/N 2) **$14.95**, Kit (P/N 2A) **$51.25**, Assembled (P/N 2C) **$62.95.**

PROTOTYPING BOARD (P/N 7907) **$21.95.**

PARALLEL TRIAC OUTPUT BOARD 8 triacs, each can switch 110V, 6A loads, Bd only (P/N 210) **$19.20**, Kit (P/N 210A) **$119.55.**

OPTO-ISOLATED INPUT BOARD 8 inputs, can be driven from TTL logic, Bd only (P/N 120) **$15.65**, Kit (P/N 120A) **$69.95.**

Interface Kits

SERIAL/PARALLEL INTERFACE Bidirectional, Baud rates from 110 to 19.2K, sw selectable polarity of input and output strobe, 5 to 8 data bits, 1 or 2 stop bits, parity odd or even or none, all characters contain a start bit, +5 & −12V required. Bd only (P/N 101) **$11.95**, Kit (P/N 101A) **$42.89.**

RS-232/TTL INTERFACE Bidirectional, requires ±12V, Kit (P/N 232A) **$9.95.**

RS-232/20mA INTERFACE Bidirectional, 2 passive opto-isolated circuits, Kit (P/N 7901A) **$14.95.**

PROM *Eraser*

Will erase 25 PROMs in 15 minutes. Ultraviolet, assembled. 25 PROM capacity **$37.50** (with timer **$69.50**). 6 PROM capacity OSHA/UL version **$78.50** (with timer **$108.50**).

NiCad Battery Fixer/Charger Kit

Opens shorted cells that won't hold a charge and then charges them up, all in one kit w/full parts and instructions. **$9.95**

Z80 Microcomputer

16 bit I/O, 2 MHz clock, 2K RAM, ROM Breadboard space. Excellent for control. Bare Board **$28.50.** Full Kit **$99.00.** Monitor **$20.00.** Power Supply Kit **$35.00.** Tiny Basic **$30.00.**

Modem Kit $60.00

State of the art, orig., answer. No tuning necessary. 103 compatible 300 baud. Inexpensive acoustic coupler plans included. Bd. only $17.00. Article in June *Radio Electronics.*

60 Hz Crystal Time Base Kit $4.40

Converts digital clocks from AC line frequency to crystal time base. Outstanding accuracy.

Video Modulator Kit $9.95

Convert TV set into a high quality monitor w/o affecting usage. Comp. kit w/full instruc.

Multi-volt Computer Power Supply

8v 5 amp, ±18v .5 amp, 5v 1.5 amp, −5v .5 amp, 12v .5 amp, −12v option. ±5v, ±12v are regulated. Basic Kit **$35.95.** Kit with chassis and all hardware **$51.95.** Add $5.00 shipping. Kit of hardware **$16.00.** Woodgrain case **$10.00.** $1.50 shipping.

Type-N-Talk by Votrax

Text to speech synthesizer with unlimited vocabulary, built-in text to speech algorithm, 70 to 100 bits per second speech synthesizer, RS232C interface **$369.00.**

1802 16K Dynamic RAM Kit $149.00

Expandable to 64K. Hidden refresh w/clocks up to 4 MHz w/no wait states. Addl. 16K RAM **$25.00.**


S-100 4-slot expansion $ 9.95
Super Monitor VI.I Source Listing $15.00

Rockwell AIM 65 Computer

6502 based single board with full ASCII keyboard and 20 column thermal printer. 20 char. alphanumeric display ROM monitor; fully expandable. **$419.00.** 4K version **$449.00.** 4K Assembler **$35.00.** 8K Basic Interpreter **$65.00.**

Special small power supply 5V 2A 24V .5A assem. in frame **$59.00.** Molded plastic enclosure to fit both AIM 65 and power supply **$52.50.** AIM 65 1K in cabinet with power supply, switch, fuse, cord assem. **$559.00.** 4K **$579.00.** **A65/40-5000 AIM 65/40 w/16K RAM and monitor $1295.00.** RAM Board Kit (16K) **$195** (32K **$215**). VD640 Video Interface Kit **$119.00.** A&T **$149.00.** Complete AIM 65 in thin briefcase with power supply **$518.00.** Special Package Price: 4K AIM, 8K Basic, power supply, cabinet **$629.00**

AIM 65/KIM/SYM/Super Elf 44 pin expansion board; board with 3 connectors **$22.95.**



Elf II Adapter Kit $24.95

Plugs into Elf II providing Super Elf 44 and 50 pin plus S-100 bus expansion. (With Super Expansion). High and low address displays, state and mode LED's optional **$18.00.**

Super Color S-100 Video Kit $129.95

Expandable to 256 x 192 high resolution color graphics. 6847 with all display modes computer controlled. Memory mapped. 1K RAM expandable to 6K. S-100 bus 1802, 8080, 8085, Z80, etc. **Dealers: Send for excellent pricing/margin program.**

TERMS: $5.00 min. order U.S. Funds. Calif. residents add 6% tax.
$10.00 min. VISA and MasterCard accepted. $1.00 insurance optional.
Shipping: Add 5%; orders under $25.00—10%.

FREE: Send for your copy of our NEW 1981 QUEST CATALOG. Include 88¢ stamp.

Circle 299 on inquiry card.

CHIPS & DALE

THE INFLATION FIGHTERS!

— RAM —

4116 250ns 8/$11.00
4116 200ns 8/$13.00
4116 150ns 8/$16.00
2114L 300ns 8/$16.25
2114L 200ns 8/$17.00
4164 200ns $9.00
6116 200ns $10.00

— EPROM —

2716 (5V)450ns 8/$3.90 ea. $4.15 ea.
2732 (5V)450ns 8/$9.75 ea. $10.25 ea.
2532 (5V)450ns 8/$10.50 ea. $12.00 ea.

Please allow up to 3 wks. for personal checks to clear.
Add $2.50 Shipping & Handling
C.O.D. $3.00. Wash. residents add 5.4% Sales Tax

CHIPS & DALE
P.O. Box 31607
Seattle, Wash. Zip 98103

Master Charge
VISA accepted.

1-206-524-9126

Circle 58 on inquiry card.


HERE IT IS AT LAST!

"SUPERNET"©

THIS IS THE MOST UNIQUE S-100 COMPUTER BOARD:

64K of memory, Z80A CPU, Double Density Floppy Disk Controller, 2 Serial & Parallel I/O, monitor (EPROM) ALL on a single S-100 Computer Board from ADVANCED Micro Digital Corp.©

SUPERNET .... $900.
Serial Adapter Cable .... $35.
Parallel Adapter Cable .... $40.
Shugart SA801R .... $455.
Televideo 912C .... $750.
Enclosure with 10 slots, power supply, cut outs for two 8" floppies .... $650.


Z-80A CPU .... $5.50 4164 RAMChips $10.00
Z-80A CTC .... $5.50 2716 EPROM $5.50

● MICRO SPOT ELECTRONICS
14221 Edwards, Suite 72
Westminster, CA 92683
(714)891-0382

TERMS:

Pre-Payment or C.O.D. up to $250. (Cashier's check). Allow one week for checks to clear before shipping. Add $5 shipping and handling charge to your order. Calif. Residents add 6% sales tax.

Circle 215 on Inquiry card.


SLUDER QUALITY

CompuPro™ from GODBOUT ELECTRONICS TeleVideo

8MHz 68000, 8086/87, MPM*II & 86, DISK 2 CALL

8MHz 8085/88 CSC	399	6MHz CPU Z CSC	308
6MHz 8085/88 A&T	319	4MHz CPU Z A&T	221
DISK 1 A&T	371	MPX-4 A&T	371
INTERFACER I or II	187	MPX-16 A&T	487
INTERFACER 3 (5) A&T	467	CPM*80	135
RAM 20 32K A&T	319	RAM 17 64K A&T	597
RAM 21 128K A&T	1356	RAM 16 64K A&T	671
SYSTEM SUPPORT 1 A&T	297	4MHz 8231	175
ENCLOSURE 2 DESK	619	RACK MODEL	671

8MHz 8085/88 SYSTEM DUAL 8" DRS 64K CPM* 3695
6MHz CPU Z SYSTEM DUAL 8" DRS 64K CPM* 3595
SYSTEMS HAVE 48 HOUR CSC BOARD EXCHANGE 2 YRS.
ALL TELEVIDEO AND ZENITH ITEMS AT LOWEST PRICE
Seattle Computer System I $2549. Sys II $3325.
Seattle CPU Board Set 599. Seattle Ram 64 746.


MORROW DECISION 1	1295	65K STATIC RAM	581
DISK JOCKEY DMA, CPM*	356	10MB HARD DISK	2771

ALL PRICES SUBJECT TO CHANGE CPM* & MPM ARE TRADEMARKS OF DIGITAL RESEARCH SHIP MIN $3.00

PO 951 WESTMINSTER CA 92683-0951
714 895-1746

Circle 325 on inquiry card.

You can pay more — But you can't get more!



Model III 16K **$839**
Model III 48K 2 disc & RS232C **$2100**

Color Computer 4K **$310**
w/16K Ext. Basic **$459**

BUY DIRECT. These are just a few of our great offers which include Printers, Modems, Computers, Peripherals, Disc Drives, Software and more. call TOLL FREE 1-800-343-8124

We have the lowest possible fully warranteed prices and a full complement of Radio Shack Software.

computer plus

Write for your free catalog.
245A Great Road
Littleton, MA 01460
617 • 486 • 3193

Circle 75 on inquiry card.

NEW 23K PERSONAL COMPUTER

$239[00] FACTORY SALE PRICE

You get the NEW APF-IM-1 Full Size Powerful Computer: Includes 14K ROM with Level II BASIC built in, 9K User RAM, Color, Sound, Professional 53 keyboard, Two controllers, Two 10 key numeric pads, High speed cassette, A.C. adapter, RF modulator, T.V. switchbox. Accepts TAPE-DISK-PLUG IN CARTRIDGES. It is PLUG IN EXPANDABLE at low cost. 90 day parts and labor warranty, owners guide, BASIC language manual. All this in a beautiful black and white console case for only $239[00].

15 DAY FREE TRIAL Return within 15 days complete and undamaged for refund of purchase price.


PROTECTO ENTERPRIZES
BOX 550, BARRINGTON, IL 60010
TO ORDER PHONE 312/382-2192

Circle 293 on inquiry card.

MEMOREX

FLEXIBLE DISCS

WE WILL NOT BE UNDERSOLD!! Call Free (800)235-4137 for prices and information. Dealer inquiries invited and C.O.D.'s accepted.



PACIFIC EXCHANGES
100 Foothill Blvd.
San Luis Obispo, CA 93401. In Cal. call (800)592-5935 or (805)543-1037

Circle 270 on inquiry card.

SOFTWARE AUTHORS

Cash in on your creative energies, join InfoSoft Computer Systems' SOFTWARE DEVELOPMENT PROGRAM. Get all of your R&D hardware at our distributor cost plus

20% Royalty!

We give you personalized service, offer a non-exclusive marketing agreement, plus other specialized services. We seek: high level language compilers, cross-assemblers, utilities, DMBS, new OS, educ. and business applications, and any other marketable program. We offer full development and documentation. Don't hesitate, contact us immediately.

Michael L. Dean, V.P. R&D
InfoSoft Computer Systems




2699 Clayton Rd.
Concord, CA 94519
(415) 680-0202

Single Source Solution

Circle 152 on inquiry card.

ATLANTIC CABINET
P.O. Box 100,
Williamsport,
Maryland 21795

Design Line Micro Work Stations



- A range of work stations designed specifically to house all micro-computers.
- Delivered heavily packed, in self-assembly form needing only a Philips screwdriver and a few minutes of your time to assemble.
- Manufactured from 1" all wood particleboard surfaced with hard-wearing melamine veneer, in either Oak or Walnut.

DEALER AND DISTRIBUTOR PRICES ON REQUEST
FOR MORE INFORMATION WRITE OR CALL 301-223-8900

Circle 36 on inquiry card.

CLOSE-OUT SALE

$200,000 INVENTORY
priced below dealer cost


WRITE FOR BARGAIN LIST

Computers, terminals, disk drives, printers, S100 main frames, boards, kits, software

TOP BRANDS: California Computer Systems—Ithaca Intersystems—Morrow Designs—SD Systems—SSM Micro Products—Tarbell Electronics—Zenith Data Systems—Diablo—Epson—NEC—Anadex—Okidata—Integral Data Systems—C. Itoh Comet & Starwriter—Livermore—Lexicon—Televideo—MicroPro

LYBEN COMPUTER SYSTEMS
27204 Harper
St. Clair Shores, MI 48081

Circle 184 on Inquiry card.



INTELLIGENT PRINTER INTERFACE

16,000 BYTE BUFFER / STAND ALONE

PARALLEL / SERIAL INPUT (BAUD RATES - 50 to 19,200)

OPTIONS INCLUDE: GRAPHICS • REVERSE PRINT • BOLD PRINT
UNDER-SCORE • REPRINT OF BUFFER
ADJUSTMENT OF LINES PER-INCH
CHARACTERS PER-INCH SELECTION
DOUBLE LINE

CUSTOM OPTIONS ALSO AVAILABLE


A & T FROM $450.00 BARE BOARD $80.00

MASTER CARD & VISA ACCEPTED

WARN ELECTRONICS, LTD.

PO BOX 526 KNIGHTDALE, NC 27545 (919) 266-9411

Circle 423 on inquiry card.



Circle 117 on inquiry card.

A PROFESSIONAL MICROCOMPUTER

$2990

THE BEST VALUE ON THE MARKET

- Z80 4MHZ
- 64K RAM
- DUAL 8" DRIVES
- 1.2 MB STORAGE
- 2 SERIAL I/O
- 2 PARALLEL I/O
- OPERATING SYSTEM AND UTILITIES

MICRO BUSINESS ASSOCIATES, INC.
500 SECOND STREET
SAN FRANCISCO, CA 94107
415-957-1343

Circle 206 on inquiry card.


MICROSETTE CASSETTES

Length	Qty 10	Qty 50
C-10	$ 7.50	$32.50
C-20	9.00	39.00
C-60	13.50	57.00
C-90	17.50	77.50

5-screw shell, boxes, labels, product warranty, UPS shipping included. Please no P.O. box. CA Customers add taxes.

MICROSETTE CO.
475 Ellis St., Mt. View, CA 94043 (415) 968-1604

Circle 221 on inquiry card.



Circle 124 on inquiry card.

UCSD p-System *Pascal

*Trademark of The Regents of The State of California

Most commonly re-invented
PROCEDURES
For business application programmers:

- User friendly
- Bomb proof
- Access methods
- Screen input
- Printed report formatting
- Text formatting
- Data type conversions
- Sample shell programs

Source provided to allow creation of units, segments, or in-line code

We have invested hundreds of hours. If you save one hour of coding, it's worth the price.

$19.95

1372 East 52nd. St., Chicago, Il. 60615

UsersPascalProceduresExchangeRegister

Circle 422 on inquiry card.



Circle 159 on inquiry card.

The QUALEX®
DETRASHER™
TRS-80* MOD III 16K
converted to
CP/M** 80K

15-Minute installation adding 64K RAM and CP/M**2.2 to your 16K TRS-80* MOD III

Installation includes Boot ROM and BIOS

Hardware, Software and Installation Instructions

$400

California Residents add 6% Sales Tax. COD, Certified Check, Visa® or Mastercard® (include Expiration Date)

QUALEX®
1600 Oak Street
Santa Monica, CA 90405

*a trademark of the Tandy Corporation
**a trademark of Digital Research, Inc.

Circle 367 on inquiry card.

8088
S100 BOARD

16 BIT PROCESSING
ACOM'S P188

KIT $275
ASSEM. & TESTED $345

ACOM Electronics
4151 Middlefield
Palo Alto, CA 94303
(415) 494-7499

Circle 6 on inquiry card.

SD Systems ExpandoRAM III

256K RAM $879.95

Single User System

SBC-200, 64K ExpandoRAM II, Versafloppy II, CP/M 2.2

$995.00


4 MHz Z-80A CPU, 64K RAM, serial I/O port, parallel I/O port, double-density disk controller, CP/M 2.2 disk and manuals, system monitor, control and diagnostic software.

Add $100.00 for upgrade to ExpandoRAM III 64K (expandable to 256K)

-All boards are assembled and tested-

SBC-200

2 or 4 MHz single board computer




• S-100 bus compatible • Powerful 4MHz Z-80A CPU • Synchronous/asynchronous serial I/O port with RS-232 interface and software programmable baud rates up to 9600 baud • Parallel input and parallel output port • Four channel counter/timer • Fourmaskable, vectored interrupt inputs and a non-maskable interrupt • 1K of on-board RAM • Up to 32K of on-board ROM • System monitor PROM included

The SBC-200 is an excellent CPU board to base a microcomputer system around. With on-board RAM, ROM, and I/O, the SBC-200 allows you to build a powerful three-board system that has the same features found in most five-board microcomputers. The SBC-200 is compatible with both single-user and multi-user systems.

CPU-30200A *A & T with monitor* **$299.95**

Versafloppy II

Double density controller with CP/M 2.2




• S-100 bus compatible • IBM 3740 compatible soft sectored format • Controls single and double-sided drives, single or double density, 5¼" and 8" drives in any combination of four simultaneously • Drive select and side select circuitry • Analog phase-locked loop data seperator • Vectored interrupt operation optional • CP/M 2.2 disk and manual set included • Control/diagnostic software PROM included

The Versafloppy II is faster, more stable and more tolerant of bit shift and "jitter" than most controllers. CP/M 2.2 and all necessary control and diagnostic software are included.

IOD-1160A *A & T with CP/M 2.2* .. **$370.00**

ExpandoRAM III

64K to 256K expandable RAM board




SD Systems has duplicated the famous reliability of their ExpandoRAM I and II boards in the new ExpandoRAM III, a board capable of containing 256K of high speed RAM. Utilizing the new 64K x 1 dymanic RAM chips, you can configure a memory of 64K, 128K, 192K, or 256K, all on one S-100 board. Memory address decoding is done by a programmed bipolar ROM so that the memory map may be dip-switch configured to work with either COSMOS/MPM-type systems or with OASIS-type systems.

Extensive application notes concerning how to operate the ExpandoRAM III with Cromemco, Intersystems, and other popular 4 MHz Z-80 systems are contained in the manual.

MEM-65064A	*64K A & T*	**$495.00**
MEM-65128A	*128K A & T*	**$639.95**
MEM-65192A	*192K A & T*	**$769.95**
MEM-65256A	*256K A & T*	**$879.95**

ExpandoRAM II

16K to 64K expandable RAM board



• S-100 bus compatible • Up to 4MHz operation • Expandable from 16K to 64K • Uses 16 x 1 4116 memory chips • Page mode operation allows up to 8 memory boards on the bus • Phantom output disable • Invisible on-board refresh

The ExpandoRAM II is compatible with most S-100 CPUs. When other SD System' series II boards are combined with the ExpandoRAM II, they create a microcomputer system with exceptional capabilities and features.

MEM-16630A	*16K A & T*	**$325.00**
MEM-32631A	*32K A & T*	**$345.00**
MEM-48632A	*48K A & T*	**$365.00**
MEM-64633A	*64K A & T*	**$385.00**

PROM-100

Versatile EPROM Programmer

• S-100 bus compatible • Programs 2708, 2758, 2716, 2732, 2516 EPROMs • DIP switch selection of EPROM type • 25 VDC programming pulse generated on-board • Very fast programming and verification • Zero insertion force socket • Programming software included on 8" diskette

MEM-99520K	*Kit w/software*	**$189.95**
MEM-99520A	*A & T w/software* ...	**$249.95**

Multi-User System

SBC-200, 256K ExpandoRAM III, Versafloppy II, MPC-4 COSMOS Multi-User Operating System, C BASIC II


$1995.00

Two Z-80A CPUs (4 MHz), 256K RAM, 5 serial I/O ports with independently programmable baud rates and vectored interrupts, parallel input port, parallel output port, 8 counter/timer channels, real time clock, single and double sided/single or double density disk controller for 5¼" and 8" drives, up to 36K of on-board ROM, CP/M 2.2 compatible COSMOS interrupt driven multi-user disk operating system, allows up to 8 users to run independent jobs concurrently, C BASIC II, control and diagnostic software in PROM included.

-All boards are assembled and tested-

MPC-4

Intelligent communications interface



• Four buffered serial I/O ports • On-board Z-80A processor • Four CTC channels • Independently programmable baud rates • Vectored interrupt capability • Up to 4K of on-board PROM • Up to 2K of on-board RAM • On-board firmware

This is not just another four-port serial I/O board! The on-board processor and firmware provide sufficient intelligence to allow the MPC-4 to handle time consuming I/O tasks, rather than loading down your CPU. To increase overall efficiency, each serial channel has an 80 character input buffer and a 128 character output buffer. The on-board firmware can be modified to make the board SDLC or BISYNC compatible. In combination with SD's COSMOS operating system (which is included with the MPC-4), this board makes a perfect building block for a multi-user system.

IOI-1504A *A & T with COSMOS* .. **$495.00**

Place Orders Toll Free

Continental U.S. **800-421-5500**
Inside California **800-262-1710**

For Technical Inquires or Customer Service call:
213-973-7707

JADE
Computer Products


4901 W. Rosecrans, Hawthorne, Ca 90250

TERMS of SALE: Cash, checks, credit cards, or Purchase Orders from qualified firms and institutions. **Minimum Order $15.00.** California residents add 6% tax. Minimum shipping & handling charge $3.00. **Pricing & availibility subject to change**

JADE Computer Products

Sunnyvale • Woodland Hills • Hawthorne • San Diego

Printers



BETTER THAN EPSON ! - Okidata

Microline 82A *80/132 column. 120 CPS. 9 x 9 dot matrix. friction feed. pin feed. adjustable tractor feed (removable). handles 4 part forms up to 9.5" wide. rear & bottom feed. paper tear bar. 100% duty cycle/200,000,000 character print head. bi-directional/logic seeking. both serial & parallel interfaces included. front panel switch & program control of 10 different form lengths. uses inexpensive spool type ribbons. double width & condensed characters. true lower case descenders & graphics*

PRM-43082 *with FREE tractor* **$544.95**

Microline 83A *132/232 column. 120 CPS. handles forms up to 15" wide. plus all the features of the 82A.*

PRM-43083 *with FREE tractor* **$774.95**

Microline 84 *132/232 column. 200 CPS. full dot graphics built in. handles forms up to 15" wide. plus all the features of the 83A.*

PRM-43083 *with FREE tractor* ... **$1249.95**

PRA-27081 *Apple card* **$39.95**
PRA-27082 *Apple cable* **$19.95**
PRA-27087 *TRS-80 cable* **$24.95**
PRA-43081 *Hi speed 2K serial board* **$169.95**
PRA-43080 *Extra ribbons pkg. of 2* ... **$9.95**

INEXPENSIVE PRINTERS - Epson

MX-70 *80 column. 80 CPS. 5 x 7 dot matrix. adjustable tractor feed. & graphics*

PRM-27070 *List $459* **$399.95**

MX-80 *80 column. 80 CPS. bi-directional/logic seeking printing. 9 x 9 dot matrix. adjustable tractor feed. & 64 graphics characters*

PRM-27080 *List $645* **$469.95**

MX-80FT *same as MX-80 with friction feed added.*

PRM-27082 *List $745* **$559.95**

MX-100 *132 column. correspondence quality. graphics. up to 15" paper. friction feed & adjustable tractor feed. 9 x 9 dot matrix. 80 CPS.*

PRM-27100 *List $945* **$759.95**

PRA-27084 *Serial interface* **$69.95**
PRA-27088 *Serial intf & 2K buffer* .. **$144.95**
PRA-27081 *Apple card* **$74.95**
PRA-27082 *Apple cable* **$22.95**
PRA-27086 *IEEE 488 card* **$52.95**
PRA-27087 *TRS-80 cable* **$32.95**
PRA-27085 *Graftrax II* **$95.00**
PRA-27083 *Extra ribbon* **$14.95**

Modems

SMARTMODEM - Hayes

Sophisticated direct-connect auto-answer/auto-dial modem, touch-tone or pulse dialing, RS-232C interface, programmable

IOM-5400A *Smartmodem* **$249.95**
IOK-1500A *Hayes Chronograph* ... **$199.95**

CAT MODEMS - Novation

CAT *300 baud. acoustic. answer/orginate*

IOM-5200A *List $189.95* **$149.95**

D-CAT *300 baud direct connect, answer/orginate*

IOM-5201A *List $199.95* **$169.95**

AUTO-CAT *Auto answer orginate. direct connect*

IOM-5230A *List $299.95* **$239.95**

Apple-CAT - Novation

Software selectable 1200 or 300 baud. direct connect. auto-answer auto-dial. auxiliary 3-wire RS232C serial port for printer.

IOM-5232A *Save $50.00!!!* **$325.00**

Accessories for Apple

16K MEMORY UPGRADE

Add 16K of RAM to your TRS-80, Apple, or Exidy in just minutes. - We've sold thousands of these 16K RAM upgrades which include the appropriate memory chips (as specified by the manufacturer), all necessary jumper blocks, fool-proof instructions, and our 1 year guarantee.

MEX-16100K *TRS-80 kit* **$25.00**
MEX-16101K *Apple kit* **$25.00**
MEX-16102K *Exidy kit* **$25.00**

16K RAM CARD - for Apple II

Expand your Apple to 64K, 1 year warranty

MEX-16500A *Save $70.00 !!!* **$129.95**

Z-80* CARD for APPLE

Two computers in one, Z-80 & 6502, more than doubles the power & potential of your Apple, includes Z-80 CPU card, CP/M 2.2, & BASIC-80*

CPX-30800A *A & T* **$299.95**

8" DISK CONTROLLER

New from Vista Computer, single or double sided, single or double density, compatible with DOS 3.2/3.3, Pascal, & CPM 2.2, Shugart & Qume compatible

IOD-2700A *A & T* **$499.95**

2 MEGABYTES for Apple II

Complete package includes: Two 8" double-density disk drives, Vista double-density 8" disk controller, cabinet, power supply, & cables, DOS 3.2/3.3, CP/M 2.2, & Pascal compatible.

1 MegaByte Package *(Kit)* **$1495.00**
1 MegaByte Package *(A & T)* **$1695.00**
2 MegaByte Package *(Kit)* **$1795.00**
2 MegaByte Package *(A & T)* **$1995.00**

DISK DRIVES - Micro Sci

Inexpensive disk drives for your Apple

A2 *Direct replacement for Apple Disk II, works with Apple II controller as first or second drive.*

MSM-123101 *Micro Sci A2* **$429.95**

A40 *40 track drive for Apple II. Improved storage capacity and speed over Apple Brand drives - requires Micro Sci controller.*

IOD-2340A *Micro Sci A40* **$399.95**

A70 *70 track drive for Apple II. Twice the storage capacity and three times faster than Apple Brand drives - requires Micro Sci controller*

IOD-2370A *Micro Sci A70* **$499.95**

Micro Sci Controller *Disk controller for up to two Micro Sci A40 or A70 disk drives, DOS 3.2, 3.3, Pascal, and Z-80 SoftCard compatible, includes utility disk and 40/70 track patch.*

IOD-2300A *Micro Sci controller* **$95.00**

VISION 80 - Vista Computer

80 column x 24 line video card for Apple II, 128 ASCII characters, upper and lower case, 9 x 10 dot matrix with 3 dot descenders, standard data media terminal control codes, CP/M Pascal & Fortran compatible, 50/60 Hz

IOV-2400A *Vista Vision 80* **$375.00**

AIO, ASIO, APIO - S.S.M.

Parallel & serial interface for your Apple (see Byte pg 11)

IOI-2050K *Par & Ser kit* **$139.95**
IOI-2050A *Par & Ser A & T* **$169.95**
IOI-2052K *Serial kit* **$89.95**
IOI-2052A *Serial A & T* **$99.95**
IOI-2054K *Parallel kit* **$69.95**
IOI-2054A *Parallel A & T* **$89.95**

CPS MULTICARD - Mtn. Computer

Three cards in one! Real time clock calendar, serial interface, & parallel interface - all on one card.

IOX-2300A *A & T* **$199.95**

Single Board Computer

Z-80 STARTER KIT - SD Systems

Complete Z-80 microcomputer with RAM, ROM, I/O, keyboard, display, kludge area, manual, & workbook

CPS-30100K *KIT* **$299.95**
CPS-30100A *A & T* **$469.95**

SYM-1 - Synertek Systems

Single board computer with 1K of RAM, 4K of ROM, key-pad, LED display, 20ma & cassette interface on board.

CPK-50020A *A & T* **$249.95**

VIC 20 - Commodore

Complete personal computer with 5K RAM, full color, 61 key keyboard, 4 dual special-function keys, serial ports, cassette port, composite video output (connects to standard color TV set), BASIC language, & expansion port.

COM-VIC20 *VIC-20* .... **Under $300.00**

PERSONAL COMPUTERS

Also available from Jade - Call for Price and Info

AIM-65, Altos, Apple II, Atari, Commodore, California Computer Sys Hewlett-Packard, Intersystems Jade, NEC, Novell, SD Systems SYM-1, Xerox, and more...

Video Monitors

HI-RES 12" GREEN - Zenith

15 MHz bandwidth, 700 lines/inch, P31 green phosphor, switchable 40 or 80 columns, small, light-weight & portable.

VDM-201201 *List price $150.00* **$118.95**

12" GREEN SCREEN - NEC

20 MHz, P31 phosphor video monitor with audio, exceptionally high resolution - A fantastic monitor at a very reasonable price

VDM-651200 *Special Sale Price* **$199.95**

12" COLOR MONITOR - NEC

Hi-res monitor with audio & sculptured case

VDC-651212 *Color Monitor* **$479.95**

NEC-1202D *RGB color monitor* ... **$1045.00**

Leedex / Amdek

Reasonably priced video monitors

VDM-801210 *Video 100 12" B&W* .. **$139.95**
VDM-801230 *Video 100-80 12" B& W* **$179.95**
VDM-801250 *12" Green Phospor* **$169.95**
VDC-801310 *13" Color I* **$379.95**
VDC-801320 *Color II* **$895.00**
IOV-2300A *DVM board for Apple* .. **$199.95**

Video Terminals

TELEVIDEO 910

Full featured - inexpensive terminal

VDT-901210 *List 795.00* **$695.00**

TELEVIDEO 950

VDT-901250 *List $1195.00* **$995.00**

AMBER SCREEN - Volker Craig

Detachable keyboard, amber on black display, 7 x 9 dot matrix, 10 program function keys, 14 key numeric pad, 12" non-glare screen, 50 to 19,200 baud, direct cursor control, auxiliary bi-directional serial port

VDT-351200 *List $795.00* **$645.00**

VIEWPIONT - ADDS

Detachable keyboard, serial RS232C interface, baud rates from 110 to 19,200, auxiliary serial output port, 24 x 80 display.

VDT-501210 *Sale Priced* **$639.95**

DIALOGUE 80 - Ampex

VDT-230080 *List $1195.00* **$895.00**

Circle 163 on inquiry card.

JADE Computer Products

FREE 1982 CATALOG

Just circle our reader service number on the information request card located near the index.

S-100 CPU Boards

THE BIG Z* - Jade

2 or 4 MHz switchable Z-80 CPU with serial I/O, accomodates 2708, 2716, or 2732 EPROM, baud rates from 75 to 9600*

CPU-30201K *Kit* $139.95
CPU-30201A *A & T* $189.95
CPU-30200B *Bare board* $35.00

2810 Z-80* CPU - Cal Comp Sys

2/4 MHz Z-80A CPU with RS-232C serial I/O port and on-board MOSS 2.2 monitor PROM, front panel compatible.*

CPU-30400A *A & T* $269.95

CB-2 Z-80 CPU - S.S.M.

2 or 4 MHz Z-80 CPU board with provision for up to 8K of ROM or 4K of RAM on board, extended addressing, IEEE S-100, front panel compatible.

CPU-30300K *Kit* $239.95
CPU-30300A *A & T* $299.95

S-100 PROM Boards

PROM-100 - SD Systems

2708, 2716, 2732 EPROM programmer w/software

MEM-99520K *Kit* $189.95
MEM-99520A *A & T* $249.95

PB-1 - S.S.M.

2708, 2716 EPROM board with built-in programmer

MEM-99510K *Kit* $154.95
MEM-99510A *A & T* $219.95

EPROM BOARD - Jade

16K or 32K uses 2708's or 2716's, 1K boundary

MEM-16230K *Kit* $79.95
MEM-16230A *A & T* $119.95

S-100 Video Boards

VB-3 - S.S.M.

80 characters x 24 lines expandable to 80 x 48 for a full page of text, upper & lower case, 256 user defined symbols, 160 x 192 graphics matrix, memory mapped, has key board input.

IOV-1095K *4 MHz kit* $349.95
IOV-1095A *4 MHz A & T* $439.95
IOV-1096K *80 x 48 upgrade* $39.95

VDB-8024 - SD Systems

80 x 24 I/O mapped video board with keyboard I/O, and on-board Z-80A.*

IOV-1020A *A & T* $459.95

VIDEO BOARD - S.S.M.

64 characters x 16 lines, 128 x 48 matrix for graphics, full upper/lower case ASCII character set, numbers, symbols, and greek letters, normal/reverse/blinking video, S-100.

IOV-1051K *Kit* $149.95
IOV-1051A *A & T* $219.95
IOV-1051B *Bare board* $34.95

S-100 Motherboards

ISO-BUS - Jade

Silent, simple, and on sale - a better motherboard

6 Slot (5¼" x 8⅝")

MBS-061B *Bare board* $19.95
MBS-061K *Kit* $39.95
MBS-061A *A & T* $49.95

12 Slot (9¾" x 8⅝")

MBS-121B *Bare board* $29.95
MBS-121K *Kit* $69.95
MBS-121A *A & T* $89.95

18 Slot (14½" x 8⅝")

MBS-181B *Bare board* $49.95
MBS-181K *Kit* $99.95
MBS-181A *A & T* $139.95

S-100 RAM Boards

MEMORY BANK - Jade

4 MHz, S-100, bankselectable, expandable from 16K to 64K

MEM-99730B *Bare Board* $49.95
MEM-99730K *Kit no RAM* $199.95
MEM-32731K *32K Kit* $239.95
MEM-64733K *64K Kit* $279.95
Assembled & Tested .... add $50.00

64K RAM - Calif Computer Sys

4 MHz bank port / bank byte selectable, extended addressing, 16K bank selectable, PHANTOM line allows memory overlay, 8080 / Z-80 / front panel compatible.

MEM-64565A *A & T* $575.00

64K STATIC RAM - Mem Merchant

64K static S-100 RAM card, 4-16K banks, up to 8MHz

MEM-64400A *A & T* $789.95

32K STATIC RAM - Jade

2 or 4 MHz expandable static RAM board uses 2114L's

MEM-16151K *16K 4 MHz kit* $169.95
MEM-32151K *32K 4 MHz kit* $299.95
Assembled & tested .... add $50.00

16K STATIC RAM - Mem Merchant

4 MHz 16K static RAM board, IEEE S-100, bank selectable, Phantom capability, addressable in 4K blocks, "disable-able" in 1K segments, extended addressing, low power

MEM-16171A *A & T* $164.95

S-100 Disk Controllers

DOUBLE-D - Jade

Double density controller with the inside track, on-board Z-80A, printer port, IEEE S-100, can function on an interrupt driven buss*

IOD-1200K *Kit* $299.95
IOD-1200A *A & T* $375.00
IOD-1200B *Bare board* $59.95

DOUBLE DENSITY - Cal Comp Sys

5¼" and 8" disk controller, single or double density, with on-board boot loader ROM, and free CP/M 2.2 and manual set.*

IOD-1300A *A & T* $374.95

S-100 I/O Boards

S.P.I.C. - Jade

Our new I/O card with 2 SIO's, 4 CTC's, and 1 PIO

IOI-1045K *2 CTC's, 1 SIO, 1 PIO* .. $179.95
IOI-1045A *A & T* $239.95
IOI-1046K *4 CTC's, 2 SIO's, 1 PIO* $219.95
IOI-1046A *A & T* $299.95
IOI-1045B *Bare board w/ manual* ... $49.95

I/O-4 - S.S.M.

2 serial I/O ports plus 2 parallel I/O ports

IOI-1010K *Kit* $179.95
IOI-1010A *A & T* $249.95
IOI-1010B *Bare board* $35.00

S-100 Mainframes

MAINFRAME - Cal Comp Sys

12 slot S-100 mainframe with 20 amp power supply


ENC-112105 *Kit* $329.95
ENC-112106 *A & T* $399.95

EPROM ERASER - Spectronics

Ultra-violet EPROM erasers

XME-3100A *With out timer* $69.50
XME-3101 *With timer* $94.50
XME-3200 *Economy Model* $39.95

Disk Drives



Handsome metal cabinet with proportionally balanced air flow system • Rugged dual drive power supply • Power cable kit • Power switch, line cord, fuse holder, cooling fan • Never-Mar rubber feet • All necessary hardware to mount 2-8" disk drives, power supply, and fan • Does not include signal cable

Dual 8" Subassembly Cabinet

END-000420 *Bare cabinet* $59.95
END-000421 *Cabinet kit* $225.00
END-000431 *A & T* $359.95

8" Disk Drive Subsystems
Single Sided, Double Density

END-000423 *Kit w/2 FD100-8Ds* . $924.95
END-000424 *A & T w/2 FD100-8Ds* $1124.95
END-000433 *Kit w/2 SA-801Rs* ... $999.95
END-000434 *A & T w/2 SA-801Rs* $1195.00

8" Disk Drive Subsystems
Double Sided, Double Density

END-000426 *Kit w/2 DT-8s* $1224.95
END-000427 *A & T w/2 DT-8s* .. $1424.95
END-000436 *Kit w/2 SA-851Rs* .. $1295.00
END-000437 *A & T w/2 SA-851Rs* $1495.00

5¼" Disk Drives

***Shugart SA400L** sngl-sided dbl-density 40 track*
MSM-104000 .. $234.95 ea 2 for **$224.95 ea**

***Shugart SA450** dbl-sided dbl-density 70 track*
MSM-104500 .. $349.95 ea 2 for **$329.95 ea**

***Qume DT-5** dbl-sided dbl-density 80 track*
MSM-750050 .. $359.95 ea 2 for **$349.95 ea**

***MPI B-51** sngl-sided dbl-density 40 track*
MSM-155100 .. $234.95 ea 2 for **$224.95 ea**

***MPI B-52** dbl-sided dbl-density 40 track*
MSM-155200 .. $344.95 ea 2 for **$334.95 ea**

***MPI B-91** sngl-sided dbl-density 77 track*
MSM-155300 .. $369.95 ea 2 for **$359.95 ea**

***MPI B-92** dbl-sided dbl-density 77 track*
MSM-155400 .. $469.95 ea 2 for **$459.95 ea**

8" Disk Drives

***Shugart SA801R** single-sided double-density*
MSF-10801R .. $394.95 ea 2 for **$389.95 ea**

***Shugart SA851R** double-sided double-density*
MSF-10851R .. $554.95 ea 2 for **$529.95 ea**

***Qume DT-8** double-sided double-density*
MSF-750080 .. $524.95 ea 2 for **$499.95 ea**


***Siemens FDD 100-8** sngl-sided dbl-density*
MSF-201120 .. $384.95 ea 2 for **$349.95 ea**

BUS PROBE - Jade

S-100 diagnostic analyzer board, dynamic visual display of all 96 IEEE S-100 signals, aids in real time analysis of faulty hardware and software

TSX-200B *Bare Board* $59.95
TSX-200K *Kit* $119.95
TSX-200A *A & T* $149.95

Circle 163 on inquiry card.



7400

SN7400N	.19	SN74123N	.59
SN7401N	.22	SN74125N	.39
SN7402N	.22	SN74126N	.44
SN7403N	.22	SN74128N	.59
SN7404N	.22	SN74132N	.69
SN7405N	.23	SN74136N	.75
SN7406N	.23	SN74139N	.95
SN7407N	.23	SN74141N	.79
SN7408N	.26	SN74142N	2.95
SN7409N	.23	SN74143N	2.95
SN7410N	.22	SN74144N	2.95
SN7411N	.29	SN74145N	.62
SN7412N	.29	SN74147N	1.95
SN7413N	.39	SN74148N	1.20
SN7414N	.59	SN74150N	1.09
SN7416N	.29	SN74151N	.67
SN7417N	.29	SN74152N	.67
SN7420N	.22	SN74153N	.67
SN7421N	.35	SN74154N	1.19
SN7422N	.29	SN74155N	.78
SN7423N	.29	SN74156N	.78
SN7425N	.29	SN74157N	.69
SN7426N	.29	SN74158N	1.65
SN7427N	.25	SN74160N	.88
SN7429N	.45	SN74161N	.88
SN7430N	.23	SN74162N	.89
SN7432N	.29	SN74163N	.87
SN7437N	.25	SN74164N	.87
SN7438N	.29	SN74165N	.87
SN7439N	.29	SN74166N	1.20
SN7440N	.19	SN74167N	1.95
SN7441N	.79	SN74170N	1.69
SN7442N	.57	SN74172N	4.75
SN7443N	.95	SN74173N	.79
SN7444N	.95	SN74174N	.89
SN7445N	.79	SN74175N	.85
SN7446N	.79	SN74176N	.75
SN7447N	.65	SN74177N	.75
SN7448N	.79	SN74179N	1.34
SN7450N	.19	SN74180N	.75
SN7451N	.19	SN74181N	1.75
SN7453N	.19	SN74182N	.75
SN7454N	.19	SN74184N	2.25
SN7459N	.25	SN74185N	2.25
SN7460N	.23	SN74186N	9.95
SN7470N	.29	SN74188N	3.90
SN7472N	.29	SN74190N	1.15
SN7473N	.34	SN74191N	1.15
SN7474N	.34	SN74192N	.85
SN7475N	.38	SN74193N	.85
SN7476N	.34	SN74194N	.85
SN7479N	4.60	SN74195N	.68
SN7480N	.49	SN74196N	.85
SN7482N	.95	SN74197N	.85
SN7483N	.55	SN74198N	1.39
SN7485N	.65	SN74199N	1.39
SN7486N	.35	SN74221N	1.19
SN7489N	1.75	SN74251N	.95
SN7490N	.39	SN74273N	1.05
SN7491N	.57	SN74279N	.75
SN7492N	.45	SN74283N	1.40
SN7493N	.45	SN74284N	3.90
SN7494N	.69	SN74285N	3.90
SN7495N	.65	SN74290N	1.25
SN7496N	.69	SN74298N	.95
SN7497N	2.90	SN74365N	.68
SN74100N	1.20	SN74366N	.68
SN74107N	.32	SN74367N	.68
SN74109N	.37	SN74368N	.68
SN74116N	1.95	SN74390N	1.45
SN74121N	.29	SN74393N	1.90
SN74122N	.39	SN74490N	1.90

CMOS

CD4000	.35	CD4098	2.29
CD4001	.35	CD4099	2.25
CD4002	.35	MC14408	12.95
CD4006	1.05	MC14409	12.95
CD4007	.25	MC14410	12.95
CD4008	1.39	MC14412	12.95
CD4009	.45	MC14415	8.95
CD4010	.45	MC14419	4.95
CD4011	.35	CD4501	.39
CD4012	.25	CD4502	1.65
CD4013	.45	CD4503	.69
CD4014	1.39	CD4505	8.95
CD4015	1.15	CD4506	.75
CD4016	.59	CD4507	.95
CD4017	1.19	CD4508	3.75
CD4018	.89	CD4510	1.19
CD4019	.45	CD4511	1.19
CD4020	1.10	CD4512	1.39
CD4021	1.19	CD4515	2.75
CD4022	1.15	CD4516	1.45
CD4023	.29	CD4518	1.39
CD4024	.75	CD4520	1.25
CD4025	.25	CD4555	4.95
CD4027	.65	CD4556	.99
CD4028	.85	CD4566	2.25
CD4029	1.29	74C00	.35
CD4030	.45	74C02	.35
CD4031	3.25	74C04	.35
CD4032	2.15	74C08	.35
CD4034	3.25	74C10	.35
CD4035	.95	74C14	.72
CD4037	1.95	74C20	.35
CD4040	1.29	74C30	.35
CD4041	1.25	74C32	.99
CD4042	.95	74C42	1.35
CD4043	.85	74C48	1.89
CD4044	.85	74C73	.75
CD4046	1.75	74C74	.75
CD4047	1.25	74C85	1.79
CD4048	.99	74C89	5.95
CD4049	.45	74C90	1.19
CD4050	.69	74C93	1.19
CD4051	1.10	74C95	1.49
CD4052	1.10	74C107	1.19
CD4053	1.10	74C151	2.49
CD4055	3.95	74C154	3.50
CD4056	2.95	74C157	2.10
CD4059	9.25	74C160	1.65
CD4060	1.39	74C161	1.55
CD4066	.75	74C163	1.65
CD4069	.35	74C164	1.55
CD4070	.49	74C173	1.35
CD4071	.35	74C174	1.35
CD4072	.35	74C175	1.35
CD4073	.35	74C192	1.65
CD4075	.35	74C193	1.65
CD4076	1.29	74C195	1.55
CD4077	.35	74C240	2.19
CD4078	.35	74C244	2.19
CD4081	.35	74C373	2.39
CD4082	.35	74C374	2.39
CD4085	1.95	74C922	5.39
CD4089	2.95	74C923	5.65
CD4093	.99	MM80C95	1.50
CD4094	2.95	MM80C97	1.25

74LS00

74LS00N	.26	74LS164N	1.19
74LS01N	.28	74LS165N	.89
74LS02N	.28	74LS166N	2.48
74LS03N	.28	74LS168N	1.15
74LS04N	.35	74LS169N	1.15
74LS05N	.28	74LS170N	1.99
74LS08N	.28	74LS173N	.89
74LS09N	.35	74LS174N	.89
74LS10N	.28	74LS175N	.89
74LS11N	.39	74LS181N	2.20
74LS12N	.33	74LS190N	1.15
74LS13N	.47	74LS191N	1.15
74LS14N	.95	74LS192N	.98
74LS15N	.33	74LS193N	.98
74LS20N	.26	74LS194N	1.15
74LS21N	.33	74LS195N	.95
74LS22N	.33	74LS196N	.89
74LS26N	.33	74LS197N	.89
74LS27N	.33	74LS221N	1.15
74LS28N	.33	74LS240N	1.69
74LS30N	.26	74LS241N	1.69
74LS32N	.33	74LS242N	1.69
74LS33N	.55	74LS243N	1.69
74LS37N	.45	74LS244N	1.49
74LS38N	.39	74LS245N	2.20
74LS40N	.26	74LS247N	1.10
74LS42N	.79	74LS248N	1.10
74LS47N	.79	74LS249N	1.19
74LS48N	.95	74LS251N	1.40
74LS51N	.26	74LS253N	.98
74LS54N	.29	74LS257N	.85
74LS55N	.29	74LS258N	.98
74LS73N	.45	74LS259N	2.95
74LS74N	.42	74LS260N	.65
74LS75N	.59	74LS261N	2.49
74LS76N	.45	74LS266N	.59
74LS78N	.45	74LS273N	1.75
74LS83AN	.79	74LS275N	4.40
74LS85N	1.19	74LS279N	.59
74LS86N	.45	74LS283N	.99
74LS90N	.57	74LS290N	.99
74LS92N	.75	74LS293N	.99
74LS93N	.75	74LS295N	1.10
74LS95N	.88	74LS298N	1.19
74LS96N	.98	74LS324N	1.75
74LS107N	.45	74LS347N	1.95
74LS109N	.45	74LS348N	1.95
74LS112N	.43	74LS352N	1.19
74LS113N	.43	74LS353N	1.19
74LS114N	.43	74LS363N	1.49
74LS122N	.55	74LS365N	.69
74LS123N	1.19	74LS366N	.69
74LS124N	1.35	74LS367N	.69
74LS125N	.89	74LS368N	.69
74LS126N	.52	74LS373N	1.89
74LS132N	.79	74LS374N	1.89
74LS136N	.49	74LS375N	.69
74LS138N	.85	74LS377N	1.95
74LS139N	.85	74LS385N	1.95
74LS145N	1.25	74LS386N	.65
74LS148N	1.49	74LS390N	1.95
74LS151N	.79	74LS393N	1.95
74LS153N	.79	74LS395N	1.70
74LS154N	1.70	74LS399N	2.35
74LS155N	1.19	74LS424N	2.95
74LS156N	.99	74LS668N	1.75
74LS157N	.85	74LS670N	2.29
74LS158N	.75	81LS95N	1.69
74LS160N	1.05	81LS96N	1.69
74LS161N	1.15	81LS97N	1.69
74LS162N	1.05	81LS98N	1.69
74LS163N	1.05		

LINEAR

78H05	5.95	MC1358	1.75
78M06	1.49	LM1414N	1.90
78M.G.	1.49	LM1458CN/N	.49
LM105H	.99	MC1488N	.99
LM108AH	2.95	MC1489N	.99
LM300H	.79	LM1496N	.89
LM301CN/H	.35	LM1556N	1.50
LM304H	.98	LM1820N	.95
LM305H	.89	LM1850N	.95
LM306H	3.25	LM1889N	3.10
LM307CN/H	.29	LM2111N	1.75
LM308CN/H	.98	LM2900N	.99
LM309K	1.49	LM2901N	2.50
LM310CN	1.25	LM2917N	2.95
LM311D/CN/H	.89	CA3013T	2.19
LM312H	1.75	CA3018T	1.99
LM317T	1.70	CA3021T	3.49
LM318CN/H	1.49	CA3023T	2.99
LM319N/H	1.25	CA3035T	2.75
LM320K-XX*	1.35	CA3039T	1.29
LM320T-XX*	1.39	CA3046N	1.29
LM320H-XX*	1.25	LM3053N	1.49
LM323K	4.95	CA3059N	3.19
LM324N	.95	CA3060N	3.19
LM337K	5.95	CA3062N	4.95
LM338K	6.95	LM3065N	1.49
LM339N	.95	CA3080T	1.29
LM340K-XX*	1.75	CA3081N	1.69
LM340T-XX*	1.25	CA3082N	1.69
LM340H-XX*	1.25	CA3083N	1.55
LM344H	1.95	CA3086N	.80
LM348N	1.20	CA3089N	2.99
LM350K	5.60	CA3096N	3.49
LM358CN	.98	CA3097N	1.99
LM360N	1.49	CA3130T	1.30
LM372N	1.95	CA3140T	1.19
LM376N	3.75	CA3146N	2.49
LM377N	2.75	CA3160T	1.19
LM380CN/N	1.25	CA3190N	1.95
LM381N	1.79	CA3410N	.59
LM383T	1.95	MC3423N	1.49
LM386N	1.25	LM3460N	3.95
LM387N	1.40	SG3524N	3.95
LM390N	1.95	CA3600N	3.39
NE531V/T	3.75	LM3900N	.59
NE555V	.39	LM3905N	1.19
NE556N	.98	LM3909N	.98
NE561T	19.95	LM3914N	3.75
NE565N/H	1.25	LM3915N	3.95
NE566H/V	1.75	LM3916N	3.75
NE567V/H	1.50	RC4131N	2.95
NE592N	2.75	RC4136N	1.10
LM702H	.99	RC4151N	3.70
LM709N/H	.29	RC4194TK	4.95
LM710N/H	.75	RC4195TK	5.40
LM711N/H	.39	ULN2001	1.25
LM715N	1.95	ULN2003	1.50
LM723N/H	.65	SN75450N	.59
LM733N/H	.98	SN75451N	.35
LM739N	1.15	SN75452N	.49
LM741CN/H	.33	SN75453N	.49
LM741CN-14	.19	SN75454N	.49
LM747N/H	.75	SN75491N	.89
LM748N/H	.39	SN75492N	.89
LM760CN	2.95	SN75493N	.89
LM1310N	1.90	SN75494N	.89
MC1330	1.95	TL494CN	4.20
MC1350	1.95	TL496CP	1.65

RETAIL STORES OPEN MON-SAT

STORE #1: 1310 "B" E. Edinger, Santa Ana, CA 92705 Showrooms, Retail, Warehouse
STORE #2: 542 Trimble Road, San Jose, CA 95131 • (408) 946-7010

**Retail prices may vary.



ADVANCED COMPUTER PRODUCTS



HP-85
$2695.00

HP 7225 Graphics Plotter	1795.00
HP 16K Memory Module	265.00
HP 5 1/4" Dual Master Flex. Disk Drive	2100.00
HP 5 1/4" Single Master Flex. Disc Drive	1295.00
HP Personality Module	700.00
HP ROM Drawer	40.00
HP Plotter/Printer ROM	130.00
HP Input/Output ROM	260.00
HP Matrix ROM	130.00
HP Serial Interface (RS-232C)	350.00

HP-83 $1895.00

HP-41: Powerful, Yet Easy to Use

HP 41-CV

- The HP-41 communicates with you in words as well as numbers.
- You can customize the HP-41 to your own design.
- Programming is fast and easy.
- Continuous Memory saves everything.
- Optional Peripherals allow you to expand capabilities.

HP-41 System I	398.00
HP-41 System II	675.00
HP-Card Reader	178.00
HP-Optical Wand	105.00
HP-Plotter/Printer	315.00
HP-Quad RAM	85.00

HP-41CV 275.00
HP-41C 198.00

Microbot MINIMOVER-5 ROBOTIC ARM

Completely Assembled W/Applications Manual

- Automation or Robotic Assembly
- Education in Robotic Priciples
- Artificial Inteligence Experiments
- Computer Art and Games

$1695.00

Armbasic Software for TRS-80 w/Applications Manual $39.95
Applications/Reference Manual $16.95


California Computer Systems 2200

SUPER S-100 BUY!

- 12 Slot Mainframe
- 64 Dynamic RAM
- CP/M™ 2.2
- Z-80 CPU 4 MHz w/Serial IO
- Double Density Disk Controller
- Interface to Vista V-1000 Chassis

SPECIAL PACKAGE PRICE FOR COMPLETE SYSTEM 1899.00
with (2) Shugart Double Density Floppys mounted. add 1495.00

Proto Clips



14-Pin Clip	PC-14	$ 4.25
16-Pin Clip	PC-16	$ 4.50
24-Pin Clip	PC-24	$ 9.50
40-Pin Clip	PC-40	$14.95

Proto Boards

PB-6	16.95	PB-104	54.00
PB-100	18.00	PB-203	97.00
PB-101	21.00	PB-203A	149.00
PB-102	25.00	PB-203A-Kit	129.00
PB-103	43.00		

Novation AUTO-CAT™

Automatic Answer Direct Connect 0-300 Band

List 279.95
ACP 245.95


CAT™

Answer Originate
List 198.00
ACP 169.00

D-CAT™

direct Connect
List 249.00
ACP 189.00

Rockwell Single Board Computers



AIM 65 w/1K	435.00
AIM 65 w/4K	475.00
8K BASIC ROM	99.00
4K ASSEMBLER ROM	84.00
POWER SUPPLY	64.95
ENCLOSURE	49.95
TOTAL SYSTEM w/4K	669.00
SYNERTEK SYM-1	239.00
SD Z-80 STARTER KIT	367.00
SD Z-80 STARTER KIT A&T	450.00
SDSBC 100Z-80A&T	367.00
SD SBC 200Z-80A&T	399.00
RCA COSMAC VIP	199.00
CROMEMCO Z-80SBC	449.00

P.O. Box 17329 Irvine, Calif. 92713
Direct Order Lines: (714) 558-8813
(800) 854-8230 or (800) 854-8241



Apple II® 64K Maxi-System

- Z-80 Softcard
- 16K Ram Card
- Disk II w/controller
- Apple II w/48K

Total Value $2719.00 your price $2229.00
For Pascal System add $425.00

Apple Computer Inc. products available in-store only.

VISTA COMPUTER	
Datasaver™ Uninterruptable P.S.	395.00
Vocalyzer™ Voice Card	225.00
Vision 80™ 80x24 Card	325.00
Vision 40™ 40 col. enhancement	175.00
A 800 Quad Denisty 8" Controller	595.00
Microsoft Z-80 Softcard	$325.00
Microsoft 16K Ramcard	169.00
SSM AIO Serial/Parallel IO	165.00
CCS Asynchronous 7710 A Serial	139.00
Apple Joystick "GESU"	54.95
Mountain Computer	
Romplus +	169.00
Rom Writer	159.00
Introl/X-10	180.00
Introl/X-10 Remote Cont. Sys.	249.00
Super Talker	275.00
Music System	499.00
CPS Multifunction	229.00
Expansion Chassis	699.00
DC Hayes Micromodem II	299.00
DC Hayes Smart Modem	349.95
Thunderclock	125.00
X-10 I/O Option*	49.00
Pascal For Above*	29.00
CCS Parallel Card 7720A	155.00
Apple Computer	
Apple Hi-Speed Serial I/O	174.95
Centronics Printer I/O	179.95
Applesoft II Firmware	159.95
Apple Clock	244.95
Apple Graphics Tablet	599.95
Apple Prototype Card	21.95
Apple Disk II w/ cont. 3.3	559.95
Apple Disk II	459.95
Pascal Language Card	425.95
Parallel Printer Cardd	159.95
Communications Card	189.00
IntegerROM Card	159.95
Calif. Prod Visicalc Keyboard	169.95
M& R Apple Fan	49.95
M & R Sup R' Mod	29.95
Corvus 5Mb HardDisk	3699.00
Corvus 10Mb HardDisk	Call
Corvus 20Mb Hard Disk	Call
Corvus Contellation	Call
Corvus Mirror	Call
ACP16K UpgradeKit	24.95
Scott Voice Recognition VET-2	895.00

apple /// Triple Play!

1. Apple III — 128K RAM, Information Analysis Pkg., 12" Green Phosphor Monitor — 4200.00
2. Apple III — 128K RAM, Information Analysis Pkg., 12" Green Phosphor Monitor, Disk II for Apple III — 5100.00
3. Apple III — 128K RAM, Information Analysis Pkg., 12" Green Phosphor Monitor, Disk II for Apple III, Silentype Printer — 5500.00

New apple software

Visicalc—Now Better Than Ever	169.00
Visiplot—Graph your Visicalc Worksheets	149.00
Visitrend/Visiplot—Visiplot w/Trend Analysis	239.00
Visidex—The Ultimate DBMS V'sicalc Compatible	219.00
Visiterm—Communicate w/other Systems	209.00
BPI General Ledger	299.00
BPI Accounts Receivable	299.00
BPI Inventory	299.00
Stockfile Inventory System	349.00
Infotory Inventory System	289.00
Microcom Microcourier	229.00
Microcom Microtelegraph	229.00
Accounting Plus II Biz Pkg.	1250.00
Stoneware DB Master	189.00
Stoneware Utility Pkg (For above)	89.00
WORDSTAR-The Benchmark of Wordprocessing software requires Z-80 & 80x24	349.00
VTS-80 CP/M-Wordprocessor has no screen menus uses new keycaps (supplied) to display Key functions	319.00 New
MAIL-MERGE-A Wordstar Enhancement Pkg. allows form-letter generation & chained printing	169.00
SPELLGUARD-Will proofread Wordstar & VTS-80 Text files against an expandable 20,000 word dictionary	169.00
SUPER SORT-Will sort, merge, & perform record selection on your CP/M Data Files	169.00
FORTRA 80-By Microsoft	195.00
COBOL 80 By Microsoft	749.00

ACS BASIC ACCOUNTING SYSTEM, Total accounting system includes G/L, A/R, A/P, PAYROLL 699.00 New

Vista A800 Quad Density DMA 8" Disk Controller



Model A800.... only $595.00

Special Complete Subsystem Offer

- V1000 w/two Qume Datatrack 8
- Cable, ready to run
- A800 Apple II 8" Disk Controller

Total Value $2939.00 your price $2495.00



ATARI 800 & 400 Personal Computer System

ATARI 800 $799.00
ATARI 400 $375.00

ATARI 800 Includes: Computer Console, BASIC Lang. Cartridge, BASIC Language Programming Manual. 800 Operator's Manual w/Notebook, 16K RAM Module, Power Supply, TV Switch Box.

Peripherals	
810 Disc Drive	499.00
820 Printer (40 Col.)	295.00
825 Printer (80 Col.)	795.00
8K RAM	49.95
16K RAM	91.95
850 Interface	189.95
Program Recorder	69.00
Software – ROM Cartridges	
Education System Master Cartridge	28.00
Atari BASIC	55.00
Assembler Debug	55.00
Basketball	42.00
Life	42.00
Super Breakout™	42.00
Music Composer	55.00
Super Bug™	42.00
Computer Chess	55.00
Home Finance	55.00
Education System Cassette Programs	
U.S. History	35.00
US Government	35.00
Supervisory Skills	35.00
World History (Western)	35.00
Basic Sociology	35.00
Counseling Procedures	35.00
Principles of Accounting	35.00
Physics	35.00
Great Classics (English)	35.00
Business Communications	35.00
Basic Psychology	35.00
Effective Writing	35.00
Auto Mechanics	35.00
Principles of Economics	35.00
Spelling	35.00
Basic Electricity	35.00
Basic Algebra	35.00
Basic Game and Program Cassettes	
Guide to BASIC Programming	18.00
BASIC Game Programs	19.00
Add-On Memory	
8K RAM Memory Module	110.00
16K RAM Memory Module	225.00
Diskettes	
Blank Diskettes	
Disk File Manager	5.00
Accessory Controllers	
Driving Controller Pair	18.00
Paddle Controller Pair	18.00
Joystick Controller Pair	18.00

DRIVER'S LICENSE # OR MAJOR CREDITCARD # IS REQUIRED ON ALL CHECKS. MONEY ORDER OR CASHIER CHECK WILL FACILITATE THE SHIPMENT OF YOUR PURCHASE.

Circle 9 on inquiry card.

California Digital

Post Office Box 3097 B • Torrance, California 90503



BRUCE SEALS
Designer of the Static • 64

Those of us who remember back to 1974 when S-100 was in its infancy and assembling from kit your own Altair Computer will recall that the only working add on memory was the 8K static board manufactured by Seals Electronics out of Knoxville Tennessee.

Ed Roberts and William Gates are credited for the design of the Altair computer, but Bruce Seals had the only working memory board.


By the time Mr. Seals' company was dissolved in 1979, Seals Electronics had sold over 47,000 of their 8K memory board.

Since the liquidation of Seals Electronics. Bruce has been hiding from the revenuers and running moonshine in the hills of Tennessee. after extensive negotiations California Digital has convinced Mr. Seals to come out of hiding and design the next generation of static memory boards.

The product that he has engineered is destined to become the next milestone in S-100 memory products.

In the next several months we expect to release a full line of computer products designed by Bruce Seals.





Utilizing the new "2167" ram chip, the Static 64 is the most current technology available in S-100 memory.

24 bit extended addressing, 8 or 16 bit data paths along with 16 bit request and acknowledge make this unique board completely compatable with the IEEE 696 buss standard.

The Static 64 has been engineered to allow each 16K segment of memory to be bank selectable supporting multiuser systems. Other selectable features allow the board to fully integrate with all current bank selecting schemes including Cromex and Alpha-Micro. Designed for DMA operations at clock frequencies in excess of 10 MHz.

The Static 64 is manufactured to meet current military circuit board specifications. IC sockets utilizing ultra-reliable machine screw contacts are used to increase the total integrity of the product. Each board before leaving our facility is subjected to extensive high temperature burn-in and test procedures.

Unconditional one-year warranty with 24 hour repair or replacement on all boards purchased from California Digital. OEM and dealer pricing upon request CAL6400.

$850





EPSON MX80
$475

Epson MX80FT friction/tr	$595.00
Epson MX100 132 column	825.00
Graftrax 80 option	70.00
Apple I/O & cable (8131)	129.00
Serial interface (8141)	79.00
Serial Inter. . 2K buf. (8151)	145.00
Cable for TRS-80	35.00
IEEE 488 interface (8161)	65.00
Replacement head	45.00
Replacement Ribbon	14.00
Paper 3500 sheets 9 1/2"	35.00

NEC PC-8023A
$635

Dot-matrix, bi-directional, logic-seeking, friction or tractor feed, impact printer. Complete graphics, upper and lower case ASCII, Greek, mathematics along with the ability to print dot graphic screen images directly onto paper.


Proportional spacing and 132 column compressed print make this low cost machine the best value in todays printer market.

PRINTRONIX
P-300 $4500
P-600 $6150

PRINTERS

Epson MX80	PREMX80	$475
Epson MX80FT	PREMX80F	595
Epson MX100	PREMX100	825
Anadex 9500	PRA9500	1295
Anadex 9501	PRA9501	1295
Anacom 150	PRA150	1075
IDS Paper Tgr.	PRG460G	1095
IDS Tiger 560	PRG560G	1350
Diablo 630	PRD630	2150
Diablo 1650	PRD1650	2850
Diablo 1640	PRD1640	2496
Datasouth 180	PRD180	1350
Printronix 300	PRP300	4500
Printronix 600	PRP600	6150
NEC/Sellum 1	PRN5510ps	2695
NEC/Sm 16K	PRN5516ps	2795
TEC/Starwrit.	PRV300	1395
Okidata 80	PRO80	419
Okidata 82	PRO82	619
Okidata 83	PRO83	895
Teletype 43K	PTT4320K	1095
Texas Ins. 810	PRT810B	1450
Tex. Ins 810C	PRT810C	1795
Centronics 730	PRC730P	529
Centronics 737	PRC737P	695
Centronics 739	PRC739P	795
Centrnx 704-9	PRC704-9	
Centrnx.704-11	PRC704-11	

SYSTEMS



APPLE II 48K MEMORY **$1150**



$2450 HEWLETT PACKARD **HP85**

Hew/Pack 85	SYSHP85	2650
Hew/Pack 83	SYSHP83	1895
Altos ACS8000	SYSACS8000	4795
Osborne 1	SYSOB1	1795
Commodore	SYSC8032	1495
Commodore	SYSC8096	1795
Superbrain64Q	SYSSB64Q	$3350
Superbrain64D	SYSSB64D	2850
Northstar 64 Q	SYSN64Q	3295
Northstar 64D	SYSN64D	2895
NEC/PC8000	SYSPC8000	call
Apple II Plus	SYSAP	1170

IBM 3101 Display Terminal

IBM Direct Price $1395
California Digital discount price **$1295**



AMPEX DIALOGUE 80 CRT TERMINAL
$995



New from the Ampex Corporation. The Dialogue 80 features removable keyboard, displayable two pages (four optional) dual program keys. half intensity protected fields and status line. Transmits data either block, line or character mode. Excellent value. VDT-D80 shipping 47 lbs.

VIDEO TERMINALS

ADDS Viewpoint	VDT-RVP	595
ADDS Regent 25 numeric cluster	VDT-R25	850
ADDS Regent 30 25th status line	VDT-R30	950
ADDS Regent 40 limited graphics	VDT-R40	1195
ADDS Regent 60 Block mode	VDT-R60	1495
Ampex Dialouge 80 two page.detatch	VDT-D80	995
Digital Equipment VT-100	VDT-V100	1595
Digital Equipment VT-132	VDT-V132	1895
Direct VP-800A emulator	VDT-P800	call
Hazeltine 1410	VDT-H1410	750
Hazeltine 1420	VDT-H1420	795
Hazeltine 1500	VDT-H1500	
Hazeltine 1510	VDT-H1510	
Hazeltine 1520	VDT-H1520	
Hewlett Packard 2621A	VDT-HP21A	
Hewlett Packard 2621P	VDT-HP21P	
IBM 3101-10 character mode green	VDT-3101	1195
IBM 3101-20 block mode	VDT-31012	1395
Lear Seigler 3A upper case only	VDT-L3A	850
Lear Seigler ADM5	VDT-L5	945
Lear Seigler ADM31	VDT-L31	1385
Lear Seigler ADM42	VDT-L42	1995
Visual 200	VDT-V200	995
Televideo 910C (new)	VDT-T910	595
Televideo 912C	VDT-T912	665
Televideo 920C	VDT-T920	745
Televideo 950C detatchable keybd.	VDT-T950	985
Zenith Z-19	VDT-Z-19	735

VIDEO MONITORS




BMC KG12C 18MHz P-31 grn phosphor	$259
Leedex/Amdek 12"100	129
Leedex 100 green	169
Leedex 100-80	197
Hitachi color 13"	389
Zenith color 13"	379
NEC green phosphor	219
Panasonic color 10"	
Sanyo 9" BW	149
Sanyo 12" green phos.	235
Sanyo 15" BW	259
Sanyo 13" color	419

ACCESSORIES FOR THE APPLE COMPUTER



CALIFORNIA COMPUTER SYSTEMS	
Arithmetic Processor 7811 B/C	$319
Asynchronous serial interface 7710	129
Centronics Interface card 7728	95
12K PROM Module 7114	69
Calender/Clock. Bat. back-up 7424	99
Parallel Interface 7720A	99
Programable Timer 7740A	99
Analog/Digital converter 7470A	99
MICROSOFT PRODUCTS	
Apple to Z-80 CPU card	379
D. C. HAYES PRODUCTS	
Micromodem for Apple	319
COMPUTER STOP PRODUCTS	
Double Vision / 80 Column Video	250
INTERACTIVE STRUCTURES	
16 Channel A/D card AIO/2	275
MOUNTAIN COMPUTER PRODUCTS	
Intro X-10 system for BSR	$239
Intro X-10 card only	165
16 channel AD/DA 8 bit	319
Apple Clock battery back-up	225
Supertalker SD200	245
ROM Plus with filter	165
ROM Writer/Programmer	149
APPLE BRAND PRODUCTS	
Apple Language card	450
Floppy disk with controller	560
Floppy disk without controller	495
Apple parallel interface	175
SSM MICROCOMPUTER	
Dual serial parallel interface AIO	
SORRENTO VALLEY ASSOCIATES	
8" floppy controller (Pascal)	360

S-100 BOARDS
Assembled • Tested • Burned-in



CPU BOARDS		
Calif. Computer 2810A Z-80 DMA. 4MHz	BDC-C2810	$250
Godbout Z-80 24 bit. 4MHz	BDC-GZ80	239
Godbout 8085/8088 dual 16 bit processor	BDC-G88	375
Measurement Systems Z-80 4 serial 2 parallel real time clock, 8 vector	BDC-MZ80	395
SD Systems SBC-200 Z-80 with serial & parallel I/O ports	BDC-SBC2	385
Teletek FDC-1 single board CPU & floppy disk controller plus I/O	BDC-FDC1	695
MAINFRAMES		
Calif. Computer 2200A 12 slot & power supply	ENM-C2200	349
TEI 12 slot table	ENM-T12	
TEI 22 slot table	ENM-T22	
Godbout mainfrm.	ENM-GMF	
MEMORY BOARDS		
Calif. Computer 2065A 64K dynamic memory	BDM-C2065	$429
Calif. Computer 2016 16K static memory	BDM-C2016	259
Calif. Computer 2032 32K static memory	BDM-C2032	585
Godbout Ram 17 64K static memory 16 bit	BDM-G17	1025
SD Systems Expandoram II 16K dynamic	BDM-EX16	295
SD Systems Expandoram II 64K dynamic	BDM-EX64	375
Measurement Systems DMB6400 for Alpha Micro	BDM-M6400	685
EPROM BOARDS		
Digital Research 32K, 2716 proms extra	BDM-DP32	99
SD Systems Prom-100 programmer	BDM-P100	260
FLOPPY DISK CONTROLLER		
Calif. Computer 2422A with 2.2 CPM	BDF-C2422	329
Godbout "Disk One" features the NEC 765 controller, DMA arbitration	BDF-GD1	395
Measurement Systems 765 chip, single & double density. Error recovery	BDF-MF	419
SD Systems Versafloppy II double density	BDF-VF2	419
Tarbell D/D	BDF-TF2	419
Morrow Design Disk Jockey I single density	BDF-DJ1	195
Morrow Design Disk Jockey II double density	BDF-DJ2	345
INTERFACE BOARDS		
Calif. Computer 2718 I/O 2 serial/2 par l	BDF-C2718	
Morrow Designs Switchboard 2 serial/4 par l	BDF-MSB	219
Morrow Designs Multiboard 3 serial/3P. +++	BDF-MMB	275
Godbout Interfacer One 2 serial/2 par l	BDS-GE1	199
Godbout Interfacer Two 1 serial/3 par l	BDS-GB2	199
SPECIALITY BOARDS		
QT Computer real time clock/calendar	BDS-QCK	135
Artec Elec. Wire wrap prototype board	BDS-AWW	25
Artec Elec. General Purpose proto board	BDS-AGP	25
Godbout Spectrum color board	BDS-GSC	295
D. C. Hayes S-100 Micromodem	BDS-HM1	350
Mullen Products extender board & logic probe kit	BDS-MTB1	49
Mullen Products Opto-contro board kit	BDS-MOC	139

Rotron Muffin Fan



$14.77 $12.00 @ 100, 10.50 @ 1000

115 VAC. 7 Watts WR2A1
Factory fresh Muffin fans
NOT pull-outs. EMF-4M

VISA



All merchandise sold by California Digital is premium grade.
Shipping: First five pounds $2.00; each additional add $.40
Foreign orders 10% shipping. Excess will be refunded.
California residents add 6% sales tax. COD's discouraged.
Open accounts extended to state supported educational institutions and companies with a "Strong Dun & Bradstreet."
Warehouse: 15608 Inglewood Blvd. Visitors by appointment.

Circle 52 on inquiry card.

TOLL FREE ORDER LINE
(800) 421-5041
TECHNICAL & CALIFORNIA
(213) 679-9001
TWX 910 325-6212

16K Memory 4116-200ns 8/15.95

ALL MERCHANDISE 100% GUARANTEED!   **CALL US FOR VOLUME QUOTES**

EPROMS

			Each	8 pcs
1702	256 x 8	(1ns)	4.95	4.50
2708	1024 x 8	(450ns)	2.99	2.75
2758	1024 x 8	(5V) (450ns)	9.95	8.95
TMS2516	2048 x 8	(5V) (450ns)	6.95	5.95
2716	2048 x 8	(5V) (450ns)	5.50	4.95
2716-1	2048 x 8	(5V) (350ns)	9.00	8.50
TMS2716	2048 x 8	(450ns)	9.95	8.95
TMS2532	4096 x 8	(5V) (450ns)	12.95	11.95
2732	4096 x 8	(5V) (450ns) (200ns)		CALL
2764	8192 x 8	(5V) (450ns)		CALL

DYNAMIC RAMS

				100 pcs
4027	4096 x 1	(250ns)	2.50	2.00
4116-120	16,384 x 1	(120ns)	8/29.95	CALL
4116-150	16,384 x 1	(150ns)	8/18.95	1.95
4116-200	16,384 x 1	(200ns)	8/15.95	1.80
4116-300	16,384 x 1	(300ns)	8/14.95	1.75
4164	64,536 x 1	(200ns)		CALL

STATIC RAMS

				100 pcs
2101	256 x 4	(450ns)	1.95	1.85
2102-1	1024 x 1	(450ns)	.89	.85
21L02-4	1024 x 1	(LP) (450ns)	1.29	1.15
21L02-2	1024 x 1	(LP) (250ns)	1.69	1.55
2111	256 x 4	(450ns)	2.99	2.49
2112	256 x 4	(450ns)	2.99	2.79
2114	1024 x 4	(450ns)	8/16.95	1.95
2114L-2	1024 x 4	(LP) (200ns)	8/19.95	2.35
2114L-3	1024 x 4	(LP) (300ns)	8/18.95	2.25
2114L-4	1024 x 4	(LP) (450ns)	8/17.95	2.10
2147	4096 x 1	(55ns)	9.95	CALL
TMS4044-4	4096 x 1	(450ns)	3.49	3.25
TMS4044-3	4096 x 1	(300ns)	3.99	3.75
TMS40L44-2	4096 x 1	(LP) (200ns)	4.49	4.25
TMM2016	2048 x 8	(200ns) (150ns)		CALL
HM6116	2048 x 8	(200ns) (150ns) (120ns)		CALL

LP = LOW POWER

CRYSTALS

32.768 KHZ	3.95
1.0 MHZ	4.95
1.8432	4.95
2.0	3.95
2.097152	3.95
2.4576	3.95
3.2768	3.95
3.579545	3.95
4.0	3.95
5.0	3.95
5.0688	3.95
5.185	3.95
5.7143	3.95
6.5536	3.95
8.0	3.95
10.0	3.95
14.31818	3.95
18.0	3.95
18.432	3.95
20.0	3.95
22.1184	3.95
32.0	3.95

MISC.

AY5-2376	12.50
11C90	13.95
XR2206	4.95
3242	7.95
3480	9.00
MC4024	3.95
MC4044	4.50
7103	9.50
7106	9.95
7107	12.95
76477	3.95
8038	3.95
95H90	7.99
9602	1.50

DISC CONTROLLERS

1771	24.95
1791	36.95
1793	44.95
1797	54.95

UARTS

AY3-1014	6.95
AY5-1013	3.95
TR1602	4.95
IM6402	7.95

INTERFACE

8T26	1.69
8T28	2.49
8T95	.99
8T96	.99
8T97	.99
8T98	.99
DM8131	2.95
DS8836	1.29

CLOCK CIRCUITS

MM5369	3.95
MM5375	3.95
MSM5832	7.45
7207	7.50
7208	15.95

CONVERTERS

MC1408 L8	4.95
DAC-0800	4.95
ADC-0804	4.95

February Specials

Z-80A-CPU	6.00
Z-80A-PIO	6.00
8214	2.95
8216	1.50
6800	4.95
6810	3.95

TMS 40L44-20
4096 x 1 low power 200ns RAMS

By Texas Instruments - not equivalent part number made by another manufacturer as sold by others:

4.49 each   125.00/32 pcs.

Specials end February 28, 1982

Please state "February Specials" when ordering

800-538-5000
800-662-6279
(CALIFORNIA RESIDENTS)

CALL JDR BEFORE YOU BUY!
WE WILL BEAT ANY COMPETITORS' PRICES

6502

6502	6.95
6502-A	12.95
6504	6.95
6505	8.95
6507	9.95
6520	4.35
6522	9.95
6532	14.95
6551	11.85

Z80

Z80-CPU	8.95
Z80A-CPU	6.00
Z80-P10	6.50
Z80A-P10	6.00
Z80-CTC	5.95
Z80A-CTC	8.65
Z80-DART	15.25
Z80A-DART	18.75
Z80-DMA	17.50
Z80A-DMA	27.50
Z80-S10/0	23.95
Z80A-S10/0	28.95
Z80-S10/1	23.95
Z80A-S10/1	28.95
Z80-S10/2	23.95
Z80A-S10/2	28.95
Z80-S10/09	17.95
Z80A-S10/9	22.95
Z80B-CPU	18.95
Z80B-CTC	17.95
Z80B-P10	17.95
Z8671	39.95
Z6132	34.95

74LS00 SERIES

				74LS166	2.40	74LS293	1.85
74LS00	.25	74LS85	1.15	74LS168	1.75	74LS295	1.05
74LS01	.25	74LS86	.40	74LS169	1.75	74LS298	1.20
74LS02	.25	74LS90	.65	74LS170	1.75	74LS324	1.75
74LS03	.25	74LS91	.89	74LS173	.80	74LS352	1.55
74LS04	.25	74LS92	.70	74LS174	.95	74LS353	1.55
74LS05	.25	74LS93	.65	74LS175	.95	74LS363	1.35
74LS08	.35	74LS95	.85	74LS181	2.15	74LS364	1.95
74LS10	.25	74LS96	.95	74LS189	9.95	74LS365	.95
74LS11	.35	74LS107	.40	74LS190	1.00	74LS366	.95
74LS12	.35	74LS109	.40	74LS191	1.00	74LS367	.70
74LS13	.45	74LS112	.45	74LS192	.85	74LS368	.70
74LS14	1.00	74LS113	.45	74LS193	.95	74LS373	.99
74LS15	.35	74LS114	.50	74LS194	1.00	74LS374	1.75
74LS20	.25	74LS122	.45	74LS195	.95	74LS377	1.45
74LS21	.35	74LS123	.95	74LS196	.85	74LS378	1.18
74LS22	.25	74LS124	2.99	74LS197	.85	74LS379	1.35
74LS26	.35	74LS125	.95	74LS221	1.20	74LS385	1.90
74LS27	.35	74LS126	.85	74LS240	.99	74LS386	.65
74LS28	.35	74LS132	.75	74LS241	.99	74LS390	1.90
74LS30	.25	74LS136	.55	74LS242	1.85	74LS393	1.90
74LS32	.35	74LS137	.99	74LS243	1.85	74LS395	1.65
74LS33	.55	74LS138	.75	74LS244	.99	74LS399	1.70
74LS37	.55	74LS139	.75	74LS245	1.90	74LS424	2.95
74LS38	.35	74LS145	1.20	74LS247	.76	74LS447	.37
74LS40	.35	74LS147	2.49	74LS248	1.25	74LS490	1.95
74LS42	.55	74LS148	1.35	74LS249	.99	74LS668	1.69
74LS47	.75	74LS151	.75	74LS251	1.30	74LS669	1.89
74LS48	.75	74LS153	.75	74LS253	.85	74LS670	2.20
74LS49	.75	74LS154	2.35	74LS257	.85	74LS674	9.65
74LS51	.25	74LS155	1.15	74LS258	.85	74LS682	3.20
74LS54	.35	74LS156	.95	74LS259	2.85	74LS683	2.30
74LS55	.35	74LS157	.75	74LS260	.65	74LS684	2.40
74LS63	1.25	74LS158	.75	74LS266	.55	74LS685	2.40
74LS73	.40	74LS160	.90	74LS273	1.65	74LS688	2.40
74LS74	.45	74LS161	.95	74LS275	3.35	74LS689	2.40
74LS75	.50	74LS162	.95	74LS279	.55	81LS95	1.69
74LS76	.40	74LS163	.95	74LS280	1.98	81LS96	1.69
74LS78	.50	74LS164	.95	74LS283	1.00	81LS97	1.69
74LS83	.75	74LS165	.95	74LS290	1.25	81LS98	1.69

CMOS

74C00	.35	74C374	2.75	4019	.45	4098	2.49
74C02	.35	74C901	.80	4020	.95	4099	1.95
74C04	.35	74C902	.85	4021	.95	14409	12.95
74C08	.35	74C903	.85	4022	1.15	14410	12.95
74C10	.35	74C905	10.95	4023	.35	14411	11.95
74C14	1.50	74C906	.95	4024	.75	14412	12.95
74C20	.35	74C907	1.00	4025	.35	14419	4.95
74C30	.35	74C908	2.00	4026	1.65	4502	.95
74C32	.50	74C909	2.75	4027	.65	4503	.65
74C42	1.75	74C910	9.95	4028	.80	4508	1.95
74C48	2.10	74C911	10.00	4029	.95	4510	.95
74C73	.65	74C912	10.00	4030	.45	4511	.95
74C74	.85	74C914	1.95	4034	2.95	4512	.95
74C76	.80	74C915	2.00	4035	.85	4514	1.25
74C83	1.95	74C918	2.75	4040	.95	4515	2.25
74C85	1.95	74C920	17.95	4041	1.25	4516	1.55
74C86	.95	74C921	15.95	4042	.75	4518	1.25
74C89	4.50	74C922	5.95	4043	.85	4519	1.25
74C90	1.75	74C923	5.95	4044	.85	4520	1.25
74C93	1.75	74C925	6.75	4046	.95	4522	1.25
74C95	1.75	74C926	7.95	4047	.95	4526	1.25
74C107	1.00	74C927	7.95	4049	.55	4527	1.95
74C150	5.75	74C928	7.95	4050	.55	4528	1.25
74C151	2.25	74C929	19.95	4051	.95	4531	.95
74C154	3.25	74C930	19.95	4053	.95	4532	1.95
74C157	1.75	4000	.35	4060	1.45	4538	1.95
74C160	2.00	4001	.35	4066	.75	4539	1.95
74C161	2.00	4002	.25	4068	.40	4543	2.70
74C162	2.00	4006	.95	4069	.35	4555	.95
76C163	2.00	4007	.29	4070	.35	4556	.95
74C164	2.00	4008	.95	4071	.30	4581	1.95
74C165	2.00	4009	.45	4072	.30	4582	1.95
74C173	2.00	4010	.45	4073	.30	4584	.95
74C174	2.25	4011	.35	4075	.30	4585	.95
74C175	2.25	4012	.25	4076	.95	4702	12.95
74C192	2.25	4013	.45	4078	.30	4724	1.50
74C193	2.25	4014	.95	4081	.30	80C07	.95
74C195	2.25	4015	.95	4082	.30	80C95	.85
74C200	5.75	4016	.45	4085	.95	80C96	.95
74C221	2.25	4017	1.15	4086	.95	80C97	.95
74C373	2.75	4018	.95	4093	.95	80C98	1.20

HOURS: Mon. - Fri., 9 to 5; Sat., 11 to 3

VISIT OUR RETAIL STORE!



JDR MICRODEVICES, INC.
1224 So. Bascom Ave.
San Jose, CA 95128
800-538-5000 • 800-662-6279 (CA)
(408) 995-5430 • Telex 171-110

TERMS: For shipping include $2.00 for UPS ground, $3.00 for UPS Blue Label air. $10.00 minimum order. Bay Area residents add 6½% sales tax. California residents add 6% sales tax. We reserve the right to limit quantities and substitute manufacturer. Prices subject to change without notice. Send SASE for complete list.

2716 EPROMS 450NS (5V) 8/4.95 ea.

ALL MERCHANDISE 100% GUARANTEED! **CALL US FOR VOLUME QUOTES**

8000

8035	16.95
8039	19.95
8080A	3.95
8085	12.95
8085A-2	16.95
8086	99.95
8088	39.95
8155	11.95
8156	11.95
8185	29.95
8185-2	39.95
8741	39.95
8748	29.95
8755	44.95

6800

6800	5.70
6802	10.95
6808	9.95
6809	24.95
6809E	29.95
6810	4.60
6820	4.95
6821	4.95
6828	9.95
6834	16.95
6840	14.95
6843	42.95
6844	44.95
6845	16.95
6847	15.95
6850	4.75
6852	5.75
6860	10.95
6862	11.95
6875	6.95
6880	2.95
68B00	10.95
68B21	12.95
68B50	12.95

8200

8202	45.00
8205	3.50
8212	1.85
8214	3.85
8216	1.80
8224	2.50
8226	1.80
8228	4.90
8237	19.95
8238	4.95
8239	4.85
8243	4.45
8250	14.95
8251	4.75
8253	9.25
8253-5	9.85
8255	4.75
8255-5	5.25
8257	8.75
8259	6.90
8272	39.95
8275	29.95
8279	9.50
8279-5	10.50
8282	6.65
8283	6.65
8284	5.70
8286	6.65
8287	6.50
8288	25.00
8289	49.95

TV CIRCUITS

MC1330	1.89
MC1350	1.29
MC1358	1.79
LM380	1.29
LM386	1.50
LM565	.99
LM741	.29
LM1310	2.90
LM1800	2.99
LM1889	1.49

EPROM ERASERS


PE-14	78.50
PE-14T (with timer)	108.50
PE-24T (with timer)	154.50

ALL ARE HIGH QUALITY UNITS ENCLOSED IN A BLACK ANODIZED ALUMINUM ENCLOSURE.

OUR AD MAY BE IMITATED BUT OUR SERVICE CAN NEVER BE DUPLICATED.

APPLE FAN $69.00

- EXTRA PLUG-IN CARDS CAN CAUSE YOUR APPLE TO OVERHEAT
- ULTRA-QUIET APPLE FAN DRAWS COOL AIR THROUGH YOUR COMPUTER
- ELIMINATES DOWN TIME
- SAVES REPAIR CHARGES
- INCREASES RELIABILITY
- CLIPS ON — NO HOLES OR SCREWS
- COLOR MATCHES APPLE
- LONG LIFE, LOW NOISE MOTOR



*APPLE IS A TRADEMARK OF APPLE COMPUTER INC.

IC SOCKETS

	1-99	100
8 pin ST	.13	.11
14 pin ST	.15	.12
16 pin ST	.17	.13
18 pin ST	.20	.18
20 pin ST	.29	.27
22 pin ST	.30	.27
24 pin ST	.30	.27
28 pin ST	.40	.32
40 pin ST	.49	.39
ST = SOLDERTAIL		
8 pin WW	.59	.49
14 pin WW	.69	.52
16 pin WW	.69	.58
18 pin WW	.99	.90
20 pin WW	1.09	.98
22 pin WW	1.39	1.28
24 pin WW	1.49	1.35
28 pin WW	1.69	1.49
40 pin WW	1.99	1.80
WW = WIREWRAP		

CONNECTORS

RS232 MALE	3.25
RS232 FEMALE	3.75
RS232 HOOD	1.25
S-100 ST	3.95
S-100 WW	4.95

DIP SWITCHES

4 POSITION	.85
5 POSITION	.90
6 POSITION	.90
7 POSITION	.95
8 POSITION	.95

TRANSISTORS

PN2222	10/1.00	100/ 8.99
2N2222	.25	50/10.99
2N2907	.25	50/10.99
2N3055	.79	10/ 6.99
2N3904	10/1.00	100/ 8.99
2N3906	10/1.00	100/ 8.99
1N4148 (1N914)		10/ 1.00
1N4004		25/ 1.00

LEDS

Jumbo Red	10/1.00
Jumbo Green	6/1.00
Jumbo Yellow	6/1.00
5082-7760 .43"CC	.79
MAN74 .3"CC	.99
MAN72 .3"CA	.99

VOLTAGE REG's

7805T	.79	7905T	.89
7808T	.99	7912T	.89
7812T	.79	7915T	1.19
7815T	.99	7924T	1.19
7824T	.99		
7805K	1.39	7905K	1.49
7812K	1.39	7912K	1.49
7815K	1.39	79LO5	.79
78LO5	.69	79L12	.79
78L12	.69	79L15	.79
78L15	.69		
		LM317K	3.95
LM309K	1.49	LM323K	4.95
LM317T	1.95	LM337K	3.95

T = TO-220 K = TO-3 L = TO-92

LINEAR

LM301V	.34
LM308V	.98
LM309K	1.49
LM311	.64
LM317T	1.95
LM317K	3.95
LM318	1.49
LM323K	4.95
LM324	.59
LM337K	3.95
LM339	.99
LM377	2.29
LM380	1.29
LM386V	1.50
LM555V	.39
LM556	.69
LM565	.99
LM566V	1.49
LM567V	1.29
LM723	.49
LM733	.98
LM741V	.29
LM747	.79
LM748V	.59
LM1310	2.90
MC1330V	1.89
MC1350V	1.29
MC1358	1.79
LM1414	1.59
LM1458V	.69
LM1488	.99
LM1489	.99
LM1800	2.99
LM1889	2.49
LM3900	.59
LM3909V	.98
LM3914	3.95
LM3915	3.95
LM3916	3.95
75451V	.39
75452V	.39
75453V	.39

74S00 SERIES

74S00	.44	74S74	.69	74S163	3.75	74S257	1.39
74S02	.48	74S85	2.39	74S168	4.65	74S258	1.49
74S03	.48	74S86	1.44	74S169	5.44	74S260	1.83
74S04	.79	74S112	1.59	74S174	1.09	74S274	19.95
74S05	.79	74S113	1.98	74S175	1.09	74S275	19.95
74S08	.48	74S114	1.50	74S181	4.47	74S280	2.90
74S09	.98	74S124	2.77	74S182	2.95	74S287	4.75
74S10	.69	74S132	1.24	74S188	3.95	74S288	4.45
74S11	.88	74S133	.98	74S189	14.95	74S289	6.98
74S15	.70	74S134	.69	74S194	2.95	74S301	6.95
74S20	.68	74S135	1.48	74S195	1.89	74S373	3.45
74S22	.98	74S138	1.08	74S196	4.90	74S374	3.45
74S30	.48	74S139	1.25	74S197	4.25	74S381	7.95
74S32	.98	74S140	1.45	74S201	14.95	74S387	5.75
74S37	1.87	74S151	1.19	74S225	8.95	74S412	2.98
74S38	1.68	74S153	1.19	74S240	3.98	74S471	9.95
74S40	.44	74S157	1.19	74S241	3.75	74S472	16.85
74S51	.78	74S158	1.45	74S244	3.98	74S474	17.85
74S64	.79	74S161	2.85	74S251	1.90	74S482	15.60
74S65	1.25	74S162	3.70	74S253	7.45	74S570	7.80
						74S571	7.80

7400 SERIES

7400	.19	7451	.23	74136	.50	74186	18.50
7401	.19	7453	.23	74141	.65	74190	1.15
7402	.19	7454	.23	74142	2.95	74191	1.15
7403	.19	7460	.23	74143	2.95	74192	.79
7404	.19	7470	.35	74144	2.95	74193	.79
7405	.22	7472	.29	74145	.60	74194	.85
7406	.22	7473	.34	74147	1.75	74195	.85
7407	.22	7474	.35	74148	1.20	74196	.79
7408	.24	7475	.49	74150	1.35	74197	.75
7409	.19	7476	.35	74151	.65	74198	1.35
7410	.19	7480	.59	74152	.65	74199	1.35
7411	.25	7481	1.10	74153	.55	74221	1.35
7412	.30	7482	.95	74154	1.40	74246	1.35
7413	.35	7483	.50	74155	.75	74247	1.25
7414	.55	7485	.65	74156	.65	74248	1.85
7416	.25	7486	.35	74157	.55	74249	1.95
7417	.25	7489	4.95	74159	1.65	74251	.75
7420	.19	7490	.35	74160	.85	74259	2.25
7421	.35	7491	.40	74161	.70	74265	1.35
7422	.29	7492	.50	74162	.85	74273	1.95
7423	.29	7493	.49	74163	.85	74276	1.25
7425	.29	7494	.65	74164	.85	74279	.75
7426	.29	7495	.55	74165	.85	74283	2.00
7427	.29	7496	.70	74166	1.00	74284	3.75
7428	.45	7497	2.75	74167	2.95	74285	3.75
7430	.19	74100	1.00	74170	1.65	74290	.95
7432	.29	74107	.30	74172	5.95	74293	.75
7433	.45	74109	.45	74173	.75	74298	.85
7437	.29	74110	.45	74174	.89	74351	2.25
7438	.29	74111	.55	74175	.89	74365	.65
7440	.19	74116	1.55	74176	.89	74366	.65
7442	.49	74120	1.20	74177	.75	74367	.65
7443	.65	74121	.29	74178	1.15	74368	.65
7444	.69	74122	.45	74179	1.75	74376	2.20
7445	.69	74123	.55	74180	.75	74390	1.75
7446	.59	74125	.45	74181	2.25	74393	1.35
7447	.69	74126	.45	74182	.75	74425	3.15
7448	.69	74128	.55	74184	2.00	74426	.85
7450	.19	74132	.45	74185	2.00	74490	2.55

HOURS: Mon. - Fri., 9 to 5; Sat. 11 to 3



JDR MICRODEVICES, INC.
1224 S. Bascom Ave.
San Jose, CA 95128
800-538-5000 • 800-662-6279 (CA)
(408) 995-5430 • Telex 171-110

VISIT OUR RETAIL STORE!

TERMS: For shipping include $2.00 for UPS Ground, $3.00 for UPS Blue Label Air. $10.00 minimum order. Bay Area residents add 6½% sales tax. California residents add 6% sales tax. We reserve the right to limit quantities and substitute manufacturer. Prices subject to change without notice. Send SASE for complete list.

1 Infinity:
First in a series of t-shirts by Scott Kim

Inversions

An "inversion" is a word that has been written so that it reads symmetrically.

For instance, words that are the same upside down and right side up are inversions. A few words exist in the English language that do this naturally, such as "SWIMS" and "NOON." But alas, the great majority of words, when turned upside down, don't do anything interesting at all.

Fortunately for lovers of inversions, letters are quite flexible. Look around you and you will see the letter "a" written in hundreds of different ways. And all of them we have learned to read as the same letter.

By bending and stretching the shapes of letters, we can turn ordinary asymmetrical words into symmetrical inversions. Not all words will work, but when they do, the results are inevitably fascinating.

Scott Kim's new book ***Inversions: a Catalog of Calligraphic Cartwheels,*** published by Byte Books, is a collection of more than 60 inversions, exploring a wide range of ideas and lettering styles.

In the accompanying text, Scott explains how inversions are created, so that you may try your hand at them.

*"Scott Kim's **Inversions**... is one of the most astonishing and delightful books ever printed... Over the years Kim has developed the magical ability to take just about any word or short phrase and letter it in such a way that it exhibits some kind of striking geometrical symmetry."*
— Martin Gardner,
Scientific American

Infinity



name
address
city
state zip

___xs ___s ___m ___l ___xl	Black on white @ $8.00	______
___xs ___s ___m ___l ___xl	White on black @ $8.75	______
	Postage (add $1 per shirt)	______
	Calif. residents: add 6½% sales tax	______
	Total Enclosed	$______

Infinity: 100% cotton, silkscreened. Check or money order only. Sorry – no C.O.D. Dealer inquiries invited.

Inversions Dept. B1, P.O. Box 50697, Palo Alto, CA 94303-0662

Infinity

In this design, Scott Kim mixes idea and image, art and technology, in a swirling evocation of infinity. This intricate design was created with the aid of a computer program, which took a basic hand-drawn design,



repeated it symmetrically,



then bent it into a continuously expanding spiral.

As you look at the design, you'll discover that it can be read in two different ways. Notice that the letters "fi" when turned upside down become the "y" at the end of "infinity." And so the spiral can be read as either "infinity" going in or "infinity" coming out! Which do you see?

Infinity is the first in a series of wearable wordplays from the book ***Inversions: a Catalog of Calligraphic Cartwheels*** by Scott Kim. The book is available through your local bookstore, or by calling Byte Books toll-free at 800-258-5420.

Give the Infinity shirt as a gift, wear it while doing double back somersaults, take one on your next space flight. The possibilities are infinite.

Circle 413 on inquiry card.

WE HAVE IT!

TOMORROW'S COMPUTERS NOW!

from

Cromemco



System Two — 64K-Z2 with dual-sided mini floppies (780K), List $4,695 . . **$3549**

Call for Super Prices on Hard Disk and Multi-User systems.

CROMIX, or MP/M or OASIS Systems now available from Mini Micro Mart running CROMIX (or MP/M or OASIS) on a CDC PHOENIX (Ninety-six MB-Sixteen Removeable-Eighty Fixed) hard disk.

COMPUTER SYSTEMS

CS-0 Computer System w/SCC & MCB-216, List $1295 . . . . **$1,099**

CS-0/D Computer System 780 SCC CPU, 64 KZ, 16 FDC, List $2,995 . . . . **$2,595**

DDF Dual Double-Sided 5" Drives for CS-0, List $1,295. . . . . **$1,099**

Z-2H Hard Disk Computer System, List $9,995 **$8,495**
A combination of the 64K System 2 with dual double-sided mini floppies and an 11-megabyte hard disk. A complete system!

HDD-11 11Megabyte Hard Disk System,
Single drive system List $6,995. . . . . **$5,945**

HDD-22 22Megabyte Hard Disk System,
Dual drive system List $11,995 . . . . **$10,195**

System Three — features 4MHz CPU, with 64K of RAM, List $7,995 . . . . **$6,795**
Dual-sided PerSci 8" floppy disk drives, RS232C Interface

PRINTERS

Line Printer 3703, List $3,195 . . . . **$2,715**
180 characters/sec., 132 cols., 18" platen

Line Printer 3779, List $1695 . . . . **$1,269**
60 characters/sec., up to 132 ch./line; 12" platen

Line Printer 3715, List $1,295 . . . . **$1,099**
150 characters/sec., 80 ch./line or 132 ch./line; 8" line length

Letter Quality Printer 3355A, List $3,495 . . . . . . **$2,969**
55 characters/sec., 15" platen, tractor-feed

TERMINALS

CRT Terminal 3102, List $2,295 . . . . **$1,949**
80 char./line; 24 line display

CROMEMCO BOARDS

SCC Single Card Computer, List $495 . . . . $382
ZPU Z-80 CPU 2/4MHz, List $395 . . . $335
48KTP 2 Port 48K Memory, List $1495 . . . . $1269
16KZ Dynamic RAM Memory, List $495 . . . . $419
64KZ Dynamic RAM Memory, List $1195 . . . . $995
16FDC Disk Controller, DD, List $595 . . . . $499
8K Bytesaver II Prom Programmer, List $295 . . . . $249
32K Bytesaver Prom Card for 2716s, List $345 . . . . $295
TU-ART I/O Interface, List $345 . . . . $249
D+7A Digital/Analog Interface, List $295 . . . . $210
8PIO 8 Port Parallel Interface, List $295 . . . . $249
4PIO 4 Port Parallel Interface, List $395 . . . . $335
QDRT 4 Channel Syn/Asyn Interface, List $595 . . . . $499
IOP Intelligent I/O Processor, List $695 . . . . $589
PRI Printer Interface Card, List $245 . $209
16KPR 16K Prom Memory Card, List $245 . . . . $209
CGI TV Dazzler, List $395 . . . . $335
SDI Hi-Res Color Graphics, List $795 $675
EXC-2 Extender Board, List $65 . . . . . . $38
WWB-2 Wire Wrap Board, List $65 . . . $38

CROMEMCO SOFTWARE

(Specify 8" or 5¼")

CROMIX Multi-User, List $595 . . . . . . $249
FDA Macro Assembler, List $295 . . . . $249
FDB 16K Extended Basic, List $195 . . $165
FDC COBOL Compiler, List $595 . . . . $299
FDF Fortran IV Compiler, List $295 . . $179
FDR RATFOR includes Fortran IV, List $395 . . . . $335
STB 32K Structured BASIC, List $295 . . . . $249
SGS Super Dazzler Graphics, List $595 . . . . $299
DBM Data Base Management w/Report, List $395 . . . . $249
WPS Word Processing System, List $295 . . . . $249
TSS Trace System Simulator, List $195 . . . . $95
WRMR Writemaster Word Processing, List $595 . . . . $499
SLMR Slidemaster, List $595 . . . . $499

Mini Micro Mart, Inc.

master charge

943 W. Genesee St. Syracuse, N.Y. 13204 (315) 422-4467



TWX 710-541-0431

Circle 233 on inquiry card.

PRIORITY ONE ELECTRONICS



S-100 CPU

CPU-Z - GODBOUT
2/4 MHZ Z80 CPU 24 Bit Addressing

BBGBT 160A	A & T	$199.00
BBGBT 160C	CSC 3-6 MHZ	$375.00

DUAL PROCESSOR 8085-8088 - GODBOUT
6 or 8 MZ Provides true 16 Bit Power with a standard 8 bit S-100 bus.

BBGBT 1612A	A & T	6 MHZ	$399.00
BBGBT 1612C	CSC	8 MHZ	$498.00

SOLID STATE DISK DRIVE, 3500% FASTER!
Not Really, But the Next Best Thing For Godbout 8085/88 Users. Call for Details on M-Drive. See Page 340 of November **BYTE**

BBGBT MD 128K		$1,550.00
BBGBT MD 256K		$3,000.00

2810 Z80 CPU-CA. COMP. SYST.
2/4 MHZ Z80A CPU with RS232C Serial I/O Port complete with Monitor PROM for 2422 Disk Controller

BBCCS 2810A	A & T	$280.00

CB2 Z80 CPU - S.S.M.
2/4 MHZ will accept 2716, or 2732, or RAM RUN/STOP and single step switches

BBSSMCB2K	Kit	$260.00
BBSSMCB2A	A & T	$310.00
BBSSMZ80M	SSMZ80 Monitor	$89.00

CBIA 8080 CPU - S.S.M.
8080 CPU, 1K RAM, Holds 1 2708, 1 Bit parallel input port.

BBSSMCB1K	Kit	$183.00
BBSSMCB1A	A & T	$225.00
BBSSM8080M	SM 8080 Monitor	$59.00

S-100 I/O BOARDS

SYSTEM SUPPORT I - GODBOUT
Serial port (software prog baud), 4K EPROM OR RAM provision, 15 levels of interrupt, real time clock, optional math processor

PART NO.	DESCRIPTION	LIST PRICE	OUR PRICE
BBGBT162A	Assembled & Tested	$399.00	$360.00
BBGBT162C	CSC	$495.00	$460.00
BBGBT8231	Math Chip		$195.00
BBGBT8232	Math Chip		$195.00
BBGBT162AM1	A&T with 8231 Math Chip		$555.00
BBGBT162CM1	CSC with 8231 Math Chip		$655.00
BBGBT162AM2	A&T with 8232 math Chip		$555.00
BBGBT162CM2	CSC with 8232 Math Chip		$655.00

MPX CHANNEL BOARD - GODBOUT
I/O Multiplexer, using 8085A-2 CPU on board

BBGBT166A	A & T	$495.00	$450.00
BBGBT166C	CSC	$595.00	$550.00

INTERFACER I - GODBOUT
Two Serial I/O

BBGBT133A	A & T	$249.00	$219.00
BBGBT133C	CSC	$324.00	$298.00

INTERFACER II - GODBOUT
Three parallel, one serial I/O board

BBGBT150A	A & T	$249.00	$219.00
BBGBT150C	CSC	$324.00	$289.00

INTERFACER III - GODBOUT
Eight channel multi-use serial I/O board

BBGBT1748A	A & T	$699.00	$629.00
BBGBT1748C	CSC 200 hr. Burn In	$849.00	$629.00

INTERFACER 3 WITH 5 SERIAL PORTS

BBGBT1745A	A & T	$599.00	$559.00
BBGBT1745C	CSC 200 hr. Burn In	$699.00	$629.00

MULTI I/O - MORROW DESIGNS
Three Serial, Two parallel

BBMOSMB3200	A & T	$359.00	$329.00

SWITCHBOARD - MORROW DESIGNS
Two serial I/O, four parallel I/O, one status port, one strobe port

BBMOSS82411		$299.00	$269.00

I/O4 - SSM
Two serial I/O, two parallel I/O

BBSSMI04K	Kit		$210.00
BBSSMI04A	A & T	$290.00	$260.00

I/O 5 - SSM
2 Serial, 3 Parallel including 1 Centronics

BBSSMI051	A & T	$329.00	$309.00

I/O 8 - SSM
8 Port Serial I/O with Timer

BBSSMI08A	A & T	$550.00	$495.00

2710 4 PORT SERIAL - CCS
4 Full handshaking RS232 ports and optional 2K ROM

BBCCS271001	A & T	$360.00	$310.00

2718 2 SERIAL & 2 PARALLEL - CCS
2 RS232C ports, 2 8 bit parallel ports, & optional 2K ROM


BBCCS271801	A & T	$360.00	$325.00

2720 4 PORT PARALLEL - CCS
4 8 bit parallel ports and optional 2K ROM

BBCCS272001	A & T	$250.00	$225.00

S-100 10 MHZ STATIC RAM

NEW LOW PRICES!



32K STATIC RAM - GODBOUT
RAM 20 10 MHZ. 4K byte block disable, bank select or 24 bit addressing available 8, 16, 24 or 32K

PART NO.	DESCRIPTION	LIST PRICE	OUR PRICE
BBGBT164AA8	8K A&T	$210.00	$190.00
BBGBT164AC8	8K CSC	$280.00	$260.00
BBGBT164AA16	16K A&T	$285.00	$260.00
BBGBT164AC16	16K CSC	$355.00	$325.00
BBGBT164AA24	24K A&T	$355.00	$325.00
BBGBT164AC24	24K CSC	$425.00	$385.00
BBGBT164AA32	32K A&T	$425.00	$385.00
BBGBT164AC32	32K CSC	$495.00	$450.00

64K STATIC RAM - GODBOUT
RAM 17, 10 MHZ, 2 Watt, DMA Compatable 24 Bit Addressing

BBGBT175A48	48K A&T	$650.00	$619.00
BBGBT175C48	48K CSC 200hr.	$750.00	$710.00
BBGBT175A64	64K A&T	$795.00	$755.00
BBGBT175C64	64K CSC 200hr.	$895.00	$850.00


NEW! 32K x 16 BIT STATIC RAM - GODBOUT
RAM 16 10 MHZ, 32K x 16 or 64K x 8 IEEE/696 16 BIT 2 Watt, 24 Bit Addressing

BBGBT180A	64K A&T	$895.00	$850.00
BBGBT180C	64K CSC	$995.00	$945.00

NEW! 128K STATIC RAM - GODBOUT
RAM 21 10MHZ 128K X 8 OR 64K x 16 IEEE/696 8 or 16 Bit 1.2 Amps 24 Bit Addressing

BBGBT167A	128K A&T	$1695.00	$1610.00
BBGBT167C	128K CSC	$1895.00	$1795.00

S-100 ROM



PBI PROM PROGRAMMER - SSM
Programs 2708 or 2716's, operates as a 4K/8K EPROM BOARD AS WELL.

BBSSMPB1K	Kit		$179.00
BBSSMPB1A	A & T	$265.00	$220.00

ECONOROM 2708 - GODBOUT
16K x 8 EPROM Board using 2708, Power on jump to any 256 byte

BBGBT125A	A & T	$135.00	$120.00
BBGBT125C	CSC	$195.00	$175.00

MB8A - SSM
1K/16K 2708 EPROM board, disable in 1K increments

BBSSMMB8AK	Kit		$114.00
BBSSMMB8AA	A & T	$179.00	$159.00

S-100 VIDEO BOARDS

SPECTRUM - GODBOUT
Color Graphics board with Parallel I/O

BBGBT144A	A & T	$399.00	$349.00
BBGBT144C	CSC	$449.00	$399.00
BBGBT20	Sublogic Universal Graphics Interpreter Software		$35.00

VB - 3 S.S.M.
80 x 25 or 50 character video display Memory Mapped, Parallel Keyboard port

BBSSMVB3K24	80 x 24 Kit		$425.00
BBSSMVB3A24	80 x 24 A&T	$499.00	$440.00
BBSSMVB3UP	80 x 50 Line Upgrade		$ 39.00

VB2-S.S.M.
I/O Mapped Video Board, with Parallel Keyboard port 64 x 16

BBSSMVB2K	Kit		$199.00
BBSSMVB2A	A & T	$269.00	$229.00

VBBB - S.S.M
Memory Mapped Video Board 64 x 16 character display or 64 x 16 graphics display


BBSSMVB1K	Kit		$179.00
BBSSMVB1A	A & T	$242.00	$220.00

S-100 MOTHERBOARDS - GODBOUT

Active termination, 6-12-20 slot

BBGBT153A	A&T 6 slot, 2 lbs	$140.00	$126.00
BBGBT153C	CSC 6 slot, 2 lbs.	$190.00	$175.00
BBGBT154A	A&T 12 slot, 3 lbs.	$175.00	$155.00
BBGBT154C	CSC 12 slot, 3 lbs.	$240.00	$220.00
BBGBT155A	A&T 20 slot, 4 lbs.	$265.00	$235.00
BBGTB155C	CSC 20 slot, 4 lbs.	$340.00	$310.00

S-100 DYNAMIC RAM




THE EXPANDABLE 1
PRIORITY 1 ELECTRONICS

THE EXPANDABLE 1™ 64K Dynamic Ram board provides your S-100 system with 64K of reliable, high-speed dynamic RAM. Compatable with most of the major S-100 systems on the market, including those with front panels, it supports DMA operations and requires no Wait states with current microprocessors.
• User expandable from 16 to 64K • Supports DMA • Designed to IEEE proposed S-100 bus standards • 2 or 4 MHz operation • Operates with either an 8080 or Z-80 based S-100 system, providing processor-transparent refreshes with both • Supports IMSAI-type front panels • Jumper-selectable Phantom input • Uses Popular 4116 RAMS • All ICs in sockets • Any 16K block can be made bank-independent • Fully buffered address and data lines • Fail-safe refresh circuitry for extended Wait states • Board configuration with reliable, easy-to-configure Berg jumpers

BBPRIEXP116	16K Assembled & Tested	$299.00
BBPRIEXP132	32K Assembled & Tested	$339.00
BBPRIEXP148	48K Assembled & Tested	$379.00
BBPRIEXP164	64K Assembled & Tested	$409.00

S-100 DISK CONTROLLERS



DISK I - GODBOUT
FAST DMA, Soft Sector, Controls 8" or 5¼", single or double density OUR BEST!

		LIST PRICE	OUR PRICE
BBGBT171A	A & T	$495.00	$450.00
BBGBT171C	CSC	$595.00	$555.00
BBGBTCPM80*	CP/M 2.2 for Z80/8085 with manuals & BIOS 8" S/D disk		$175.00
BBGBTOAS8S	Oasis 8 bit single user 8" S/D disk		$500.00
BBGBTOAS8M	Oasis 8 bit multiuser, 8" S/D disk		$850.00

2422A - CA. COMP. SYST.
I/O Mapped, controls 8", single or double density A&T with CPM 2.2 8" S.D.

BBCCS2422A	$475.00	$375.00

DISK JOCKEY 2D - MORROW
Memory Mapped, controls 8", single or double density, serial I/O

BBMOSDJ2208	A&T with CP/M 2.2	$399.00	$375.00


S-100 DISK SUBSYSTEMS

DISCUS SINGLE SIDED MORROW
8" DBL Density drives with cabinet, power supply controller, with CP/M 2.2 and Microsoft Basic

BBMOSF1218	Single Drive System	$1095.00	$950.00
BBMOSF1228	Dual Drive System	$1875.00	$1598.00

DISCUS DOUBLE SIDED - MORROW
8" DBL Density/sided drives with cabinet Power supply controller, with CP/M 2.2 and Microsoft Basic

BBMOSF2218	Single Drive System	$1395.00	$1250.00
BBMOSF2228	Dual Drive System	$2495.00	$2050.00



S-100 HARD DISK - MORROW


5.25" 5MB, 8" 10 & 20MB, 14" 26MB formatted hard disk complete with cabinet, P.S., Controller, CP/M 2.2 and Microsoft MBASIC 80

		LIST PRICE	SALE PRICE
BBMOSOMAM5	5 MB	$2495.00	$2250.00
BBMOSM10S	10 MB	$3695.00	$2950.00
BBMOSM20S	20 MB	$4795.00	$3825.00
BBMOSM26S	26 MB	$4495.00	$3495.00

Circle 289 on inquiry card.

PRIORITY ONE ELECTRONICS

S-100 SYSTEMS



"LITTLE 8" Z80 SYSTEM STARTER SET GODBOUT

CPU Z:A *4MHz Z80 A-based 8-bit workhorse CPU board that includes all the standard features plus many of the convenience options. Meets all IEEE 696/S-100 specifications, including timing.*

DISK 1 DMA High Performance Disk Controller: *disk controlers don't have to be your system's bottleneck! The DISK 1 is lightning fast thanks to properly implemented DMA (with arbitration) and transfer that is independent of CPU speed.*

RAM 20 32K High Speed Static RAM. *This board has it all! Operates at speeds up to 10MHz, ultra-low power consumption, IEEE 696/S-100 extended addressing protocol, bank select and flawless DMA.*

CP/M 2.2: *The de facto standard of 8-bit operating systems ready to load and go!*

ANOTHER PRIORITY 1 EXCLUSIVE!

We went to GODBOUT and made a special buy on the nucleous of the best S-100 Z80A systems ever.

LOOK AT WHAT YOU GET:

1 BBGBT160A *2/4 MHz Z80 CPU* $295.00
1 BBGBT164A32 *32K 10MHz Static Ram* $425.00
1 BBGBT171A *DMA Disk Controllers* $495.00
1 BBGBTCPM80 *CP/M 2.2* $175.00
IT ALL ADDS UP TO $1390.00

TOTAL PACKAGE PRICE ONLY $1095.00
ORDER NO. BBPDBGBTSG

SUPERSIXTEEN — GODBOUT

LOOK WHAT $3495.00 WILL BUY!
WHY WAIT ANY LONGER?
HERE IS WHAT EACH PACKAGE INCLUDES:

BBGBT1612A *6 MHz 8085/8088 Dual Processor Board*
BBGBT171A *High Speed DMA Disk Controller*
BBGBT162A *System Support 1 Multi-Function Board*
BBGBT133A *Interfacer 1 Dual Serial I/O*
BB128K 10MHz *Low Power Static Ram*
BBGBTCP/M 86 *16 Bit Operating System Ready to Load & Go*
Cables and Documentation *Three interfacer cables one disk I/O cable, complete documentator for all hardware, and manuals for both CP/M operating systems.*
Compu Pro's *famous* **1 Year** *limited warranty.*

Now to the best part of all. If purchased separately, these quality components would list for $4,344.00. **BUT SuperSixteen's low package price is an amazing $3.495.00. You save $849.00!** *(For boards qualified under the Certified System Component high-reliability program - with extended 2 year warranty, 200 hour burn-in and 6 MHz processors - add $600.00 to the package price.* *Sh. Wt. 15 lbs.*

BBPDBGBTSJ	SuperSixteen A&T	$3495.00
BBPDBGBTSK	SuperSixteen CSC	$4095.00

S-100 SOFTWARE

PRIORITY 1 is pleased to offer the finest in industry standard software. All software is supplied on 8" Single Density IBM 3740 CP/M compatable disketts. All software is sold "AS IS" and is non-returnable. If you have questions about the software for your application, order the manual first.

BBCCS803	CP/M Version 2.2 Microcomputer Control Program		$150.00
BBCCS2301	MAC-CP/M Macro Assembler		$90.00
BBCCS2401	SID-CP/M Symbolic Instruction Debugger		$75.00
BBCCS2501	TEX-CP/M Text Formatter		$75.00
BBCCS2601	DESPOOL-CP/M Background Print Utility		$50.00
BBMOSBAS80	Microsoft Basic 80	$200.00	
BBMOSPAS/C	Whitesmith's Pascal and C	$900.00	
BBMOSCCOMP	Whitesmith C Compiler	$700.00	
BBMOSMFT	Microsoft Fortran	$400.00	

CP/M, MAC, SID, TEX, and DESPOOL are registered trademarks of Digital Research

PART NO.	DESCRIPTION	LIST PRICE	OUR PRICE
BBCCS401	C-BASIC-2 Interp	$150.00	$139.00
BBCCS401M	Manual		$ 32.00
BBCCS1101	FMS-80 by Systems Plus	$995.00	$895.00
BBCCS1101M	Manual		$ 70.00
GRAHAM-DORIAN ACCOUNTING			
BBCCS1301	General Ledger	$820.00	$750.00
BBCCS1301M	Manual		$ 50.00
BBCCS1501	Accounts Receivable	$820.00	$750.00
BBCCS1501M	Manual		$ 50.00
BBCCS1401	Accounts Payable	$820.00	$750.00
BBCCS1401M	Manual		$ 50.00
BBCCS1701	Inventory II	$820.00	$750.00
BBCCS1701M	Manual		$ 50.00
BBCCS1601	Payroll II	$555.00	$495.00
BBCCS1601M	Manual		$ 50.00
BBCCS2001	Job Costing	$820.00	$750.00
BBCCS2001M	Manual		$ 50.00
BBCCS2701	Order Entry/Invoice	$820.00	$750.00
BBCCS2701M	Manual		$ 50.00
MEDICAL PRACTICE PATIENT BILLING			
BBCCS1801	15 PROGRAMS	$820.00	$750.00
BBCCS1801M	Manual		$ 50.00
DENTAL PRACTICE PATIENT BILLING			
BBCCS1901	19 PROGRAMS	$820.00	$750.00
BBCCS1901M	Manual		$ 50.00

S-100 MAINFRAMES



S-100 MICROFRAME - TEI

110V 60HZ CVT Mainframes, the best money can buy!
12 Slot ±8V 17A±16V @ 2A
22 Slot ±8V @ 30A± 6V @ 4A

PRIORITY 1 has delayed the 8% TEI Price Increase until March 1st. ORDER TODAY!

PART NO.		LIST PRICE	OUR PRICE 1-9	10-24
BBTEIMCS 112	12 Slot Desk	$685.00	$615.00	$570.00
BBTEIMCS 122	22 Slot Desk	$825.00	$760.00	$705.00
BBTEIRM 12	12 Slot Rackmount	$725.00	$720.00	$619.00
BBTEIRM 22	22 Slot Rackmount	$875.00	$850.00	$750.00

Shipping Weight: On 12 Slot Mainframe 45 lbs. On 22 Slot Mainframes 55 lbs.

TEI S-100 FRAMES 2 - 5" DISK CUTOUTS

±8V @ 17±16V @ 1.2A, Internal Cables

			1-9	10-24
BBTEITF12	12 Slot desk	$675.00	$625.00	$580.00
BBTEIRD12	12 Slot Rackmount	$795.00	$715.00	$665.00

Shipping Weight: On 12 Slot Desk 40 lbs. On 12 Slot Rackmount 45 lbs.

DUAL 8" DISK DRIVE CHASSIS - TEI

For Shugart 800/801R or 850/851R with internal power cables provided
+24V @ 1.5A+5V @ 1.0A - 5V @ .25A

			1-9	10-24
BBTEIDFDD	Desk Top	$535.00	$485.00	$455.00
BBTEIRFDD	Rack Mount	$720.00	$670.00	$630.00
BBPDBDFDDS1	DFDD with 1 Shugart 801R		$$970.00	
BBPDBDFDDS2	DFDD with 2 Shugart 801Rs		$1375.00	
BBPDBRFDDS1	RFDD with 1 Shugart 801R		$1095.00	
BBPDBRFDDS2	RFDD with 2 Shugart 801Rs		$1495.00	
BBPRI50PGCE2	Internal Data Cable .50 pin plug connector to 2 Card Edge		$34.95	

Due to UPS shipping regulations, disk drives will be shipped separately from the cabinet. Don't forget to include shipping for each drive. (Shipping Weight, 16 lbs each.)

CALL FOR NEW TEI PRICES MARCH 1st

S-100 MAINFRAME - GODBOUT

110V 60HZ CVT Mainframe uses famous 20 slot GODBOUT Motherboard. 55 lbs.

BBGBTENC20RM	20 Slot Rack Mount	$895.00	$825.00
BBGBTENC20DK	20 Slot Desk Top	$825.00	$760.00

GODBOUT Mainframe, Less Motherboard & Power Supply-Kit. *23 lbs.*

BBGBTBOX DESK	Desk Top Main Frame	$289.00
BBGBTBOX RACK	Rack Mount Main Frame	$329.00

S-100 MAINFRAME - CCS

12-slot motherboard with removable termination card

BBCCS220001	Office Cream	35 lbs	$575.00	$535.00
BBCCS220002	Blue	35 lbs	$575.00	$535.00

SOFTWARE - MICROPRO

All software is supplied on 8" Single Density IBM 3740 CP/M Compatable Diskettes

WORDSTAR
Screen-Oriented, integrated word processing system specifically designed for non-technical personnel
BBMPRWRDSTAI $495.00 $300.00

MAIL MERGE WORD STAR OPTION
Powerful file merging tool
BBMPRMLMRGA1 *(Requires Word Star 2.1 or later)* $250.00 $100.00

SPELLSTAR WORD STAR OPTION
One Step "Proofreader" with compressed 20,000 word dictionary and user-created supplemental dictionaries
BB MPRSPLSTA1 *(Requires Word Star 3.0 or later)* $250.00 $150.00

SUPERSORT
Sophisticated program that will select and re-arrange variable length information from data files
BBMPRSPRSRAI $250.00 $150.00

CALC STAR
Sophisticated, easy-to-use, electronic spread sheet and financial planner
BBMPRCLCSTAI $295.00 $200.00

DATA STAR
Office-Oriented Data Entry, retrival, and updating system
BBMPRDATSTAI $350.00 $200.00

FLOPPY DISC DRIVES



Tandon TM-800 Thinline is exactly half the size of conventional 8" floppy disk drives.

Exactly one-half the height of any other model.
Propietary, high-resolution, read-write heads patented by Tandon
D.C. only operation - no A.C. required
Industry standard interface.
Three millisecond tract-to-track access time *9 lbs.*

BBTNDTM8481	Single Sided	$495.00	2 or more	$470.00
BBTNDTM8482	Double Sided	$825.00	2 or more	$600.00
BBTNDTM8M	Manual - not included with drive			$ 10.00

801R - SHUGART

Single sided double density most popular 8" drive

BBSHU801R	$425.00 ea or 2 or more (16 lbs) for	$395.00 ea.
BBSHUSA801RM	Manual for 801R drives	$ 10.00

DT-8 - QUME

Data track 8 double sided, double density 8"

BBQMEDT8	$575.00 ea or 2 or more (16 lbs) for	$540.00 ea
BBQMEDT8M	Manual for DT-8	$ 10.00

5¼" DRIVES - TANDON

BBTNDTM1001	Single Sided, 250KB (5 lbs)	$310.00
BBTNDTM1002	Double Sided, 500KB	$370.00
BBTNDTM1003	Single Sided, 500KB	$375.00
BBTNDTM1004	Double Sided, 1000KB	$495.00
BBTNDTM5M	Manual, not included with drive	$ 10.00

DISK CABINETS



V-100 - VISTA

• *Desk or rack mountable* • *Internal power and data cables* • *Drives pull out for easy service and maintenance*

BBVISV100 *Disk Drive Cabinet (43 lbs)* $495.00 $449.00

SINGLE 8" - Q.T.

Single 8" cabinet with power supply
BBQTCDDC8 *(22 lbs)* $195.00

DUAL 8" - Q.T.

Dual 8' cabinet with power supply
BBQTCDDC88 *(24)* $349.00

5" CABINETS - VISTA

BBVIS 9801	Single 5" with P.S.	$75.00
BBVIS 9802	Dual 5" with P.S.	$95.00

PRINTERS

MX80 — EPSON

NEED WE SAY MORE?


BBEPNMX80 *Tractor Feed 17 lbs* $645.00 **$450.00**

PRINTER INTERFACES - MICROBYTE

RS232 Serial Conversion for MX80
BBMBSSEI1 *A & T* $55.00

Apple Centronics 8 bit parallel interface for Centronics, Epson & OKIDATA printers
BBMBSAEI1 *A & T* $55.00
BBMBSAECI *Cable for above* $14.95

BEST PRICE!



MICROLINE — OKIDATA
WITH FRICTION AND TRACTOR FEED

- *BI-DIRECTIONAL - 120 CPS*
- *9x9 Matrix (Alphanumeric)*
- *6x9 or 12 Matrix for Graphics*
- *5,8.3, 10,16 Charactrsp/Inch*
- *6 or 8 Lines per Inch*
- *80 CPL@10 CPI for 82A*
- *132 CPL@10 CPI for 83A*
- *Parallel and Serial I/O*
- *100 Thru 1200 Baud*
- *Self Test*
- *Out of Paper Switch*
- *Friction or Tractor Feed*
- *3" to 14" Top of Form (Switch Selectable)*
- *10 Different Character Sets*

PART NO.	DESCRIPTION	LIST PRICE	SALE PRICE
BBOKIDAT82AT(26 lbs)	8 80 CPL @ 10 CPI	$ 799.00	$539.00
BBOKIDAT83AT (37 lbs)	132 CPL @10 CPI	$1195.00	$750.00
BBOKISER2KBF	9600 baud with 2K Serial Buffer upgrade with X-on Y-off		$159.00
BBOKIGRAPH	High Resolution Graphics Prom		$99.00

CALL FOR THE NEW MICROLINE 84

VISA



PRIORITY ONE ELECTRONICS ©

9161-I DEERING AVE • CHATSWORTH, CA 91311

NEDA   MEMBER MITA

ORDER TOLL FREE (800) 423-5922 CA, AK, HI CALL (213) 709-5464

Terms U.S. VISA, MC, BAC, Check Money Order, U.S. Funds Only. CA residents add 6% Sales Tax. MINIMUM PREPAID ORDER $15.00 Include MINIMUM SHIPPING & HANDLING of $2.50 for the first 3 lbs. plus 25¢ for each additional pound. Orders over 50 lbs. sent freight collect. Just in case, please include your phone no. Prices subject to change without notice. We will do our best to maintain prices through February, 1982. Credit Card orders will be charged appropriate freight. See November **BYTE** for 60 page Catalog or send $1.00 for your copy today. Sale prices are for prepaid orders only.

PRIORITY ONE ELECTRONICS

ONE


SAVE $1,000.00 ON


California Computer Systems

2.4 MEGA-BYTE S-100 DUAL 8" DISK COMPUTER SYSTEM

HERE'S WHAT YOU GET:
2210 MICROCOMPUTER SYSTEM

• *2 or 4 MHZ operation* • *Z-80 CPU* • *65,536 bytes of dynamic RAM* • *RS-232-C serial port* • *Accepts 8" and 5¼" floppy disk drives* • *12-slot, cream colored mainframe* • *Internal cabling installed* • *CP/M 2.2 (on diskette) Operating System*




The Model 2210 Computer System is a Z-80 based system containing 65,536 bytes of dynamic RAM memory and floppy disk controller mounted in a 12 slot mainframe. The system is ideally suited for applications where user defined peripheral devices are to be used and a high degree of system flexibility and expandability is desirable.

The system components are the Models 2810 CPU, 2065 64K Byte Memory Module, 2422 Floppy Disk Controller and 2200 Mainframe. Also included in the system are internal cables interconnecting the DPU serial channel, disk controller 8" disk channel and disk controller 5¼" disk channel to the mainframe back panel. This permits connecting user peripherals directly to the system without the need of opening the mainframe.

Of the 12 slots available in the mainframe, only three are used for the basic system components. 9 slots are available for user options or other CCS products such as memory (expandable up to 512K bytes (serial and parallel I/O boards).

System software is provided using the CCS version of the CP/M Operating System, Version 2.2. The system is totally linked to permit auto-boot start-up with the CP/M on diskette.

The system is completely integrated and tested prior to shipment from CCS to assure proper configuration and system integrity.



BBCCS221001 **$2350.00**

We add two REMEX 4000 Double Density, Double Sided 3ms 8" drives and a QTCDDC88 Dual 8" disk enclosure with power supply data cable and documentation

SALE PRICE $2930.00

This is a complete system, just add a terminal

ORDER PART NO BBPDBCCSSA
INCLUDE $30.00 FOR SHIPPING



IF THAT'S NOT A GOOD ENOUGH DEAL FOR YOU, WE WILL SELL YOU THE BBOKIDAT82AT FOR $475.00 OR THE BBOKIDAT83AT FOR $700.00 WHEN YOU BUY THIS SYSTEM AT THE SAME TIME!



DIRECT CONNECT MODEM PRICE BREAKTHROUGH!

THE SIGNALMAN MK 1

Meet the direct-connect SIGNALMAN MK1 ... the smallest, lightest, most compact modem available today. Its long life 9 volt self-contained battery and exclusive audible Carrier Detect Signal allows you to install the SIGNALMAN anywhere ... out of he way, and out of sight. Now, there is no need for messy cables, and no need to look at an LED to verify carrier.


Anchor's SIGNALMAN has been designed for transmitting both voice and data signals over all common telephone lines. And when you're in the data position, your SIGNALMAN automatically changes from ORIGINATE to ANSWER and back again as the need arises — ending all that confusion.

Your SIGNALMAN is fulycompatible with all BELL 103 modems — putting your computer in instant communications with thousands of other computers.

Anchor Automation has taken the FUSS out of communications. For business or fun, SIGNALMAN is the ideal modem.

PRODUCT FEATURES

- Direct Connect Modem
- Built-in RS232C Cable and Connector
- Self-contained 9V Battery — Wall plug transformer available.
- Audible carrier detect signal.
- Automatic mode selection
- Talk/Data switch.
- CONNECTS IN SERIES WITH MODULAR *HANDSET* JACK ON TELEPHONE
- Complete with RS232C and Modular Handset Cables, eliminates need to buy cables — save $20.00 -$30.00, assures correct fit.



- Uses low cost 9V battery. Eliminates unsightly cords and need for "another"
- AC outlet. Optional plug-in transformer available.
- Audio Transducer eliminates need to view LED to confirm connection — can be placed anywhere (velcro tape provided).
- Advanced IC Circuitry eliminates confusion of who is originator — ends need to manually switch from Originate to Answer and Vice/Versa.
- Permits you to listen/talk on phone or switch to data communications mode.
- Permits you to communicate with most other computer networks.
- Small size, light weight permits you to install the SIGNALMAN anywhere.
- Lowest priced modem available.

ANCHOR AUTOMATION **$129.00**

RS232C SPECIFICATIONS

Data Format: Serial, binary, asynchronous. **Operate Mode:** Manual dial, Automatic ANSW/ORIG selection. **Data Rate:** 0 to 300 bps, full duplex. **Modulation:** Frequency shift keyed (FSK). **Line Interface:** Direct Conect. **Data Interface:** RS232C, Cable to Computer Built-In.

Transmit Frequency:

	ORIG	ANSW
MARK	1270 Hz	2225 Hz
SPACE	1070 Hz	2025 Hz

Transmit Frequency Accuracy: 0.1%. **Transmit Level:** -12dbm.

Receive Frequency

	ORIG	ANSW
MARK	2225 Hz	1270 Hz
SPACE	2025 Hz	1070 Hz

Carrier Detect Threshold: -44 dbm, plus or minus 2 dbm (ORIG). / -46 dbm, plus or minus 2 dbm (ANSW). **Carrier Detect Indicator:** Audible Tone. **Power Requirement:** Self-Contained — 9V Transistor Battery* / 110 VAC Through Adapter*. **Mechanical:** 8" x 4" x 1"

*Not Included

BBANCMK1 **$129.00**

Circle 290 on inquiry card.

PRIORITY ONE ELECTRONICS

BUY WITH CONFIDENCE
From the Nation's Largest



Distributor


Single and dual trace, 15 thru 100 MHz. All high sensitivity Hitachi oscilloscopes are built to demanding Hitachi quality standards and are backed by a 2-year warranty. They're able to measure signals as low as 1mV/division (with X5 vertical magnifier). It's a specification you won't tid on any other 15 or 30 MHz scopes. Plus: Z-axis modulation, trace rotation, front panel X-Y operation for all scopemodels, and X10 sweep magnification. And 30 thru 100 MHz oscilloscopes offer internal signal delay lines. For ease of operation, functionally related controls are grouped into three blocks on the color coded front panel. Now here's the clincher: For what you'd expect to pay more, you actually pay less. Check our scopes before you decide. All scopes complete with probes.

BBHITV302B List 995.00
30 MHz DUAL TRACE OSCILLOSCOPE **Our Price: $859.00**



- TV sync-separator circuit
- High-sensitivity 1mV/div (5MHz)
- Sweep-time magnifier (10 times)
- Z-axis input (intensity modulation)
- Signal delay line
- Comlete with 2 probes
- CH1, CH2, DUAL, ADD, DIFF, Vertical Deflection Modes
- X-Y operation
- Trace Rotation

Hitachi . . . The measure of quality.
BBHITV152B DUAL TRACE 1MHz (no delay)
LIST $735.00 **OUR PRICE $650.00**



BBHIT-V352
35MHz DUAL TRACE WITH DELAY
LIST PRICE: $1150.00
OUR PRICE: $998.00

Economically priced dual trace oscilloscope
Square CRT with internal graticule (illuminated scale)
High-accuracy voltage axis & time axis set at ±3% (certified at 10° to 35° C)
High-sensitivity 1mV/div. Low drift
2 Year Warranty


BBHIT-V202
20MHz DUAL TRACE
LIST PRICE: $850.00
OUR PRICE: $765.00

Dynamic range 8 div.
TV sync separator circuit
Built-in signal delay line (V-352)
X-Y operation
Sweep-time magnifier (10 times)
Trace rotation system
Fine adjusting, click-positioning function

50 MHz & 100 MHz DUAL TRACE WITH CALIBRATED TIME DELAY

BBHIT V550B	BBHIT V1050
50 MHz with 3rd TRACE TRIGGER VIEW	100 MHz with 3rd & 4th TRACE TRIGGER VIEW
LIST $1745.00	LIST $2390.00
SALE **$1495.00**	SALE **$1995.00**

SPECIAL PURCHASE GOLD 16 PIN LOW PROFILE IC. C95 SOCKETS



BBTIG-16LP pkg of 100 .... $16.00
BBTIG-16LP pkg of 1000......................... $120.00
OEMS Stock up at this LOW PRICE!

ZERO INSERTION FORCE TEST SOCKETS



	1-9	10-24	25-99
BBZIP-16 DIP	$ 5.50	$5.35	$4.95
BBZIP-24 DIP	$ 7.50	$7.25	$6.95
BBZIP-40 DIP	$10.25	$9.85	$9.50

MICROCOMPUTER PRODUCTS

MEMORY

PART NO.	PRICE
BB4116AC20	8/$20.00
BB2016P3	8/$100.00
BB2114N3L	8/$28.00
BB5257N3L	8/$50.00
BB2732	8/$120.00
BB2716	8/$50.00
BB2708	8/$20.00

Z80 SERIES

BBZ80A	$14.95
BBZ80AP10	$14.95
BBZ80ACTC	$13.95
BBZ80ADMA	$45.00
BBZ80AS100	$59.95
BBZ80AS101	$59.95
BBZ80AS102	$59.95

UARTS

BBAY51013A	$5.95
BBTR1602B	$5.95
BBTR1863	$6.95
BBIM6402	$7.95

8080 SERIES

PART NO.	PRICE
BBINS 8080A	$5.50
BBINS 8085A	$19.95
BBDP8212N	$2.95
BBDP8214N	$5.25
BBDP8216N	$2.95
BBDP8224N	$3.25
BBDP8224-4N	$9.95
BBDP8226N	$3.50
BBDP8228N	$5.55
DP8238N	$5.55
BBINS8250N	$15.00
BBINS8251N	$7.50
BBINS8253N	$17.95
BBINS8255N	$6.80
BBINS8257N	$16.45
BBINS8259N	$18.00
BBINS8275N	$59.95
BBINS8279N	$49.95

FLOPPY DISC CONTROLLER

BBFD1771B-01	$24.95
BBFD1791B-01	$44.95

KEITHLEY

Handheld DMMs For Every Application and Budget

- Easy-to-use Rotary Switches
- Large 0.6" LCD displays
- dc Voltage
- ac Voltage
- dc Current
- ac Current
- Resistance
- Diode Test
- 3½ or 4½ Digit Accuracy
- Overload Protection
- Externally Accessable Battery & Fuse
- Rugged 0.1" ABS Plastic Case
- Shock-Mounted PC Board

BBKTH130	±0.5% DCV accuracy, 10M Ω input impedence auto polarity and current measurement through 10A	$124.00
BBKTH131	Same as BBKTH130 except 0.25% accuracy and enhanced band with on top ACV ranges	$139.00
BBKTH128	See/hear display includes both over/under threshold indicator arrows, audible tone that operates on all ranges & functions, and adjustable threshold.	$139.00
BBKTH135	4½ digit, 0.05% accuracy	$235.00
BBKTH870	Thermocouple(TC)based themometer	$199.00
BBKTH1304	Soft Carrying Case & Stand(handhelds)	$ 10.00
BBKTH1306	Deluxe Carrying Case (handhelds)	$ 25.00

LCD & LED Bench DMMs

BBKTH169	3½ Digit, LCD Display	$189.00
BBKTH176	4½ Digit, LCD Display	$269.00
BBKTH179-20A	4½ Digit, LED Dispay, TRMS	$439.00
BBKTH1793	IEEE-488 Interface(Model 179-20A)	$325.00


See pp. 42-43 of our Engineering Selection Guide in the November **BYTE** for a complete list of specifications and accessories.

LEDU **1M-10A List $104.95 SPECIAL $69.95 with tube**

Perfectly balanced fluorescent lighting with precision magnifier lens. Tough thermoplastic shade. Easy lens removal. New wire clip design permits easy installation and removal of fluorescent tube. Comes with plastic shield to protect tube from soiling and damage. Colors: Gray, Black, and Chocolate Brown. Comes with one 22 watt T-9 Circline fluorescent tube, 3 diopter lens. 10 lbs.
BBLDUIM 10GY Gray
BBLDUIM 10BK Black
BBLDUIM 10CB Brown

$69.95

PROTECT YOUR INVESTMENT
PROTECT YOUR DATA WITH
GSC ISOBAR
With Built-In Noise Filters and Surge Suppressors





ISOLATES SENSITIVE AND VALUABLE EQUIPMENT FROM: Equipment interaction - Damaging High Voltage Spikes - AC line noise and hash.
PROTECTS AGAINST: Voltage transients caused by lightning, contact switching, turn-off of inductive components, noise due to electromagnetic coupling.
USE THE GSC ISOBAR TO ISOLATE: Microprocessor from peripherals - Lab instruments from noisy equipment - Sensitive pre-amp or tape deck from power amplifier.
THE GSC ISOBAR ELIMINATES: Equipment interaction - Equipment damage from power line spikes and surges - Errors - False printouts - Disk Skips - Audio or video hash.
FEATURES: Inuctive isolated ground - Sockets individually filter isolated - Circuit breaker protected at 15A
VOLTAGE TRANSIENT SPIKE PROTECTION: 2000 A peak for up to 6 Sec duration spikes. 1000A, 8/20 Sec protection from repeated spikes.
LOAD HANDLING: 1875 W max. total load; 15A per socket.
INPUT: 125 VAC, 15 amps; standard 3-prong plug.

Three common outlets built-in circuit breaker, pilot light, hang-up bracket and a 6 foot cord.

		LIST PRICE	OUR PRICE
BBGOFIBAR3	SH. WT. 3 lbs.	$59.95	$39.95

IBAR 46 - Four independently isolated outlets. Built-in 15A circuit breaker, pilot light, switch, and 6 foot cord.
BBGOFIBAR46 SH. WT. 4 lbs. $79.95 **$49.95**


IBAR 86 - 8 outlets, grouped to form 4 independently isolated sets of two. Built in 15A circuit breaker, on/off switch, pilot light.
BBGOFIBAR86 SH. WT. 5 lbs. $84.95 **$54.95**

IBAR 9RM - Eight rear-mounted outlets grouped to form four independently isolated sets of two, plus one non-isolated convenience outlet on front face. 19" rack mount cabinet. Built in 15A circuit breaker, pilot light, on/off switch, and 6 foot cord.
BBGOFIBAR9RM SH. WT. 6 lbs. $99.95 **$74.95**





LINE STABILIZERS
FULLY AUTOMATIC LINE REGULATION OVER AN 85V AC TO 125V AC INPUT RANGE, 15 AMP LOAD CAPACITY



TRA SERIES SPECIFICATIONS
- Constant 115V AC output.
- 4% output regulation for all combined effects of line and load
- 4 or 6 ground 3 prong outlets
- 6 ft. 14 gauge - 3 conductor power cord.
- Fully protected against overload.
- Rugged anodized aluminum case.
- Designed for direct wall or floor mounting, or bench top use.

		LIST PRICE	OUR PRICE
TRA650 500 WATTS, 4 RECEPTICLES			
BBGOFTRA650	SH. WT. 10 lbs.	$79.95	$69.95
TRA1150 1000 WATTS 4 RECEPTICLES			
BBGOFTRA1150	SH WT. 20 lbs.	$159.95	$139.95
TRA1650 1500 WATTS, 6 RECEPTICLES			
BBGOFTRA1650	SH. WT. 20 lbs.	$239.95	$210.00









9161-B DEERING AVE ● CHATSWORTH, CA 91311

ORDER TOLL FREE (800) 423-5922 CA, AK, HI CALL (213) 709-5464

Terms U.S. VISA, MC, BAC Check Money Order, U.S. Funds Only. CA residents add 6% Sales Tax. MINIMUM PREPAID ORDERS 15.00. Cinclude MINIMUM SHIPPING & HANDLING of $2.50 for the first 3 lbs, plus 25c for each additional pound. Orders over 50 lbs. sent freight collect. Just in case, please include your phone no. Prices subject to change without notice. We will do our best to maintain prices through February, 1982. Credit Card orders will be charged appropriate freight. See November **BYTE** for 60 page Catalog or send $1.00 for your copy today. Sale prices are for prepaid orders only.

ONE



WIRE WRAPPING TOOLS AND WIRE

"HOBBY" WIRE WRAPPING TOOL BATERY POWERED

For .025" (0.63mm) sq post "MODIFIED" wrap, positive indexing anti-overwrapping device.

BBOKMBW2630	Tool	$21.95
BBOKMBCI	Batteries and Charger	$14.95
BBOKMBT30	Bit for AWG 30	$ 4.19
BBOKMBT2628	Bit for AWG 26-28	$ 8.49

Use "C" size NICAD Batteries, not included



BBOKMWSU30M	Modified Wrap	$8.49


BW928 INDUSTRIAL WRAPPING TOOL GREAT FOR PRODUCTION!



- Accepts Industrial Bits & Sleeves (Gardner Denver or equivalent)
- Auto-Indexing
- Modified Wrap
- Back-Force available (Recommended for #30)


PART NO.	DESCRIPTION	PRICE:
BBOKMBW928	Tool	$64.95
BBOKMBW928BF	Tool (with Backforce)	$69.95
BBOKMBT301	#30 Bit and Sleeve	$34.95
BBOKMBCI	Batteries & Charger	$14.95

TRI-COLOR DISPENSER




- 3 Rolls of Wire in one dispenser
- 3 Colors Blue, White, Red 50 ft. of each color
- AWG 30 (0.25mm) KYNAR Insulated Wire
- Built-in Plunger cuts wire to desired length
- Built-in Stripper strips 1" of insulation
- Refillable (for refills, see below)

BBOKMW030TRI	Tri-Color Dispenser	$8.49
BBOKMR30TRI	Replacement Rolls	$6.49



WK-7 IC INSERTION

BBOKMWK 7	Complete IC Inserter/Extractor Kit	$34.95
	INDIVIDUAL COMPONENTS	
BBOKMMOS1416	14-16 Pin MOS CMOS Safe Inserter	$ 8.95
BBOKMMOS2428	24-28 Pin MOS CMOS Safe Inserter	$ 8.95
BBOKMMOS40	36-40 Pin MOS CMOS Safe Inserter	$ 9.95
BBOKMEX1	14-16 Pin Extractor Tool	$ 1.95
BBOKMEX2	24-40 Pin CMOS SAfe Extractor Tool	$ 9.95
BBOKMINS1416	14-16 Pin Dip/IC Inserter	$ 3.95




TERMINALS

- .025" (0.63mm) Square Post
- 3 Level Wire-Wrapping
- GoldPlated 25 per Pkge.

BBOKMWWT1	Slotted Terminal	$6.29
BBOKMWWT2	Single Sided Terminal	$3.79
BBOKMWWT3	IC Socket Terminal	$6.29
BBOKMWWT4	DBL Sided Terminal	$2.19


TERMINAL INSERTING TOOL FOR ABOVE: BBOKMINS1 $2.98



P.C.B. TERMINAL STRIPS

The TS strips provide positive screw activated clamping acdtion, accomodate wire sizes 14-30 AWG (1.8-0.24mm) Pins are solder plated copper. .042 inch (1mm) diameter on 200 inch (5mm) centers.


BBOKMTS4	4-Pole	$1.98
BBOKMTS8	8-Pole	$2.98
BBOKMTS12	12-Pole	$3.98



MODULAR TERMINAL STRIPS

The space-saving terminals take conductors from 26 through 16 AWG conforming to 20 inch (5.08mm) hole spacing on board up to .126 inch (3.20mm) thick.

BBOKMTS6MO	2-Pole	$2.19



PC BOARD

The 4 x 45 x 1/16 inch board is made of glass coated EPOXY Laminated and features solder coated 1 oz. copper pads. The board has provision for a 22/44 two sided edge connector or with contacts on standard 156 spacing.

BBOKMHPCB1	Hobby Board	$5.49



VACUUM VISE

Unique vacuum based light duty vise for precision handling of small components and assemblies. Rugged ABS construction 1½" (38mm) wide jaws. 1¼ (32mm) travel for maximum versatility. Also features crew lugs for permanent installation (mounting screws included)

BBOKMVVI	VacuumVise	$3.79


WHY CUT? WHY STRIP? WHY SLIT? WHY NOT . . JUST WRAP



- AWG 30 Wire
- .025" Square Posts
- Daisy Chain or Point to Popint
- No Stripping or Slitting Required . . . JUST WRAP . . .
- Built in Cut Off
- Easy Loading of Wire
- Available Wire Colors: Blue, White, Red & Yellow

Just Wrap Tool With One 50 Ft. Roll of Wire

COLOR	PART NO.	LIST
Blue	BBOKMJWB	$15.95
White	BBOKMJWW	$15.95
Yellow	BBOKMJWY	$15.95
Red	BBOKMJWR	$15.95



JUST WRAP KIT

CONTAINS

- JUST WRAP Tool
- Roll of Blue Wire. 50 ft
- Roll of White Wire. 50 ft
- Roll of Yellow Wire. 50 ft
- Roll of Red Wire. 50 ft
- Unwrapping Tool

BBOKMJWK6	JUST WRAP Kit	$26.95

JUST WRAP REPLACEMENT ROLLS

BBOKMRJWB	Blue Wire	50 ft roll	3.49
BBOKMRJWW	White Wire	50 ft roll	3.49
BBOKMRJWY	Yellow Wire	50 ft roll	3.49
BBOKMRJWR	Red Wire	50 ft roll	3.49

UNWRAP TOOL FOR JUST WRAP

BBOKMJUWI	Unwrapping Tool	3.79

WIRE DISPENSER




- With 50 ft. Roll of AWG 30 KYNAR* wire-wrapping wire.
- Built-in Plunger cuts wire to desired length
- Built-in Stripper strips 1" of insulation
- Refillable (For refills, see below)

BBOKMWO30B	Blue Wire	$5.49
BBOKMWO30Y	Yellow Wire	5.49
BBOKMWO30W	White Wire	5.49
BBOKMWO30R	Red Wire	5.49

DISPENSER REPLACEMENT ROLLS

Wire for wire-wrapping AWG-30 (0.25mm) KYNAR* wire 50 ft. roll, silver plated, solid conductor, easy stripping.

BBPGSO50U	30-AWG Blue 50 ft roll	$3.49
BBPGSO50Y	30-AWG Yellow 50 ft roll	3.49
BBPGSO50W	30-AWG White 50 ft roll	3.49
BBPGSO50R	30-AWG Red 50 ft roll	3.49




SOCKET WRAP — ID

Slipped onto socket before wrapping to identify pins

PART NO.	PKG. QTY.	PRICE	PART NO.	PKG. QTY.	PRICE
BBOKM1410	10	$1.69	BBOKM1410100	100	$8.95
BBOKM1610	10	1.69	BBOKM1610100	100	8.95
BBOKM1810	10	1.69	BBOKM181050	50	8.95
BBOKM2010	5	1.69	BBOKM201050	50	8.95
BBOKM2410	5	1.69	BBOKM241050	50	9.95
BBOKM2810	5	1.69	BBOKM2850	50	9.95
BBOKM4010	5	1.69	BBOKM4025	25	8.95

PRB-1 DIGITAL LOGIC PROBE

Compatible with all logic families using a 4 to 15V power supply. Threshholds automatically programmed. Visual indication of logic levels to show high, low, bad level or open circuit logic pulses.



- 10 nsec. pulse responses
- 120K input impedance
- Automatic resetting memory.
- Includes tip with protective cap & coiled cord

PSL-1 LOGIC PULSAR

Superimposes a pulse train (20pps) or a single pulse onto the circuit node under test without unsoldering IC's

- Automatic polarity sensing
- 2 us pulse width
- Finger tip push button actuated
- Includes tip with protective cap & coiled cord

BBOKMPRB1	Digital Logic Probe	$39.95
BBOKMPLS1	Logic Pulser	$54.95


P1 DESOLDERING PUMP



Easy one hand operation. Rugged all metal construction. Replaceable TEFLON Tip. Self Cleaning on each stroke. Suction precisely regulated for reliable desoldering without damage to delicate circuitry.

PART NO.	DESCRIPTION	PRICE
BBOKMP1	Desoldering Pump	$11.95

page ASSEMBLED AND TESTED CABLES



- Fully Assembled & Tested
- Robinson-Nugent & Winchester IDC Connectors
- Many Standard Configurations
- Custom lengths and combinations available

DIP JUMPERS

Available with 14, 16, 24 and 40 contacts. Mates with standard IC socket.

BBPGC 14P36	14 PIN DIP JUMPER 36"SGL.	$ 4.00
BBPGC 14P06P	14 PIN DIP JUMPER 06"DBL.	$ 4.60
BBPGC 14P12P	14 PIN DIP JUMPER 12"DBL.	$ 4.75
BBPGC 14P18P	14 PIN DIP JUMPER 18"DBL.	$ 4.95
BBPGC 14P24P	14 PIN DIP JUMPER 24"DBL.	$ 5.10
BBPGC 14P36P	14 PIN DIP JUMPER 36"DBL.	$ 5.50
BBPGC 16P36	16 PIN DIP JUMPER 36"SGL.	$ 4.50
BBPGC 16P06P	16 PIN DIP JUMPER 06"DBL.	$ 4.90
BBPGC 16P12P	16PIN DIP JUMPER 12"DBL.	$ 5.20
BBPGC 16P18P	16 PIN DIP JUMPER 18"DBL.	$ 5.40
BBPGC 16P24P	16 PIN DIP JUMPER 24"DBL.	$ 5.65
BBPGC 16P36P	16 PIN DIP JUMPER 36"DBL.	$ 6.05
BBPGC 24P36	24 PIN DIP JUMPER 36"SGL.	$ 6.50
BBPGC 24P06P	24 PIN DIP JUMPER 06"DBL.	$ 7.50
BBPGC 24P12P	24 PIN DIP JUMPER 12"DBL.	$ 7.75
BBPGC 24P18P	24 PIN DIP JUMPER 18"DBL.	$ 8.05
BBPGC 24P24P	24 PIN DIP JUMPER 24"DBL	$ 8.35
BBPGC 24P36P	24 PIN DIP JUMPER 36"DBL.	$ 8.95
BBPGC 40P36	40 PIN DIP JUMPER 36"SGL.	$10.50
BBPGC 40P06P	40 PIN DIP JUMPER 06"DBL.	$11.35
BBPGC 40P12P	40 PIN DIP JUMPER 12"DBL.	$11.85
BBPGC 40P18P	40 PIN DIP JUMPER 18"DBL.	$12.35
BBPGC 40P24P	40 PIN DIP JUMPER 24"DBL.	$12.80
BBPGC 40P36P	40 PIN DIP JUMPER 36"DBL.	$13.75

CARD EDGE JUMPERS

Mate with standard 0.62" PC boards

BBPGC 20E36	20 PIN CARD EDGE 36"SGL.	$ 7.25
BBPGC 20E36E	20 PIN CARD EDGE 36"DBL.	$10.95
BBPGC 26E36	26 PIN CARD EDGE 36"SGL.	$ 8.50
BBPGC 26E36E	26 PIN CARD EDGE 36"DBL.	$12.40
BBPGC 34E36	34 PIN CARD EDGE 36"SGL.	$10.50
BBPGC 34E36E	34 PIN CARD EDGE 36"DBL.	$15.15
BBPGC 40E36	40 PIN CARD EDGE 36'SGL.	$12.25
BBPGC 40E36E	40 PIN CARD EDGE 36"DBL.	$17.50
BBPGC 50E36	50 PIN CARD EDGE 36"SGL.	$15.00
BBPGC 50E36E	50 PIN CARD EDGE 36"DBL.	$21.65

SOCKET JUMPERS

Mates with two rows of posts on .100" centers

BBPGC 20S36	20 PIN SOCKET 36"SGL.	$ 5.50
BBPGC 20S36S	20 PIN SOCKET 36"DBL.	$ 7.50
BBPGC 26S36	26 PIN SOCKET 36"SGL.	$ 6.95
BBPGC 26S36S	26 PIN SOCKET 36"DBL.	$ 9.40
BBPGC 34S36	34 PIN SOCKET 36"SGL.	$ 8.85
BBPGC 34S36S	34 PIN SOCKET 36"DBL.	$11.90
BBPGC 40S36	40 PIN SOCKET 36"SGL.	$10.35
BBPGC 40S36S	40 PIN SOCKET 36"DBL.	$13.40
BBPGC 50S36	50 PIN SOCKET 36"SGL.	$12.75
BBPGC 50S36S	50 PIN SOCKET 36"DBL.	$17.05

"D" CONNECTORS

Mates with any standard female DB25 "D" Subminiature Connector

BBPGC 250P36	25 PIN IDB25P 36"SGL.	$12.00
BBPGC 250P060P	25 PIN IDB25P 06"DBL.	$17.95
BBPGC 250P120P	25 PIN IDB25P 12"DBL.	$18.25
BBPGC 250P180P	25 PIN IDB25P 18"DBL.	$18.55
BBPGC 250P240P	25 PIN IDB25P 24"DBL.	$18.85
BBPGC 250P360P	25 PIN IDB25P 36"DBL.	$19.45
BBPGC 250P600P	25 PIN IDB25P 60"DBL.	$20.65

SPECIAL COMBINATIONS

Designed to meet the needs of computer I/O and Floppy Disk interfacing.


BBPGC 26S060S	26 PIN SOCKET/25 PIN IDB25S 06"	$13.70
BBPGᶜ 26S120S	26 PIN SOCKET/25 PIN IDB25S 12"	$14.05
BBPGC 26S180S	26 PIN SOCKET/25 PIN IDB25S 18"	$14.35
BBPGC 26S240S	26 PIN SOCKET/25 PIN IDB25S 24"	$14.65
BBPGC 26S360S	26 PIN SOCKET/25 PIN IDB25S 36"	$15.30
BBPGC 25S600S	26 PIN SOCKET/25 PIN IDB25S 60"	$16.55
BBPGC 250P060S	25 PIN IDB25P/IDB25S 06"	$18.80
BBPGC 250P120S	25 PIN IDB25P/IDB25S 12"	$19.10
BBPGC 250P180S	25 PIN IDB25P/IDB25S 18"	$19.40
BBPGC 250P240S	25 PIN IDB25P/IDB25S 24"	$19.75
BBPGC 250P360S	25 PIN IDB25P/IDB25S 36"	$20.35
BBPGC 250P600S	25 PIN IDB25P/IDB25S 60"	$21.60
BBPGC 50E06S	50 PIN CARD EDGE/SOCKET 06"	$16.35
BBPGC 50E12S	50 PIN CARD EDGE/SOCKET 12"	$16.95
BBPGC 50E18S	50 PIN CARD EDGE/SOCKET 18"	$17.55
BBPGC 50E24S	50 PIN CARD EDGE/SOCKET 24"	$18.15
BBPGC 50E36S	50 PIN CARD EDGE/SOCKET 36"	$19.35
BBPGC 50E60S	50 PIN CARD EDGE/SOCKET 60"	$21.75
BBPGC 34S48E30E	34 PIN SOCKET/CARD EDGE 48"/30"	$22.95
BBPGC 34S60E30E	34 PIN SOCKET/CARD EDGE 60"/30"	$23.95
BBPGC 50S48E30E	50 PIN SOCKET/CARD EDGE 48"/30"	$31.95
BBPGC 50S60E30E	50 PIN SOCKET/CARD EDGE 60"/30"	$32.95
BBPGC 34S48EX4	34 PIN SOCKET/EDGE CARD X 4	$34.95
BBPGC 34S60EX4	34 PIN SOCKET/EDGE CARD X 4	$35.95
BBPGC 50S48EX4	50 PIN SOCKET/EDGE CARD X 4	$51.95
BBPGC 50S60EX4	50 PIN SOCKET/EDGE CARD X 4	$52.95

PRIORITY ONE ELECTRONICS

ROBINSON NUGENT, INC.

& WINCHESTER

EDGECARD CONNECTOR



.1" Spacing. Crimps onto cable with ordinary vise & mates with standard .062" Card Edge.

PART NO.	NO. OF PINS	1-9	PRICE 10-24	25-99	100-249
BBRNIDE20	10/20	4.35	4.00	3.30	3.00
BBRNIDE26	13/26	5.00	4.50	5.75	3.25
BBRNIDE34	17/34	6.00	5.40	4.50	4.00
BBRNIDE40	20/40	6.90	6.20	5.30	4.80
BBRNIDE50	25/50	7.25	6.80	5.90	5.30


SOCKET CONNECTOR



.1" Spacing. Crimps onto cable with ordinary vise & mounts to header sold

PART NO.	NO. OF PINS	1-9	PRICE 10-24	25-99	100-249
BBRNIDS20	10/20	2.75	2.50	1.85	1.70
BBRNIS26	13/26	3.50	3.20	2.40	2.20
BBRNIS34	17/34	4.50	4.20	3.10	2.90
BBRNIS40	20/40	5.40	5.00	3.65	3.30
BBRNIS50	25/50	6.50	6.00	4.60	4.20

HEADER CONNECTOR



.1" Spacing. Mounts on PC Board & Mates with IDS Socket above.

RIGHT ANGLE SOLDERTAIL GOLD HEADER

PART NO.	1-9	10-24	25-99	100-249
BBRNSIDH20SR	1.90	1.60	1.20	1.00
BBRNSIDH26SR	2.25	2.00	1.55	1.30
BBRNSIDH34SR	2.95	2.60	2.05	1.70
BBRNSIDH40SR	3.60	3.00	2.40	2.10
BBRNSIDH50SR	4.30	3.60	3.00	2.55

RIGHT ANGLE WIRE WRAP GOLD HEADER

PART NO.	1-9	10-24	25-99	100-249
BBRNIDH20WR	4.15	3.60	2.75	2.40
BBRNIDH26WR	5.30	4.30	3.60	3.10
BBRNIDH34WR	5.95	5.00	4.15	3.70
BBRNIDH40WR	7.00	6.00	4.90	4.30
BBRNIDH50WR	7.95	6.80	6.15	5.20

Straight headers are also available at the above prices.
Drop the **R** from the end of the part number to specify Straight.

BBRNIEJ24 Header Ejector Bars (Package of 4) $1.00



COLOR CODED LAMINATED CABLE FOR INSULATION DISPLACEMENT 28 GUAGE, 7 STRAND

PART NO.	NO. OF CONDUCTORS	PRICE PER SPOOL /C 10 Ft.	100 Ft.
BBIDC09CC*	9	3.80	30.00
BBIDC14CC*	14	4.75	40.00
BBIDC16CC*	16	5.50	45.00
BBIDC20CC*	20	7.00	60.00
BBIDC25CC*	25	8.50	72.00
BBIDC26CC*	26	8.50	72.00
BBIDC34CC*	34	11.00	100.00
BBIDC40CC*	40	13.00	115.00
BBIDC50CC*	50	16.00	145.00


GRAY LAMINATED CABLE FOR INSULATION DISPLACEMENT 28 Gauge 7 Strand

PART NO.	NO. OF CONDUCTORS	PRICE PER SPOOL /C 10 Ft.	100 Ft.
BBIDC09GY*	9	2.50	18.05
BBIDC14GY*	14	3.50	28.00
BBIDC16GY*	16	4.00	32.00
BBIDC20GY*	20	4.80	40.00
BBIDC25GY*	25	6.00	50.00
BBIDC26GY*	26	6.00	50.00
BBIDC34GY*	34	8.30	66.00
BBIDC40GY*	40	10.00	77.00
BBIDC50GY*	50	12.00	95.00

*Add "/C" to Part No. for 100 Ft. Spool

Connectors, Plugs, and Sockets

D-SUBMINIATURE CONNECTORS



Solder Style solders onto cale. IDC. Style crimps onto cable with vise.


INSULATION DISPLACEMENT TYPE

P = Plug, Male Type - S = Socket, Female Type - C = *Cover Hood*

PART NO.	NO. OF PINS	1-9	10-24	25-99	100-249
BBIDCDE9P	9	4.20	4.00	3.60	3.20
BBIDCDE9S	9	4.50	4.20	3.80	3.40
BBIDCDE9C	9	1.25	1.10	1.00	.95
BBIDCDA15P	15	4.35	4.20	3.75	3.40
BBIDCDA15S	15	5.00	4.85	4.35	3.90
BBIDCDA15C	15	1.40	1.25	1.10	.95
BBIDCDB25P	25	6.25	6.00	5.20	4.70
BBIDCDB25S	25	6.60	6.35	5.60	5.00
BBIDCDB25C	25	1.60	1.50	1.35	1.20
BBIDCDC37P	37	8.80	8.00	7.20	6.40
BBIDCDC37S	37	11.00	10.25	9.20	8.20
BBIDCDC37C	37	2.25	2.20	1.80	1.60

SOLDER TYPE

PART NO.	DESCRIPTION	PRICE 1-9	10-24	25-99
BBCNDDE9P	9 Pin Male	$2.10	$1.90	$1.70
BBCNDDE9S	9 Pin Female	$2.70	$2.40	$2.10
BBCNDDE9C	9 Pin Cover	$1.50	$1.25	$1.10
BBCNDDA15P	15 Pin Male	$2.75	$2.45	$2.15
BBCNDDA15S	15 Pin Female	$3.95	$3.60	$3.20
BBCNDDA15C	15 Pin Cover	$1.50	$1.30	$1.10
BBCNDDB25P	**25 Pin Male**	$3.00	$2.75	$2.25
★ **BBCNDDB25P** *100 pcs at* **$1.95 ea** ★				
BBCNDDB25S	**25 Pin Female**	$4.00	$3.75	$3.00
★ **BBCNDDB25S** *100 pcs at* **$2.95 ea** ★				
BBCND0851226	2 Pc. Black Hood	$1.90	$1.65	$1.45
BBCNDDB51212	1 Pc. Grey Hood	$1.60	$1.45	$1.30
BBCNDP25H	2 Pc. Grey Hood	$1.50	$1.25	$1.10
BBCNDDC37P	37 Pin Male	$5.80	$5.10	$4.45
BBCNDDC37S	37 Pin Female	$8.70	$7.70	$6.70
BBCNDDC37C	37 Pin Cover	$1.80	$1.55	$1.30
BBCND0050P	50 Pin Male	$8.75	$7.75	$6.70
BBCND0050S	50 Pin Female	$11.65	$10.25	$8.90
BBCND0050C	50 Pin Cover	$2.00	$1.80	$1.60
BBCND020418	Hardware Set 2 Pr.	$1.00	$ .80	$ .70
	RS232, DB25P, EIA			
BBCNDRS2328F	Class 1 Cable 8 Con. 8 Ft	$19.95	$17.95	$15.95
BBCN05730360	Cent. 700 Series/Epson Printer Conn.	$9.00	$7.50	$6.00
BBIDC5730360	IDC Version of Above	$9.95	$9.00	$8.00



DIP PLUGS

.1" Spacing. Crimps onto cable with ordinary vise & plugs into standard IC Socket.


PART NO.	NO. OF PINS	1-9	10-24	25-99	100-249
BBRNIDP14	14	1.50	1.40	1.25	1.10
BBRNIDP16	16	1.70	1.60	1.45	1.30
BBRNIDP24	24	2.50	2.20	2.00	1.80
BBRNIDP40	40	4.15	3.65	3.30	3.00

RN ICU Series Solder Tail Sockets

End side stackable. Low profile Closed Entry. Lead Entry has RN "EZ" Entry feature to guide IC leads into socket. Standoff to facilitate board cleaning. Self lock leads hold socket firmly in place while soldering. Contact's long movement arm provides low insertion force. Normal force of contact combined with uncoiling force provide high retention (making socket vibration resistant). Gas tight. Tin Plated.

PART NO.	PINS	1-9	10-49	50-99	100-499	500-999	1,000+
BBRNSD8LP	08	N/A	.15	.10	.08	.07	.06
BBRNS14LP	14	N/A	.18	.15	.14	.12	.11
BBRNS16LP	16	N/A	.20	.18	.16	.13	.12
BBRNS18LP	18	.30	.25	.22	.18	.15	.13
BBRNS20LP	20	.30	.25	.23	.20	.17	.145
BBRNS22LP	22	.35	.30	.25	.22	.19	.17
BBRNS24LP	24	.40	.35	.30	.24	.20	.18
BBRNS28LP	28	.45	.40	.35	.28	.24	.21
BBRNS40LP	40	.50	.45	.42	.40	.35	.31

*MINIMUM ORDER $1.00 Per Line Item
Call for RN High Reliability Solder Sockets



ICN SERIES GOLD 3 LEVEL WIRE WRAP SOCKETS

ONE

- 10 μ in GOLD Plated Pins
- Deep Chamfered Closed Entry Contacts
- RN Side Wipe Contact Design
- Phosphor Bronze Contact Material
- Terminal Barbs Allow Self-lock into PC Board
- Rugged Socket Body Design
- Deep Chamfered Closed Entry Contacts

PART NO.	PINS	PRICE 1-9	10-24	25-99	100-249	250-999
BBRNSD8WWG	8	.60	.55	.49	.45	.41
BBRNS14WWG	14	.75	.70	.65	.55	.48
BBRNS16WWG	16	.85	.75	.70	.60	.52
BBRNS18WWG	18	1.00	.90	.80	.75	.71
BBRNS20WWG	20	1.20	1.05	.96	.91	.87
BBRNS22WWG	22	1.35	1.25	1.15	1.05	.99
BBRNS24WWG	24	1.35	1.25	1.15	1.05	.99
BBRNS28WWG	28	1.70	1.55	1.40	1.34	1.25
BBRNS40WWG	40	2.20	2.05	1.85	1.60	1.50



NEW!
SELECTIVE PLATED PINS THAT WILL SAVE YOU MONEY BY HAVING GOLD ONLY WHERE IT COUNTS!
Same as above except pins are selectively plated.


PART NO.	PINS	PRICE 1-9	10-24	25-99	100-24	250-99
BBRNSD8TWW	8	.55	.50	.45	.41	.37
BBRNS14TWW	14	.65	.55	.50	.47	.44
BBRNS16TWW	16	.75	.65	.52	.51	.46
BBRNS18TWW	18	.90	.79	.75	.70	.65
BBRNS20TWW	20	1.10	.95	.91	.87	.82
BBRNS22TWW	22	1.25	1.15	1.05	.94	.89
BBRNS24TWW	24	1.25	1.15	1.05	.96	.89
BBRNS28TWW	28	1.50	1.45	1.35	1.25	1.15
BBRNS40TWW	40	2.00	1.80	1.60	1.40	1.30

Call for RN High Reliability Wire Wrap Sockets

page

PRECUT WIRE WRAP WIRE

Precut Wire Save Time and Costs Less Than Wire on Spools



Kynar precut wire. All lengths are overall, including 1" strip on each end. Colors and lengths cannot be mixed for quantity pricing. Choose from colors **Red** (R) **Blue** (U) **Black** (B) and **Yellow** (Y)

PART NO.	LENGTH	/C 100/Tube	/D 500/Tube	/M 1000/Tube
BBPGP025†*	2.5"	$1.38	$3.94	$6.19
BBPGPD30†*	3.0"	1.43	4.25	6.78
BBPGP035†*	3.5"	1.51	4.57	7.37
BBPGPD40†*	4.0"	1.56	4.88	7.94
BBPGP045†*	4.5"	1.63	5.21	8.54
BBPGP050†*	5.0"	1.69	5.54	9.13
BBPGP055†*	5.5"	1.74	5.92	9.72
BBPGP060†*	6.0"	1.82	6.23	10.31
BBPGP070†*	7.0"	2.19	7.44	12.44
BBPGPD80†*	8.0"	2.35	8.12	13.79
BBPGP090†*	9.0"	2.46	8.92	15.01
BBPGP100†*	10.0"	2.63	9.58	16.28

† Specify package size when ordering: 100 (C), 500 (O), 1000 (M).
* Specify color when ordering. RED (R), BLUE (U), BLACK (B), & YELLOW (Y). Example: If you wish to order (2) pkg. 1000 4", Red

2	PGP040MR	$7.94	$15.88

BUY PRECUT WIRE IN KITS AND SAVE

BBPGPWKI* $9.95

CONTAINS

200	3"	100	4½"
200	3½"	100	5"
100	4"	100	6"

BBPGPWK2* $24.95

CONTAINS

250	2½"	250	5"
500	3"	100	5½"
500	3½"	100	6"
500	4"	100	6½"
250	4½"	100	7

BBPGPWK3* $34.95

CONTAINS

250	2½"	500	4½"
500	3	500	5"
500	3½"	500	5½"
500	4"	500	6"

BBPGPWK4* $59.95

CONTAINS

500	2½"	1000	4½"
1000	3"	1000	5"
1000	3½"	1000	5"
1000	4"	1000	6"

*Wire kit assortments are available in the 4 colors mentioned above along with a rainbow assortment. Use color code (A) for the rainbow assortment. Example: If you wish to order (2) wire kit 3 in blue:

2	BBPGPWK3U	$34.95	$69.90

master charge | VISA

PRIORITY ONE ELECTRONICS

9161-B DEERING AVE. • CHATSWORTH, CA 91311

MEMBER



NEDA

ORDER TOLL FREE (800) 423-5922 CA, AK, HI CALL (213) 709-5464

Terms U.S. VISA, MC, BAC, Check Money Order, U.S. Funds Only. CA residents add 6% Sales Tax. MINIMUM PREPAID ORDER $15.00. Include MINIMUM SHIPPING & HANDLING of $2.50 for the first 3 lbs., plus 25¢ for each additional pound. Orders over 50 lbs. sent freight collect. Just in case, please include your phone no. Prices subject to change without notice. We will do our best to maintain prices through February, 1982. SOCKET and CONNECTOR prices based on GOLD not exceeding $700.00 per oz. Credit Card orders will be charged appropriate freight.

Circle 291 on inquiry card

7400

SN7400N	.20	SN7472N	.29	SN74156N	.79
SN7401N	.20	SN7473N	.35	SN74157N	.69
SN7402N	.25	SN7474N	.35	SN74160N	.89
SN7403N	.25	SN7475N	.49	SN74161N	.89
SN7404N	.25	SN7476N	.35	SN74162N	.89
SN7405N	.29	SN7479N	5.00	SN74163N	.89
SN7406N	.35	SN7480N	.50	SN74164N	.89
SN7407N	.35	SN7482N	.99	SN74165N	.89
SN7408N	.29	SN7483N	.69	SN74166N	1.25
SN7409N	.29	SN7485N	.89	SN74167N	2.79
SN7410N	.25	SN7486N	.35	SN74170N	1.95
SN7411N	.29	SN7489N	1.75	SN74172N	4.95
SN7412N	.35	SN7490N	.49	SN74173N	1.39
SN7413N	.40	SN7491N	.59	SN74174N	.99
SN7414N	.69	SN7492N	.45	SN74175N	.89
SN7416N	.29	SN7493N	.45	SN74176N	.79
SN7417N	.29	SN7494N	.69	SN74177N	.79
SN7420N	.25	SN7495N	.69	SN74179N	1.49
SN7421N	.29	SN7496N	.69	SN74180N	.79
SN7422N	.45	SN7497N	3.00	SN74181N	2.25
SN7423N	.29	SN74100N	1.49	SN74182N	.79
SN7425N	.29	SN74104N	.89	SN74184N	2.49
SN7426N	.29	SN74105N	.89	SN74185N	2.49
SN7427N	.25	SN74107N	.35	SN74190N	1.25
SN7428N	.49	SN74109N	.39	SN74191N	1.25
SN7430N	.25	SN74116N	1.95	SN74192N	.89
SN7432N	.29	SN74121N	.39	SN74193N	.89
SN7437N	.25	SN74122N	.55	SN74194N	.89
SN7438N	.40	SN74123N	.59	SN74195N	.69
SN7439N	.25	SN74125N	.49	SN74196N	.89
SN7440N	.20	SN74126N	.49	SN74197N	.89
SN7441N	.89	SN74132N	.75	SN74198N	1.49
SN7442N	.59	SN74136N	.75	SN74199N	1.49
SN7443N	1.10	SN74141N	.99	SN74221N	1.25
SN7444N	1.10	SN74142N	3.25	SN74251N	.99
SN7445N	.89	SN74143N	3.49	SN74276N	1.95
SN7446N	.79	SN74144N	3.49	SN74279N	.79
SN7447N	.69	SN74145N	.79	SN74283N	1.49
SN7448N	.79	SN74147N	1.95	SN74284N	3.95
SN7450N	.20	SN74148N	1.29	SN74285N	3.95
SN7451N	.20	SN74150N	1.25	SN74365N	.69
SN7453N	.20	SN74151N	.69	SN74366N	.69
SN7454N	.20	SN74152N	.69	SN74367N	.69
SN7459A	.25	SN74153N	.79	SN74368N	.69
SN7460N	.20	SN74154N	1.25	SN74390N	1.49
SN7470N	.29	SN74155N	.79	SN74393N	1.49

74LS

74LS00	.29	74LS92	.75	74LS192	1.15
74LS01	.29	74LS93	.75	74LS193	1.15
74LS02	.29	74LS95	.99	74LS194	1.15
74LS03	.29	74LS96	1.15	74LS195	1.15
74LS04	.35	74LS107	.45	74LS197	1.19
74LS05	.35	74LS109	.45	74LS221	1.19
74LS08	.35	74LS112	.45	74LS240	1.49
74LS09	.35	74LS113	.49	74LS241	1.49
74LS10	.35	74LS114	.49	74LS242	1.49
74LS11	.39	74LS122	.89	74LS243	1.49
74LS12	.35	74LS123	1.25	74LS244	1.49
74LS13	.59	74LS125	.59	74LS245	2.95
74LS14	.99	74LS126	.59	74LS247	1.19
74LS15	.35	74LS132	.99	74LS248	1.19
74LS20	.35	74LS133	.89	74LS249	1.19
74LS21	.35	74LS136	.49	74LS251	.99
74LS22	.35	74LS138	.89	74LS253	.99
74LS26	.35	74LS139	.89	74LS257	.89
74LS27	.35	74LS151	.89	74LS258	.69
74LS28	.35	74LS153	.89	74LS260	.69
74LS30	.35	74LS154	1.75	74LS266	.69
74LS32	.35	74LS155	.89	74LS273	1.95
74LS33	.59	74LS156	.89	74LS279	.89
74LS37	.45	74LS157	.89	74LS283	.89
74LS38	.39	74LS158	.89	74LS290	.89
74LS40	.35	74LS160	1.15	74LS293	.99
74LS42	.89	74LS161	1.15	74LS298	1.25
74LS47	.89	74LS162	1.15	74LS352	1.29
74LS48	1.15	74LS163	1.15	74LS353	1.29
74LS49	1.15	74LS164	1.15	74LS365	.69
74LS51	.35	74LS165	1.15	74LS366	.69
74LS54	.35	74LS168	1.19	74LS367	.69
74LS55	.35	74LS169	1.19	74LS368	.69
74LS73	.45	74LS170	1.95	74LS373	1.95
74LS74	.45	74LS173	.99	74LS374	1.95
74LS75	.59	74LS174	.99	74LS375	.89
74LS76	.45	74LS175	.99	74LS386	.69
74LS78	.49	74LS181	2.95	74LS393	2.49
74LS83	.89	74LS190	1.25	74LS399	2.49
74LS85	1.25	74LS191	1.25	74LS670	2.49
74LS86	.49			81LS95	1.95
74LS90	.69			81LS97	1.95

74S

74S00	.45	74S124	3.95	74S243	3.25
74S02	.45	74S133	.55	74S244	3.25
74S03	.45	74S134	.69	74S251	1.45
74S04	.55	74S135	1.19	74S253	1.45
74S05	.55	74S136	1.75	74S257	1.35
74S08	.50	74S138	1.35	74S258	1.35
74S09	.50	74S139	1.35	74S260	.79
74S10	.45	74S140	.79	74S280	2.95
74S11	.45	74S151	1.35	74S287	3.25
74S15	.45	74S153	1.35	74S288	2.75
74S20	.45	74S157	1.35	74S373	3.49
74S22	.45	74S158	1.35	74S374	3.49
74S30	.45	74S160	2.95	74S387	2.95
74S32	.55	74S174	1.59	74S471	10.95
74S38	1.25	74S175	1.59	74S472	10.95
74S40	.50	74S188	2.95	74S473	10.95
74S51	.45	74S194	1.95	74S474	12.95
74S64	.50	74S195	1.95	74S475	12.95
74S65	.50	74S196	1.95	74S570	5.95
74S74	.75	74S240	2.95	74S571	5.95
74S86	.79	74S241	2.95	74S572	9.95
74S112	.79	74S242	3.25	74S573	9.95
74S113	.79			74S940	3.15
74S114	.79			74S941	3.15

CA–LINEAR

CA3010H	.99	CA3060N	3.25	CA3089N	3.75
CA3013H	2.15	CA3080H	1.25	CA3096N	3.95
CA3023H	3.25	CA3081N	2.00	CA3130H	1.39
CA3035H	2.49	CA3082N	2.00	CA3140H	1.25
CA3039H	1.35	CA3083N	1.60	CA3160H	1.25
CA3046N	1.30	CA3086N	.85	CA3401N	.59
CA3059N	3.25			CA3600N	3.50

CD–CMOS

CD4000	.39	CD4041	1.49	CD4098	2.49
CD4001	.39	CD4042	.99	CD4506	.75
CD4002	.39	CD4043	.89	CD4507	.99
CD4006	1.19	CD4044	.89	CD4508	3.95
CD4007	.25	CD4046	1.79	CD4510	1.39
CD4009	.49	CD4047	2.50	CD4511	1.29
CD4010	.49	CD4048	1.35	CD4512	1.49
CD4011	.39	CD4049	.49	CD4514	3.95
CD4012	.25	CD4050	.69	CD4515	2.95
CD4013	.49	CD4051	1.19	CD4516	1.49
CD4014	1.39	CD4052	1.19	CD4518	1.79
CD4015	1.19	CD4053	1.19	CD4519	.89
CD4016	.59	CD4056	2.95	CD4520	1.29
CD4017	1.19	CD4059	9.95	CD4526	1.79
CD4018	.99	CD4060	1.49	CD4528	1.79
CD4019	.49	CD4066	.79	CD4529	1.95
CD4020	1.19	CD4068	.39	CD4543	2.79
CD4021	1.39	CD4069	.45	CD4562	11.95
CD4022	1.19	CD4070	.55	CD4566	2.79
CD4023	.29	CD4071	.49	CD4583	2.49
CD4024	.79	CD4072	.49	CD4584	.75
CD4025	.23	CD4073	.39	CD4723	1.95
CD4026	2.95	CD4075	.39	CD4724	1.95
CD4027	.69	CD4076	1.39	MC14409	17.95
CD4028	.89	CD4078	.55	MC14410	18.95
CD4029	1.49	CD4081	.39	MC14411	15.95
CD4030	.49	CD4082	.39	MC14412	15.95
CD4034	3.49	CD4093	.99	MC14419	7.95
CD4035	.99			MC14433	15.95
CD4040	1.49			MC14538	2.49
				MC14541	1.95

Phone Tunes

As Seen on "Good Morning America"
Replaces the Telephone Ringer Bell with a Selection of 30 Familiar Tunes

Telephone — PT030 — Wall Jack

Each Unit will play any of the following tunes:

- Rule Brittania
- O Canada
- Colonel Bogey
- Westminister Chimes
- Mexican Hat Dance
- Twinkle, Twinkle Little Star
- Deutschlandlied
- God Save the Queen
- Close Encounters
- Happy Birthday
- Wedding March
- Jingle Bells
- Auld Lang Syne
- Soldiers Chorus
- Sailor's Hornpipe
- Charge!
- Greensleeves
- Lorelei
- Eyes of Texas
- Star Spangled Banner
- Oranges and Lemons
- Wilhelmus
- Mozart Sonata
- Pomp & Circumstance
- William Tell Overture
- Bach Toccata in D Minor
- Shave and a Haircut
- Blue Danube Waltz
- Beethoven's 5th
- La Marseillaise

FEATURES

Replaces monotonous telephone ringer bell. Easily connects to any standard telephone. Can be used alongside regular phone or replace a remote ringer elsewhere in building or outside. FCC approved. Can be used on any telephone system — worldwide. Use a different tune to identify extension phones. Microprocessor controlled. Adjustable volume control and variable tune speed control. Operates on two 9-volt batteries or AC Adapter (not included).

PT030 Phone Tunes $49.95
AD30 AC Adapter $8.95

DISCRETE LEDS

XC556R	.200"	red	5/$1	MV50	.085"	red	6/$1
XC556G	.200"	green	4/$1	XC209R	.125"	red	5/$1
XC556Y	.200"	yellow	4/$1	XC209G	.125"	green	4/$1
XC556C	.200"	clear	4/$1	XC209Y	.125"	yellow	4/$1
XC22R	.200"	red	5/$1	XC526R	.185"	red	5/$1
XC22G	.200"	green	4/$1	XC526G	.185"	green	4/$1
XC22Y	.200"	yellow	4/$1	XC526Y	.185"	yellow	4/$1
MV10B	.170"	red	4/$1	XC526C	.185"	clear	4/$1

.200(T1¾) Red/Green
Diffused Bi-Color LED

Part No.	1-99	100+
XC5491	.79	.69

XC556 RED LED, METAL MTG. HDW. 2-6" LEADS.
RL-2 . . $.39 ea. or 3/$1.00

DISPLAY LEDS

C.A. — Common Anode
D.D. — Double Digit
C.C. — Common Cathode
RHD — Right Hand Decimal

Type	Polarity	Ht	Price	Type	Polarity	Ht	Price
MAN 1	C.A.—red	.270	2.95	DLG507	C.A.—green	.500	1.25
MAN 2	5x7 O.M.—red	.300	4.95	DL704	C.C.—red	.300	1.25
MAN 3	C.C.—red	.125	.25	DL707	C.A.—red	.300	1.25
MAN 52	C.A.—green	.300	.99	DL728	C.A.—red	.500	1.49
MAN 54	C.C.—green	.300	.99	DL741	C.A.—red	.600	1.25
MAN 71	C.A.—red	.300	.75	DL747	C.A.—red	.600	1.49
MAN 72	C.A.—red	.300	.75	DL750	C.C.—red	.600	1.49
MAN 74	C.C.—red	.300	1.25	DLD847	C.A.—orange	.800	1.49
MAN 82	C.A.—yellow	.300	.49	DLD850	C.C.—orange	.800	1.49
MAN 84	C.C.—yellow	.300	.99	DL33B	C.C.—red	.110	.35
MAN 3620	C.A.—orange	.300	.49	FND358	C.C. ± 1	.357	.99
MAN 3630	C.A.—orange ± 1	.300	.99	FND357	C.C.	.357	.75
MAN 3640	C.C.—orange	.300	.99	FND500	C.C. (FND503)	.500	.99
MAN 4610	C.A.—orange	.400	.99	FND507	C.A. (FND510)	.500	.99
MAN 6610	C.A.—orange—DD	.560	.99	HDSP-3401	C.A.—red	.800	1.50
MAN 6630	C.A.—orange ± 1	.560	.99	HDSP-3403	C.C.—red	.800	1.50
MAN 6640	C.C.—orange—DD	.560	.99	HDSP-3406	C.C. red ± 1	.800	1.50
MAN 6650	C.C.—orange ± 1	.560	.99	5082-7751	C.A.,R.H.D.—red	.430	1.25
MAN 6660	C.A.—orange	.560	.99	5082-7760	C.C.,R.H.D.—red	.430	1.25
MAN 6710	C.A.—red—DD	.560	.99	5082-7300	4x7 Numeric (RHD)	.600	22.00
MAN 6740	C.C.—red—DD	.560	.99	5082-7302	4x7 Numeric (LHD)	.600	22.00
MAN 6750	C.C.—red ± 1	.560	.99	5082-7340	4x7 Hxdcl. (0-9/A-F)	.600	22.50
DLD304	C.C.—orange	.300	1.25	4N28	Photo Xsistor Opto-Isol.		.69
DLD307	C.A.—orange	.300	1.25	LIT-1	Photo Xsistor Opto-Isol.		.69
DLG500	C.C.—green	.500	1.25	MOC3010	Optically Isol. Triac Driver		1.25

COMPUTER GRADE CAPACITORS

MFD	WVDC	PRICE	MFD	WVDC	PRICE	MFD	WVDC	PRICE
250	150	1.95	10,000	15	2.95	24,000	20	2.95
500	200	2.49	10,000	15	3.95	27,000	10	2.95
1,250	3	.99	11,000	19	4.95	32,500	25	4.95
1,500	25	1.95	11,000	55	5.49	40,000	25	5.95
1,500	50	2.95	11,000	60	5.95	43,000	10	5.95
2,000	10	2.95	13,000	16	2.95	50,000	20	7.95
2,250	100	3.95	14,000	13	2.95	52,000	20	5.95
2,300	33	2.95	14,000	35	3.95	55,000	15	5.95
2,500	15	2.95	18,000	10	3.95	58,000	20	5.95
3,000	25	1.95	20,000	20	2.95	65,000	10	7.95
3,600	40	3.95	20,000	55	3.95	73,800	5	7.95
4,500	50	3.95	21,000	15	3.95	80,000	15	9.95
5,500	25	4.49	23,000	7	1.95	90,000	10	8.95
6,100	40	2.49	23,000	10	2.95	160,000	10	8.95
6,600	50	4.95	23,000	20	3.95	200,000	3	12.95

OVER 200 OTHER VALUES AVAILABLE — CALL OR WRITE FOR YOUR REQUIREMENT

LOW PROFILE (TIN) SOCKETS

	1-24	25-49	50-100
8 pin LP	.17	.16	.15
14 pin LP	.20	.19	.18
16 pin LP	.22	.21	.20
18 pin LP	.29	.28	.27
20 pin LP	.34	.32	.30
22 pin LP	.37	.36	.35
24 pin LP	.38	.37	.36
28 pin LP	.45	.44	.43
36 pin LP	.60	.59	.58
40 pin LP	.63	.62	.61

SOLDERTAIL STANDARD (TIN)

	1-24	25-49	50-100
14 pin ST	.27	.25	.24
16 pin ST	.30	.27	.25
18 pin ST	.35	.32	.30
24 pin ST	.49	.45	.42
28 pin ST	.99	.90	.81
36 pin ST	1.39	1.26	1.15
40 pin ST	1.59	1.45	1.30

SOLDERTAIL (GOLD) STANDARD

	1-24	25-49	50-100
8 pin SG	.39	.35	.31
14 pin SG	.49	.45	.41
16 pin SG	.54	.49	.44
18 pin SG	.59	.53	.48
24 pin SG	.79	.75	.69
28 pin SG	1.10	1.00	.90
36 pin SG	1.65	1.40	1.26
40 pin SG	1.75	1.59	1.45

WIRE WRAP SOCKETS (GOLD) LEVEL #3

	1-24	25-49	50-100
8 pin WW	.59	.54	.49
10 pin WW	.69	.63	.58
14 pin WW	.79	.73	.67
16 pin WW	.85	.77	.70
18 pin WW	.99	.90	.81
20pin WW	1.19	1.08	.99
22 pin WW	1.49	1.35	1.23
24 pin WW	1.39	1.26	1.14
28 pin WW	1.69	1.53	1.38
36 pin WW	2.19	1.99	1.79
40 pin WW	2.29	2.09	1.89

1/4 WATT RESISTOR ASSORTMENTS – 5%

ASST. 1	5ea.	10 Ohm / 27 Ohm	12 Ohm / 33 Ohm	15 Ohm / 39 Ohm	18 Ohm / 47 Ohm	22 Ohm / 56 Ohm	50pcs.	$1.95
ASST. 2	5ea.	68 Ohm / 180 Ohm	82 Ohm / 220 Ohm	100 Ohm / 270 Ohm	120 Ohm / 330 Ohm	150 Ohm / 390 Ohm	50pcs.	$1.95
ASST. 3	5ea.	470 Ohm / 1.2K	560 Ohm / 1.5K	680 Ohm / 1.8K	820 Ohm / 2.2K	1K / 2.7K	50pcs.	$1.95
ASST. 4	5ea.	3.3K / 8.2K	3.9K / 10K	4.7K / 12K	5.6K / 15K	6.8K / 18K	50pcs.	$1.95
ASST. 5	5ea.	22K / 56K	27K / 68K	33K / 82K	39K / 100K	47K / 120K	50pcs.	$1.95
ASST. 6	5ea.	150K / 390K	180K / 470K	220K / 560K	270K / 680K	330K / 820K	50pcs.	$1.95
ASST. 7	5ea.	1M / 2.7M	1.2M / 3.3M	1.5M / 3.9M	1.8M / 4.7M	2.2M / 5.6M	50pcs.	$1.95
ASST. 8R		Includes Resistor Assts. 1-7 (350 pcs.)						$10.95 ea.

$10.00 Min. Order — U.S. Funds Only
Calif. Residents Add 6% Sales Tax
Postage—Add 5% plus $1.50 Insurance

Spec Sheets — 25¢
Send 88¢ Postage for your
FREE 1982 JAMECO CATALOG

NEW 1982 CATALOG

Jameco ELECTRONICS

PHONE ORDERS WELCOME (415) 592-8097

MAIL ORDER ELECTRONICS — WORLDWIDE
1355 SHOREWAY ROAD, BELMONT, CA 94002
PRICES SUBJECT TO CHANGE

2/82

INTERSIL

Part No.	Function		Price
7045IPI	CMOS Precision Timer		14.95
7045EV/Kit*	Stopwatch Chip, XTL		24.95
7106CPL	3½ Digit A/D (LCD Drive)		16.95
7106EV/Kit*	IC, Circuit Board, Display		34.95
7107CPL	3½ Digit A/D (LED Drive)		15.95
7107EV/Kit*	IC, Circuit Board, Display		29.95
7116CPL	3½ Digit A/D LCD Dis. HLD.		18.95
7117CPL	3½ Digit A/D LED Dis. HLD.		17.95
7201IDR	Low Battery Volt Indicator		2.25
7205IPG	CMOS LED Stopwatch/Timer		12.95
7205EV/Kit*	Stopwatch Chip, XTL		19.95
7206CJPE	Tone Generator		5.15
7206CEV/Kit*	Tone Generator Chip, XTL		12.95
7207AIPO	Oscillator Controller		6.50
7207AEV/Kit*	Freq. Counter Chip, XTL		13.95
7208IPI	Seven Decade Counter		17.95
7209IPA	Clock Generator		3.95
7215IPG	4 Func. CMOS Stopwatch CKT		13.95
7215EV/Kit*	4 Func. Stopwatch Chip, XTL		19.95
7216AIJI	8-Digit Univ. Counter C.A.		32.00
7216CIJI	8-Digit Freq. Counter C.A.		26.95
7216DIPI	8-Digit Freq. Counter C.C.		21.95
7217IJI	4-Digit LED Up/Down Counter		12.95
7218CIJI	8-Digit Univ. LED Drive		10.95
7224IPL	LCD 4½ Digit Up Counter DRI		11.25
7226AIJL	8-Digit Univ. Counter		31.95
7226AEV/Kit*	5 Function Counter Chip, XTL		74.95
7240IJE	CMOS Bin Prog. Timer/Counter		4.95
7242IJA	CMOS Divide-by-256 RC Timer		2.05
7250IJE	CMOS BCD Prog. Timer/Counter		6.00
7260IJE	CMOS BCD Prog. Timer/Counter		5.25
7555IPA	CMOS 555 Timer (8 pin)		1.45
7556IPD	CMOS 556 Timer (14 pin)		2.20
7611BCPA	CMOS Op Amp Comparator	5MV	2.25
7612BCPA	CMOS Op Amp Ext. Cmvr.	5MV	2.95
7621BCPA	CMOS Dual Op Amp Comp.	5MV	3.95
7631CCPE	CMOS Tri Op Amp Comp.	10MV	5.35
7641CCPD	CMOS Quad Op Amp Comp.	10MV	7.50
7642CCPD	CMOS Quad Op Amp Comp.	10MV	7.50
7660CPA	Voltage Converter		2.95
8038CCPD	Waveform Generator		4.95
8048CCPE	Monolithic Logarithmic Amp		21.60
8069CCQ	50ppm Band—GAP Volt Ref. Diode		2.50
8211CPA	Volt Ref/Indicator		2.95
8212CPA	Volt Ref/Indicator		2.95

74C

74C00	.39	74C95	1.59	74C221	1.95
74C02	.39	74C107	1.89	74C240	2.25
74C04	.39	74C151	2.95	74C244	2.25
74C08	.39	74C154	3.95	74C373	2.49
74C10	.39	74C157	2.25	74C374	2.59
74C14	.75	74C160	1.69	74C901	.69
74C20	.39	74C161	1.60	74C903	.69
74C30	.39	74C162	1.49	74C911	10.95
74C42	1.39	74C163	1.69	74C912	10.95
74C48	1.95	74C164	1.59	74C915	1.69
74C73	.79	74C173	1.39	74C917	10.95
74C74	.79	74C174	1.39	74C922	5.49
74C85	1.95	74C175	1.19	74C923	5.75
74C86	.99	74C192	1.69	74C925	7.50
74C89	6.95	74C193	1.69	74C926	7.50
74C90	1.29	74C195	1.59	80C95	.79
74C93	1.29			80C97	.79

LINEAR

LH0002CN	6.85	LM340T-5	1.25	LM702H	.79
LM10CLH	4.50	LM340T-12	1.25	LM703CN	.89
LM11CLH	4.75	LM340T-15	1.25	LM709N	.29
LH0070-DH	4.95	LM341P-5	.75	LM710N	.79
TL071CP	.79	LM341P-12	.75	LM711N	.79
TL072CP	1.39	LM341P-15	.75	LM723N	.69
TL074CN	2.49	LM342P-5	.69	LM733N	1.00
LH0082CD	35.80	LM342P-12	.69	LM739N	1.19
TL082CP	1.19	LM342P-15	.69	LM741CN	.35
TL084CN	2.19	LM348N	1.25	MC1741SCG	3.00
LH0094CD	36.80	LM350K	5.75	LM747N	.79
LM300H	.99	LF351N	.60	LM748N	.59
LM301CN	.35	LF353N	1.00	LM1014N	2.75
LM302H	1.95	LF355N	1.10	LM1310N	1.95
LM304H	1.95	LF356N	1.10	LM1458CN	.59
LM305H	.99	LM358N	1.00	LM1488N	1.25
LM307CN	.45	LM359N	1.79	LM1489N	1.25
LM308CN	1.00	LM370N	4.49	LM1496N	1.95
LM309H	1.95	LM373N	3.25	LM1556V	1.75
LM309K	1.25	LM377N	2.95	LM1800N	2.95
LM310CN	1.75	LM380N	1.25	LM1871N	5.49
LM311/CN	.90	LM381N	1.95	LM1872N	5.49
LM312H	2.49	LM382N	1.95	LM1877N-9	3.25
LM317MP	1.15	LM384N	1.95	LM1889N	3.20
LM317T	1.75	LM386N-3	1.29	LM1896N	1.75
LM317K	3.95	LM387N	1.45	LM2002T	1.49
LM318CN	1.95	LM389N	1.35	LM2877P	2.05
LM319N	1.95	LM392N	.69	LM2878P	2.25
LM320K-5	1.35	LF398N	4.00	LM2896P-1	2.25
LM320K-12	1.35	LM399H	5.00	LM3189N	2.95
LM320K-15	1.35	TL494CN	4.49	LM3900N	.69
LM320T-5	1.25	TL496CP	1.75	LM3905CN	1.25
LM320T-12	1.25	NE510A	6.00	LM3909N	1.15
LM320T-15	1.25	NE529A	4.95	LM3914N	3.95
LM323K	5.95	NE531H	3.95	LM3915N	3.95
LM324N	.99	NE536H	6.00	LM3916N	3.95
LM329DZ	.65	NE540H	6.00	RC4136N	1.25
LM331N	3.95	NE544N	4.95	RC4151NB	3.95
LM334Z	1.30	NE550A	1.30	RC4194TK	6.95
LM335Z	1.40	NE555V	.39	RC4195TK	5.49
LM336Z	1.75	LM556N	.99	LM4500A	3.25
LM337T	1.95	NE564N	3.95	ICL8038B	4.95
LM337MP	1.15	LM565N	1.25	LM13080N	1.29
LM338K	6.95	LM566CN	1.95	LM13600N	1.49
LM339N	.99	LM567V	1.25	75138N	1.95
LM340K-5	1.35	NE570N	4.95	75450N	.89
LM340K-12	1.35			75451CN	.39
LM340K-15	1.35			75492	.89

CAPACITOR CORNER

50 VOLT CERAMIC DISC CAPACITORS

Value	1-9	10-99	100+	Value	1-9	10-99	100+
10 pf	.08	.06	.05	.001µF	.08	.06	.05
22 pf	.08	.06	.05	.0047µF	.08	.06	.05
47 pf	.08	.06	.05	.01µF	.08	.06	.05
100 pf	.08	.06	.05	.022µF	.09	.07	.06
220 pf	.08	.06	.05	.047µF	.09	.07	.06
470 pf	.08	.06	.05	.1µF	.15	.12	.10

100 VOLT MYLAR FILM CAPACITORS

.001mf	.12	.10	.07	.022mf	.13	.11	.08
.0022mf	.12	.10	.07	.047mf	.21	.17	.13
.0047mf	.12	.10	.07	.1mf	.27	.23	.17
,01mf	.12	.10	.07	.22mf	.33	.27	.22


+20% DIPPED TANTALUMS (Solid) CAPACITORS

.1/35V	.39	.34	.29	1.5/35V	.41	.37	.29
.15/35V	.39	.34	.29	2.2/35V	.51	.45	.34
.22/35V	.39	.34	.29	3.3/25V	.53	.47	.37
.33/35V	.39	.34	.29	4.7/25V	.63	.56	.45
.47/35V	.39	.34	.29	6.8/25V	.79	.69	.55
.68/35V	.39	.34	.29	15/25V	1.39	1.25	.95
1.0/35V	.39	.34	.29	22/6V	.79	.69	.55

MINI. ALUMINUM ELECTROLYTIC CAPACITORS

Axial	1-99	100-499	500+	Radial	1-99	100-499	500+
.47/50V	.16	.14	.10	.47/25V	.15	.13	.12
1.0/50V	.19	.16	.12	.47/50V	.16	.14	.13
3.3/50V	.17	.15	.11	1.0/16V	.15	.13	.12
4.7/25V	.18	.15	.11	1.0/25V	.16	.14	.13
10/25V	.18	.15	.11	1.0/50V	.17	.15	.14
10/50V	.19	.16	.12	4.7/16V	.15	.13	.12
22/25V	.19	.16	.12	4.7/25V	.16	.14	.13
22/50V	.24	.20	.18	4.7/50V	.17	.15	.14
47/25V	.25	.21	.19	10/16V	.15	.13	.12
47/50V	.29	.25	.23	10/25V	.16	.14	.13
100/25V	.28	.24	.22	10/50V	.17	.15	.14
100/50V	.41	.37	.34	47/50V	.25	.21	.19
220/25V	.39	.34	.33	100/16V	.21	.17	.14
220/50V	.49	.45	.41	100/25V	.25	.23	.21
470/25V	.54	.49	.45	100/50V	.37	.34	.31
1000/16V	.79	.69	.61	220/16V	.25	.21	.19
2200/16V	.89	.79	.69	470/25V	.35	.31	.27

Circle 164 on inquiry card.



Clock Modules

12VDC AUTOMOTIVE/ INSTRUMENT CLOCK

APPLICATIONS:
- In-dash autoclocks
- After-market auto/ RV clocks
- Aircraft-marine clks.
- 12VDC oper. Instru.
- Portable/battery powered instrumnts.

Features: Bright 0.3" green display. Internal crystal time-base. ± 0.5 sec./day accur. Auto. display brightness control logic. Display color filterable to blue, blue-green, green & yellow. Complete—just add switches and lens.

MA1003 Module (3.05"Lx1.75"Hx.98"D) . **$16.95**

CLOCK MODULES

MA1023	.7" Red Digital LED Clock Module	8.95
MA1026	.7" Dig. LED Alarm Clock/Thermometer	18.95
MA5036	.3" Red Digital LED Clock/Timer	6.95
MA1002	.5" Red Digital LED Clock & Xformer	9.95
MA1010	.8" Red Digital LED Clock	7.95
MA1032	CBA .5" Digital LCD Clock	17.95
MA1043	.7" Green Digital LED Clock	8.95

TRANSFORMERS

102-P20	Xformer for MA1023, 1043 & 5036 Mods.	3.49
102-P22	Xformer for MA1026 Clock Modules	3.49
102-P24	Xformer for MA1010 Clock Modules	3.49

NEW!

Sun Power Your Electronics! SOLAR CELL PANEL KIT



Features:
- Output: 10VDC, to 100mA in Series 5VDC, to 200mA in Parallel
- Panel may be easily connected for Series or Parallel out
- Over 11 square inches of active cell surface
- Voltage line tap @ 0.5V increments
- Provision for charging batteries
- Overall panel size: 4¾"L x 4½"H x ½"D

The JE305 Solar Cell Panel Kit contains 20 each solar cells. On the panel board are power line taps which allow the user to select voltages (one voltage at a time) from 0.5VDC to 10VDC. The applications of each panel can be further expanded by coupling additional panels in series for more voltage or in parallel for more current. The premium grade solar cells provide the current necessary for the operation of most portable transistor radios, small battery powered cassette tape players and unlimited experimental solar projects.

JE305 . . . . $39.95

EPROM Erasing Lamp




- Erases 2708, 2716, 1702A, 5203Q, 5204Q, etc.
- Erases up to 4 chips within 20 minutes.
- Maintains constant exposure distance of one inch.
- Special conductive foam liner eliminates static build-up.
- Built-in safety lock to prevent UV exposure.
- Compact — only 7-5/8" x 2-7/8" x 2"
- Complete with holding tray for 4 chips.

UVS-11EL Replacement Bulb $16.95

UVS-11E $79.95

JOYSTICKS





JS-5K	5K Linear Taper Pots	$5.25
JS-100K	100K Linear Taper Pots	$4.95
JVC-40	40K (2) Video Controller in case	$4.95

ALLIGATOR CLIP TEST LEADS



Heavy-duty leads, color coded. Insulated alligator clip on each end. 15" long. Two each black, red, blue, white and yellow.

#ALCP (10 per pack) . . . . $2.95/pkg.

NEW!

JE215 Adjustable Dual Power Supply

General Description: The JE215 is a Dual Power Supply with independent adjustable positive and negative output voltages. A separate adjustment for each of the supplies provides the user unlimited applications for IC current voltage requirements. The supply can also be used as a general all-purpose variable power supply.

FEATURES:
- Adjustable regulated power supplies, pos. and neg. 1.2VDC to 15VDC.
- Power Output (each supply): 5VDC @ 500mA, 10VDC @ 750mA, 12VDC @ 500mA, and 15VDC @ 175mA.
- Two, 3-terminal adj. IC regulators with thermal overload protection.
- Heat sink regulator cooling
- LED "on" indicator
- Printed Board Construction
- 120VAC input
- Size: 3-1/2"w x 5-1/16"L x 2"H

JE215 Adj. Dual Power Supply Kit (as shown) . . $24.95

(Picture not shown but similar in construction to above)

JE200	Reg. Power Supply Kit (5VDC, 1 amp)	$14.95
JE205	Adapter Brd. (to JE200) ±5, ±9 & ±12V.	$12.95
JE210	Var. Pwr. Sply. Kit, 5-15VDC, to 1.5amp.	$19.95

MICROPROCESSOR COMPONENTS

8080A/8080A SUPPORT DEVICES

INS8080A	CPU	4.95
DP8212	8-Bit Input/Output	3.25
DP8214	Priority Interrupt Control	5.95
DP8216	Bi-Directional Bus Driver	3.49
DP8224	Clock Generator/Driver	3.95
DP8226	Bus Driver	3.49
DP8228	System Controller/Bus Driver	4.95
DP8238	System Controller	5.95
INS8243	I/O Expander for 48 Series	9.95
INS8250	Asynchronous Comm. Element	16.95
DP8251	Prog. Comm. I/O (USART)	6.95
DP8253	Prog. Interval Timer	8.95
DP8255	Prog. Peripheral I/O (PPI)	5.95
DP8257	Prog. DMA Control	9.95
DP8259	Prog. Interrupt Control	9.95
DP8275	Prog. CRT Controller	39.95
DP8279	Prog. Keyboard/Display Interface	9.95
DP8303	System Timing Element	6.95
DP8304	8-Bit Bi-Directional Receiver	3.95
DP8307	8-Bit Bi-Directional Receiver	3.95
DP8308	8-Bit Bi-Directional Receiver	3.95
DP8310	Octal Latched Peripheral Driver	5.25
DP8311	Octal Latched Peripheral Driver	5.25

6800/6800 SUPPORT DEVICES

MC6800	MPU	7.95
MC6802CP	MPU with Clock and RAM	14.95
MC6810API	128x8 Static RAM	4.95
MC6821	Peripheral Inter. Adapt (MC6820)	7.49
MC6828	Priority Interrupt Controller	17.95
MC6830L8	1024x8-Bit ROM (MC68A30-8)	14.95
MC6850	Asynchronous Comm. Adapter	6.95
MC6852	Synchronous Serial Data Adapter	6.95
MC6860	0-600bps Digital MODEM	10.95
MC6862	2400bps Modulator	12.95
MC6880A	Quad 3-State Bus. Trans. (MC8T26)	2.25

MICROPROCESSOR CHIPS

Z80 (780C)	CPU (MK3880N) (2MHz)	11.95
Z80A (780-1)	CPU (MK3880N-4) (4MHz)	13.95
CDP1802	CPU	19.95
2650	MPU	16.95
IDM2901ADC	CPU—4-Bit Slice (Com. Temp. Grade)	19.95
MCS6502	MPU w/Clock (65K Bytes Memory)	11.95
INS8035N-6	MPU—8-Bit (6MHz)	7.95
INS8039N-6	CPU—Sgl. Chip 8-Bit (128 bytes RAM)	9.95
INS8040N-6	CPU (256 Bytes RAM)	24.95
INS8070N	CPU—64 Bytes RAM	24.95
INS8073N	CPU w/Basic Micro Interpreter	29.95
P8085	CPU	9.95
TMS9900JL	MPU—16-Bit	39.95

SHIFT REGISTERS

MM500H	Dual 25-Bit Dynamic	.50
MM503H	Dual 50-Bit Dynamic	.50
MM506H	Dual 100-Bit Static	.50
MM510H	Dual 64-Bit Accumulator	.50
MM1402N	256-Bit Dynamic	2.95
MM5013N	1024-Bit Dynamic/Accumulator	1.95
MM5016H	500/512-Bit Dynamic	1.95
MM5034N	Octal 80-Bit	9.95
MM5035N	Octal 80-Bit	9.95
2504V(1404A)	1024-Bit Dynamic	1.95
2518N	Hex 32-Bit Static	3.95
2522V	Dual 132-Bit Static	2.95
2524V	512-Bit Dynamic	.99
2525V	1024-Bit Dynamic	2.95
2527V	Dual 256-Bit Static	2.95
2528V	Dual 250-Bit Static	4.00
2529V	Dual 240-Bit Static	4.00
2532N	Quad 80-Bit Static	2.95
3341PC	Fifo (Dual 80)	6.95

DATA ACQUISITION

AF100-1CN	Universal Active Filter 2.5%	5.95
AF121-1CJ	Touch Tone Low Band Filter	19.95
AF122-1CJ	Touch Tone High Band Filter	19.95
LM308CH	Super Gain Op Amp	1.15
LM334Z	Constant Current Source	1.30
LM335Z	Temperature Transducer	1.40
LF356N	JFET Input Op Amp	1.10
LF398N	Sample & Hold Amplifiers	3.95
LM399H	Temp.Comp. Prec. Ref. (.5ppm/C°)	5.00
ADC0804LCN	8-Bit A/D Converter (1 LSB)	4.95
DAC0806LCN	8-Bit D/A Converter (0.78% Lin.)	2.25

DATA ACQUISITION (CONTINUED)

ADC0809CCN	8-Bit A/D Converter (8-Ch. Multi.)	5.25
ADC0817 CCN	8-Bit A/D Converter (16-Ch. Multi.)	10.95
DAC1000LCN	10-Bit D/A Conv. Micro. Comp. (0.05%)	13.95
DAC1008LCN	10-Bit D/A Conv. Micro. Comp. (0.20%)	8.95
DAC1020LCN	10-Bit D/A Converter (0.05% Lin.)	8.49
DAC1022LCN	10-Bit D/A Converter (0.20% Lin.)	5.95
DAC1222LCN	12-Bit D/A Converter (0.20% Lin.)	9.95
CD4051N	8-Channel Multiplexer	1.19
AY-5-1013	30K BAUD UART	6.95

RAM'S

1101	256x1 Static	1.49
1103	1024x1 Dynamic	.99
2101 (8101)	256x4 Static	3.95
2102	1024x1 Static	1.75
21L02	1024x1 Static	1.95
2111(8111)	256x4 Static	3.95
2112	256x4 Static MOS	4.95
2114	1024x4 Static 450ns	3.25
2114L	1024x4 Static 450ns Low Power	3.49
2114-2	1024x4 Static 200ns	3.95
2114L-2	1024x4 Static 200ns Low Power	4.95
74S200	256x1 Static	6.95
4116N-4 (UPD416)	16K Dynamic 250ns (MM5290N-4)	2.95
4164N-3	64K Dynamic 200ns	19.95
MM2147J	4096x1 Fast 70ns	7.95
5101	256x4 Static	7.95
MM5261	1024x1 Dynamic Fully Decoded	.99
MM5262	2Kx1 Dynamic	.49
MM5280/2107	4096x1 Dynamic	4.95
MM5290N-2 (4116)	16K Dynamic 150ns (UPD416C-3)	3.95
MM5298J-3A	8K Dyn. 200ns (lower ½ of MM5290J)	1.95
HM6116-4	16K (2Kx8) Static 200ns	14.95
82S25	64 Bit RAM (16x40C)	3.49
UPD414/MK4027	4K Dynamic 16-pin	4.95
TMS4044-45NL	4K Static	9.95
TMS4045	1024x4 Static	9.95

PROMS/EPROMS

1702A	2K UV Erasable PROM	5.95
2708	8K EPROM	4.95
TMS2716	16K EPROM (-5V, +5V, +12V)	9.95
2716 Intel (2516) TI	16K EPROM (Single +5V)	8.95
2732 Intel TI	32K EPROM	17.95
2758	8K EPROM (450ns) (Single +5V)	7.49
2764Q	64K EPROM (Hitachi HN462764)	49.95
5203	2048 PROM	14.95
82S23(74S188)	32x8 PROM (Open Collector)	3.95
82S115	4096 Bipolar PROM	14.95
82S123(74S288)	32x8 Tri-State Bipolar PROM	3.95
82S185	8K PROM	16.95

— Over 30 More PROMS Listed in Our Catalog —

ROM'S

2513(2140)	Character Generator (Upper Case)	9.95
2513(3021)	Character Generator (Lower Case)	9.95

NMOS READ ONLY MEMORIES

MCM66710P	128x9x7 ASCII Shifted w/Greek	13.50
MCM66740P	128x9x7 Math Symbol & Pictures	13.50
MCM66750P	128x9x7 Alpha. Control Char. Gen.	13.50

MICROPROCESSOR MANUALS


M-Z80	User Manual	7.50
M-CDP1802	User Manual	7.50
M-2650	User Manual	5.00

SPECIAL FUNCTION

DS0025CN	Dual MOS Clock Driver (5MZ)	3.50
DS0026CN	Dual MOS Clock Driver (5MZ)	1.95
INS1771N-1	Floppy Disc Controller	24.95
INS2651N	Communication Chip	19.95
MM58167N	Microprocessor Real Time Clock	8.95
MM58174N	Microprocessor Compatible Clock	11.95
COP402N	Microcontroller with 64-Digit RAM and Direct LED Drive	6.95
COP402MN	Microcontroller with 64-Digit RAM & Direct LED Drive w/N Buss Int.	7.49
COP470N	32-Seg. VAC Fluor. Driver (20-pin pkg.)	3.25

TELEPHONE/KEYBOARD CHIPS

AY-5-9100	Push Button Telephone Dialer	14.95
AY-5-9200	Repertory Dialer	14.95
AY-5-9500	CMOS Clock Generator	4.95
AY-5-2376	Keyboard Encoder (88 keys)	11.95
HD0165-5	Keyboard Encoder (16 keys)	7.95
74C922	Keyboard Encoder (16 keys)	5.49
74C923	Keyboard Encoder (20 keys)	5.75
MM53190N	Push Button Pulse Dialer	7.95
MM57499N	96/144-Key Serial Keyboard Encoder	8.95



2400-10

EECO Rocker DIP Switch — "Mini-Dip™" 2400 Series

THE MOST UNIQUE DIP SWITCH AVAILABLE!

MINI-DIP is designed to retrofit all major brands of Dip switches. Unique features include locking rod design to prevent accidental actuation and gold self-wiping contact. One-piece housing and press-fit terminals prevent contamination. 2-10 station Form "A" and 1-5 station Form "C"
• Terminals on .100 x .300 (2.54 x 7.62) centers • PCB or dip socket mountable • Positive cleaning/wiping action with gold contact • Total seal and bottom seal

Part No.	Pos.	Configuration	Socket	Price	Part No	Pos.	Configuration	Socket	Price
2400-2	2	12	8 pin	.79 - 10/ 6.95	2400-6	6	123456	14 pin	1.09 - 10/ 9.95
2400-3	3	123	8 pin	.89 - 10/ 7.95	2400-7	7	1234567	14 pin	1.19 - 10/10.95
2400-4	4	1234	8 pin	.99 - 10/ 8.95	2400-8	8	12345678	16 pin	1.29 - 10/11.95
2400-ABCD	4	ABCD	8 pin	.99 - 10/ 8.95	2400-9	9	123456789	18 pin	1.39 - 10/12.95
2400-5C	6	C54321	14 pin	1.09 - 10/ 9.95	2400-10	10	0123456789	20 pin	1.49 - 10/13.95

JE608 PROGRAMMER

2704/2708 EPROM PROGRAMMER

GENERAL APPLICATIONS:
- To program EPROMS 2704 and 2708.
- Developmental system for microcomputer circuits
- To read the contents of a pre-programmed EPROM
- To compare EPROM(s) for content differences
- To emulate a programmed EPROM
- To store program in RAMS for alterations
- Three separate Display Registers: 8 LED's for Hex Key entries, 10 LED's (2^0-2^9) for Address Register and 8 LED's for Data Memory Register. The Data Memory Register displays the content of the RAMs from the EPROM Chip. Development of micro processor systems by means of a ribbon cable from the programmer panel test socket to the EPROM socket on the microprocessor board. Rapid checking verification of programmed data changes. User may move data from a master to RAM's or write into RAM's with keyboard entries. Allows manual stepping manipulation (up and down) at any address location. Stand-alone EPROM Programmer consisting of: A 19-key Hexadecimal Keyboard assembly, Programmer Board assembly with 4 power supplies and a LED/Test Socket Panel Board assembly. The Test Socket is zero force insertion type. Power requirements: 115VAC, 60Hz, 6W. Compact desk-top enclosure: Color-coordinated designer's case with light tan panels and molded and pieces in mocha brown. Size: 3¼"H x 11"W x 8¾"D. Weight: 5 lbs.

The JE608 EPROM Programmer is a completely self-contained unit which is independent of computer control and requires no additional systems for its operations. The EPROM can be programmed from the Hexadecimal Keyboard or from a pre-programmed EPROM. The JE608 Programmer can emulate a programmed EPROM by the use of its internal RAM circuits. This will allow the user to test or pretest a program for a system, prior to programming a chip. Any changes in the program can be entered directly into the memory circuits with the Hexadecimal Keyboard so that rewriting the entire program will not be necessary. The JE608 Programmer contains a Programmer/Board w/25 IC's & includes power supplies of: -5V, +5V, +12V and +26V. The Hexadecimal Keyboard and LED/Test Socket Panel board are separate assemblies within the system.

JE608K Kit $399.95
JE608A Assembled and Tested $499.95

JE608-16K ADAPTER BOARD FOR 2716/2758 EPROMS

GENERAL DESCRIPTION:
The JE608-16K Adapter Board allows the JE608 Programmer to be modified for the additional programming of the 2716 and 2758 EPROMS. The adapter provides for adding an address switch for the 2" bit and also for selecting the proper power and timing pulses to be applied to the EPROM. Programming and emulating the 2716 (16K) EPROM is done separately to each half (1024x8) of the EPROM because of the existing 8K RAM capacity in the JE608 Programmer.

JE608-16K	Adapter Board Kit	$29.95
JE608-Upgrade	(Send assembled JE608 to factory for adapter installation of the JE608-16K Adapter Board Kit)	$99.95
JE608A-16K Mod.	Assembled JE608 w/Adapter (JE608-16K) Installed	$599.95

$10.00 Min. Order — U.S. Funds Only
Calif. Residents Add 6% Sales Tax
Postage—Add 5% plus $1.50 Insurance

Spec Sheets — 25¢
Send 88¢ Postage for your
FREE 1982 JAMECO CATALOG





PHONE ORDERS WELCOME
(415) 592-8097

MAIL ORDER ELECTRONICS — WORLDWIDE
1355 SHOREWAY ROAD, BELMONT, CA 94002
PRICES SUBJECT TO CHANGE

2/82

BOOKS

National Semiconductor — Intersil — Intel

30001	National CMOS Data Book (640 pages) 74C, CD4000, and A/D Converters	$5.95
30002	National Interface Data Book (704 pages) DP, DS8000, DS3600, DS75000, etc.	$5.95
30003	National Linear Data Book (1376 pages) LM, LF, ADC, DAC, LH Series	$8.95
30004	National Series 80— Board Level Computer (224 pages)	$4.95
30005	National TTL Logic Data Book (624 pages) 7400, LS, L, H, S, and DM8000 Series	$8.95
30006	Buy above (3) 30001,3,5 as a set	$19.95/lot
30009	Intersil Data Book (1074 pages)	$6.95
010400	Intel Component Data Catalog. Full data sheets for Intel's products incl. memory devices, microproc., peripherals & indust./mil. products (1328 pages)	$10.00
205610	Intel Peripheral Design Handbook. Full data sheets, appl. notes for Intel peripheral device components (644 pages)	$7.50


AC and DC Wall Transformers

With Universal Plug and 9V Battery Snap

Selective voltages: 6,9,12VDC. Polarity selection (+/-). six-foot line from adapter to plugs — six-inch line from adapter to battery snap. 120V/60Hz. 300mA.

Part No.	Input	Output	Price
AC 250	117V/60Hz	12VAC 250mA	$3.95
AC 500	117V/60Hz	12VAC 500mA	$4.95
AC1000	117V/60Hz	12VAC 1 amp	$5.95
AC1700	117V/60Hz	9VAC 1.7 amp	$3.95
DC6912	120V/60Hz	6,9,12VDC 300mA	$9.95
DV9200	117V/60Hz	9VDC 200mA	$3.25
DC900	120V/60Hz	9VDC 500mA	$3.95

CONNECTORS



DB25P	D-Subminiature Plug	$2.95
DB25S	D-Subminiature Socket	$3.50
D20418-2	Screw Lock Hdwr. (2) DB25S/P	2/$.99
DB51226	Cover for DB25P/S	$1.75
22/44SE	P.C. Edge (22/44 Pin)	$2.95
UG88/U	BNC Plug	$1.79
UG89/U	BNC Jack	$3.79
UG175/U	UHF Adapter	$ .49
SO239	UHF Panel Recp.	$1.29
PL258	UHF Adapter	$1.60
PL259	UHF Plug	$1.60
UG260/U	BNC Plug	$1.79
UG1094/U	BNC Bulkhead Recp.	$1.29

TRS-80 16K Conversion Kit

Expand your 4K TRS-80 System to 16K.
Kit comes complete with:
★ 8 ea. MM5290 (UPD416/4116) 16K Dyn. Rams (*NS)
★ Documentation for Conversion

TRS-16K2	*150NS	$29.95
TRS-16K3	*200NS	$24.95
TRS-16K4	*250NS	$19.95

JE610 ASCII Encoded Keyboard Kit



The JE610 ASCII Keyboard Kit can be interfaced into most any computer system. The kit comes complete with an industrial grade keyboard switch assembly (62-keys), IC's, sockets, connector, electronic components and a double-sided printed wiring board. The keyboard assembly requires +5V @ 150mA and −12V @ 10 mA for operation. Features: 60 keys generate the 126 characters, upper and lower case ASCII set. Fully buffered. Two user-define keys provided for custom applications. Caps lock for upper-case-only alpha characters. Utilizes a 2376 (40-pin) encoder read-only memory chip. Outputs directly compatible with TTL/DTL or MOS logic arrays. Easy interfacing with a 16-pin dip or 18-pin edge connector. Size: 3½"H x 14½"W x 8¾"D

JE610/DTE-AK	(After assembled as pictured above)	$124.95
JE610 Kit	62-Key Keyboard, PC Board, & Components (no case)	$79.95
K62	62-Key Keyboard (Keyboard only)	$34.95
DTE-AK	(case only — 3¼"Hx11"Wx8¾"D)	$49.95

NEW! JE212 — Negative 12VDC Adapter Board Kit for JE610 ASCII KEYBOARD KIT
Provides -12VDC from incoming 5VDC . . $9.95

JE600 Hexadecimal Encoder Kit

FULL 8-BIT LATCHED OUTPUT 19-KEY KEYBOARD



The JE600 Encoder Keyboard Kit provides two separate hexadecimal digits produced from sequential key entries to allow direct programming for 8-bit microprocessor or 8-bit memory circuits. Three additional keys are provided for user operations with one having a bistable output available. The outputs are latched and monitored with 9 LED readouts. Also included is a key entry strobe. Features: Full 8-bit latched output for microprocessor use. Three user-define keys with one being bistable operation. Debounce circuit provided for all 19 keys. 9 LED readouts to verify entries. Easy interfacing with standard 16-pin IC connector. Only +5VDC required for operation. Size: 3½"H x 8¼"W x 8¾"D


JE600/DTE-HK	(After assembled as pictured above)	$99.95
JE600 Kit	19-Key Hexadec. Keyboard, PC Board & Cmpnts. (no case)	$59.95
K19	19-Key Keyboard (Keyboard only)	$14.95
DTE-HK	(case only —3½"Hx8¼"Wx8¾"D)	$44.95

Circle 164 on inquiry card.

Circle 107 on inquiry card.

DIGITAL RESEARCH COMPUTERS
(214) 271-3538

32K S-100 EPROM CARD
NEW!



$79.95
KIT

USES 2716's

Blank PC Board - $34

ASSEMBLED & TESTED
ADD $30

SPECIAL: 2716 EPROM's (450 NS) Are $9.95 Ea. With Above Kit.

KIT FEATURES:
1. Uses +5V only 2716 (2Kx8) EPROM's
2. Allows up to 32K of software on line!
3. IEEE S-100 Compatible.
4. Addressable as two independent 16K blocks.
5. Cromemco extended or Northstar bank select.
6. On board wait state circuitry if needed.
7. Any or all EPROM locations can be disabled.
8. Double sided PC board, solder-masked, silk-screened
9. Gold plated contact fingers
10. Unselected EPROM's automatically powered down for low power.
11. Fully buffered and bypassed.
12. Easy and quick to assemble.

32K SS-50 RAM

$259.95 KIT

For 2MHZ
Add $10


Blank PC Board
$50

For SWTPC
6800 - 6809 Buss

Support IC's
and Caps
$19.95

Complete Socket Set
$21.00

Fully Assembled,
Tested, Burned In
Add $30




At Last! An affordable 32K Static RAM with full 6809 Capability.

FEATURES:
1. Uses proven low power 2114 Static RAMS.
2. Supports SS50C - EXTENDED ADDRESSING.
3. All parts and sockets included.
4. Dip Switch address select as a 32K block.
5. Extended addressing can be disabled.
6. Works with all existing 6800 SS50 systems.
7. Fully bypassed. PC Board is double sided, plated thru, with silk screen.

16K STATIC RAM KIT-S 100 BUSS



FOR 4MHZ
ADD $10



KIT FEATURES:
1. Addressable as four separate 4K Blocks.
2. ON BOARD BANK SELECT circuitry. (Cromemco Standard!). Allows up to 512K on line!
3. Uses 2114 (450NS) 4K Static Rams.
4. ON BOARD SELECTABLE WAIT STATES.
5. Double sided PC Board, with solder mask and silk screened layout. Gold plated contact fingers.
6. All address and data lines fully buffered.
7. Kit includes ALL parts and sockets.
8. PHANTOM is jumpered to PIN 67.
9. LOW POWER: under 1.5 amps TYPICAL from the +8 Volt Buss.
10. Blank PC Board can be populated as any multiple of 4K.

BLANK PC BOARD W/DATA-**$33**

LOW PROFILE SOCKET SET-**$12**

SUPPORT IC'S & CAPS-**$19.95**

ASSEMBLED & TESTED-**ADD $35**

OUR #1 SELLING
RAM BOARD!

16K STATIC RAM SS-50 BUSS

PRICE CUT!


$139.95 KIT

FULLY STATIC!

FOR 2MHZ
ADD $10

FOR SWTPC
6800 BUSS!

ASSEMBLED AND
TESTED - $35



KIT FEATURES
1. Addressable on 16K Boundaries
2. Uses 2114 STatic Ram
3. Fully Bypassed
4. Double sided PC Board Solder mask and silk screened layout
5. All Parts and Sockets included
6. Low Power Under 15 Amps Typical

BLANK PC BOARD—**$35** COMPLETE SOCKET SET—**$12**
SUPPORT IC'S AND CAPS—**$19.95**

NEW! NEW!
STEREO!
S-100 SOUND COMPUTER BOARD

At last, an S-100 Board that unleashes the full power of two unbelievable General Instruments AY3-8910 NMOS computer sound IC's. Allows you under total computer control to generate an infinite number of special sound effects for games or any other program. Sounds can be called in BASIC, ASSEMBLY LANGUAGE, etc.

COMPLETE KIT!
$84.95
(WITH DATA MANUAL)

BLANK PC
BOARD W/DATA
$31

KIT FEATURES:
* TWO GI SOUND COMPUTER IC'S.
* FOUR PARALLEL I/O PORTS ON BOARD.
* USES ON BOARD AUDIO AMPS OR YOUR STEREO.
* ON BOARD PROTO TYPING AREA.
* ALL SOCKETS, PARTS AND HARDWARE ARE INCLUDED.
* PC BOARD IS SOLDERMASKED, SILK SCREENED, WITH GOLD CONTACTS.
* EASY, QUICK, AND FUN TO BUILD, WITH FULL INSTRUCTIONS.
* USES PROGRAMMED I/O FOR MAXIMUM SYSTEM FLEXIBILITY.

Both Basic and Assembly Language Programming examples are included.

SOFTWARE:

SCL™ is now available! Our Sound Command Language makes writing Sound Effects programs a SNAP! SCL™ also includes routines for Register-Examine-Modify, Memory-Examine-Modify, and Play-Memory. SCL™ is available on CP/M* compatible diskette or 2708 or 2716. Diskette - **$24.95** 2708 - **$19.95** 2716 - **$29.95**. Diskette includes the source. EPROM'S are ORG at E000H. **(Diskette is 8 Inch Soft Sectored)**

SPECIAL PURCHASE!
UART SALE!

TR1602B — SAME AS TMS6011, AY5-1013, ETC. 40 PIN DIP

TR1602B

$2.95 EACH **4 For $10.00**

CRT CONTROLLER CHIP
SMC #CRT 5037. PROGRAMMABLE FOR 80 x 24, ETC. VERY RARE SURPLUS FIND. WITH PIN OUT. $12.95 EACH.

4K STATIC RAM

National Semi. MM5257. Arranged 4K x 1. +5V, 18 PIN DIP. A Lower Power, Plug in Replacement for TMS 4044. 450 NS. Several Boards on the Market Will Accept These Rams. SUPER SURPLUS PURCHASE! **PRIME NEW UNITS!**

8 FOR $16 32 FOR $59.95

NEW! G.I. COMPUTER SOUND CHIP

AY3-8910. As featured in July, 1979 BYTE! A fantastically powerful Sound & Music Generator. Perfect for use with any 8 Bit Microprocessor. Contains: 3 Tone Channels, Noise Generator, 3 Channels of Amplitude Control, 16 bit Envelope Period Control, 2-8 Bit Parallel I/O, 3 D to A Converters, plus much more! All in one 40 Pin DIP. Super easy interface to the S-100 or other busses. **$11.95** **PRICE CUT!**

SPECIAL OFFER: ~~$14.95~~ **each** Add $3 for 60 page Data Manual.

Digital Research Computers
(OF TEXAS)
P.O. BOX 401565 • GARLAND, TEXAS 75040 • (214) 271-3538

TERMS: Add $2.00 postage. We pay balance. Orders under $15 add 75¢ handling. No C.O.D. We accept Visa and MasterCharge. Tex. Res. add 5% Tax. Foreign orders (except Canada) add 20% P & H. Orders over $50, add 85¢ for insurance.

ALL SALES ARE MADE SUBJECT TO THE TERMS OF OUR 90 DAY LIMITED WARRANTY. A COPY OF THIS WARRANTY IS AVAILABLE FREE, ON REQUEST.

*TRADEMARK OF DIGITAL RESEARCH.

WE ARE NOT ASSOCIATED WITH DIGITAL RESEARCH OF CALIFORNIA, THE SUPPLIERS OF CPM SOFTWARE.

Circle 107 on inquiry card.

Unclassified Ads

FOR SALE: Anderson Jacobson AJ 841 Selectric terminal, RS-232C-type serial interface needs some work. Asking $500. Nancy McCarty, 422 Washington St., Auburn, ME 04220, (207) 784-5354.

FOR SALE: Computers in Medicine: An Introduction by Derek Enlander. This is a good book on the subject. I have extra copies from a course. $15 including postage. Tobin, 444 East 75th St., New York, NY 10021.

SORCERER OWNERS: Do you have any programs or information you would like to trade? I have 100 programs to offer. Rick Carlsen, 247 Bath Rd., Apt. #710, Kingston, Ontario K7M 2X9 Canada.

WANTED: Alpha Micro hardware, compatible hardware, and peripherals. Also want a Cromemco Z2 mainframe. Must be reasonable. Steve Waechter, 3691 Linnet Dr., Lake Elsinore, CA 92330, (714) 674-3071.

FOR SALE: HP-85 computer with 16 K, five data cartridges, carrying case, many programs, and all accessories. In excellent condition; $2500. Also, HP-2621P video-display terminal with 80 by 24 display, internal thermal printer, and 12 rolls of paper; $1500. Barry McDonald, 103 Godwin Ave., Midland Park, NJ 07432.

FOR SALE: LEX-11 modem with wall mount transformer equal to Bell 103A; $100 or best offer. California Computer Systems #2718 parallel/serial interface board for S-100; $200 or best offer. M.R. Essig, 1005 Market St. #208, San Francisco, CA 94103, (415) 861-5482.

FOR SALE: Polymorphic 8813 engineering computer (can run under CP/M) with 56 K programmable memory, floating-point hardware, two disk drives, serial interface, BASIC, FORTRAN, Word Master, Finite Element Analysis, and miscellaneous engineering software. $3000. R. Krofick, 520 Blankschool Rd., Greensburg, PA 15601, (412) 832-9759.

FOR SALE: SSM AIO serial/parallel interface card (assembled); $130. Mountain Computer Supertalker speech synthesizer; $180. For Apple II. David Chau, 87 Valley Rd., Larchmont, NY 10538, (212) 834-4851.

FOR SALE: RS-232 cables. New and unused. 6½ feet long with hoods. Pins 1 through 7 and 20 are connected, male to female (can be used as extensions). $10 each. Will rewire—specify gender and whether null modem or normal wiring—for $1 each. Please add $2 shipping. I have 30 of these. Mark Whitis, 7415 Colton Lane, Manassas, VA 22110.

FOR SALE: Assembled and working Heathkit H-8 with 16 K memory and H-8-5 serial cassette interface board. Also, H-9 video-display terminal. Included are Extended BASIC, regular BASIC, TED-8, HASL-8, and all operations manuals. Best offer received by 30 days after this issue is published takes it all. Jerry Gunn, 5317 North Diane Court, Peoria, IL 61615.

FOR SALE: Micro-Sci A70 disk drive with controller and system master disk. Used less than six months. $550, shipping included. Warren Spivack, 6625 Avenue M, Brooklyn, NY 11234, (212) 494-5250 days.

WANTED: A few copies of magazines: Popular Electronics for January to May 1981 and Microsystems, vol. 1, no. 1 and 3; vol. 2, no. 2. Will sell or trade BYTEs for 1978 and 1979. O.K. Hudson, 334 Olney Dr., San Antonio, TX 78209, (512) 828-1738.

FOR SALE: Heath H-10A paper-tape punch/reader with paper-tape software kit for H-11A, in excellent condition; $100. Heath H-11-5 serial interface card and cable, no manual, in excellent condition; $100. John Emberley, 5614 Nicollet Ave. S, Minneapolis, MN 55419, (612) 866-8364 between 9 a.m. and 2 p.m.

WANTED: Front panel for Cromemco, Intersystems, IMSAI, or Altair S-100 computer, in that order of preference. Will consider buying entire mainframe less boards. Gary Sanford, POB 1689, Lowell, MA 01853, (617) 263-2389 evenings.

WANTED: Used TRS-80 Model II business computer and daisy-wheel printer II, plus table and accessories. Good condition, prefer warranty. Joe Boyd, POB 6, West Union, WV 26456.

FOR SALE: Working ASR33 terminal with RS-232C interface. Includes paper-tape reader and punch. Also includes stand, schematic diagrams, and technical manual. $400 or best offer. Joseph Mueck, 943 Hyacinth Dr., Delray Beach, FL 33444, (305) 272-2779.

WANTED: Any and all information regarding the VideoBrain computer (e.g., source of cartridges, operating manuals, etc.). Currently working to enable the VideoBrain to run TRS-80 programs. Bryan McPhee, 418 Virginia Dr., Browns Mills, NJ 08015.

FOR SALE: Two REMEX RFD-4000 double-sided 8-inch disk drives. Each with formatted capacity of 1.2 megabytes. Fast step time of 3 ms. Doorlocks and write protect. Power supply. Used a total of 11 hours. $1000 or best offer. David Tulbert, 6700 Grauer Rd., Niagara Falls, NY 14305, (716) 297-6347.

FOR SALE: Two Micropolis Mod I drives (one never used) with WordStar and manuals. $400. Jack Koch, POB 765, Cherry Hill, NJ 08003.

FOR SALE: Compucolor II microcomputer with 16 K memory, built-in floppy plus add-on drive, sound generator, two keyboards (one expanded, one standard), all manuals, cables, and lots of software. Best offer or would consider satellite receiving equipment or other interesting trades. M.A. Franco, 232 Holiday Village, Enterprise, AL 36330.

FOR SALE: Vector Graphics 8080 processor, Bitstreamer I/O board, Tarbell single-density 8-inch controller, two Shugart 801R drives, 64 K IMS static programmable memory (bank selectable). All in new Integrand Main/Frame. $3000. With SOROC IQ 120; $3660. With SOROC and new Epson MX-80; $4100. Can upgrade to Z80, double density, and TI-810. Ralph Partlow, 6551 Southwest 8th St., Pembroke Pines, FL 33023, (305) 962-8307.

WANTED: The Cheap Video Cookbook by Don Lancaster. Will pay $6 if you will wait one month for payment. Also want four Z80 assembler programs. Will pay $0.50 each. Unused programs will go back to sender, so include return address. Eric Schissel, 30 Entrance Rd., Roslyn, NY 11577.

NEEDED: Repair manual and other manuals for Flexwriter (recorder-reproducer) Model FL made by Commercial Controls Corp. Also, need North Star BASIC floppy disk Release 5 or later. Will pay reasonable reproduction charges. State cost. Harry Mazur, 1450 Chestnut Pl., Boulder, CO 80302, (303) 447-0306.

FOR SALE: PDP-11/15 with 16 K bytes of core memory, Teletype interface, cable, and Teletype ASR33 with stand. Complete documentation. Only $1200. C.F. Shank, POB 248627, University Branch, Miami, FL 33124, (305) 625-3269.

NEEDED: Replacement print head for Epson TX-80 (not MX-80) printer. Have been unable to obtain from local Epson representative. Will buy from dealer or individual. Samuel Gamoran, 228 Graham St., Highland Park, NJ 08904, (201) 949-3625 days, 246-7572 evenings.

FOR SALE: Pertec Attache 8080 S-100 system. $1500 or best offer. 32 K static memory, 9-inch monitor, keyboard, PROM board, 16 by 64 video, Pertec 510 8-inch floppy, Wameco disk controller, and cabinets. Also, Z80/S-100 processor card ($125) and Digital Group Phi-Deck (4) system in dress cabinets with controller board ($200). Dean I. Lawry, POB 1157, Corrales, NM 87048, (505) 898-5145.

FOR SALE: Atari 400 with 8 K and a set of paddles. Just like new. Or will trade Atari 400 and $200 for Atari 800 in good condition. Dave Zalokar, 1845 Gerda SE, Kentwood, MI 49508.

FOR SALE: North Star Horizon 2. Includes two 5-inch double-density disks, 48 K programmable memory, sound-generation board, software, documentation, and Hazeltine 1500 24 by 80 super terminal. Complete system: $2900. Duane Brummel, Rte. 2, Brooklyn, WI 53521, (608) 835-7554.

FOR SALE: ADDS Regent 25 video-display terminal; $800. Little used and in excellent condition. Display is 24 lines by 80 characters per line. Separate 18-key numeric data entry and cursor control pad. Cursor addressing. David Bainum, POB 139, Hartford, KS 66854, (316) 343-6255 after 6 p.m. weekdays.

FOR SALE: BYTE from June 1977 to July 1981. Excellent condition. Dennis R. Yelle, 655 South Fair Oaks Apt. P306, Sunnyvale, CA 94086, (408) 245-6335.

WANTED: DEC PDP-8, PDP-11, and LSI-11 computers, parts, boards, manuals, peripherals, documentation, courses, etc., working or not. Also interested in DEC-compatible items and software that works. H. Kolesnik, 5277 South Kenton Way, Englewood, CO 80111, (303) 779-5256.

FOR SALE: Heathkit H-89 with 48 K programmable memory, cassette interface, and two floppy-disk drives (open slot for third drive). Includes HDOS, Microsoft BASIC, cassette operating system, and many miscellaneous software products (business, financial, games, etc.). Complete with all manuals. $2500 for all. I will pay postage for delivery. Bill Jimerson, 15115 Parthenia #178, Sepulveda, CA 91343.

FOR SALE: 16 K Commodore PET with built-in cassette drive; $649. Also available: Toolkit read-only memory. Channel Data System's Omnifile and CB2 sound system Port Noise. CURSOR magazine tapes #1, 7, 21, 23-28. Commodore's Spacetrek, Blackjack, and A Treasure Trove of Games. United Software of America's Checkbook. Radio Shack Line Printer Two; $599. Steven Dean, POB 1083, Springfield, VA 22151, (703) 978-3322.

FOR SALE: Versatile 3B computer, all units in one enclosure. Ten-slot S-100 bus with Spacebyte 8085 processor, dual Mod I Micropolis disk drives, 32 K Dynabyte static memory, two RS-232 serial and three parallel ports, Ball 9-inch monitor, 80 by 24 Dynabyte video board, and numeric keypad. Software included: MDOS and BASIC, Versatile business package, games, and more. In excellent condition. $2495, original price $4000. Ralph Pullmann, 2765 Sierra Dr., Colorado Springs, CO 80917, (303) 599-0712.

FOR SALE: Commodore CBM 8032B; $995. 2040 disk drives; $995. 2022 tractor printer; $595. Unused, except to check system out, and works fine. Will ship in original cartons with all cables and manuals. Compumax accounting software included free with purchase of system. 16/32 service kit; $195. Louis Robert, POB 144, Hessmer, LA 71341, (318) 563-4428.

UNCLASSIFIED POLICY: Readers who are soliciting or giving advice, or who have equipment to buy, sell or swap should send in a clearly typed notice to that effect. To be considered for publication, an advertisement must be clearly noncommercial, typed double spaced on plain white paper, contain 75 words or less, and include complete name and address information.

These notices are free of charge and will be printed one time only on a space available basis. Notices can be accepted from individuals or bona fide computer users clubs only. We can engage in no correspondence on these and your confirmation of placement is appearance in an issue of BYTE.

Please note that it may take three or four months for an ad to appear in the magazine.

Reader Service

To get further information on the products advertising in BYTE, fill out the reader service card with your name and address. Then circle the appropriate numbers for the advertisers you select from the list. Add an 18-cent stamp to the card, then drop it in the mail. Not only do you gain information, but our advertisers are encouraged to use the marketplace provided by BYTE. This helps us bring you a bigger BYTE. The index is provided as an additional service by the publisher, who assumes no liability for errors or omissions. *Correspond directly with company.

Reader Service

BOMB
BYTE's Ongoing Monitor Box

Article #	Page	Article	Author(s)
1	32	The Flexibility of VisiPlot	Ramsdell
2	38	Build a Computerized Weather Station	Ciarcia
3	72	A Homebrew Graphics Digitizer	Atkins, Castro-Cid
4	91	The Atari Tutorial, Part 6: Atari BASIC	Winner
5	122	The Input/Output Primer, Part 1: What Is I/O?	Leibson
6	148	FIT—A Federal Income Tax Program in UCSD Pascal	Heyman
7	194	Build an EPROM Emulator	Rehnke
8	204	Two Tax Aids	Kvam
9	212	Tax Tips for Computer Owners	Feuerman, Moller
10	219	Dithertizer II	Tomas
11	225	A Guided Tour of Apple Pascal Units and Libraries	Tonkens
12	252	Omniterm: Smart Terminal Program for the Eighties	Liddil
13	258	Voice Synthesis for the Color Computer, Third in a Series	Barden
14	290	Pascal NOW, Let Pascal Balance Your NOW Account	Doyle

Ciarcia Wins BOMB

It looks like Steve Ciarcia has out-"poled" his competition. Steve won the November BOMB with his article, "Switching Power Supplies, An Introduction," a fine tutorial on the design and construction of a nonisolated, single-ended, switching voltage regulator. He will receive the $100 prize. Kathryn S. Barley and James R. Driscoll's "A Survey of Data-Base Management Systems for Microcomputers" took second place. They will share the $50 prize. Third place goes to Michael Gagle, Gary J. Koehler, and Andrew Whinston for their article, "Data-Base Management Systems: Powerful Newcomers to Microcomputers."

BYTE READER SERVICE

February 1982
4122

For fastest service transfer mailer label from wrapper to coupon provided at the right. Requests cannot be honored unless zip code is given. This card valid for 90 days only. **NOTE**—If label is missing or defaced fill out coupon carefully—**PLEASE PRINT**—this is the only way to get requested material to you.

Name ______________________

(Title) ______________ (Company) ______________

Address ______________________

City ______________ State ________ Zip ________

1	21	41	61	81	101	121	141	161	181	201	221	241	261	281	301	321	341	361	381	401	421	441	461	481	501	521	541	561	581	601	621	641	661	681
2	22	42	62	82	102	122	142	162	182	202	222	242	262	282	302	322	342	362	382	402	422	442	462	482	502	522	542	562	582	602	622	642	662	682
3	23	43	63	83	103	123	143	163	183	203	223	243	263	283	303	323	343	363	383	403	423	443	463	483	503	523	543	563	583	603	623	643	663	683
4	24	44	64	84	104	124	144	164	184	204	224	244	264	284	304	324	344	364	384	404	424	444	464	484	504	524	544	564	584	604	624	644	664	684
5	25	45	65	85	105	125	145	165	185	205	225	245	265	285	305	325	345	365	385	405	425	445	465	485	505	525	545	565	585	605	625	645	665	685
6	26	46	66	86	106	126	146	166	186	206	226	246	266	286	306	326	346	366	386	406	426	446	466	486	506	526	546	566	586	606	626	646	666	686
7	27	47	67	87	107	127	147	167	187	207	227	247	267	287	307	327	347	367	387	407	427	447	467	487	507	527	547	567	587	607	627	647	667	687
8	28	48	68	88	108	128	148	168	188	208	228	248	268	288	308	328	348	368	388	408	428	448	468	488	508	528	548	568	588	608	628	648	668	688
9	29	49	69	89	109	129	149	169	189	209	229	249	269	289	309	329	349	369	389	409	429	449	469	489	509	529	549	569	589	609	629	649	669	689
10	30	50	70	90	110	130	150	170	190	210	230	250	270	290	310	330	350	370	390	410	430	450	470	490	510	530	550	570	590	610	630	650	670	690
11	31	51	71	91	111	131	151	171	191	211	231	251	271	291	311	331	351	371	391	411	431	451	471	491	511	531	551	571	591	611	631	651	671	691
12	32	52	72	92	112	132	152	172	192	212	232	252	272	292	312	332	352	372	392	412	432	452	472	492	512	532	552	572	592	612	632	652	672	692
13	33	53	73	93	113	133	153	173	193	213	233	253	273	293	313	333	353	373	393	413	433	453	473	493	513	533	553	573	593	613	633	653	673	693
14	34	54	74	94	114	134	154	174	194	214	234	254	274	294	314	334	354	374	394	414	434	454	474	494	514	534	554	574	594	614	634	654	674	694
15	35	55	75	95	115	135	155	175	195	215	235	255	275	295	315	335	355	375	395	415	435	455	475	495	515	535	555	575	595	615	635	655	675	695
16	36	56	76	96	116	136	156	176	196	216	236	256	276	296	316	336	356	376	396	416	436	456	476	496	516	536	556	576	596	616	636	656	676	696
17	37	57	77	97	117	137	157	177	197	217	237	257	277	297	317	337	357	377	397	417	437	457	477	497	517	537	557	577	597	617	637	657	677	697
18	38	58	78	98	118	138	158	178	198	218	238	258	278	298	318	338	358	378	398	418	438	458	478	498	518	538	558	578	598	618	638	658	678	698
19	39	59	79	99	119	139	159	179	199	219	239	259	279	299	319	339	359	379	399	419	439	459	479	499	519	539	559	579	599	619	639	659	679	699
20	40	60	80	100	120	140	160	180	200	220	240	260	280	300	320	340	360	380	400	420	440	460	480	500	520	540	560	580	600	620	640	660	680	700

BYTE'S BOMB is your direct line to the editor's desk. Each month, the two top-rated authors receive bonuses based on your votes. To cast your vote, first look at the list of this month's articles and corresponding article numbers (located in the unclassified ads section on the page preceding the Reader Service list), then rate each article as **Excellent**, **Good**, **Fair**, or **Poor** by circling the appropriate number in each column below. Your feedback helps to produce the best possible magazine each month.

Article No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
Excellent	801	805	809	813	817	821	825	829	833	837	841	845	849	853	857	861	865	869	873	877	881	885	889	893	897
Good	802	806	810	814	818	822	826	830	834	838	842	846	850	854	858	862	866	870	874	878	882	886	890	894	898
Fair	803	807	811	815	819	823	827	831	835	839	843	847	851	855	859	863	867	871	875	879	883	887	891	895	899
Poor	804	808	812	816	820	824	828	832	836	840	844	848	852	856	860	864	868	872	876	880	884	888	892	896	900

Comments ______________________

BYTE READER SERVICE

February 1982
4122

For fastest service transfer mailer label from wrapper to coupon provided at the right. Requests cannot be honored unless zip code is given. This card valid for 90 days only. **NOTE**—If label is missing or defaced fill out coupon carefully—**PLEASE PRINT**—this is the only way to get requested material to you.

Name ______________________

(Title) ______________ (Company) ______________

Address ______________________

City ______________ State ________ Zip ________

1	21	41	61	81	101	121	141	161	181	201	221	241	261	281	301	321	341	361	381	401	421	441	461	481	501	521	541	561	581	601	621	641	661	681
2	22	42	62	82	102	122	142	162	182	202	222	242	262	282	302	322	342	362	382	402	422	442	462	482	502	522	542	562	582	602	622	642	662	682
3	23	43	63	83	103	123	143	163	183	203	223	243	263	283	303	323	343	363	383	403	423	443	463	483	503	523	543	563	583	603	623	643	663	683
4	24	44	64	84	104	124	144	164	184	204	224	244	264	284	304	324	344	364	384	404	424	444	464	484	504	524	544	564	584	604	624	644	664	684
5	25	45	65	85	105	125	145	165	185	205	225	245	265	285	305	325	345	365	385	405	425	445	465	485	505	525	545	565	585	605	625	645	665	685
6	26	46	66	86	106	126	146	166	186	206	226	246	266	286	306	326	346	366	386	406	426	446	466	486	506	526	546	566	586	606	626	646	666	686
7	27	47	67	87	107	127	147	167	187	207	227	247	267	287	307	327	347	367	387	407	427	447	467	487	507	527	547	567	587	607	627	647	667	687
8	28	48	68	88	108	128	148	168	188	208	228	248	268	288	308	328	348	368	388	408	428	448	468	488	508	528	548	568	588	608	628	648	668	688
9	29	49	69	89	109	129	149	169	189	209	229	249	269	289	309	329	349	369	389	409	429	449	469	489	509	529	549	569	589	609	629	649	669	689
10	30	50	70	90	110	130	150	170	190	210	230	250	270	290	310	330	350	370	390	410	430	450	470	490	510	530	550	570	590	610	630	650	670	690
11	31	51	71	91	111	131	151	171	191	211	231	251	271	291	311	331	351	371	391	411	431	451	471	491	511	531	551	571	591	611	631	651	671	691
12	32	52	72	92	112	132	152	172	192	212	232	252	272	292	312	332	352	372	392	412	432	452	472	492	512	532	552	572	592	612	632	652	672	692
13	33	53	73	93	113	133	153	173	193	213	233	253	273	293	313	333	353	373	393	413	433	453	473	493	513	533	553	573	593	613	633	653	673	693
14	34	54	74	94	114	134	154	174	194	214	234	254	274	294	314	334	354	374	394	414	434	454	474	494	514	534	554	574	594	614	634	654	674	694
15	35	55	75	95	115	135	155	175	195	215	235	255	275	295	315	335	355	375	395	415	435	455	475	495	515	535	555	575	595	615	635	655	675	695
16	36	56	76	96	116	136	156	176	196	216	236	256	276	296	316	336	356	376	396	416	436	456	476	496	516	536	556	576	596	616	636	656	676	696
17	37	57	77	97	117	137	157	177	197	217	237	257	277	297	317	337	357	377	397	417	437	457	477	497	517	537	557	577	597	617	637	657	677	697
18	38	58	78	98	118	138	158	178	198	218	238	258	278	298	318	338	358	378	398	418	438	458	478	498	518	538	558	578	598	618	638	658	678	698
19	39	59	79	99	119	139	159	179	199	219	239	259	279	299	319	339	359	379	399	419	439	459	479	499	519	539	559	579	599	619	639	659	679	699
20	40	60	80	100	120	140	160	180	200	220	240	260	280	300	320	340	360	380	400	420	440	460	480	500	520	540	560	580	600	620	640	660	680	700

To get further information on the products advertised in BYTE, fill out the reader service card with your name and address. Then circle the appropriate numbers for the advertisers you select from the list. Add a 12-cent stamp to the card, then drop it in the mail. Not only do you gain information, but our advertisers are encouraged to use the marketplace provided by BYTE. This helps us bring you a bigger BYTE. The index is provided as an additional service by the publisher, who assumes no liability for errors or omissions. *Correspond directly with company.

PLACE
STAMP
HERE



READER SERVICE
PO BOX 2114 GPO
NEW YORK NY 10116
USA

PLACE
STAMP
HERE

BYTE
READER SERVICE
PO BOX 2114 GPO
NEW YORK NY 10116
USA

BYTE SUBSCRIPTIONS

For a subscription to BYTE, please complete this card.

Name ______________________

Address ______________________

City ______________________

State __________ Zip ________ Country __________

Card No. ______________________

Expiration date ______________________

Four digits above name—Master Charge only __________

Signature ______________________ Date __________

Please allow eight weeks for processing. Thank you.

	USA	Canada Mexico
☐ 1 year	☐ $19	☐ $21
☐ 2 years	☐ $34	☐ $38
☐ 3 years	☐ $49	☐ $55

☐ $43 Europe (air delivery) payment enclosed

☐ $35 Elsewhere (surface mail) payment enclosed

(Air mail rates available upon request)

Please remit in US funds drawn on a US bank. Thank you.

☐ Check enclosed (**Bonus:** [North America only] one EXTRA issue—receive 13 issues for the price of 12)

☐ Master Charge ☐ VISA

☐ Bill me (North America only)

4122

BYTE SUBSCRIPTIONS

For a subscription to BYTE, please complete this card.

Name ______________________

Address ______________________

City ______________________

State __________ Zip ________ Country __________

Card No. ______________________

Expiration date ______________________

Four digits above name—Master Charge only __________

Signature ______________________ Date __________

Please allow eight weeks for processing. Thank you.

	USA	Canada Mexico
☐ 1 year	☐ $19	☐ $21
☐ 2 years	☐ $34	☐ $38
☐ 3 years	☐ $49	☐ $55

☐ $43 Europe (air delivery) payment enclosed

☐ $35 Elsewhere (surface mail) payment enclosed

(Air mail rates available upon request)

Please remit in US funds drawn on a US bank. Thank you.

☐ Check enclosed (**Bonus:** [North America only] one EXTRA issue—receive 13 issues for the price of 12)

☐ Master Charge ☐ VISA

☐ Bill me (North America only)

4122

Note our special offer! Send cash with your order and receive 13 issues for the price of 12 for each year you subscribe. (North America only, please)

Don't Miss An Issue!

Have BYTE delivered to your door.

Each month BYTE will bring you the latest in microcomputer technology.

DISCOVER and IMPLEMENT new ideas. Don't miss the original information presented in the pages of BYTE.

With BYTE you'll always be among the first to know about the important breakthroughs, worthwhile new equipment, and innovative projects in the world of computing.

CHALLENGE US to deliver the very best ideas in microcomputers and advanced technology to you. Return the attached card today!

Subscribe to BYTE—the world's leading computer magazine.

PLACE
STAMP
HERE



SUBSCRIPTIONS
PO Box 590
Martinsville NJ 08836
USA

PLACE
STAMP
HERE

BYTE SUBSCRIPTIONS
PO Box 590
Martinsville NJ 08836
USA